LUBO Review date: 27/02/06

#### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product name:	LUBO
Uses or/and applications: Product code nr: Supplier:	equipment maintenance 272 Liberon Ltd Mountfield Industrial Estate NEW ROMNEY, KENT TN28 8XU.
Phone: Fax: E-mail:	+44 1797 367555 +44 1797 367575 info.uk@v33.com
Emergency phone number (to be used by the practising doctor):	UK - National Poisons Information Service Phone: 44 / 191 22 5131 B - Centre Antipoisons Tél: 070 / 245.245
2. HAZARDS IDENTIFICATION Most important hazards: Specific hazards: Contains:	N Repeated exposure may cause skin dryness or cracking Harmful:may cause lung damage if swallowed. Flammable. Repeated and prolonged exposure may cause skin irritation and dermatitis due to degreasing properties of the product. Affect many plastics. aliphatic hydrocarbons
3. COMPOSITION / INFORMA	
Formula: Component(s) contributing to the hazard:	FOLNB42 • NAPHTA HYDROTRAITE PT EBU BAS - CAS no: *64742-48-9 Conc. wt.(%): 80 < C <= 90 - Symbol(s): Xn - R-phrase(s): 10-65-66
4. FIRST AID MEASURES	
General advice:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). For symptom description, see item 11.
Inhalation:	Take victim to fresh air, in a quiet place, in an half laying position and if necessary take medical advice. Artificial respiration and/or oxygen if necessary.
Skin contact:	Wash with water and soap as a precaution. If skin irritation persists, take medical advice.
Eye contact:	Wash with plenty of water (during 20 minutes minimum) with eyes wide open after taking off soft contact lenses and immediately take medical advice.
Ingestion:	If accidentally swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting. Rinse mouth, do not drink anything, keep quiet, and go immediately to hospital or to a doctor.
5. FIRE-FIGHTING MEASURE	S

Suitable extinguishing media:dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2), water spray,<br/>sand, earth.Extinguishing media which must NOT<br/>be used for safety reasons:Do not use a solid water stream as it may scatter and spread fire.

PAGE 1 / 5

Version: 3-1

Varaion: 2.1	LUBO Review date: 27/02/06	01/155/50 (2001/59/50) 180 1101/ 1
Version: 3-1	Review date: 21/02/06	91/155/EC (2001/58/EC) - ISO 11014-1
Specific method(s):	Cool closed containers exposed to fire Do not allow run-off from fire fighting to	enter drains or water courses.
Specific fire hazard(s):	Vapours are heavier than air and sprea In case of fire, product decomposes in smokes. Concerning product toxicity, see item 1	
	see item 10.	
Special protective equipment for firefighters:	Use a self-contained breathing appara	tus and also a protective suit.
6. ACCIDENTAL RELEASE M	EASURES	
Personal precaution(s):	Evacuate personnel to a safe area.	
	Remove all sources of ignition.	
	Be careful to flashback of fire.	
	Ensure adequate ventilation.	
	Avoid contact with skin, eyes, or clothin	
	Concerning personal protective equipn	nent to use, see item 8.
Environmental precaution(s):	Stop leak without risks if possible.	
	Dike and contain spill.	
	Prevent product from entering drains.	
	Do not allow material to contaminate g	
	Concerning disposal elimination after of	cleaning, see item 13.
Method(s) for cleaning up:	Soak up with absorbent material (for e	xample sand, sawdust, neutral absorbent
method(b) for cloaning up.	granule, silica gel).	
	Shovel into suitable and closed contair	ner for disposal.
	Dispose as hazardous waste.	
7. HANDLING AND STORAGE	E	
- Precaution(s):	Vapours are heavier than air and may	spread along floors. They may form
	explosive mixtures with air.	
	Avoid all eyes and skin contact and do	not breathe vapour and mist.
	Do not eat, drink and do not smoke in a	
	Shower, eyes shower and water point	in proximity.
	Wear personal protective equipment (s	ee item 8).
- Technical condition(s):	Avoid static electricity discharges.	
- Technical condition(s).	Ventilation along floor.	
- Safe handling advice(s):	Opened containers must be carefully c	losed and kept upright to avoid leakage.
Storage		
- Precaution(s):	Store in a place accessible by authoris Keep container tightly closed in a cool	
- Technical condition(s):	Not flammable and waterproof undergr	ound retention basin.
- Storage condition(s):	Keep container tightly closed and at a	temperature not exceeding (°C): 45 °C
- Storage condition(s).	Keep away from sources of ignition - N Store away from direct sunlight or othe Store in a well-ventilated place.	lo smoking.
- Separation of incompatible product(s):	Keep away from: acids, strong bases a	and oxidising compounds.
- Packaging / tank material:	made of the same material as the supp	bly container.
- Unsuitable packaging materials:	Avoid certain plastics which are soluble rubbers aluminium	e in product.

LUBO

Review date: 27/02/06 91/155/EC (2001/58/EC) - ISO 11014-1

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Version: 3-1

Engineering measure(s):	Ensure adequate ventilation, especially in confined areas.
Control parameter(s): - Exposure limit(s):	
Personal protection equipment: - Respiratory protection:	In case of insufficient ventilation wear suitable respiratory equipment. (breathing apparatus with filter A )
- Hand protection:	nitrile rubber gloves neoprene gloves
- Skin and body protection:	solvent-resistant apron and boots long sleeved protective clothing
- Eye protection:	Wear closed safety glasses. or face shield
Hygiene measure(s):	Do not eat, drink, or smoke during work. Keep away from food, drink and animal feed. Keep workplace clean and tidy as much as possible.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

General information - Physical state / form:	liquid
- Colour:	yellow / orange
- Odour:	characteristic
Important health,safety and environmental information	
- PH:	Not applicable.
- Boiling point/range:	Not determined.
- Flash point:	38° C
- Explosion limits:	Not determined.
- Relative density (water = 1):	0.78
- Viscosity:	<30s (40°C)
- Water solubility:	No water mixable
- Fat solubility:	partly soluble
- Solvent solubility:	soluble in some specific organic solvents

### 10. STABILITY AND REACTIVITY

Stability:	Stable in use and storage conditions as recommended in item 7.
Condition(s) to avoid:	Do not expose at temperatures above 45°C
Material(s) to avoid:	Avoid certain plastics which are soluble in product. Reacts violently with: strong bases, oxidising compounds, acids
Hazardous decomposition products:	Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide.

# LUBO

Review date: 27/02/06 91/155/EC (2001/58/EC) - ISO 11014-1

### **11. TOXICOLOGICAL INFORMATION**

Version: 3-1

General information(s):	There is no data available on the product itself. Periodical medical test is recommended to measure exposure.
Acute toxicity	
- Inhalation:	Irritating to the respiratory system, may cause throat pain and cough. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, breathing arrest.
- Skin contact:	Components of the product may be absorbed into the body through the skin. Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis.
- Eyes contact:	Liquid splashes in the eye may cause irritation. (pain, redness) .
- Ingestion:	May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
	Susceptible to induce: oedema of the lungs, heavy breathing difficulty, dizziness.

### 12. ECOLOGICAL INFORMATION

General information(s):	There is no data available on the product itself.
Persistence and degradability:	Product has only a limited biodegradability in soil and water.
Bioaccumulation:	None bioaccumulation.
Environmental toxicity:	May be dangerous for environment.

Otheradverse effects

### **13. DISPOSAL CONSIDERATIONS**

Waste /	/ unused	products:
---------	----------	-----------

	Collect all waste in suitable and labelled containers and dispose according to local legislation. Can be recycled. Do not dispose of waste into sewer. Destruction by incineration / pyrolyse. . 02
Contaminated packaging:	This container is must only be used for this product.
	Container remains hazardous when empty. Continue to observe all precautions. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act.

Further Information(s):

### 14. TRANSPORT INFORMATION

General information(s):	Transport followed ADR, IMDG, IATA
UN N°:	1263
Land (Road / Railway: ADR/RID) - Class: - Verpakkingsgroep: Sea (IMDG) - Class: Air (ICAO/IATA	3 III 3
PAGE 4 / 5	

LUBO Review date: 27/02/06

91/155/EC (2001/58/EC) - ISO 11014-1

## 15. REGULATORY INFORMATION

Version: 3-1

Labelling:	According to European directives on classification, packaging and labelling of dangerous substances
EC number:	Not applicable.
Contains:	• NAPHTA HYDROTRAITE PT EBU BAS
Symbol(s):	Xn - Harmful
R-phrase(s):	10 Flammable. 65 Harmful: may cause lung damage if swallowed. 66 Repeated exposure may cause skin dryness or cracking
S-phrase(s):	<ul> <li>2 Keep out of the reach of children.</li> <li>29 Do not empty into drains.</li> <li>51 Use only in well-ventilated areas.</li> <li>62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.</li> </ul>
16. OTHER INFORMATION	
According legislation(s):	This safety data sheet is in compliance with directives and adaptings: 91/155, 67/548, 88/379
Important remarks:	Information in this safety data sheet is based on actual knowledge in our possession and our experience. It is recommended to pass the information of this safety data sheet, eventually in an appropriated form, to the users.
Uses or/and applications:	equipment maintenance
Destrictions	
Restrictions:	This information relates to the specific material designated and may not be valid in combination with other product(s).

PAGE 5 / 5