

# SANI ACCESS® 1 2 3

Products Ref: 1900/1901/1902

Designed to provide easy access for en-suite bathroom applications, convenient covers allow you to service and maintain the macerator without having to remove it.



*Suitable for new installations.*

## Why choose this product?

- Easy service access
- Suitable for one WC only
- Easy maintenance without removal of unit
- Suitable for new installations
- Quiet technology

Saniaccess is primarily intended for new installations as the inlet and outlet positions vary from other Saniflo models.

## Vertical/horizontal performance



### Double access:

- A Direct access to the basket in case of blockage due to misuse
- B Direct access to electric components

**Discharge Pipework**  
22 / 28 / 32 mm

**Motor Power**  
400 Watts

**Voltages**  
220-240 V/50 Hz

**Working Waste Water Temp**  
35°C

**Product Weight**  
Saniaccess 1 and 2 - 5.8kg  
Saniaccess 3 - 6.4kg

**Inlet Pipework**  
40mm

**IP Rating**  
IP44

SANI ACCESS® 1




SANI ACCESS® 2




SANI ACCESS® 3




SANI ACCESS® 1




SANI ACCESS® 2



SANI ACCESS® 3



Discharge height (m)



## **Check out our full range of macerators**

Saniflo Macerators

Flo-Force Macerators

Stuart Turner Macerators

Grundfos Macerators

## **Don't Forget These Macerator Accessories from Saniflo**

Saniflo Sani Alarm

Saniflo Descaler

**plumbworld**  
**Big brands, small prices.**