## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Kingfisher International Products B.V.

**Supplier's address:** Product quality, Kingfisher International Products B.V., Rapenburgerstraat

175E, 1011 VM Amsterdam, The Netherlands

Model identifier:	3663602669227
-------------------	---------------

_	•			
Type	Λt	liaht	COLL	rca.
IVDE	VI.	HEIIL	SOUI	LC.

Lighting technology used:	HL	Non-directional or directional:	NDLS
Light source cap-type	R7s		
(or other electric interface)			
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes

## Product parameters

Product parameters				
Parameter		Value	Parameter	Value
General product parameters:				
	mption in on- 100 h), rounded est integer	120	Energy efficiency class	G
indicating if it r in a sphere (3	us flux (фuse), refers to the flux .60º), in a wide in a narrow cone	2 250 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode pressed in W	power (P <sub>on</sub> ),	120,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	98
Outer	Height	118	Spectral power	See image
dimensions	Width	9	distribution in the	in last page
				Page 1 / 2

without separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	Depth	9	range 250 nm to 800 nm, at full-load	
Claim of equival	ent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
			Chromaticity coordinates (x and y)	0,437

(a)'-': not applicable; (b)'-': not applicable;

