





C.K.[®] classic



gardening | cutlery | hardware



contents

gardening

shearing	04-06
pruning	07-08
lopping and felling	09-10
cultivating	11-14
agricultural	15



cutlery

scissors	16-17
knives	18-19
kitchen accessories	19



hardware

cabinet hinges	20
end mills	20
snap hooks	21




shearing

Maxima shears feature a lightweight design with sharp, quality blades offering quick, clean cutting. They feature non-stick coated and chrome-plated blades, for low friction use and resistance to rust. They also offer a fully adjustable blade tension and shock-absorbing buffers to reduce jarring.

pruning

Maxima pruners are ideal for older, harder wood, general light pruning or delicate pruning work. They feature two-component handles for ease of handling, a simple-to-use, thumb-control safety catch, and a lightweight design. They have a powerful action spring, and extra sharp, non-stick coated blades for easier cutting.



Legend



Designed for those who take gardening more seriously

The Legend Range has been inspired through years of research and development. It combines innovative use of materials and technology to ensure a premium collection offering the best tools on the market.



shearing

Legend shears feature drop forged blades for increased durability which are hollow ground to create a self sharpening action and reduce friction. Barbed tangs and heavy-duty ferrules permanently anchor the blades to the handles. A simple to use dial allows precise and easy tensioning of the blades.

pruning

Whether bypass or anvil, all pruners are of the highest quality. All blades are drop-forged from the finest steel hardened for durability and strength, ground and finely sharpened to keep a clean cutting edge. This minimises damage to the stem while cutting.

lopping

Whatever your needs, we have a top-quality lopper to suit. Our loppers are all manufactured to professional standards, with fully forged, hardened and tempered special steel blades.

cultivating

Stainless steel in cultivators means corrosion-free durability. And it also means higher performance in heavy, clay-like soil. Our range of professional cultivators is made from the highest-quality drop-forged steel and features hardwood lacquered handles.

lopping

Maxima loppers feature a soft, non slip grip and ensure a sharp, clean cut every time, with their precision-ground, hardened-carbon steel blades. The lightweight, tubular-steel shafts have a protective coating, while most loppers have non-stick coated, rust-resistant blades that reduce friction and offer long-life sharpness.

cultivating

Maxima cultivators come in a lightweight design that is ideal for general gardening. They feature a chrome-plated blade plus large hardwood handle, with soft, non-slip grip.





MAXIMA

Keeping weekend gardeners happy every day

The Maxima range is aimed at the gardening enthusiast, but is built to professional standards that will exceed their needs. It offers a coherent range of value-for-money tools and brightly designed packaging that will ensure sell-through.





Legend

The original wavy edge shears. Beloved by professionals, a seemingly abuse resistant hedge shear designed for years of hard work.

- Hot drop forged and hard chrome armoured waved edge blades.
- Precisely hollow ground, self sharpening blades
- Oversize, shock absorbing wood and rubber buffers to prevent jarring
- Barbed tangs and heavy duty, steel ferrul'
- Lacquered, hardwood handles
- Fully adjustable blade tension
- Cutting notch



5029 'Golden Ceka' Hedge Shears

Item No.				
G5029	560mm/22"	230mm/9"	1.3kg	1

Legend

- Hot drop forged and hard chrome armoured straight edge blades
- Precisely hollow ground, self sharpening blades
- Lacquered, hardwood handles
- Fully adjustable blade tension
- Cutting notch



5022 'Sliver Ceka' Hedge Shears

Item No.				
G5022 6	380mm/15"	140mm/5½"	500g	1
G5022 8	480mm/19"	190mm/7½"	800g	1
G5022 9	560mm/22"	220mm/8¾"	1.2kg	1

Legend

- Hot drop forged and hard chrome armoured waved edge blades
- Precisely hollow ground, self sharpening blades
- Shock absorbing buffers to prevent jarring
- Barbed tangs and heavy duty, steel ferrules
- Lacquered, hardwood handles
- Fully adjustable blade tension
- Cutting notch



5021 Lightweight Hedge Shears

Item No.				
G5021	560mm/22"	230mm/9"	1.3kg	1

Legend

- Hot drop forged and hard chrome armoured straight edge blades
- Precisely hollow ground, self sharpening blades
- Barbed tangs and heavy duty, steel ferrules
- Lacquered, hardwood handles
- Fully adjustable blade tension
- Cutting notch



5047 Lightweight Hedge Shears

Item No.				
G5047 6	380mm/15"	140mm/5½"	500g	1
G5047 8	480mm/19"	190mm/7½"	800g	1
G5047 9	560mm/22"	220mm/8¾"	1.2kg	1



shearing



Legend

- Lightweight and ideal for many uses
- Hollow contour, non-stick coated, self sharpening blades
- Adjustable blade tension




5640 Multi Purpose Hand Shears

Item No.				
G5640	290mm/11½"	105mm/4¼"	271g	3

MAXIMA

- Lightweight design for fatigue free use
- Non-stick coated and chrome plated blades for low friction use and resistance to rust
- Precision ground, hardened carbon steel blades
- Hardwood handles with soft, non-slip grips
- Fully adjustable blade tension
- Shock




5010 Lightweight Hedge Shears

Item No.				
G5010	520mm/20½"	180mm/7"	844g	6

MAXIMA

- Non-stick coated and chrome plated blades for low friction use and resistance to rust
- Precision ground, hardened carbon steel blades
- Hardwood handles with soft, non-slip grips
- Fully adjustable blade tension
- Shock



5011 Long Handled Hedge Shears

Item No.				
G5011	600mm/24"	200mm/8"	994g	6

MAXIMA

- Blades rotate 180° to cut awkward areas
- Lightweight and clean cutting
- Non-stick coated and chrome plated blades for low friction use and resistance to rust
- Secure and precise safety catch for left or right hand use
- Blades can cut either vertically or horizontally



5637 Single Handed Grass Shears

Item No.				
G5637	355mm/14"	115mm/4½"	357g	3



Legend

- Barbed tangs with pinned ferrules
- Hot drop forged and hard chrome armoured blades
- Precisely hollow ground, self sharpening blades
- Lacquered, hardwood handles
- Fully adjustable blade tension



5051 Heavy Duty Lawn Edging Shears

Item No.				
G5051	950mm/37"	209mm/8¼"	2.4kg	1

Legend

- Lightweight with hardened aluminium handles and long moulded grips
- Hot drop forged and hard chrome armoured blades
- Precisely hollow ground, self sharpening blades
- Fully adjustable blade tension



5054 Lawn Shears

Item No.				
G5054	990mm/38"	175mm/6¾"	1.3kg	1

Legend

- Lightweight with hardened aluminium handles and long moulded grips
- Hot drop forged and hard chrome armoured blades
- Precisely hollow ground, self sharpening blades
- Fully adjustable blade tension



5056 Lawn Edging Shears

Item No.				
G5056	990mm/38"	180mm/7"	1.2kg	1

MAXIMA

- Lightweight shears give a professional finish to the lawn edges
- Non-stick coated and chrome plated blades for low friction use and resistance to rust
- Tubular steel handles with soft, non-slip grips
- Fully adjustable blade tension



5015 Lawn Edging Shears

Item No.				
G5015	940mm/37"	175mm/7"	1.5kg	6

pruning



Legend

- Strong, heavy duty pruner
- Non-stick coated blades
- Shock absorbing buffer
- Adjustable
- Double sided
- Complete v



5610 Heavy Duty Bypass Pruners

Item No.				
G5610	215mm/8½"	20mm/ 3/4"	300g	3

Legend

- General purpose pruner with 2 stage lock for partial or full blade opening
- Non-stick coated blades
- Adjustable blade tension
- Double sided safety lock
- Complete with holster



5612 Lightweight Bypass Pruners

Item No.				
G5612	215mm/8½"	18mm / 5/8"	300g	3

Legend

- Lightweight and versatile, equally at home cutting delicate flowers or slicing through the toughest branches
- The composite body and moulded grips ensure a comfortable days pruning for both professional and keen gardeners
- Non-stick coated blades
- Safety lock



5675 Ratchet Action Anvil Pruners

Item No.				
G5675	195mm/7¾"	20mm/ 3/4"	315g	3

Legend

Extra thin sharp blade producing a fine cutting action.

- Non-stick coated blade
- Shock absorbing buffer
- Fine adjustment blade tension
- Safety lock



5631 Standard Bypass Pruners

Item No.				
G5631	215mm/8½"	20mm/ 3/4"	300g	3

MAXIMA

- For pruning older wood
- Anvil grips the branch for easier cutting
- Non-stick coated and chrome plated blades for low friction use and resistance to rust
- Fully adjustable blade tension
- Thumb-cor
- Two compc



5636 Anvil Pruners

Item No.	Length	Blade Length	Weight	Quantity
G5636	190mm/7½"	16mm/⅝"	179g	3

MAXIMA

- Ideal for delicate pruning work
- Lightweight, easy to use snips for dead heading, vine pruning and other precise tasks
- Non-stick coated and chrome plated blades for low friction use and resistance to rust
- Fully adjustable blade tension
- Two component handles



5634 Pruning Snips

Item No.	Length	Blade Length	Weight	Quantity
G5634	200mm/8"	10mm/⅜"	175g	3

MAXIMA

- Ideal for delicate pruning work
- Lightweight, pocket sized pruner for shrubs, heather, etc
- Non-stick coated and chrome plated blades for low friction use and resistance to rust
- Fully adjustable blade tension
- Thumb-control safety catch
- Two compc




5635 Byl

Item No.	Length	Blade Length	Weight	Quantity
G5635	190mm/7½"	16mm/⅝"	175g	3

MAXIMA

- Easy ratchet action
- Light, bright and right for all gardeners
- Non-stick coated blade for low friction use and resistance to rust
- Safety catch



5674 Ratchet Anvil Pruners

Item No.	Length	Blade Length	Weight	Quantity
G5674	185mm/7¼"	16mm/⅝"	100g	6

- Polished pruning blade with flat back
- Brass riveted for smoother opening
- Locking function



9068L Locking Pruning Knife

Item No.	Length	Weight	Quantity
G9068L	110mm/4¼"	70g	3

- Polished pruning blade with flat back
- Brass riveted for smoother opening



9066 Pruning Knife

Item No.	Length	Weight	Quantity
G9066	95mm/3¾"	55g	3

- Precision, taper ground, razor sharp teeth cut on both push and pull strokes without clogging
- Comfortable, cushioned handle
- Robust holster with belt loop
- Replacement blade: G0923SB



0923 Quantity Pruning Saw

Item No.	Length	Weight	Quantity
G0923	460mm/18½"	446g	3

- Precision, taper ground, razor sharp teeth cut on both push and pull stokes without clogging
- Comfortable, cushioned handle
- Secure safety catch
- Replacement blade: G0920



0922 Foldaway Pruning Saw

Item No.	Length	Weight	Quantity
G0922	400mm/15¾"	200g	3

lopping and felling



Legend

- Fully forged, hardened and tempered special steel blades
- Barbed tangs and deep ferrules
- Lacquered hardwood handles



5043 Heavy Duty Bypass Loppers

Item No.				
G5043	750mm/29½"	45mm/1½"	1.8kg	1

Legend

- Fully forged, hardened and tempered special steel blades
- Barbed tangs &
- Lacquered har



5027 Bypa

Item No.				
G5027 23	590mm/23"	30mm/1¼"	1kg	1

Legend

- Anvil cut with cantilever action increases power and reduces effort by 'drawing' the cut
- Fully forged, hardened and tempered special steel blades
- Non-stick coated blade
- Barbed tangs and deep ferrules
- Lacquered



5042 Anvil Loppers

Item No.				
G5042	720mm/28"	50mm/2"	1.6kg	1

Legend

- Fully forged, hardened and tempered special steel blades
- Barbed tangs and deep ferrules
- Wood and rubber buffers to prevent jarring
- Lacquered hardwood handles



5028 Bypass Loppers

Item No.				
G5028	660mm/26"	30mm/1¼"	1.2kg	1

MAXIMA

Ideal for reaching the highest branches simply and comfortably. Gripping anvil hold stems firmly while the power level cutting action provides clean, easy cuts.

- Non-stick coated and chrome plated blades for low friction use and resistance to rust
- Precision ground, hardened steel blades
- Extendable tubular steel handles with soft, non-slip grips
- Fully adjustable blade tension to reduce jarring



5014 Telescopic Anvil Loppers

Item No.				
G5014	660 to 990mm/26" to 39"	35mm/1½"	1.8kg	6

MAXIMA

- Heavy duty loppers ideal for small branches and older, tougher wood
- Non-stick coated and chrome plated blades for low friction use and resistance to rust
- Precision ground, hardened steel
- Tubular steel handles with soft
- Shock absorbing buffer to reduce
- Fully adjustable blade tension



5013 Heavy Duty Bypass

Item No.				
G5013	730mm/28¾"	30mm/1½"	1.2kg	6

MAXIMA

- Compact size allows easy, fatigue free, two handed cutting of small branches
- Precision ground, hardened carbon steel blades
- Tubular steel handles with soft, non-slip
- Shock absorbing buffer to reduce jarri
- Fully adjustable blade tension



5012 Lightweight Bypass Loppers


Item No.				
G5012	480mm/19"	25mm/1"	881g	6

Replacement Parts

for shears, pruners and loppers

Item No.	
G5200	Bolt/nut/washer set for 5200 and 5047 6" and 8", 5056
G5203	Nut/washer set for 5022 and 5047 6" and 8", 5056
G5201	Spring washer for 5022 and 5047 6" and 8", 5056
G5210	Bolt/nut/washer set for 5022 and 5047 9", 5029, 5054
G5217	Nut/washer set for 5022 and 5047 9", 5029, 5054
G5211	Spring washer for 5022 and 5047 9", 5029, 5054
G5213	Rubber buffer for 5028, 5029
G5214	Wood buffer for 5028, 5029
G5215	Metal cup for 5028, 5029
Z5029 2	Handle for 5029
Z5014 2	Anvil for 5014
Z5675 1	Blade for 5675
Z5631 2	Blade for 5631
Z5631 3	Nut/bolt set for 5631
Z5631 4	Screw for 5631
Z5634 1	Coil spring for 5634, 5635, 5636
Z5041 1	Anvil for 5042
Z5041 2	Blade for 5042

- Chrome tubular steel shaft
- Fine polished, drop forged, steel head
- Comfortable sure-grip rubber handle
- Button down leather sheath with belt loop



5162 Hatchet

Item No.			
G5162	330mm/13"	1.8lb	2

- Traditional style hatchet with waxed ash handle and plastic wedge
- Hot drop forged steel head, lacquered with polished edge



5155 Hatchet

Item No.			
G5155 24	360mm/14"	1½lb	1
G5155 32	400mm/16"	2lb	1

- Traditional style hatchet with waxed hickory handle and plastic wedge
- Hot drop forged steel head, lacquered with polished edge



5156 Felling Axe

Item No.			
G5156 4	800mm/32"	4lb	1
G5156 5	890mm/36"	5lb	1

cultivating



Legend

- Stainless steel blade
- Lacquered hardwood handle




5124 Hand Trowel.

Item No.			
G5124	250mm/10"	250g	3

Legend

- Stainless steel prongs
- Lacquered hardwood handle



5125 Weeding Fork

Item No.			
G5125	250mm/10"	200g	3

Legend

- Stainless steel blade
- Lacquered hardwood handle




5127 Rockery Trowel

Item No.			
G5127	295mm/11½"	200g	3

Legend

- Stainless steel prongs
- Lacquered hardwood handle



5129 Rockery Fork

Item No.			
G5129	285mm/11¼"	200g	3

Legend

- Stainless steel blades and prongs
- Lacquered hardwood handles




5126 Weeding Fork & Hand Trowel Set

Item No.			
G5126	-	600g	3



MAXIMA

- Strong, pointed blade for easy digging
- Chrome-plated blade
- Hardwood handle with soft, non-slip grip



5730 Garden Trowel

Item No.	← →	⚖	📦
G5730	300mm/12"	208g	10

MAXIMA

- Strong, narrow pointed blade for use in small borders
- Chrome-plated blade
- Hardwood handle with soft, non-slip grip



5731 Rockery Trowel

Item No.	← →	⚖	📦
G5731	300mm/12"	180g	10

MAXIMA

- Traditional style three pronged fork, ideal multi purpose cultivator
- Chrome-plated prongs
- Hardwood handle with soft, non-slip grip



5732 Hand Fork

Item No.	← →	⚖	📦
G5732	270mm/10½"	186g	10

- Stainless steel blade
- Strong plastic shaft with stee



5140 Border Spade

Item No.	← →	⚖	📦
G5140	1000mm/39½"	1.7kg	1

5142 Digging Spade

Item No.	← →	⚖	📦
G5142	1040mm/41"	2.2kg	1

- Stainless steel prongs
- Strong plastic shaft with stee



5141 Border Fork

Item No.	← →	⚖	📦
G5141	1000mm/39½"	1.7kg	1

5143 Digging Fork

Item No.	← →	⚖	📦
G5143	1040mm/41"	2.2kg	1

- Stainless steel blade
- Steel shaft



5144 Lawn Edger

Item No.			
G5144	1040mm/41"	1kg	1

- Heavy duty construction for general lawn and driveway use
- Head only



5112 Garden Rake

Item No.			
T5112 18	450mm/18"	700g	1

- Quality 1/2" bore hose pipe ideal for general gardening/household use
- Patented inner ribbed construction for greater kink resistance
- Polyester reinforcement and PVC outer for extra strength and durability
- Burst pressure 25 bar



7620 Eco-Flex Hose

Item No.			
G7620 15	15m	1.8kg	10
G7620 30	30m	3.4kg	5

- Efficient hand held spray for household, greenhouse or garden use
- Adjustable from very fine mist to jet



6276 Mist Spray 1 Litre

Item No.		
G6276 1	100g	6



agricultural



- High grade steel polished head and PVC handles
- Heavy duty tool hammers and draws out staples, strains, twists and splices wire



3866 Fencing Pliers

Item No.			
T3866	270mm/10 3/4"	645g	3

- Manufactured from forged steel with polished blades and chequered handles
- Stop Pin



5720 Hoof Cutter

Item No.			
T5720	240mm/9 1/2"	366g	3

5721 Hoof Cutter Serrated

Item No.			
T5721	240mm/9 1/2"	447g	3

- Heavy duty construction grease gun with pressure head
- Multiple loading: cartridge, grease gun filler or bulk
- Precision machined piston and pump cylinder
- Air release valve
- Wide safety knurls for a sure grip
- Supplied complete with angles delivery tube and 4 jaw hydraulic coupler
- Delivery pressure 400/5800 psi



6270 Grease Gun High Pressure

Item No.			
T6270	500cm ³	66g	10

6270 Grease Gun Accessories

Item No.				
T6270 2	Flexible Hose	300mm	32g	10
T6270 3	Flexible Hose	450mm	84g	6
T6270 4	Coupler		32g	6
T6270 5	Grease Cartridge		446g	36



scissors

Comprehensive range of high quality scissors to suit most domestic and industrial applications.

traditional scissors:


- Drop forged blades for increased durability
- Hollow ground blades for self sharpening action
- Professionally hardened and correctly set blades that cut along the whole length

modern scissors:

- Rust resistant stainless steel blades
- Moulded ABS handles for increased comfort
- Professionally hardened and correctly set blades that cut along the whole length

traditional scissors

- Designed specifically for cutting fabric on work surface
- Fully forged polished blades with black japanned handle
- Bearing bolt adjustment
- Side bent



8095 Tailors Scissors

Item No.	← →	🏷️	📦
C809510	260mm/10"	350g	3


- Fully forged and nickel plated
- Black japanned handle
- Screw adjustment
- Side bent



8078 Trimmers

Item No.	← →	🏷️	📦
C80787	180mm/7"	130g	3
C80788	205mm/8"	170g	3
C80789	230mm/9"	220g	3

- Fully forged and nickel plated
- Screw adjustment



8076 Cutting Out Scissors

Item No.	← →	🏷️	📦
C80766	155mm/6"	70g	3
C80767	180mm/7"	90g	3

- Fully forged and nickel plated
- Screw adjustment
- Curved blades



8074 Ladies Scissors

Item No.	← →	🏷️	📦
C80746	155mm/6"	70g	3

- Fully forged and nickel plated
- Screw adjustment



8072 Pocket Scissors

Item No.	← →	🏷️	📦
C807245	115mm/4½"	35g	3

- Fully forged, cut
- Screw adjustment
- With cockade




8080 Hairdressing Scissors

Item No.	← →	🏷️	📦
C8080	180mm/7"	50g	3

cutlery




- Fully forged and nickel plated
- Screw adjustment
- Straight blades



8060 Nail Scissors

Item No.	←————→	🛒	📦
C8060	90mm/3½"	15g	3

- Fully forged and nickel plated
- Screw adjustment
- Curved blades



8061 Nail Scissors

Item No.	←————→	🛒	📦
C8061	90mm/3½"	15g	3


- Stainless steel with moulded ABS handles
- Riveted blades



8419 Ladies Scissors

Item No.	←————→	🛒	📦
C8419	160mm/6¼"	40g	3

- Stainless steel with moulded ABS handles
- Riveted blades



8417 Embroidery Scissors

Item No.	←————→	🛒	📦
C8417	105mm/4"	20g	3

modern scissors

- Stainless steel with moulded ABS handles
- Serrated cutting edge
- Heavy duty adjustment screw
- Side bent



8432 Trimmers Scissor

Item No.	←————→	🛒	📦
C8432	220mm/8½"	100g	3

- Stainless steel with mould
- Adjustment screw
- Side bent



8431 Trimmers Scissors

Item No.	←————→	🛒	📦
C8431	210mm/8¼"	100g	3

- Stainless steel with mould
- Serrated cutting edge
- With lid opener
- Dishwasher safe



8434 Kitchen Scis

Item No.	←————→	🛒	📦
C8434	220mm/8½"	90g	3


scissor definitions

bows

Holes for finger and thumb.


ladies

Equal thumb and finger bows. General purpose for lighter work. e.g. Fabric, paper, string.




cutting

Two finger bow and thumb bow. For slightly heavier duty work.



trimming

Two finger bow and thumb bow. Side bent, allowing for heavy duty cutting on a flat surface.



tailors

Like trimming but bigger for really heavy duty cutting of fabric and material.

easy bows

Contoured bows for comfortable right handed use.

with screw

Rather than fixed rivet, a screw allows for tension adjustment.

with bolt

Like a screw, but heavier duty.

pocket knives

Wide range to suit most applications.

- Fully hardened, finely ground blades to ensure a clean cut
- Rust resistant brass rivets and lining for easy use (selected lines)
- Choice of case and blade styles



- Wit
- Black plastic scales and locking function
- Brass riveted



9036 Pocket Knife

Item No.			
C9036	95mm/3 3/4"	60g	3

- With lambfoot blade
- Black plastic scales and locking function
- Brass riveted.



9038L Locking Pocket Knife

Item No.			
C9038L	110mm/4 1/4"	70g	3

- With clip point blade
- Black plastic scales
- Brass riveted
- Lanyard shackle



9035L Locking Pocket Knife

Item No.			
C9035L	110mm/4 1/4"	100g	3

- With spear point blade
- Black plastic scales
- Brass riveted
- Lanyard shack



9037 Pocket Knife

Item No.			
C9037	95mm/3 3/4"	55g	3


- Counter display of 9036 pocket knives



9036 Pocket Knife Counter Box

Item No.	i	☐
C9036R/1	containing 20 knives	1
C9036R/2	containing 50 knives	1

- With sharp edged spiral and nylon ring in bell mouth to hold bottle securely
- Crown cork lifter
- Mixed chrome and brass plated finishes



6059 Bottle Opener

Item No.	↔	📏	📦
C6059	165mm/6½"	140g	6

- Unique, patented design with double centre pivot giving a straight pull
- Nickel plated with black plastic scales
- With corkscrew, bottle opener, can piercer, crown cork lifter and serrated blade for bottle neck foil



6096 'Waiters Friend' Bottle Opener

Item No.	↔	📏	📦
C6096	150mm/6"	70g	6

- Triggered, Piezo Electric spark
- Stainless steel trim
- Wall mounting bracket
- Mixed colours



6000A Gas Lighter

Item No.	↔	📏	📦
C6000A	220mm/8¾"	100g	6



cabinet hinges

Concealed for flush fitting doors, C.K cabinet hinges are manufactured to the highest standards and are perfect for creating a clean and modern look.

- The hinges are 3 way adjustable and are suitable for doors of 16mm minimum thickness
- Nickel plated, all steel construction
- Display packed items supplied in pairs with all screws and instructions in box quantities only
- Loose items are bulk packed with screws

• 90° opening



208 & 209 Spring Loaded Cabinet Hinges

Item No.	←→	i	📏	📦
T0208S 1	26mm	display packed in pairs	139g	6
T0208S 2	35mm	display packed in pairs	190g	6
T0209S 1	26mm	bulk packed loose	56g	20
T0209S 2	35mm	bulk packed loose	83g	20

• 175° opening



211 & 212 Spring Loaded Cabinet Hinges

Item No.	←→	i	📏	📦
T0211S 2	35mm	display packed in pairs	409g	6
T0212S 2	35mm	bulk packed loose	178g	10

• 90° opening



213 Cabinet Hinges

Item No.	←→	i	📏	📦
T0213S 1	26mm	display packed in pairs	133g	6
T0213S 2	35mm	display packed in pairs	186g	6

- Manufactured with high speed steel blades
- For drilling of blind holes for concealed cabinet hinges
- For use in electric drills (5000rpm max)
- Hexagon shank




296 End Mill

Item No.	←→	📏	📦
T0296 1	26mm	63g	3
T0296 2	35mm	91g	3

hardware



- Nickel plated with swivel ring
- Size excludes swivel ring



7039 Snap Hook

Item No.	←————→	📏	📦
T7039 150	40mm/1½"	11g	12
T7039 2	50mm/2"	16g	12
T7039 237	60mm/2½"	23g	12
T7039 275	70mm/2¾"	32g	12

- Nickel plated with swivel ring



7061 Heavy Duty Snap Hook

Item No.	←————→	📏	📦
T7061	85mm/3⅜"	43g	12


- Nickel plated heavy duty hook with swivel ring
- Snap opening: 9mm



7055 Heavy Duty Snap Hook

Item No.	←————→	📏	📦
T7055 275	70mm/2¾"	39g	12
T7055 4375	110mm/4¾"	85g	12

- Nickel plated hook with stainless steel spring
- Key ring
- Snap opening: 6mm



7056 Snap Hook with Key Ring

Item No.	←————→	📏	📦
T7056	85mm/3⅜"	33g	10



Carl Kammerling International Ltd. reserves the right to alter products and/or specifications without prior notice. Prices are correct at time of printing E. & O.E. All trademarks are acknowledged. All photographs are for guidance only and do not necessarily represent the products illustrated.

©2010. Published by Carl Kammerling International Ltd. No part of this publication may be produced without prior permission from Carl Kammerling International Ltd.