

Dry vacuum cleaners

# T 12/1 Eco! Efficiency



makes a difference

Highly advanced tub vacuum cleaner with reduced energy consumption

## Standard accessories:

- Suction hose 12 m
- Metal suction tube
- 2 x 0.5 m
- Filter bag Fleece
- Switchable floor nozzle 285 mm
- Container material Plastic
- Floor tool
- Safety class II

Order no.: 9.622-566.0



## Technical data

Air flow rate (l/s)	43
Vacuum (mbar/kPa)	229/22.9
Container capacity (l)	12
Max. intake performance (W)	max. 750
Standard nominal size (mm)	32
Length of cord access. (m)	12
Sound level (dB(A))	56
Weight (kg)	6.6
Dimensions (L x W x H) (mm)	340x315x410

Dry vacuum cleaners

# T 12/1 Eco! Efficiency



makes a difference

---

## Details

### Description

Kärcher's new, highly advanced T 12/1 eco!efficiency offers all the features of the standard T 12/1 but with dramatically reduced noise and energy consumption – without compromising daily cleaning performance. By using optimised air flow channels, the T 12/1 eco!efficiency provides almost the same cleaning performance as the standard machine, but with 40% less energy consumption and at only 56dB(A).

---

## Accessories

### Adapter (tube -> nozzle)

#### Adapter

From DN 32 to DN 35: Plastic adapter (electrically non-conductive). Suitable for BV and T vacuum cleaners.

Order no. 6.902-083.0



### All-purpose brushes

#### All-purpose brush, DN 32

All-purpose plastic brush Bristles: 120 x 45 mm. For all T and BV types.

Order no. 6.906-122.0



### Combi-nozzles (dry)

#### Combination floor tool

Plastic combination floor tool (dry) with stainless steel base plate and rollers. With changeover function.

Order no. 6.906-696.0



#### Combination floor tool for parquet

Plastic combination floor tool for parquet (DN 32) with brush strips and two rollers, suitable for all industrial T vacuum cleaners. Combination floor tool without changeover function. 360 mm

Order no. 6.906-107.0



#### Combination floor tool (dry)

Plastic combination floor tool with changeover function (ID 32; 260 mm), with stainless steel base plate.

Order no. 6.906-211.0



## Combi-nozzles (dry)

### Combination floor tool

Plastic combination floor tool with plastic base plate and two rollers.

**Order no. 6.906-812.0**



## Connecting sleeves

### Adapter, DN 32/35, with internal thread

Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.

**Order no. 6.902-077.0**



## Crevice nozzles

### Crevice nozzle

Plastic crevice tool (DN 32) for industrial dry vacuum cleaners for vacuuming in crevices and corners.

**Order no. 6.903-403.0**




## Electric brush

### Brush-head ESB 34 - 230 V

ESB 34 with suction hose with integrated electric cable and telescopic suction tube.

**Order no. 2.642-442.0**



### Electric brush – ESB 28

Electric brush with suction hose, power cord and telescopic suction tube. For better dirt pick up from textiles. Also suitable for flexible and hard surfaces. For T 201 and T 12/1.

**Order no. 2.641-815.0**



## Exhaust air filter

### Standard exhaust filter

Standard exhaust filter and diffusor for reducing filtered air. Made of foam.

Order no. 6.414-802.0



## Motor protection filter felt

Order no. 6.414-611.0



## Extension hoses (Clip-system)

### Extension hose, C 32, C 35 clip system

Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.

Order no. 6.906-237.0



### Extension hose C 32-, C 35-Clip-system, el.

for all C-32 and C-35 hoses, electrically conductive.

Order no. 6.906-277.0



## Fabric filter bag

### Fabric filter bag

Cotton filter bags, washable up to 40°C, suitable for T7/1, T 10/1 and T 12/1 models.

Order no. 6.904-316.0



## T 12/1 Eco! Efficiency

### Fleece filter bags (3 ply)

#### Fleece filter bags

Extremely tear-resistant, 3-ply fleece filter bags, dust class M. Fleece filter bags have 2 to 3 times the capacity of conventional paper filter bags. Standard for T 10/1 and T 12/1.

Order no. 6.904-315.0



#### Fleece filter bags

Fleece filter bag, 3-ply, tear-proof, dust class M, large-scale consumer unit.

Order no. 6.904-321.0



### HEPA filter for dust class H

#### HEPA filter cassette

HEPA filter cassette (paper/plastic) - H 12 - increases filter capacity and improves exhaust air. Optional (with Professional version as standard) filter instead of exhaust filter cassette.

Order no. 6.414-801.0




### Main filter baskets

#### Main filter basket with reinforced fleece

Plastic frames with reinforced fleece material, washably to 40°C.

Order no. 4.731-011.0



#### Permanent main filter basket

Main filter basket for T 15/1, T 12/1 and T 17/1 can be used as a main filter with or without filter bag. Nylon-plastic frame, washable up to 40°C.

Order no. 5.731-640.0



## T 12/1 Eco! Efficiency

### Nozzle sets

#### Nozzle kit ID 32, for T vacuum cleaners with clip holder

Nozzle kit (DN 32) for all industrial dry vacuum cleaners, includes crevice tool, upholstery tool, round brush and clip holder.

Order no. 2.860-143.0



### Paper filter (2 ply)

#### Paper filter bags

10 paper filter bags dust class M. Suitable for all T 12/1 models.

Order no. 6.904-312.0



#### Paper filter bags, bulk consumer pack

Dust class M

Order no. 6.904-318.0



### Plastic bend

#### Plastic bend, C-ID 32

Plastic with C-32 clip system.

Order no. 4.408-051.0



#### Plastic bend

Electrically conductive plastic bend (DN 32) with C-32 clip system, reduces static buildup. Optional for BV 111, T 7/1, T 191, T 10/1, T 12/1, T 201/T201 + ESB 28.

Order no. 4.408-052.0



## T 12/1 Eco! Efficiency

### Plastic bend

#### Comfort plastic bend, C-ID 32

Plastic bend (DN 32) with C-32 clip system with opening for adjusting the floor tool for high-pile or extremely dense textile coverings.

**Order no. 4.440-865.0**



### Radiator brushes

#### Radiator brush

Radiator brush is suitable for crevice tool 6.903-403.0

**Order no. 6.903-404.0**



### Repair kits

#### Repair set, C 32

Repair set (C32) includes threaded hose adapters for industrial T vacuum cleaners with clip system.

**Order no. 2.639-739.0**



### Suction brushes

#### Suction brush

Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners.

**Order no. 6.903-887.0**





## T 12/1 Eco! Efficiency

### Suction hoses (Clip-system)

#### Suction hose, (clip system), C 32

2.5 m suction hose with dry vacuum cleaner connection, clip connection (C 32).

Order no. 4.440-911.0



### Suction hoses complete (Clip-system)

#### Suction hose, complete (clip system), C DN 32, 2.5 m

Improved quality: 2.5 m suction hose with dry vacuum cleaner connection, clip connection and bend (C-DN 32).

Order no. 4.440-907.0



### Suction tubes metal

#### Suction tube

Metal suction tube (DN 32, length 0.5 m) with black plastic coating, suitable as an extension, e.g. vacuuming ceilings.

Order no. 6.906-618.0



#### Telescopic suction tube

Chromium-plated metal telescopic tube (DN 32, length: 0.61-1 m), suitable as an extension, e.g. vacuuming ceilings.


Order no. 6.903-524.0



#### Suction tube

Metal

Order no. 6.903-850.0



## Suction tubes stainless steel

### Suction tube, DN 32

Stainless steel

Order no. 6.902-050.0



## Turbo nozzle

### Turbo nozzle

Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.

Order no. 2.860-113.0



### Turbo nozzle, DN 32

Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.

Order no. 2.860-114.0



## Upholstery nozzles

### Upholstery nozzle

Plastic upholstery tool (DN 32) with thread catcher, standard for T 201, T 201 + ESB 28. Optional for T 7/1, T 191, T 10/1.

Order no. 6.903-402.0

