



# 2017 | Product catalogue

 **GARDENA®**

# Why Gardena?

**Based in Ulm/Germany, GARDENA is the preferred brand for millions of home and garden owners worldwide when it comes to garden care.**

That is because GARDENA offers a complete range of all that is required – no matter if watering systems, pumps, garden ponds, lawn care, tree and shrub care, garden tools, or soil cultivation. Today GARDENA is the leading brand for high-quality garden tools in Europe and represented in more than 80 countries all over the world. It takes an emotional approach to address those who regard their own garden as a "living space close to nature" and a place of well-being, recreation, and fun.

## Systematic success

Since its foundation in 1961, GARDENA has developed from a small trading company for garden tools into a worldwide recognized manufacturer of intelligent products and systems for garden care within a few decades. The final breakthrough was made when introducing the Original GARDENA System in 1968. The idea of providing system solutions was continued in the following decades with the GARDENA combisystem (1977), GARDENA accu-system V12, GARDENA Sprinklersystem and GARDENA Micro-Drip-System (all 1990). The secret of success is always based on the high innovative strength of the brand as well as a consistent sales and marketing policy.

## Member of the Husqvarna Group

Since 2007 GARDENA is a member of Husqvarna Group and – besides Husqvarna itself and McCulloch – one of their global core consumer brands.



# The GARDENA smart system


## Always one step ahead

We continue to write our success story, and are adding a new chapter!

Numerous test results have shown that the GARDENA smart system has had a successful market launch: Spiegel Online, 26/7/2016: "... the individual components work perfectly. The Sileno mower, in particular, impressed me with its almost noiseless, yet meticulous way of working."

And in 2017, GARDENA will go even further! Supported by our retail partners, we will continue to write our success:

- Expansion of the GARDENA smart system with further system products, such as an automatic watering system
- Further development of app functions to meet high customer expectations
- Support for the sales process, ensuring strong sales through pro-active marketing measures



## Leading and innovative Patents and test results speak for themselves

GARDENA has always been a driver of innovative products, and even a pioneer in many areas. And even now, Development and Product Management are striving to make the best even better. Examples of our innovative strength include the vast number of our product features that have been patented or are awaiting patents.



Collecting hedge trimmings



Fast lock system  
Adjuster, and much more



Individual watering control  
Small volume programme



Foldable hook for removing cut-off branches

## From the idea to success

The route to success is satisfied customers. Many of our high-quality and innovative products are Made in Germany. This quality impresses customers and motivates the ever growing target group of hobbyists and city gardeners. Only satisfied customers can ensure continued success in 2017 – for us and you!



# The networked garden

Accessible from any location and at any time



Do you want the convenience of managing and tending to your garden while on the move? Thanks to the new GARDENA smart system, this is no longer a futuristic concept – in fact, many of today's gardeners are able to relax and enjoy exactly this reality. Watering times and mowing times can be configured in a simple process using an app on the user's smartphone or tablet.

What's more, the GARDENA smart Sensor provides up-to-date readings for values such as soil moisture, external temperature and light intensity.

By using the GARDENA smart system, gardeners are able to find all the information and analyses relating to their equipment in a single location. Helpful gardening tips are also provided directly via the smartphone.

## A glimpse of the future: The GARDENA smart system



## smart system

The easy way to get started with the smart system



### smart Sensor Control set

Never mow the lawn or water again!

- Watering times and mowing cycles are controlled using the app
- Needs-based and water-saving watering based on demand thanks to sensor technology
- Always enjoy a perfectly mowed, healthy lawn

### smart Sensor Control set

Never water again!

- Watering control in the app
- Needs-based and water-saving watering based on demand thanks to sensor technology
- The system can be expanded with the smart SILENO and smart SILENO+ Robotic Lawnmowers



## smart Water Control set






Never water again!

- Watering control in the app
- Needs-based and water-saving watering based on demand thanks to sensor technology

## smart SILENO set /SILENO+ set

Never mow again!

- Control robotic lawnmowers from the app
- Mowing cycles depending on watering cycles possible
- Expandable with smart Water Control

Item description	 smart system set	 smart Sensor Control set	 smart Water Control set	 smart SILENO set	 smart SILENO+ set
<b>Item no.</b>	<b>GA19100-20</b>	<b>GA19102-20</b>	<b>GA19103-20</b>	<b>GA19060-20</b>	<b>GA19061-20</b>
EAN code	4 078500 020169	4 078500 018883	4 078500 018906	4 078500 016742	4 078500 016841
Quantity	1	1	1	1	1
Contents	smart products: Gateway, Sensor, Water Control, smart SILENO Robotic Lawnmower	smart products: Gateway, Sensor, Water Control	smart products: Gateway, Water Control	smart Gateway, smart SILENO Robotic Lawnmower	smart Gateway, smart SILENO+ Robotic Lawnmower
Use	Mow lawns and water plants using the smart system app	Water plants using the smart system app	Water plants using the smart system app	Automatic lawn mowing	Automatic lawn mowing
Expandable	with smart Water Control item GAGA19031, smart Sensor item GAGA19030				
Requirements	Wi-Fi router and Internet access, smartphone or tablet				

## GARDENA smart system expansion

smart Sensor



smart Water Control



Item no.	GA19030-20	GA19031-20
EAN code	4 078500 018845	4 078500 018869
Quantity	1	1

# City Gardening



## Garden anywhere — even in the heart of the city.

There's no escaping the trend: more and more people are being drawn to urban living. Currently 62% of people, in the UK, are living in cities and these people are refusing to sacrifice their own, private green oasis in the city. Because it is possible to team urban living with access to your own green space. More than half of city dwellers are now already planting flowers, herbs, vegetables and fruit on their balconies or terraces. As the saying goes: out with the grey, in with the green!



Image	Product Code	Description	EAN
	<b>NEW</b> GA8970-30	<b>Balcony Basic Set Offer</b> Space saving, water protecting tool storage solution. Hanger on the back to fix onto a wall. Lid can be used as a dustpan with soft components for perfect brushing. Plenty of space for additional tools.	 4 078500 023863 >
	<b>NEW</b> GA18400-20	<b>Hose Box 10m Set</b> Heavy Duty 10m hose box with 1.5m connection hose. Foldable crank handle and integrated geared guide for easy winding and space saving storage. Integrated handle for easy transport. Comes ready to use with fitted with OGS parts.	 4 078500 023276 >
	<b>NEW</b> GA18401-20	<b>Balcony Hose 7.5m</b> Lightweight 7.5m spiral hose with integrated holder for easy winding and space saving storage. Direct connection to the tap for easy and fat handling and stable connection. Comes ready to use with fitted with OGS parts.	 4 078500 023283 >
	<b>NEW</b> GA18424-20	<b>Spiral City Hose 10m</b> Eliminates the need to unroll and roll up the hose or carry watering cans. Hose automatically coils back up after use.	 4 078500 025447 >
	<b>NEW</b> GA8966-30	<b>Hand Tool Assortment</b> Compost scoop set with gloves, trowel and secateurs	 4 078500 023856 >
	GA3085-20	<b>Hand Tools Starter Kit in Display</b> Contains Hand Trowel, Weeding Trowel, Classic Secateurs, Planting / Soil Gloves	 4 078500 008419 >




# Original GARDENA System

For over 45 years, consumers have put their trust in the Original GARDENA System – and now, the original is even better

The new connectors for the Original GARDENA System excel through their high comfort of use and reliability as well as durability and highest product quality. And all system parts fit together perfectly – just like before.

Parts are easier to identify thanks to the new colour-coding system:

























- Light-coloured hose lead – tap connection
- Dark-coloured hose end – dark water stop + output devices



























	<p><b>Tap Lead</b></p> 	<p><b>Tap Connector</b></p> <p>For connecting to the tap.</p>	 <p>The non-slip outer contour guarantees a trouble-free and convenient assembly.</p>
	<p><b>Hose Lead</b></p> 	<p><b>Hose Connector</b></p> <p>For use on the hose lead.</p>	 <p>Simply pull apart to rapidly break the connection.</p>
	<p><b>Hose Connections</b></p> 	<p><b>Coupling</b></p> <p>For extending the hose. Also for transitions from 19-mm (3/4") to 13-mm (1/2") hoses.</p>	 <p>Grooved soft plastic grip for comfortable handling.</p>
	<p><b>Hose Repairer</b></p> 	<p><b>GARDENA Hose Repairer</b></p> <p>For rapid and reliable hose repairs without the need for tools.</p>	 <p>Specially formed, patent pending sleeve nut for high hose retention force.</p>
	<p><b>Hose End</b></p> 	<p><b>Water Stop</b></p> <p>For hose ends with integrated water stop function: Decoupled = automatic water stop. Coupled = water flows.</p>	 <p>Makes it easy to switch between output devices without having to go back to the tap.</p>



# Original Gardena System



Image	Product Code	Description	EAN
	GA8188-20	<p><b>Water Smart Meter</b> For controlling water consumption, measures the water quantity that has flowed through. Four functions can be easily selected with a press of a button: water consumption per day, per season, per watering cycle and current flow (litre/min.), Battery included</p>	 4 078500 818803 >
	GA2999-20	<p><b>Angled Tap Connector</b> Prevents kinking and twisting of the hose on the tap due to rotating and swiveling connector. For 26.5mm (G 3/4) taps with 33.3mm (G 1) thread and 21mm (G 1/2) taps with 26.5mm (G 3/4) thread.</p>	 4 078500 299909 >
	GA6005-20	<p><b>Threaded Tap Connector</b> For taps with 21mm (1/2") and 26.5mm (3/4") thread.</p>	 4 078500 600507 >
	GA18202-20	<p><b>Threaded Tap Connector</b> Threaded Tap Connector can be attached to taps with 33,3mm (G 1") thread.</p>	 4 078500 011471 >
	GA18285-20	<p><b>Rapid Connector Set</b> Threaded Tap Connector &amp; Standard Hose Connector.</p>	 4 078500 010269 >
	GA18286-20	<p><b>Connection Set</b> Threaded Tap Connector &amp; Standard Hose Connector. 26.5mm (3/4") thread and 13mm (1/2") hoses</p>	 4 078500 010429 >
	<p><b>NEW</b></p> <p>GA8187-20</p>	<p><b>Adapter For Indoor Taps</b> For Indoor Taps. Regardless whether the tap has a male or a female thread, the Adapter will always fit. The Adapter prevents scratching of the fittings and is suitable for taps with 22 x 1 female- and 24 x 1 male thread.</p>	 4 078500 818704 >
	GA2907-20	<p><b>Round Tap Connector</b> For taps without a thread. Corrosion resistant. For taps with an external diameter of 15 - 20mm.</p>	 4 078500 290708 >
	GA5906-28	<p><b>Round Mixer Tap Connector</b> For taps without a thread. Corrosion resistant. For taps with an external diameter 20 - 25mm.</p>	 4 078500 590648 >
	GA2909-20	<p><b>Universal Tap Connector</b> Fits indoor square taps.</p>	 4 078500 290906 >
	GA938-20	<p><b>Twin-Tap Connector</b> For operating two watering accessories. Adjustable flow rates. For 21mm (G 1/2) taps with 26.5mm (G 3/4) thread.</p>	 4 078500 093804 >
	GA8193-20	<p><b>Twin-Tap Connector</b> For operating two watering accessories. Adjustable flow rates. Suitable for 2 Water Computers For. 26.5mm (G 3/4) taps with 33.3mm (G 1) thread and 21mm (G 1/2) taps with 26.5mm (G 3/4) thread.</p>	 4 078500 819305 >

	GA8194-20	<p><b>Four Channel Water Distributor</b></p> <p>For operating several watering accessories at the same time. 4 fully adjustable outlets. Suitable for 2 Water Computers. For 26.5mm (G ¾) taps with 33.3mm (G 1) thread and 21mm (G ½) taps with 26.5mm (G ¾) thread.</p>	
	GA8166-20	<p><b>Premium Metal Hose Connector</b></p> <p>The high quality premium hose connector. A simple pull releases the connection. Grooved soft plastic grip, protective rubber ring and stable clamping nut of high quality metal. For 13mm (½") hoses.</p>	
	GA8168-20	<p><b>Premium Metal Water Stop</b></p> <p>The high quality premium connector for the outlet end of a hose. Disconnect accessory and the water stops automatically. For 13mm (½") hoses.</p>	
	GA18215-20	<p><b>Standard Hose Connector</b></p> <p>The Simple and easy to use hose connector. A simple pull releases the connection. Featuring soft grip components and convenient clamp nut design. For 13mm (½") hoses.</p>	
	GA18216-20	<p><b>Standard Hose Connector</b></p> <p>The simple and easy to use hose connector. A simple pull releases the connection. Featuring soft grip components and convenient clamp nut design. For 19mm (¾") and 16mm (⅝") hoses.</p>	
	GA18213-20	<p><b>Water Stop Connector</b></p> <p>Connector for the outlet end of a hose. Disconnect accessory and the water stops automatically. Featuring soft grip components and convenient clamp nut design. For 13mm (½") hoses.</p>	
	GA2942-26	<p><b>Hose Connector with Control Valve</b></p> <p>Manual ball valve, for controlling and shutting off water flow. Ideal for high water pressure areas.</p>	
	GA2921-26	<p><b>Accessory Adaptor</b></p> <p>For adapting non GARDENA products to the Original GARDENA System For European 26.5mm (G ¾) female thread.</p>	
	GA2917-26	<p><b>Threaded Hose Connector</b></p> <p>For adapting a screw type thread to a GARDENA Tap Connector. Disconnection made by twisting. With 26.5mm (G ¾) male thread.</p>	
	GA2931-26	<p><b>Extension Joint</b></p> <p>For hose extensions or changing from 19mm to 13mm hoses.</p>	
	GA18232-20	<p><b>Hose Repairer</b></p> <p>Hoses can be quickly and easily repaired without tools. The damaged hose part is simply cut out and the GARDENA Hose Repairer is inserted on the spot. POWER GRIP: Specially shaped sleeve nut for a very tight fit and trouble-free assembly. It is suitable for 13mm (1/2") hoses. For fast repair of hoses.</p>	
	GA2934-26	<p><b>3-way Y Coupling</b></p> <p>Divides a water source in two. Can be used to change from 19mm to 13mm (½") hoses.</p>	
	GA18281-20	<p><b>System Hose Connector Set</b></p> <p>The simple and easy to use hose connector. A simple pull releases the connection. For 13mm (½") hoses; contents: 2 pcs.</p>	

# Profi System



## The system for greater water power and an increased water flow











The GARDENA Profi System is a special solution for applications where large quantities of water are required and long distances need to be spanned. The system is able to accommodate high-performance pumps and is specially designed for 19 mm (3/4") hoses.

Matching system parts are also available for switching between the GARDENA Profi System and the Original GARDENA System.



For more water power and higher water flow  
For 19 mm (3/4") hoses  
Numerous Applications

Use where?  
- a lot of water is needed  
- large distances must be spanned  
- high performance pumps will be used


Image	Product Code	Description	EAN
	<b>NEW</b> GA2817-20	<b>Profi System Hose Connector</b> For 19mm (3/4") hoses.	 078500 281706 >
	<b>NEW</b> GA2821-20	<b>Profi System Universal Adapter</b> For converting watering equipment with female thread to the Profi System. 26.5mm (G 3/4) thread	 078500 282109 >
	<b>NEW</b> GA2831-20	<b>Profi System Extension Joint</b> For connecting hoses, extending. 1 x 19mm (3/4") inlet and 1 x 19mm (3/4") outlet	 078500 283106 >
	<b>NEW</b> GA2830-20	<b>Profi System Reducing Coupling</b> For conversion from Profi System to Original GARDENA System. 1 "Profi" Maxi-Flow System inlet, 1 Original GARDENA System outlet.	 078500 283007 >
	<b>NEW</b> GA2801-20	<b>Profi System Threaded Tap Connector</b> For connection options on tap. 21mm (G 1/2) tap with 26.5mm (G 3/4) thread.	 078500 280105 >

# Garden Hoses

## Original GARDENA System Garden Hoses

### Power Grip Profile

The GARDENA FLEX quality hoses have a Power Grip profile which ensures a secure fitting and optimal connection of the hose to the other Original GARDENA System Parts.



### High quality spiral-woven hoses.

Particularly pressure-resistant and keeps its shape.

















Flexible and easy to handle.

Does not tie itself in knots or twists.

Winds up smoothly.

All Gardena hoses are Phthalate free and contain Carbon which means it can be used to connect to drinking water sources.

# Garden Hoses


	GARDENA Classic	GARDENA Comfort FLEX	GARDENA Comfort HighFLEX	GARDENA Premium SuperFLEX
				
Power grip Profile	-	<b>POWER GRIP</b>	<b>POWER GRIP</b>	<b>POWER GRIP</b>
Does not tie itself in knots or twist				
Flexibility				
Dimensional stability				
Number of threads min.	9 x 9	9 x 9	10 x 10	12 x 12
Spiral-woven texture with carbon	-	•	•	•
Burst pressure	22 bar*	25 bar*	30 bar*	35 bar*
Warranty	12 years	20 years	25 years	30 years
Free of phthalates and heavy metals	•	•	•	•
UV resistance	•	•	•	•

\*All values are based on hoses without fittings of 13mm (1/2") diameter

## Innovative Packaging

For very different placement requirements

- Standing
- Hanging
- Lying



# Garden Hoses

Image	Product Code	Description	EAN
	GA18000-20	<b>Classic 15m Hose (1/2", 13mm)</b> PVC Garden Hose with quality reinforcement. Keeps its shape. Pressure resistant. Free of harmful plasticizers (phthalates) and heavy metals, and of course UV-resistant.	 078500 002202 >
	GA18009-20	<b>Classic 30m Hose (1/2", 13mm)</b> PVC Garden Hose with quality reinforcement. Keeps its shape. Pressure resistant. Free of harmful plasticizers (phthalates) and heavy metals, and of course UV-resistant.	 078500 002233 >
	GA18010-20	<b>Classic 50m Hose (1/2", 13mm)</b> PVC Garden Hose with quality reinforcement. Keeps its shape. Pressure resistant. Free of harmful plasticizers (phthalates) and heavy metals, and of course UV-resistant.	 078500 002288 >
	GA18031-20	<b>Comfort FLEX 15m Hose (1/2", 13mm)</b> With Power Grip Profile for the perfect connection between hose and hose connector. Pressure - resistant and keeps its shape through spiral mesh textile. Does not tie itself in knots or twist, slides easily, flexible. Free of harmful plasticizers (phthalates) and heavy metals. UV-resistant. 13mm (1/2").	 078500 001687 >
	GA18036-20	<b>Comfort FLEX 30m Hose (1/2", 13mm)</b> With Power Grip Profile for the perfect connection between hose and hose connector. Pressure - resistant and keeps its shape through spiral mesh textile. Does not tie itself in knots or twist, slides easily, flexible. Free of harmful plasticizers (phthalates) and heavy metals. UV-resistant. 13mm (1/2").	 078500 001717 >
	GA18039-20	<b>Comfort FLEX 50m Hose (1/2", 13mm)</b> With Power Grip Profile for the perfect connection between hose and hose connector. Pressure - resistant and keeps its shape through spiral mesh textile. Does not tie itself in knots or twist, slides easily, flexible. Free of harmful plasticizers (phthalates) and heavy metals. UV-resistant. 13mm (1/2").	 078500 001731 >
	GA18066-20	<b>Comfort HighFLEX 30m Hose (1/2", 13mm)</b> With Power Grip Profile for the perfect connection between hose and hose connector. High pressure resistance and stability due to high quality spiral mesh textile. Does not tie itself in knots or twist, slides easily, flexible. Free of harmful plasticizers (phthalates) and heavy metals. UV-resistant 13mm (1/2").	 078500 001939 >
	GA18069-20	<b>Comfort HighFLEX 50m Hose (1/2", 13mm)</b> With Power Grip Profile for the perfect connection between hose and hose connector. High pressure resistance and stability due to high quality spiral mesh textile. Does not tie itself in knots or twist, slides easily, flexible. Free of harmful plasticizers (phthalates) and heavy metals. UV-resistant 13mm (1/2").	 078500 002080 >
	GA18096-20	<b>Premium SuperFLEX 30m Hose (1/2", 13mm)</b> With Power Grip Profile for the perfect connection between hose and hose connector. High pressure resistance and stability due to high quality spiral mesh textile. Does not tie itself in knots or twist, slides easily, flexible. Phthalate and heavy metal-free, UV-resistant, and features a transparent and dirt-resistant outer hose. 13mm (1/2").	 078500 001991 >
	<b>NEW</b> GA18099-20	<b>Premium SuperFLEX 50m Hose (1/2", 13mm)</b> With Power Grip Profile for the perfect connection between hose and hose connector. High pressure resistance and stability due to high quality spiral mesh textile. Does not tie itself in knots or twist, slides easily, flexible. Phthalate and heavy metal-free, UV-resistant, and features a transparent and dirt-resistant outer hose. 13mm (1/2").	 078500 002141 >
	<b>NEW</b> GA18424-20	<b>Spiral City Hose 10m</b> Eliminates the need to unroll and roll up the hose or carry watering cans. Hose automatically coils back up after use.	 078500 025447 >

# Roll Up Automatic Hose Reels



Automatic hose winding - no bending over, no winding, no dirty hands.



## Wall-mounted Hose Box Roll-up

Models with powerful steel springs for secure and reliable roll-up.

Pull out hose to desired length - small tug on the hose & it is rolled up in an even and controlled way  
All models are equipped with 12.5mm top-quality hose.



### Flexible in use and easy transportation

The practical wall bracket makes it possible: the hose box can be swivelled at a 180° angle. In this way, the hose does not bend when watering and the box can be folded back to the wall after use. In winter, the box may simply be removed from the bracket and stored in a frost-proof place.



### Everything at hand

The hose is always at hand and at the same time, there are various watering accessories nearby. Because: nozzles, sprayers and wash brushes can be easily attached and stored on the wall bracket.



### 15m

For smaller gardens and patios

### 25m

For medium sized gardens

### 35m

For larger gardens

Image	Product Code	Description
	GA8022-20	<b>15m Wall Mounted Hose Box w/ Automatic Roll Up</b> 15m spring powered automatic hose reel featuring reliable hose retraction technology, comes complete with wall bracket. Fitted with a quality 12.5mm hose.
	GA8023-20	<b>25m Wall Mounted Hose Box w/ Automatic Roll Up</b> 25m spring powered automatic hose reel featuring reliable hose retraction technology, comes complete with wall bracket. Fitted with a quality 12.5mm hose.
	GA8024-20	<b>35m Wall Mounted Hose Box w/ Automatic Roll Up</b> 35m spring powered automatic hose reel featuring reliable hose retraction technology, comes complete with wall bracket. Fitted with a quality 12.5mm hose.

EAN
 078500 802208 >
 078500 802307 >
 078500 802406 >

# Assembled Hose Reel Sets



Image	Product Code	Description
	GA8010-20	<b>10m Compact Hose Reel</b> Complete with 10m Classic Hose, 13mm (1/2"), Original GARDENA System Parts and Spray Nozzle
	GA2687-20	<b>15m Hose Reel Set</b> Complete with 15m Classic Hose 13mm (1/2"), + 18300 Cleaning Nozzle + 3 x 18215 Hose Connector + 18213 Water Stop + 18202/5305 Tap Connector with Adapter. Centralised, rolling handle for comfortable carrying which is gentle to the wrist. Large crank handle for winding the hose easily. Compact, allows for space-saving storage. Angled connection prevents kinking of the hose.
	GA2691-20	<b>20m Hose Reel Set</b> Folding compact design, 20m 13mm (1/2") Classic Hose and fittings including Adjustable Spray Nozzle.
	<b>NEW</b> GA8009-20	<b>Classic Wall-fixed Hose Reel 50 Set</b> Protective storage of the hose on the wall, but can also be removed for mobile use in the garden. Thanks to the ergonomic handle, it can be comfortably carried. Equipped with a 20-meter-long 13mm (1/2") hose, a GARDENA Classic Nozzle and all required Original GARDENA System Fittings.
	<b>NEW</b> GA18400-20	<b>Hose Box 10m Set</b> Heavy Duty 10m hose box with 1.5m connection hose. Foldable crank handle and integrated geared guide for easy winding and space saving storage. Integrated handle for easy transport. Comes ready to use with fitted with OGS parts.

EAN
 4 078500 801003 >
 4 078500 013420 >
 4 078500 269100 >
 4 078500 800907 >
 4 078500 023276 >



# Assembled Hose Trolley Sets



Image	Product Code	Description
	<b>NEW</b> GA2692-28	<b>30m Hose Trolley Set</b> Telescopic handle and special folding mechanism provide for space-saving storage. Swivel axle prevents the connecting hose from turning when winding the main hose on or off. Complete with 30m 13mm (1/2") Classic Hose and fittings including adjustable spray nozzle.
	GA8004-28	<b>Classic Hose Trolley 60HG Set</b> A stable easy to use hose trolley for medium to large gardens. Space saving storage through height adjustable handle. Comfortable hose feed for guided and even winding of the hose. 30m 13mm (1/2") HighFlex Hose and fittings
	<b>NEW</b> GA2680-48	<b>Metal Hose Trolley Set</b> A sturdy and robust metal framed hose trolley. 13mm (1/2") 30m Classic Hose, Classic Spray Gun, and fittings.

EAN
 078500 016223 >
 078500 800488 >
 078500 268080 >




# Hose Reels & Trolleys

The hose is always stored in an orderly manner but ready at hand

With the hose trolley, the hose is always neatly rolled and ready for use. Bothersome pulling and carrying of the hose through the garden is no longer necessary.

Image	Product Code	Description	EAN
	GA18040-20	<b>Connection Set</b> For connecting the hose trolley / reel to the tap. 150cm Comfort Hose 13mm with Threaded tap connector and 2x Standard hose connectors.	 078500 002516 >
	GA241-20	<b>Wall Hose Bracket</b> Small hose bracket with space to hang up original GARDENA System parts.	 078500 024105 >
	<b>NEW</b> GA18401-20	<b>Balcony Hose 7.5m</b> Lightweight 7.5m spiral hose with integrated holder for easy winding and space saving storage. Direct connection to the tap for easy and fat handling and stable connection. Comes ready to use with fitted with OGS parts.	 078500 023283 >
	GA8011-20	<b>Classic Hose Trolley 50</b> A stable easy to use hose trolley for medium to large gardens. Easy to transport with smooth profiled wheels.	 078500 801102 >
	GA2650-20	<b>Wall-Fixed Hose Reel with Hose Guide</b> For storing the hose on the wall. Easy winding on and off using separate hose guide. Built in transport handle. For a max of 60m -13mm hose / 35m -19mm hose.	 078500 265003 >



# Nozzles & Sprayers




## Comfortable adjustment of water flow

The patented one-hand operated water flow adjustment makes Gardena easy to use and can be quickly adjusted to suit any situation. This is available on a selection of Gardena Nozzles and Sprayers.



## Wipe Clean Shower Head

Soft plastic nozzles ensure an ease of cleaning, simply wipe your finger across the head.



## Innovative Internal Expansion Membrane

## Frost-proof nozzles

Our nozzles are all frost-proof due to their innovative internal rubber seals. These expand and contract to the water pressure inside and minimise the damage done to the plastic sections of the nozzles. This means if you do forget to bring your nozzles in from the frost, you have nothing to worry about.



## The right model for every application

This popular range matches the needs of the consumer is precisely suited to market demands. It commands high acceptance for the trade and consumers as it has well-made parts of high quality materials and is ergonomically and functionally designed.









# Cleaning Nozzles

## Perfect for cleaning tasks

Clean intensive stains — using the hard jet



Image	Product Code	Description	EAN
	GA18300-20	<p><b>Cleaning Nozzle</b></p> <p>Ideal for cleaning and watering. Infinitely variable water jet to fine mist.</p>	 <p>078500 010733 &gt;</p>
	GA18288-20	<p><b>Spray &amp; Go Set</b></p> <p>Contains 18300-20 Cleaning Nozzle &amp; 18213 Water Stop Connector.</p>	 <p>078500 010283 &gt;</p>
	<p><b>NEW</b></p> <p>GA18291-20</p>	<p><b>Basic Set</b></p> <p>The Basic Set comprises a Threaded Tap Connector with an Adapter (Art. No. 18202 and 5305), a Hose Connector (Art. No. 18215), a Water Stop (Art. No. 18213) and the Cleaning Nozzle (Art. No. 18300). With this set, you have all Original GARDENA System Fittings and a Cleaning Nozzle for immediate use of your hose.</p>	 <p>078500 010344 &gt;</p>
	GA18301-20	<p><b>Classic Cleaning Nozzle</b></p> <p>Soft plastic components offer a comfortable grip. Adjustable between two spray patterns: hard jet and fine mist. Infinitely variable flow control. One handed operation. Frost protected</p>	 <p>078500 010757 &gt;</p>

# Watering Sprayers



Perfect for all kinds of watering and cleaning tasks



## Easy to Use

The new GARDENA watering accessories feature an ergonomic trigger button with integrated lock.



## Integrated Frost Protection

All new Classic and Comfort watering accessories are equipped with a new and innovative form of frost protection technology.



## Innovative Drip Protection

The innovative power of GARDENA is clear to see:





The integrated, innovative drip protection system prevents the product from continuing to drip after use. (Art. 18319)



## Use-Oriented Range of Products

Regardless of whether it is for cleaning, watering sensitive plants or irrigating hanging baskets: The new GARDENA watering accessories range offers the right product for every application.

Image	Product Code	Description	EAN
	<b>NEW</b> GA8116-20	<b>Classic Adjustable Spray Gun Nozzle</b> Small, compact model. Soft plastic components offer a comfortable grip. Ideal for cleaning and watering with a fine mist. Adjustable between two spray patterns: hard jet and fine mist. On/off trigger with soft plastic components for additional comfort.	 078500 811606 >
	<b>NEW</b> GA18305-20	<b>Premium Cleaning Nozzle</b> Highly robust thanks to its metal components. And yet it also lies comfortably in the hand, due to the non-slip soft plastic components. The water jet is infinitely adjustable: from hard jet to fine mist.	 078500 024242 >
	<b>NEW</b> GA18312-33	<b>Classic Sprayer Set with hose connector</b> With its soft spray, the Classic Sprayer is ideal for watering potted plants and individual areas. With an innovative and integrated technology to protect against frost. The lock allows continuous watering without tiring, because the trigger does not have to be held the whole time. With this Classic Sprayer, watering is truly a pleasure.	 078500 024143 >
	<b>NEW</b> GA8122-22	<b>Classic Multi Function Spray Gun</b> The right pattern for every task in the home and garden. The Classic Fine Spray Gun with Flow Control offers the selection of hard-, flat-, soft- and mist spray.	 078500 812221 >
	GA18313-20	<b>Classic Multi Sprayer</b> Three spray patterns: Shower Spray, 3 pointed spray, Bubble jet spray. With comfortable one handed operation and soft rubber nozzles for easy cleaning of the spray head. Frost protected.	 078500 010511 >
	GA18313-33	<b>Classic Multi Spray Offer - In Display</b> Three spray patterns: Shower Spray, 3 pointed spray, Bubble jet spray. With comfortable one handed operation and soft rubber nozzles for easy cleaning of the spray head. Frost protected.	 078500 017916 >
	GA18321-20	<b>Comfort Sensitive Plant Sprayer</b> Ideal for gentle watering of flowers and sensitive plants, herbs and seedlings	 078500 017244 >









Image	Product Code	Description	EAN
	<b>NEW</b> GA18323-20	<b>Comfort Cleaning Sprayer</b> Comfort cleaning nozzle with integrated frost protection, soft plastic components for comfortable use. Shower head & hard jet, Ideal for Beds, Borders and cleaning intensive stains. On/Off trigger, Lock, Water flow can be shut off. Ergonomic one handed use.	 078500 025140 >
	GA18319-20	<b>Comfort Bed Sprayer</b> Ideal for watering beds and large areas	 078500 017336 >
	<b>NEW</b> GA18315-20	<b>Comfort Multi Sprayer</b> Comfort multi spray gun with integrated frost protection, filter and soft plastic components for comfortable use. Shower spray, Bubble jet, Hard jet, Fine mist and flat spray, for any watering task. On/Off trigger, Lock, Water flow can be shut off. Ergonomic one handed use. Soft plastic ring on the head to protect from damage.	 078500 024228 >
	<b>NEW</b> GA18315-32	<b>Comfort Multi Sprayer in display</b> Comfort multi spray gun with integrated frost protection, filter and soft plastic components for comfortable use. Shower spray, Bubble jet, Hard jet, Fine mist and flat spray, for any watering task. On/Off trigger, Lock, Water flow can be shut off. Ergonomic one handed use. Soft plastic ring on the head to protect from damage.	 078500 024204 >
	GA8154-20	<b>Premium Metal Adjustable Shower / Spray</b> Robust metal / plastic design with non-slip soft plastic components. Three spray patterns: soft spray, mist spray and hard jet. Fully adjustable flow rate.	 078500 815406 >
	<b>NEW</b> GA18317-20	<b>Premium Multi Sprayer</b> Integrated frost protection, filter, metal elements for robustness and soft plastic components for comfortable use. Shower spray, Bubble jet, Hard jet, Fine mist and flat spray, for any watering task. On/Off trigger, Lock, Water flow can be shut off. Ergonomic one handed use. Soft plastic ring on the head to protect from damage.	 078500 024181 >



# Distance Spray Lances

Perfect for all kinds of watering and cleaning tasks in remote or hard-to-reach places



Image	Product Code	Description	EAN
	GA18330-32	<p><b>Spray Lance in Display</b>                      For distance watering featuring an ergonomic front trigger. Shower spray for gentle watering of plants and borders with a 60cm reach. Lance can be hung up for compact storage. Frost Protected</p>	 4 078500 012805 >
	GA18332-20	<p><b>Classic Spray Lance</b>                      For distance watering featuring an ergonomic front trigger. Shower spray for gentle watering of plants and borders with a 75cm reach. Infinitely variable flow rate. Lance can be hung up for compact storage. Frost Protected</p>	 4 078500 010368 >
	GA18335-20	<p><b>Comfort Hanging Basket Spray Lance</b>                      Ideal for watering hanging baskets or potted plants</p>	 4 078500 017268 >
	GA18334-20	<p><b>Comfort Multi Spray Lance</b>                      Ideal for watering and cleaning in difficult-to-reach places, Soft spray, hard jet, 200° tiltable soft spray head, Trigger Lock, Water Regulation, Soft plastic components, frost protection, 90cm shaft length</p>	 4 078500 017282 >











# Oscillating Sprinklers



For even, puddle-free watering of square and rectangular areas. High quality through breakage proof nozzle and anti-slip features.

Fully adjustable range.



Image	Product Code	Description	EAN
	GA2080-20	<b>Classic Oscillating Sprinkler Polo Offer</b> Even watering through precision nozzles. Fully adjustable range. Aluminium reinforced nozzle for extra strength. Maintenance free. Area coverage 90m <sup>2</sup> - Max 220m <sup>2</sup> , Adjustable range 7m - Max 17m, Width of spray Max 13m.	 078500 <sup>1</sup> 208000 <sup>1</sup> >
	GA2082-20	<b>Classic Polo 220</b> Even watering through precision nozzles. Fully adjustable range. Aluminium reinforced nozzle for extra strength. Maintenance free. Area coverage 90m <sup>2</sup> - Max 220m <sup>2</sup> , Adjustable range 7m - Max 17m, Width of spray Max 13m.	 078500 <sup>1</sup> 208208 <sup>1</sup> >
	GA2084-20	<b>Classic Polo 280</b> Even watering through precision nozzles. Fully adjustable range. Aluminium reinforced nozzle for extra strength. Maintenance free. Area coverage 120m <sup>2</sup> - Max 280m <sup>2</sup> , Adjustable range 8m - Max 18m, Width of spray Max 16m.	 078500 <sup>1</sup> 208406 <sup>1</sup> >
	GA1973-20	<b>Comfort Aquazoom 250/2</b> Sprinkler for watering different sized rectangular areas, Area coverage 25m <sup>2</sup> - Max 250m <sup>2</sup> , Adjustable range of spray 7m - Max 18m, Adjustable width of spray 3.5m - Max 14m.	 078500 <sup>1</sup> 197304 <sup>1</sup> >
	GA1975-20	<b>Comfort Aquazoom 350/2</b> Sprinkler for watering different sized rectangular areas, Area coverage 28m <sup>2</sup> - Max 350m <sup>2</sup> , Adjustable range of spray 7m - Max 21m, Adjustable width of spray 4m - Max 17m.	 078500 <sup>1</sup> 197502 <sup>1</sup> >
	GA8127-20	<b>Oscillating Sprinkler ZoomMaxx</b> Compact oscillating sprinkler. Uniform water distribution through 16 soft rubber nozzles, user friendly adjustments. Range of width 3-12m, range of spray 3-18m, area coverage 9-216m <sup>2</sup>	 078500 <sup>1</sup> 812702 <sup>1</sup> >

# Circular Sprinklers

## New Design, perfected control and improved function recognition

From the simple small area sprinkler to the technically sophisticated top model.

















Adjusting button with soft plastic components for conveniently setting the range.



The set watering sector can be clearly identified.



Image	Product Code	Description	EAN
	GA1951-20	<b>Spray Sprinkler Fox</b> For watering small areas, Area coverage Max 100m <sup>2</sup> , Range of spray 11m diameter.	 078500 195102 >
	GA1949-20	<b>Circular Sprinkler Vario with spike</b> Area coverage Max. 225 m <sup>2</sup> , Irrigation sector From 90° to 360°, 7-step sector, Range of spray Ø Max. 17m settings in steps of 45°, Plastic Removable Filter, Metal Spike, Special sprinkler-turning turbine for even water distribution, individually adjustable spray direction	 078500 194907 >
	GA8142-27	<b>Full or Part Circle Pulse Sprinkler in display unit</b> Sturdy plastic design. Special adjustment rings for simple range selection from 25° to 360°, Range adjustment from 5 – 12.5m, Area coverage 75 - 490m <sup>2</sup> .	 078500 814270 >
	<b>NEW</b> GA2068-20	<b>Classic 4 Pattern Sprinkler Twist - Offer</b> 4 sprinkler pattern sprinkler for circular, semi circular, square or rectangular gardens.	 078500 206808 >
	GA1948-20	<b>Circular Sprinkler Vario on sled</b> Coverage Max 225m <sup>2</sup> Range Max 8.5m, 7 step sector settings in steps of 45° from 90° to 360°. On sturdy plastic sled with metal insert, Complete with special turning turbine for even watering distribution and adjustable spray direction.	 078500 194808 >
	GA8135-20	<b>Full or Part Circle Pulse Sprinkler on sled</b> Sturdy metal / plastic design. Special adjustment rings for simple range selection from 25° to 360°. With metal hammer. Sprinkler is mounted on a sturdy plastic sled with metal inserts. Range adjustment from 5 - 12.5m. Area coverage 75 - 490m <sup>2</sup> .	 078500 813501 >
	<b>NEW</b> GA1998-20	<b>15m Sprinkler Hose</b> Fine spray for beds, borders and narrow areas. The green-coloured Sprinkler Hose has a fixed length of 15m. For easy irrigation of smaller areas.	 078500 199803 >



# Soaker Hose



Image	Product Code	Description
	GA1989-20	<b>Soaker Hose Connection Set</b> Complete fittings set for inlet and outlet of the soaker hose, with flow control and water stop.
	GA1969-20	<b>Soaker Hose</b> For accurate, economical irrigation of plant rows. With flow rate valve. Can be cut to size or extended from 15m to 30m.

EAN
 078500 198905 >
 078500 196901 >



# Original Gardena Cleansystem



Image	Product Code	Description
	GA1680-20	<b>Shampoo</b> Recommended for cleaning paint and plastic surfaces. Biodegradable.
	GA5580-20	<b>Car Wash Set</b> Ready to use set suitable for gentle, effective cleaning of vehicles and sensitive surfaces. Contents : 1x Wash Brush, 1x Running Water Handle 90, 1x Shampoo.

EAN
 4 078500 168007 >
 4 078500 558006 >



# Pressure Sprayers

## For care using irrigation, fertiliser or plant protection

Pump and Pressure Sprayers are useful tools to finely water or to distribute fertiliser or plant protection products. For every requirement, the right model.



### GARDENA Pump Sprayers

For small water quantities

Ideal for flowers in the home, on the patio or in the garden. All GARDENA Pump Sprayers rest optimally in hand and hold water quantities from 1 to 1.25 litres.



### GARDENA Pressure Sprayers

For larger water quantities

GARDENA Pressure Sprayers hold between 1.25 and 12 litres and are convenient for trees, shrubs, orchards or large flower beds. Thanks to the large opening, it is easy to fill the pressure sprayers.

Image	Product Code	Description	EAN
	GA805-20	<b>Comfort Pump Sprayer 1 ltr</b> Multi use sprayer for home and garden. Ergonomic handle. Spray nozzle adjustable from hard jet to fine mist. Large filler opening and level indicator.	 078500 080507 >
	<b>NEW</b> GA814-30	<b>Comfort Pressure Sprayer Offer</b> Universal Pressure Sprayer for garden and household. Ergonomic pump handle with integrated shock absorption. Safety valve and translucent container. Spray fully adjustable from hard jet to fine mist.	 078500 025027 >
	GA814-28	<b>Translucent Comfort Pressure Sprayer 1.25 ltr</b> Universal Pressure Sprayer for garden and household. Ergonomic pump handle with integrated shock absorption. Safety valve and translucent container. Spray fully adjustable from hard jet to fine mist.	 078500 081481 >
	GA822-28	<b>Translucent Pressure Sprayer 5 ltr</b> With safety valve and translucent container. Fully adjustable nozzle from hard jet to fine mist. Ergonomic D-handle for comfortable pumping. Shoulder strap. Trigger with on / off lock. Free of charge display bin when purchasing 24 pieces.	 078500 082280 >
	GA867-20	<b>Comfort Pressure Sprayer 3 ltr</b> High quality pressure sprayer with large filler opening. Stable, pressure resistant and robust container with scaled indicator. Moulded feet allow easy pumping. Padded shoulder strap and D handle.	 078500 086707 >
	GA869-20	<b>Comfort Pressure Sprayer 5 ltr</b> High quality pressure sprayer with large filler opening. Stable, pressure resistant and robust container with scaled indicator. Moulded feet allow easy pumping. Padded shoulder strap and D handle.	 078500 086905 >
	GA884-20	<b>Backpack Sprayer 12 ltr</b> For easy distribution of larger quantities of liquid. Features- Padded straps, telescopic spray lance with adjustable metal nozzle, large filler opening.	 078500 088404 >
	GA894-20	<b>Weedkiller Cone</b> Prevents pressure sprayer mist from blowing away. Fits GA822, GA828, GA869, GA867.	 078500 089401 >
	GA897-20	<b>Extension Lance</b> Fits GA822, GA828, GA869, GA867.	 078500 089708 >

# Watering Controls

## The complete range for automatic irrigation control

Diverse, flexible and user-friendly for more leisure time in the garden.

GARDENA Water Computer, depending on the model for various situations from one to six irrigation areas.

Particularly user-friendly thanks to intuitive operation and LCD display\* of all programme data.

GARDENA Soil Moisture Sensor\* can be connected.

Supports water-conserving garden irrigation.



### For beginners

Basic, simple and standard programming options.

Clearly presented LCD display and easy to programme settings.



### FlexControl

Flexible programming of basic functions via rotary knob. LCD data display. Watering time adjustable from 1 min to 1h 59 min. Multiple watering frequency options for up to 3 times a day. Low battery indicator.

# Watering Controls

## For demanding

Variable programming options.

Large, clearly presented LCD display.

Alternatively available for one or two garden areas.



**MultiControl**



**MultiControl duo**



## Soil Moisture Sensor

A soil moisture sensor decides whether your Irrigation Control should activate sprinkling or whether watering is not required because the soil is moist enough or it has started raining. This is how modern technology helps to save water.

The sensor can be connected to all GARDENA Timers and Computers




## For Specialists

Highly individual programming options through 6 watering programmes.

On-screen instructions with selectable languages explain programming steps.

Automatic operation possible via Soil Moisture Sensor.

In combination with a Water Distributor Automatic, up to 6 garden areas can be automatically watered one after the other.



**MasterControl**



# Watering Controls

**GARDENA Water Computers are connected directly to the tap. They take over the automatic garden irrigation according to their programming.**

- Diverse, flexible and user-friendly for more leisure time in the garden
- For automatic operation of mobile sprinklers, Micro-Drip-System or Sprinklersystem
- Depending on the model for various situations from one to 6 irrigation areas
- Particularly user-friendly thanks to intuitive operation and LCD display

(excluding Art. No. 11169) of all programme data




Image	Product Code	Description	EAN
	GA1882-28	<b>Water Computer EasyControl in Display</b> Simple to operate using keys and LCD display. Watering duration in steps from 2-60 mins. Frequency every 24hrs, 2nd, 3rd or 7th day for up to 3 times a day. Start time can be shifted at intervals of 2 hours. Low battery indicator.	4 078500 003445 >
	GA1883-28	<b>Water Computer FlexiControl</b> Flexible programming of basic functions via rotary knob. LCD data display. Watering time adjustable from 1 min to 1h 59 min. Multiple watering frequency options for up to 3 times a day. Low battery indicator.	4 078500 188388 >
	GA1862-28	<b>Water Computer MultiControl</b> Large and clear display. Functions can be selected with the press of a button. Up to 3 cycles per day, watering times 1 min to 7 hours 59. Watering days freely selectable. A purely sensor-controlled irrigation with the Soil Moisture Sensor. 9 V alkaline battery is required. Battery level display.	4 078500 186285 >
	GA1874-28	<b>Water Computer MultiControl duo</b> Comfort model with large display for simple programming. Rotary knob for fast data changes. Two programmable exits. Up to 3 watering cycles per day, watering times 1 min to 7hrs 59 mins. Watering days freely selectable.	4 078500 187480 >
	GA1864-28	<b>Water Computer MasterControl</b> Premium model with on screen instructions and large display for simple programming. Rotary knob for fast data changes. Up to 6 watering cycles per day, watering times 1 min to 9hrs 59mins. Watering days freely selectable. Moisture Sensor connection. Battery level display.	4 078500 186483 >
	GA1188-20	<b>Soil Moisture Sensor</b> For taking soil moisture into consideration during controlled watering. Reliable long term operation due to electronic measurement of temperature differences in the soil. With 5m connection.	4 078500 118804 >
	GA1197-20	<b>Automatic Water Distributor</b> For full control of up to 6 watering channels in conjunction with a GARDENA water computer. Up to 4 exits can be inactivated. Complete with bottom plate for fixing to floor or wall. Ideal for plants with different water requirements.	4 078500 119726 >

# GARDENA Micro-Drip-System

## Water-conserving garden irrigation

- For versatile use on the balcony, patio or in the vegetable and flower garden
- Innovative, intelligent system solutions enhance the ease of use
- Can be automatically controlled with GARDENA Water Computers



### Flower Pots

Precise watering of pot plants and planters troughs using drippers

- Regulate the amount of water
- No continued dripping after the tap is turned off
- Self-cleaning



### Planted Areas

Flexible spray nozzles enable plants to be watered to optimum effect where vegetation times are short for plants in flowerbeds and vegetable patches

- Self-cleaning dripper
- Special labyrinth technology prevents ingress of roots



### Rows of Plants

Root watering with pinpoint accuracy using irrigation lines

- Self-cleaning dripper
- Special labyrinth technology prevents ingress of roots



### Patented "Quick & Easy" Pipe Connection Technology

- Permanently sealed pipe connection
- Easy to loosen if required
- For faster system construction and conversion

















# Micro-Drip System



## Water-conserving garden irrigation

















- For versatile use on the balcony, patio or in the vegetable and flower garden
- Innovative, clever system solutions enhance the ease of use
- Can be automatically controlled with GARDENA Water Computers



Image	Product Code	Description	EAN
	GA8392-20	<b>Adjustable Inline Drip Head</b> Adjustable from 0 to approx 10l/h. Detachable, fully adjustable drip head with integrated cleaning needle. 0 - 20 l/h. Contents 10.	 4 078500 839204 >
	GA8343-20	<b>Inline Drip Head</b> For watering rows of plants with similar water requirements. With "Quick & Easy" connection technology. 2 l/h. Contents 10.	 4 078500 834308 >
	GA8344-20	<b>Inline Drip Head</b> For watering rows of plants with similar water requirements. With "Quick & Easy" connection technology. 4 l/h. Contents 10.	 4 078500 834407 >
	<b>NEW</b> GA8317-20	<b>Adjustable Endline Drip Head, pressure equalizing</b> Ideally suited for irrigation of shorter plant rows with varying water requirements. Volume scale on the drip head can be set between 1 to 8 litres per hour. Pressure-equalising (1 to 4 bar), thereby ensuring that the water distribution is equal – independently of the water pressure. Self-cleaning membrane-/labyrinth technology. Contents 5.	 4 078500 831703 >
	<b>NEW</b> GA8316-20	<b>Adjustable Inline Drip Head, pressure equalizing</b> Ideally suited for irrigation of shorter plant rows with varying water requirements. Volume scale on the drip head can be set between 1 to 8 litres per hour. Pressure-equalising (1 to 4 bar), thereby ensuring that the water distribution is equal – independently of the water pressure. Self-cleaning membrane-/labyrinth technology. Contents 5.	 4 078500 831604 >
	GA1391-20	<b>Adjustable Endline Drip Head</b> Adjustable from 0 to approx 10l/h. Detachable, fully adjustable drip head with integrated cleaning needle. 0 - 20 l/h Contents: 10.	 4 078500 139106 >
	GA1340-20	<b>Endline Drip Head</b> For accurate spot watering of single plants or longer rows of plants with similar water consumption. 2 l/h Contents: 25.	 4 078500 134002 >
	GA1341-20	<b>Endline Drip Head</b> For accurate spot watering of single plants or longer rows of plants with similar water consumption. 4 l/h. Contents: 25.	 4 078500 134101 >

# Micro-Drip System Contd.



Image	Product Code	Description	EAN
	GA8320-20	<b>Endline Small Area Spray Nozzles</b> For accurate watering of small areas. Ideal for shrubs and bushes. Irrigation diameter can be adjusted from 10 - 40cm. Detachable, fully adjustable spray head with integrated cleaning needle. Contents :10.	 4 078500 832007 >
	GA8321-20	<b>Inline Small Area Spray Nozzles</b> For accurate watering of small areas. Ideal for shrubs and bushes. Irrigation diameter can be adjusted from 10 - 40cm. Detachable, fully adjustable spray head with integrated cleaning needle. Contents 10.	 4 078500 832106 >
	GA1396-20	<b>6-Pattern Spray Nozzle</b> Ideally suitable for flexible watering needs. Control knob for adjusting the spray pattern (90°,180°,270°,360°, strips and end strips). Can be extended using extension pipe Art No 1377. Contents: 2.	 4 078500 139601 >
	GA1369-20	<b>Micro Rotor Sprinkler 360°</b> For covering areas with fine spray. Range approx 3.5mCan be extended using extension pipe Art No 1377. Contents: 2.	 4 078500 136907 >
	GA1365-20	<b>Spray Nozzle 360°</b> For covering flower and vegetable beds with a fine spray. Contents: 5.	 4 078500 136501 >
	GA1367-20	<b>Spray Nozzle 180°</b> For covering flower and vegetable beds with a fine spray. Contents: 5.	 4 078500 136709 >
	GA1368-20	<b>Spray Nozzle 90°</b> For covering flower and vegetable beds with a fine spray. Contents: 5.	 4 078500 136808 >
	GA1371-20	<b>Micro Mist Nozzle</b> For newly planted beds, greenhouses. Irrigated area approx 1m. Contents: 5.	 4 078500 137102 >



























# Micro-Drip System Contd.



Image	Product Code	Description	EAN
	GA1374-20	<b>Control Valve</b> For adjusting the flow rate and range of Spray Nozzles.4.6mm (3/16"). Contents: 5.	 4 078500 137409 >
	GA1377-20	<b>Extension Pipe</b> For spray nozzles. Several Extension Pipes can be screwed together.4.6mm (3/16"), length 24cm. Contents : 5.	 4 078500 137706 >
	GA8361-20	<b>MDS Oscillating Sprinkler OS 90</b> Compact oscillating sprinkler. Allows watering of rectangular / square areas with one sprinkler. Range of width 0.5-7m / Range of spray 1.5-13m / area coverage 1 - 90m <sup>2</sup> .	 4 078500 836104 >
	GA8331-20	<b>T-Joint 13mm for Spray Nozzles</b> For fixing spray nozzles in pipes together with Pipe Guides. Can be used with Extension Pipe (Art No 1377)13mm (1/2"). Contents 5.	 4 078500 833103 >
	GA8363-20	<b>Extension Pipe for MDS Oscillating Sprinkler OS 90</b> 20cm Extension Pipe for MDS Sprinkler OS 90. Contents 2.	 4 078500 836302 >
	GA8332-20	<b>T-Joint 4.6mm for Spray Nozzles</b> For fixing spray nozzles in pipes together with Pipe Guides. Can be used with Extension Pipe (Art No 1377)4.6mm (3/16"). Contents: 5.	 4 078500 833202 >
	GA8329-20	<b>T-Joint 13mm</b> For branching off the Connecting Pipe.13mm (1/2"). Contents 2.	 4 078500 832908 >
	GA8330-20	<b>T-Joint 4.6mm</b> For branching off the Supply Pipe4.6mm (3/16"). Contents 10.	 4 078500 833004 >
	GA8382-20	<b>L-Joint 13mm</b> For branching off the Connecting Pipe.13mm (1/2"). Contents 2.	 4 078500 838207 >
	GA8381-20	<b>L-Joint 4.6mm</b> For branching off the Supply Pipe4.6mm (3/16"). Contents 10.	 4 078500 838108 >
	GA8333-20	<b>Reducing T-Joint</b> For transition from Connecting Pipe to Supply Pipe at a right angle.13mm (1/2") - 4.6mm (3/16"). Contents 5.	 4 078500 833301 >
	GA8356-20	<b>Connector 13mm</b> For extension of the Connecting Pipe.13mm (1/2"). Contents 3.	 4 078500 835602 >

# Micro-Drip System Contd.



Image	Product Code	Description	EAN
	GA8337-20	<b>Connector 4.6mm</b> For extension of the Supply Pipe and branching off Supply Pipe from Connecting Pipe 4.6mm (3/16"). Contents 10.	 4 078500 833707 >
	GA8324-20	<b>Plug 13mm</b> For the Connecting Pipe. 13mm (1/2"). Contents 5.	 4 078500 832403 >
	GA1323-20	<b>Plug 4.6mm</b> For sealing a hole in the Connecting Pipe. For sealing off the Supply Pipe. 4.6mm (3/16"). Contents 10.	 4 078500 132305 >
	GA8322-20	<b>Installation Tool</b> Easy to use universal tool for fitting the endline drip heads, spray nozzles, extension pipe and connector. Sturdy metal tip for accurate piercing the connecting pipe. With holder for cleaning needle and drip heads.	 4 078500 832205 >
	GA8358-20	<b>Shut-Off Valve 13mm</b> For shutting off individual pipelines 13mm (1/2").	 4 078500 835800 >
	GA8357-20	<b>Shut-Off Valve 4.6mm</b> For shutting off individual pipelines and for flow adjustment. 4.6mm (3/16"). Contents 2.	 4 078500 835701 >
	GA1327-20	<b>Pipe Pegs 4.6mm</b> For guiding and fixing Supply Pipe in pots, hanging baskets and the ground. 4.6mm (3/16"). Contents 10.	 4 078500 132701 >
	<b>NEW</b> GA1328-20	<b>Pipe Pegs 13mm</b> For guiding and fixing Connecting Pipe in the ground. 13mm (1/2"). Contents 5.	 4 078500 132800 >
	GA8328-20	<b>Pipe Guide 13mm</b> For securing pipes in the ground and securing Spray Nozzles. For use with 8331 and 1377. 13mm (1/2"). Contents 3.	 4 078500 832809 >
	GA8327-20	<b>Pipe Guide 4.6mm</b> For securing pipes in the ground and securing Spray Nozzles. For use with 8332 and 1377. 4.6mm (3/16"). Contents 3.	 4 078500 832700 >
	GA8313-20	<b>Fertiliser Dispenser</b> For use with Liquid Fertiliser. Large filler opening. Level Indicator. Valve for emptying before frost and before filling with fertiliser.	 4 078500 831307 >

# Micro-Drip System Contd.



Image	Product Code	Description	EAN
	GA1347-20	<b>Connecting Pipe 13mm (1/2") x 50m</b> The central supply line in the Micro-Drip system. UV resistant and impervious to light. For above and below ground installation. 13mm (1/2") 50m.	 4 078500 134705 >
	GA1346-20	<b>Connecting Pipe 13mm (1/2") x 15m</b> The central supply line in the Micro-Drip system. UV resistant and impervious to light. For above and below ground installation. 13mm (1/2") 15m.	 4 078500 134606 >
	GA8379-20	<b>Pipe Clip 4.6mm</b> For securing 4.6mm pipe onto fixed surfaces. It also serves to secure spray nozzles in the 13mm (4.6/16")-Supply Pipe. Using the T-Joint for Spray Nozzles (Art. No. 8332-20) and the Extension Pipe (Art. No. 1377-20) the height of the spray nozzles can be adjusted. Contents 5.	 4 078500 837996 >
	GA8380-20	<b>Pipe Clip 13mm</b> For securing 13mm pipe onto fixed surfaces. It also serves to secure spray nozzles in the 13mm (1/2")-Connecting Pipe. Using the T-Joint for Spray Nozzles (Art. No. 8331-20) and the Extension Pipe (Art. No. 1377-20) the height of the spray nozzles can be adjusted. Two clips are included.	 4 078500 838009 >
	GA1348-20	<b>Supply Pipe</b> The supply pipe for Drip Heads and Spray Nozzles. UV resistant and impervious to light. For above and below ground installation. 4.6mm (3/16") 50m.	 4 078500 134804 >
	GA1350-20	<b>Supply Pipe</b> The supply pipe for Drip Heads and Spray Nozzles. UV resistant and impervious to light. For above and below ground installation. 4.6mm (3/16") 15m.	 4 078500 135009 >
	GA1355-20	<b>Master Unit 1000</b> Starter component of the Micro-Drip system. Filters the water and reduces the initial pressure to 1.5 bar. Water flow rate 1000 l/h.	 4 078500 135504 >
	GA1354-20	<b>Master Unit 2000</b> Starter component of the Micro-Drip system. Filters the water and reduces the initial pressure to 1.5 bar. Water flow rate 2000 l/h.	 4 078500 135405 >



## Feed all your plants automatically

Quick Installation  
Simple to use  
Feed and water at the same time



## Expandable Systems for all Gardens

Why have 1 system when you can have 6, Splits your garden into up to 6 zones  
Can be wall mounted  
Zones can be shut off that are not being used



## Low Pressure Sprinkler for Large Borders

Super Grip Hose designed for perfect connectivity  
Three grades for Performance led hoses  
Combination of Gardena fitting & Power Grip hose for permanent connectivity



## Quick & Easy – Fast fit System

Unique Connection system for fast fitting  
System can be changed easily after installation  
Full range for fittings for endless possibilities  
Simple to understand instructions

# Sprinkler System

## Watering can be so easy

Decide for yourself: do you want to water by hand or have an irrigation system do the work for you? A modern irrigation system from GARDENA looks after your plants, saves on water and gives you more time to relax in your garden.



### **The right amount at the right time. Giving you time to relax.**

GARDENA offers the right irrigation system for every need: It ensures good, even sprinkling of your lawns, precisely waters your flowerbeds, hedges and pot plants on your balcony and patio and can do all this automatically when you require. Even when you are not at home. The result: lusciously green lawns and healthy, fast growing plants.



## **GARDENA Pipeline**

### **Water like electricity from the mains**

You can now forget about carrying heavy watering cans full of water and pulling metres of garden hose around the garden: Pipes hidden beneath the soil carry water to every corner of your garden. Simply pump the water from the water connectors.

## **GARDENA Sprinklersystem**

### **Comfortable lawn sprinkling**

Say goodbye to time spent installing, moving around and tidying up sprinklers: Pop-up Sprinklers installed below ground ensure the perfect lawn and disappear again back into the ground when their work is done.

# Pipe Line



## Water pipelines below ground for easy access to water in all areas of your garden

Do you need water at different places around your house and garden? Have you had enough of winding and unwinding long garden hoses? Then the GARDENA Pipeline, permanently installed below ground, is the perfect solution for you. Simply attach your hose to one of the built-in GARDENA Water Connectors in your garden and you have water whenever and wherever you need it.




Image	Product Code	Description	EAN
	GA1513-20	<b>Adapter Piece</b> For connecting a permanent pressure resistant hose connection between tap and Connecting Point for feeding a downstream Irrigation Valve or Water Connection.	 4 078500 151306 >
	<b>NEW</b> GA2713-20	<b>"Profi" Maxi-Flow System Connection Set</b> Connects the tap to a below-ground Sprinkler systems for greater water flow. Contents: 1 Tap Connector with Adapter for taps with 26.5mm (G 3/4) thread and 33.3mm (G 1) thread, 2 "Profi" Maxi-Flow System Hose Connectors for 19mm (G 3/4") garden hoses, 2m 19mm GARDENA Classic Hose.	 4 078500 271301 >
	GA1505-23	<b>'Profi' Maxi-Flow System Connector Set</b> Threaded Tap Connector and 2 x Hose Connectors	 4 078500 150545 >
	GA8250-20	<b>Pipeline Water Connector</b> Underground built in water tapping point. Water connection with automatic stop valve.	 4 078500 825009 >
	GA2722-20	<b>Connecting Point</b> For underground connection of the Pipeline and Sprinkler System. Complete with Profi Threaded Tap Connector. 3/4" male thread.	 4 078500 272209 >

# Sprinkler System

## The way to a perfect lawn

GARDENA Sprinklersystem is a complete range of pop-up sprinklers, components and starter sets. Perfect if you're tired of watering your lawn by hand or just want to free up time in your life.

Image	Product Code	Description	EAN
	GA8220-29	<b>Oscillating Pop-up Sprinkler OS 140</b> Compact oscillating pop up sprinkler. Allows watering of rectangular / square areas with one sprinkler. Range of width 1-9.5m / Range of spray 2-15m / Area coverage 2 - 140m <sup>2</sup>	4 078500 822091 >
	GA8201-29	<b>Turbo-Driven Pop-up Sprinkler T 100</b> For watering smaller lawn areas. Can be combined with T 200, T380 and Pop Up Sprinkler OS140. Area coverage up to 100m <sup>2</sup> . Range adjustable from 4 to 6m. Sector adjustment from 70 to 360°. 1/2" female thread.	4 078500 820196 >
	GA8203-29	<b>Turbo-driven Pop-up Sprinkler T 200</b> For watering medium sized lawn areas. Can be combined with T 100, T 380 and Pop Up Sprinkler OS140. Area coverage up to 200m <sup>2</sup> . Range adjustable from 5 to 8m. Sector adjustment from 25 to 360°. 1/2" female thread.	4 078500 820394 >
	GA8205-29	<b>Turbo-driven Pop-up Sprinkler T 380</b> For watering larger lawn areas. Can be combined with T 100 , T200 and Pop Up Sprinkler OS140. Area coverage up to 360m <sup>2</sup> . Range adjustable from 6 to 11m. Sector adjustment from 25 to 360°. 3/4" female thread	4 078500 820592 >
	GA2780-20	<b>L-Piece 25mm x 1/2" Male Thread</b> Connect the Turbo-driven Pop-up Sprinkler T 100 and T 200 (Art. No. 8201-29 and 8203-29) at the end of the pipe. "Quick & Easy" Simple Connection Technology, pipe assembly or -disassembly is possible without tools through simple turning of the screwed fitting by 140°. For water-tight, safe operation, the thread connection of the L-piece is self-sealing.	4 078500 278003 >
	GA2781-20	<b>L-Piece 25mm x 3/4" Male Thread</b> Connect the Turbo-driven Pop-up Sprinkler T 380 (Art. No. 8205-29), the Pop-up Oscillating Sprinkler OS 140 (Art. No. 8220) at the end of the pipe. Patented "Quick & Easy" Simple Connection Technology, pipe assembly or disassembly is done without tools through simple turning of the screwed fitting by 140°. The thread is self-sealing.	4 078500 278102 >
	GA2786-20	<b>T-Piece 25mm x 1/2" Male Thread</b> Connects the Turbo-driven Pop-up Sprinkler T 100 and T 200 (Art. No. 8201-29 and 8203-29) within the run of the pipe. Patented "Quick & Easy" Simple Connection Technology. The thread is self-sealing.	4 078500 278607 >
	GA2787-20	<b>T-Piece 25mm x 3/4" Male Thread</b> Connects the Turbo-driven Pop-up Sprinkler T 380 (Art. No. 8205-29), and the Pop-up Oscillating Sprinkler OS 140 (Art. No. 8220) within the run of the pipe. "Quick & Easy" Simple Connection Technology. The thread connection of the T-piece is self-sealing.	4 078500 278706 >
	GA2790-20	<b>T-Piece 25mm x 3/4" Female Thread</b> Thread serves the installation of the Drain Valve (Art. No. 2760-20) within the run of the pipe. "Quick & Easy" Simple Connection Technology. Thread connection of the T-piece is self-sealing.	4 078500 279000 >
	GA2760-20	<b>Drain Valve</b> For draining water automatically when shutting down the system. Install at the lowest point of the system. With 3/4" thread.	4 078500 276009 >
	GA2771-20	<b>T-Piece 25mm</b> For easy branching of the Connecting Pipe. Through the patented "Quick & Easy" Simple Connection Technology, pipe assembly or disassembly is done without tools through simple turning of the screwed fitting by 140°.	4 078500 277105 >

Image	Product Code	Description	EAN
	GA2773-20	<b>L-Piece 25mm</b> Used to change direction of the 25mm Connecting Pipe. Through the patented "Quick & Easy" Simple Connection Technology, pipe assembly or disassembly is done without tools through simple turning of the screwed fitting by 140°.	 4 078500 277303 >
	GA2775-20	<b>Connector 25mm</b> Easy extension of the 25mm Connecting Pipe. Through the patented "Quick & Easy" Simple Connection Technology, pipe assembly or -disassembly is done without tools through simple turning of the screwed fitting by 140°.	 4 078500 277501 >
	GA2778-20	<b>End-Piece 25mm</b> Secure terminating of the 25mm Connecting Pipe. Patented "Quick & Easy" Simple Connection Technology, pipe assembly or disassembly is done without tools through simple turning of the screwed fitting by 140°.	 4 078500 277808 >
	GA2761-20	<b>Connector 25mm x 3/4" Female Thread</b> Connects to the Connecting Point (Art. No. 2722-20), the Water Connector (Art. No. 8250-20), the Central Filter (Art. No. 1510-20). With the Connector, the irrigation system can also be directly connected to the domestic water supply.	 4 078500 276108 >
	GA2762-20	<b>Connector 25mm x 1" Female Thread</b> Connects to the Valve Boxes V1 and V3 (Art. No. 1254-20 or 1255-20).	 4 078500 276207 >
	GA2763-20	<b>Connector 25mm x 1" Male Thread</b> Connects to the Irrigation Valve (Art. No. 1251-20).	 4 078500 276306 >
	GA1510-20	<b>Central Filter</b> Fitted in the main feed to the system. Can be fitted above or below ground. Filter removable for easy cleaning. With 3/4" thread.	 4 078500 151009 >
	GA2700-20	<b>Connecting Pipe - 25m</b> Can be laid above or below ground. UV stabilized and impervious to light, non-ageing and weatherproof. 25mm external diameter. Operating pressure up to 6 bar.	 4 078500 270007 >
	GA2701-20	<b>Connecting Pipe - 50m</b> Can be laid above or below ground. UV stabilized and impervious to light, non-ageing and weatherproof. 25mm external diameter. Operating pressure up to 6 bar.	 4 078500 270106 >



# Water Controls



**Flexible, convenient and intuitive operation for more leisure time in the garden**

A light drizzle in the morning – a short refreshing shower in the evening. Or do you need your garden to water itself while you're away on holiday? With GARDENA Watering Computers or Water Timers you'll be in total control wherever you are, whenever you want.





Image	Product Code	Description	EAN
	GA1242-20	<b>Programming Unit</b> For programming the controller. Up to 6 watering cycles can be programmed per day and per valve. Selection of individual watering days. Watering duration from 1 min to 9 hours 59 mins. Data transfer at the press of a button.	 4 078500 124201 >
	GA1250-20	<b>Controller</b> Controls Irrigation Valves 9 V (Art. No. 1251-20). The Controller is programmed through the Programming Unit (Art. No. 1241-20), which transfers the data after connection of the valve easily with the press of a button.	 4 078500 125000 >
	GA1251-20	<b>Irrigation Valve 9V</b> Energy saving 9V electromagnetic valve technology. For use in combination with a Programming Unit and Control Module.	 4 078500 125109 >
	GA1254-20	<b>Valve Box V1</b> An Irrigation Valve 9 V (Art. No. 1251-20) can be installed below ground. The telescopic screwed connection allows easy valve mounting and removal. The cover can be locked for child safety. Has a 1" male thread.	 4 078500 125406 >
	GA1255-20	<b>Valve Box V3</b> Connects up to 3 Irrigation Valves 9 V (Art. No. 1251-20). Can be installed below ground. Connects on 3 sides. Telescopic screwed connection. Central drain cap can be emptied before the first frost. Can be locked for child safety. Has a 1" male thread.	 4 078500 125505 >





# GARDENA Secateurs

The Right Tool for Every Task

MADE IN GERMANY



A clear range structure, well-thought-out ergonomics, compelling quality and product features have made the GARDENA range so successful.



### Bypass

The double-edged shears are ideally suitable for young, green plants, flowers and green wood.



### Ratchet Secateurs SmartCut

For branches with a diameter up to 22 mm, the ratchet function is enabled. In this way, you will have up to 150% more cutting power than secateurs without ratchet function.



### All-purpose scissors SchnippSchnapp

The comfortable, easy to use all-purpose scissors for home and garden.

## GARDENA Secateurs of your choice for every need



### Classic – for beginners

Powerful, ergonomic and modern. Classic Secateurs with all the product features you expect in a good secateur.



### Comfort – for demanding users

Extra cutting performance, extra convenience. With outstanding ergonomics, handles with soft elements and an opening width adjustable to suit the user's hand.



### Premium – for experts

For gardeners who love sturdy cutting tools. Exceptionally robust, professional secateurs with aluminium handles.

# Secateurs



Image	Product Code	Description	EAN
	GA8754-20	<b>Classic Bypass Secateurs</b> Angled cutting head with precision ground non stick blades. Ergonomic handles. Single handed safety lock.	 4 078500 875400 >
	<b>NEW</b> GA8854-20	<b>Classic Bypass Secateurs B/S</b> Non-stick-coated upper blade and a bottom blade made of rust-proof stainless steel. Ergonomically shaped handles with additional soft components on the upper handle provide maximum comfort when cutting. Practical single-hand safety lock for safe storage. Cutting diameter 20mm	 4 078500 018647 >
	<b>NEW</b> GA8857-20	<b>Classic Bypass Secateurs B/S-M</b> Non-stick-coated upper blade and a bottom blade made of rust-proof stainless steel. Ergonomically shaped handles, adjustable in two steps and with additional soft components on the upper handles, provide maximum comfort when cutting. Practical single-hand safety lock for safe storage. Cutting Diameter 18mm	 4 078500 018685 >
	<b>NEW</b> GA8853-20	<b>Classic Bypass Secateurs B/S-M - Display</b> Non-stick-coated upper blade and a bottom blade made of rust-proof stainless steel. Ergonomically shaped handles, adjustable in two steps and with additional soft components on the upper handles, provide maximum comfort when cutting. Practical single-hand safety lock for safe storage. Cutting Diameter 18mm	 4 078500 018623 >
	<b>NEW</b> GA8904-20	<b>Comfort Bypass Secateurs B/M</b> Non-stick-coated upper blade and a bottom blade made of rust-proof stainless steel. Ergonomically shaped handles permit maximum comfort when cutting. Integrated spring so that it cannot be lost and is protected from dirt. Practical single-hand safety lock for safe storage. Cutting Diameter 24mm	 4 078500 018746 >
	<b>NEW</b> GA8905-20	<b>Comfort Bypass Secateurs B/S-XL</b> Non-stick-coated upper blade and a bottom blade made of rust-proof stainless steel. The infinite handle width adjustment and ergonomically-shaped handles provide maximum comfort when cutting. Integrated spring so that it cannot be lost and is protected from dirt. Practical single-hand safety lock for safe storage. Cutting Diameter 24mm	 4 078500 018760 >
	<b>NEW</b> GA8902-20	<b>Comfort Bypass Secateurs B/S-XL - In Display</b> Non-stick-coated upper blade and a bottom blade made of rust-proof stainless steel. The infinite handle width adjustment and ergonomically-shaped handles provide maximum comfort when cutting. Integrated spring so that it cannot be lost and is protected from dirt. Practical single-hand safety lock for safe storage. Cutting Diameter 24mm	 4 078500 018708 >
	<b>NEW</b> GA8906-20	<b>Premium Alu Bypass Secateurs B/L</b> Precision-ground blades. The extra-narrow cutting head permits particularly precise cutting. Ergonomically-shaped metal handles made of aluminium with soft components on the upper and bottom handles permit maximum comfort when cutting. The secateurs have a practical single-hand safety lock for safe storage. Cutting Diameter 25mm	 4 078500 018784 >
	<b>NEW</b> GA8903-20	<b>Comfort Anvil Secateurs A/M</b> Anvil Secateurs with their non-stick-coated upper blade. Integrated spring so that it cannot be lost and is protected from dirt. Ergonomically-shaped handles with soft components make handling particularly pleasant. The secateurs have a practical single-hand safety lock for safe storage. Cutting Diameter 23mm	 4 078500 018722 >
	GA8798-20	<b>Comfort Ratchet Secateurs SmartCut</b> Very powerful secateurs for cutting thick branches and twigs. Thick branches can be cut easily with 3 stage ratchet mechanism. Aluminium comfort grips with soft components. Single hand safety lock. Cutting diameter 22mm.	 4 078500 879804 >
	GA8702-20	<b>Premium Secateurs BP 50</b> Very sturdy professional secateurs with replaceable blades to give flowers, twigs and branches an accurate cut. Precision ground upper blade. Sap groove and wire cutter. Sturdy aluminium handles with single handed safety lock.	 4 078500 870207 >



# Hedge Clippers

## Strong and reliable for the best cutting results

The GARDENA Hedge Clippers have an ergonomic and lightweight design that ensures easy, convenient use and accurate cutting performance.



### Classic

Trust the proven methods: traditional materials and solid workmanship.



### Comfort

Outstanding cutting results and ease of use. Integral Technogel® gel pads and two-component buffer for optimum shock absorption.



### Short blades and straight-ground blades

For the exact shaping of shrubs, e.g. boxwood.



### Long wave-ground blades or special toothing

Suitable for larger areas.




Image	Product Code	Description	EAN
	<b>NEW</b> GA391-30	<b>Classic Hedge Clippers</b> 100 % FSC®. Sturdy blades with wave-grounding and wooden handles. The integrated branch-cutter allows efficient work. The non-stick coated blade has a length of 23 cm. The total length of the Hedge Clippers is 54 cm. With a warranty period of 25 years, the highest quality is guaranteed.	 4 078500 025423 >
	GA397-20	<b>Classic Hedge Clippers 510 FSC pure</b> Especially suitable for precise shaping due to sturdy straight ground blades and ergonomic wooden handles. Robust and durable. Integral branch cutter. Blade length 20cm.	 4 078500 039703 >
	GA319-20	<b>Comfort Boxwood Clipper</b> Particularly suited for clipping hedges and shrubs. Very lightweight-615g. Optimum shock absorption due to Technogel gel pads in the handle grips. Precision ground non stick coated blades with integrated branch cutter. Blade Length 18cm	 4 078500 031905 >
	<b>NEW</b> GA392-20	<b>Comfort Hedge Clippers 570</b> Integral Technogel® gel pads in the handle grips and the additional buffers with soft plastic components. With a light weight of only 690 g. Non-stick coated blades have an integrated branch-cutter. The 57 cm long Hedge Clippers are easy-care and maintenance-free. The straight-ground blades are ideal for precise shaping. The blade length is 20 cm.	 4 078500 039208 >
	<b>NEW</b> GA394-20	<b>Comfort Hedge Clipper 700T</b> Suited for cutting larger, higher hedges. The aluminium handles are telescopic by 20 cm. Long, sturdy blades with wave-grounding. The non-stick coated blades have a length of 25 cm. Integrated branch-cutter for individual, thicker branches. The Hedge Clippers have a total length of 70 to 90 cm.	 4 078500 039406 >

# Loppers

## Lightweight, for more cutting power

Innovative problem solutions and the most modern materials guarantee comfort and excellent cutting results.



### Classic – for beginners

Solid entry-level products for green wood or old dry branches. Sturdy, drop-shaped lever arms and ergonomically-shaped handles with additional soft components made of special plastic and index finger support involve safe and comfortable work.

### Comfort – for demanding users

Powerful, lightweight and modern. For all those who place value on powerful, clean cut and optimum ergonomics. High stability, low weight and superb ergonomics are provided by the dropshaped aluminium lever arms. Ergonomically-shaped handles with soft components and index finger.

### Bypass

The double-edged shears are ideally suited for green wood.

### Ratchet Lopper SmartCut

Extremely powerful and easy-to-use. Through the innovative ratchet function, even thicker branches and hard wood can be effortlessly cut.



Image	Product Code	Description	EAN
	GA8775-20	<b>Classic Pruning Lopper 680B</b> Classic Pruning Lopper for cutting green wood. Precision ground blade with non-stick coating and superb cutting geometry for an easy clean cut. Sturdy drop shaped handles with index finger support for comfortable working. Max Branch diameter 30mm.	4 078500 877503 >
	GA8774-20	<b>Classic Pruning 680A</b> Classic Anvil Pruning Lopper for cutting hard dry wood. Precision ground non stick upper blade for a smooth, clean cut. Anvil can be replaced. Sturdy drop shaped handles with index finger support for comfortable working. Max branch diameter 32mm.	4 078500 877404 >
	GA8770-20	<b>Comfort Pruning Lopper 500 BL</b> Ultra light handy and powerful, weighs only 620g. Patented gear transmission for 38% increased cutting power. Precision ground non-stick coated blades. Cutting diameter 35mm.	4 078500 877008 >
	GA8779-20	<b>Comfort Telescopic Lopper 650 BT</b> Bypass lopper with telescopic aluminium handles. The specially shaped blade holds the branch in the optimum cutting position. Precision ground blades. Ergonomic	4 078500 877909 >
	GA8773-20	<b>Comfort Ratchet Lopper SmartCut</b> Extremely powerful and easy to use Anvil Lopper. Ideal for cutting strong branches and hard wood. Innovative SmartCut technology: 4 stage automatically activated ratchet mechanism. High quality aluminium anvil. Cutting Diameter 45mm.	4 078500 877305 >

# Grass Shears



Image	Product Code	Description
	<b>NEW</b> GA8730-30	<b>Classic Grass Shear, Loose</b> Precise lawn edging. The ergonomic shape of the handle allows easy cutting. Hardened and bright galvanised blades. They are also rust-proofed. The special blade bearing allows even, powerful cutting over the whole blade length. Through the practical single-handed lock, the Grass Shears can be quickly and easily locked.
	<b>NEW</b> GA8731-26	<b>Classic Grass Shear-Swivel, Loose - Offer</b> For precise lawn edging. Ergonomic shape 360° rotatable cutting for both left- and right-handed people. Hardened and bright galvanised blades. They are also rust-proofed. The special blade bearing allows even, powerful cutting over the whole blade length. Through the practical single-handed lock, the Grass Shears can be quickly and easily locked.
	GA8731-30	<b>Classic Grass Shears, Rotatable</b> For precise edging. Ergonomic handle for easy cutting. Hardened, bright galvanised blades for long life. Special blade bearing for even, powerful cutting over the whole blade length. Practical single handed lock.
	<b>NEW</b> GA8735-30	<b>Comfort Plus Grass Shear- Swivel</b> Special patented handle shape for optimum force application, easy cutting and best ergonomics. 360° rotatable cutting for left and right handed use. Non-stick coated, wave-ground cutting blades. Blade bearing for powerful cutting over the full length. Runner skids ensure easy guidance and a consistent cutting height. Single-handed lock.
	<b>NEW</b> GA8741-20	<b>Comfort Grass Shear Assortment</b> Adjustable handle angle. Equipped with non-stick coated, wave-ground cutting blades which can swivel up to 90° on both sides. Blade bearing, an even, powerful cutting over the entire length of the blade is guaranteed. Single-handed lock. The hanging eye allows practical storage.

EAN
 4 078500 873048 >
 4 078500 873161 >
 4 078500 873147 >
 4 078500 873543 >
 4 078500 874106 >



# Saws



Image	Product Code	Description
	GA8742-20	<b>Gardeners' Folding Saw 135P</b> Saw length 135mm. Handy multi purpose saw for the garden. Options for 3 different angles of cutting. Impulse hardened special teeth for a smooth clean cut.
	GA8743-20	<b>Gardeners' Folding Saw 200P</b> Saw length 200mm. Handy multi purpose saw for the garden. Options for 3 different angles of cutting. Impulse hardened special teeth for a smooth clean cut.

EAN
 4 078500 874205 >
 4 078500 874304 >



# Pruning Loppers

**GARDENA Branch Pruners offer lighter, longer and easier cutting in dense bushes and trees.**

Avoid ladder acrobatics: One of the biggest issues of tree cutting is reach using a ladder. With the GARDENA combisystem Branch Pruners along with the combisystem Telescopic Handles – as well as the GARDENA StarCut – you can work safely and comfortably from the ground. Through the practical, telescopic features, high branches and twigs can be reached effortlessly. The clever gear transmission also saves enormous energy – and with first-class operating comfort and consistent precision cutting.



### Adjustable cutting angle

Cutting angle up to 200° adjustable for a precise cutting of individual branches from the ground.



### Gear transmission

Additional energy saving due to internal transmission.



### Pull handle with special endstop and additional T-handle

For even greater reach.

Image	Product Code	Description
	<b>GA8782-20</b>	<b>Comfort Telescopic Pruning Lopper StarCut 410 BL</b> For exact precise cutting of tree branches. Extra light and narrow cutting head. Adjustable cutting angle. Specially shaped precision ground non stick coated blades hold the branch in the optimum cutting position. Telescopic handle with pull handle and additional T handle for greater range. Total Length 230 - 410cm. Cutting diameter 32mm.
	<b>GA8780-20</b>	<b>Comfort Telescopic Pruning Lopper StarCut</b> Effortless cutting of dense trees and hedges without getting tangled through an extra narrow and light cutting head and internal pulley transmission mechanism

EAN
 4 078500 878203 >
 4 078500 878005 >

# Axes



The axes have been developed for felling, splitting, de-branching or hewing – and there is an axe for any need.

## GARDENA Universal Axes

These products have a wide, sharp blade with a relatively pointed cutting angle and are sharpened on both sides. For a clean cut in fresh and resinous wood (eg. Spruce and Pine)

GARDENA Universal Axes are particularly suitable for felling small trees and for delimiting and splitting resinous wood.



### Hammer function

For an easy and effective use of splitting wood. The processed impact surface is gentle on wedges and splitting blocks. Suitable for all common wedge types such as wood, plastic and aluminium wedges (not for steel wedges)



### Application-adapted blades and axe head geometry.

The blades and head geometry of the GARDENA Axes and Hatchets are adapted to the application and work situation, and thus guarantee optimum working results.



### Impact protection

The riveted stainless steel shaft protection protects the handle even if a hit goes astray.

























Image	Product Code	Description	EAN
	<b>NEW</b> GA8713-48	<b>Universal Hatchet 900B</b> For fire wood, garden work and trekking activities. fibre-reinforced PA shaft makes the axe durable and robust. The axe head has a non-stick coating. Soft grip for ergonomic and secure handling. Balance point close to the axe head gives perfect balance and weight distribution. Hammer function for an easy and effective use of splitting wedges.	 4 078500 015196 >
	GA8714-48	<b>Universal Axe</b> The blade and head geometry of the GARDENA Axes and Hatchets are adapted to the application and work situation, and thus guarantee optimum working results.	 4 078500 015288 >
	<b>NEW</b> GA8716-48	<b>Universal Axe 1400A</b> Non-stick coating. Handle protection, stainless steel shaft protection. fibre-reinforced PA shaft. Balance point close to the axe head gives perfect balance and weight distribution. This combination gives high penetration and power to the cut. Hammer function for an easy and effective use of splitting wedges (no steel wedges)	 4 078500 015233 >
	GA8718-48	<b>Splitting Axe</b> The blade and head geometry of the GARDENA Axes and Hatchets are adapted to the application and work situation, and thus guarantee optimum working results.	 4 078500 015219 >
	GA8719-48	<b>Splitting Axe</b> The blade and head geometry of the GARDENA Axes and Hatchets are adapted to the application and work situation, and thus guarantee optimum working results.	 4 078500 015172 >

# Combisystem



## Working in your garden should be relaxing and hassle-free

GARDENA has gardening tools for all areas in your outdoor home: For cultivating, planting, raking, sweeping, digging and so on. The big benefit of the GARDENA combisystem tools is that they can be so easily attached to a handle, providing a flexible and comfortable gardening experience.

Image	Product Code	Description	EAN
	GA3723-20	<b>Wooden Handle FSC pure</b> High quality resilient ash wood dampens vibrations. European wood, FSC certified. Anodised aluminium tube for sturdy tool/handle connection.	 4 078500 372305 >
	GA3725-20	<b>Wooden Handle FSC pure</b> High quality resilient ash wood dampens vibrations. European wood, FSC certified. Anodised aluminium tube for sturdy tool/handle connection.	 4 078500 372503 >
	GA3720-20	<b>Combisystem Telescopic Handle</b> High quality Aluminium, Length 160 - 290 cm, Working Height 5m. Easily adjust your pole length with the push-button mechanism. The lock connection avoids the inner pole from unexpectedly sliding down. Oval-shaped handle provides increased stability and prevents inner tube from turning.	 4 078500 012652 >
	GA3101-20	<b>Lawn Rake</b> For raking leaves, grass clippings and garden waste. Strong high quality prongs. Lightweight and gentle on the lawn.	 4 078500 310109 >
	GA3721-20	<b>Combisystem Telescopic Handle</b> High quality Aluminium, Length 210 - 390 cm, Working Height 6m. Easily adjust your pole length with the push-button mechanism. The lock connection avoids the inner pole from unexpectedly sliding down. Oval-shaped handle provides increased stability and prevents inner tube from turning.	 4 078500 012676 >
	<b>NEW</b> GA3391-20	<b>Combisystem Aerator Rake</b> For removing moss and matted grass and for breaking up clumps of soil and levelling	 4 078500 339100 >
	<b>NEW</b> GA3605-20	<b>Combisystem Joint Brush-Metal</b> For easy removal of moss in joints and on walls. Head made of high-quality plastic, bristles made out of special steel for good results	 4 078500 360500 >
	<b>NEW</b> GA3192-20	<b>Combisystem Draw Hoe</b> For hoeing and loosening the soil. Rust-proof, stainless steel blade.	 4 078500 319201 >
	<b>NEW</b> GA3187-20	<b>Combisystem push-pull Hoe</b> For weeding beds and paths. High quality coated steel, duroplast coated. Underside of the plate is contoured with sharp edge all around.	 4 078500 318709 >
	GA3166-20	<b>Combisystem Grubber</b> For loosening and aerating soil without damaging the roots.	 4 078500 316606 >
	<b>NEW</b> GA3630-20	<b>Combisystem House Broom</b> Cleaning up dirt in indoor areas. Broom head made of high-quality plastic, bristles made of a high-quality polypropylene/horsehair mixture. Spares furniture through round edges.	 4 078500 363006 >















# Combisystem Contd.



Image	Product Code	Description	EAN
	<b>NEW</b> GA3168-20	<b>Combisystem Bow Rake, 36cm wide</b> A multi-purpose tool for raking, levelling, and working the soil. High quality coated steel, duroplast coated. Double bow construction for challenging applications and safe movement during use. 36cm / 14 Tines	 4 078500 316804 >
	<b>NEW</b> GA3218-20	<b>Combisystem Garden Hoe</b> For hoeing, weeding, aerating, ridging and levelling and for working in close-set rows without damaging the plants. Coated high-grade steel, duroplast coated.	 4 078500 321808 >
	<b>NEW</b> GA3184-20	<b>Combisystem Rake</b> Versatile rake for various small jobs such as tidying up, roughing up and levelling out. High quality coated steel, duroplast coated	 4 078500 318402 >
	<b>NEW</b> GA3149-20	<b>Combisystem Lawn Edge Trimmer</b> With hardened, sharpened steel edge. Can be used like a spade or pushed along the edge of a lawn. High quality coated steel, duroplast coated	 4 078500 314909 >
	GA3112-20	<b>Combisystem Hoe</b> 14cm Rust-proof, stainless steel blade for weed removal	 4 078500 311205 >
	GA3622-20	<b>Combisystem Road Broom</b> High quality polypropylene bristles. With scraping edge to remove trodden in dirt or moist leaves. Working width 45cm.	 4 078500 017381 >
	GA3178-20	<b>Combisystem Rake</b> Multipurpose tool for raking, levelling beds and working the soil. Working width 36cm, 14 teeth. Recommended handle length 150cm.	 4 078500 317801 >
	GA3100-20	<b>Combisystem Spring-Wire Rake</b> For clearing and aerating mossy areas of lawn. Strong wire prongs. Working width 50cm.	 4 078500 310000 >
	GA3110-20	<b>Combisystem Fruit Picker</b> Makes fruit picking easy. Swivel joint allows for full adjustment of the working angle. Stainless steel blade for cutting stalks. Washable cotton bag. Recommended for use with Telescopic handles.	 4 078500 311007 >
	GA3108-20	<b>Combisystem Fruit Collector Promo</b> Shovel function for single fruits, easy emptying without an additional hook, Collecting windfall / fruits in different sizes (4-9cm with one product)	 4 078500 018005 >
	GA3650-20	<b>Combisystem Gutter Cleaner</b> For easy cleaning and clearing of gutters. Angle of the head is fully adjustable. Head and scraper blade are made of quality plastic. High quality bristles. Recommended for use with Telescopic Handles.	 4 078500 365000 >
	GA8738-20	<b>Combisystem Gardeners' Saw 300P Curved</b> Curved saw blade with impulse hardened teeth. Hard chrome plated surface for protection against corrosion and wear.	 4 078500 873802 >

# Combisystem contd.























Image	Product Code	Description	EAN
	GA297-20	<b>Combisystem Anvil Branch Pruner</b> Distinctly less effort required thanks to 5-fold transmission (+60% power), can be hooked onto branches, blade designed for precision branch hooking, safety loop, tear-proof pulling cord, pulley mechanism, incl. D-shaped handle for powerful and simple operation, D-shaped handle with cord storage, fixing for cable end, can also be used as manual shears	 4 078500 012591 >
	GA3087-20	<b>Combisystem Starter Set</b> Pack Contents: GA3101-20 Rake, GA3166-20 Grubber, GA8928-20 Patio Weeder (without small handle) and a GA3723-20 130cm Wooden Handle.	 4 078500 018043 >
	GA3020-23	<b>Lawn Rake with Wooden Handle</b> Ideally suited for raking leaves, grass clippings, aerated material and other garden debris. Sturdy tines made of high-quality plastic arranged in a working width of 43 cm allow easy, practical and lawn-sparing work. Comes with a 130cm wooden handle.	 4 078500 302043 >
	GA3022-20	<b>Fan Rake with Wooden Handle</b> Ideally suited for raking leaves, grass clippings and other garden debris. The flexible and zinc-plated spring-steel prongs and a large working width of 50 cm allow fast and effective work.	 4 078500 302203 >
	<b>NEW</b> GA3108-30	<b>Fruit Collector Promo with 130cm handle</b> Shovel function for single fruits, easy emptying without an additional hook, Collecting windfall / fruits in different sizes (4-9cm with one product) includes 130cm Wooden Handle.	 4 078500 017985 >
	GA3622-30	<b>Road Broom with Wooden Handle 130cm FSC pure</b> For cleaning up dirt in outside areas. Broom head made of high-quality plastic, hard and soft polypropylene bristles. With scraping edge to effort-lessly remove trodden-in dirt or moist leave.	 4 078500 017404 >



# Combisystem Hand Tools



Image	Product Code	Description	EAN
	<b>NEW</b> GA8911-20	<b>Combisystem Hand Hoe, Heart Shaped Blade</b> 6cm wide hoe for loosening, aerating and weeding the soil. High quality coated steel, duroplast coated. Corrosion protection, extendable, captive fastening screw with soft plastic components.	 4 078500 023382 >
	<b>NEW</b> GA8913-20	<b>Combisystem Hand Hoe Straight Blade - 2 Teeth</b> 5cm wide hoe for loosening, aerating and weeding the soil. High quality coated steel, duroplast coated. Corrosion protection, extendable, captive fastening screw with soft plastic components.	 4 078500 023405 >
	<b>NEW</b> GA8915-20	<b>Combisystem Hand Hoe Straight Blade - 3 Teeth</b> 6.5cm wide hoe for loosening, aerating and weeding the soil. High quality coated steel, duroplast coated. Corrosion protection, extendable, captive fastening screw with soft plastic components.	 4 078500 023429 >
	<b>NEW</b> GA8917-20	<b>Combisystem Wire Hand Rake</b> 12cm wide rake for tidying beds and aerating small, mossy areas. Corrosion protection, extendable, captive fastening screw with soft plastic components.	 4 078500 023443 >
	<b>NEW</b> GA8919-20	<b>Combisystem hand Rake</b> 12cm wide rake for raking leaves, weeds and grass cuttings in beds. Corrosion protection, extendable, captive fastening screw with soft plastic components.	 4 078500 023467 >
	<b>NEW</b> GA8921-20	<b>Combisystem Hand Grubber</b> 7cm wide grubber for loosening and aerating soil without damaging roots. Corrosion protection, extendable, captive fastening screw with soft plastic components.	 4 078500 023481 >
	<b>NEW</b> GA8923-20	<b>Combisystem Hand Weeder</b> 7cm wide weeder for loosening soil in beds and flower boxes. Corrosion protection, extendable, captive fastening screw with soft plastic components.	 4 078500 023504 >
	<b>NEW</b> GA8925-20	<b>Combisystem Flower Rake</b> 8.5cm wide flower rake for raking and loosening soil. Corrosion protection, extendable, captive fastening screw with soft plastic components.	 4 078500 023542 >
	<b>NEW</b> GA8929-20	<b>Combisystem Hand Trowel</b> 8.5cm wide trowel for planting and transplanting. Corrosion protection, extendable, captive fastening screw with soft plastic components.	 4 078500 023580 >
	<b>NEW</b> GA8927-20	<b>Combisystem Patio Weeder</b> For removing grass, moss and weeds from the joints between slabs and on walls. Double-sided ground and hardened high grade stainless steel blade, rust-proof. Complete with high quality blade guard, corrosion protection, extendable, captive fastening screw with soft plastic components.	 4 078500 023566 >

# Comfort Hand Tools



Image	Product Code	Description	EAN
	<b>NEW</b> GA8955-20	<b>Comfort Hand Hoe, Heart Shaped Blade-2 Teeth</b> 6cm hoe for loosening, aerating and weeding the soil.	 4 078500 023719 >
	<b>NEW</b> GA8960-20	<b>Comfort Hand Trowel</b> 8.5cm trowel for planting and transplanting. High quality coated steel. Duroplast coated. Corrosion protection.	 4 078500 023528 >
	<b>NEW</b> GA8956-20	<b>Comfort Hand Rake</b> 12cm rake for raking leaves, weeds and grass cuttings in beds. Duroplast coated. Corrosion protection.	 4 078500 023733 >
	<b>NEW</b> GA8957-20	<b>Comfort Hand Grubber</b> 7cm grubber for loosening and aerating soil without damaging roots. Duroplast coated. Corrosion protection.	 4 078500 023757 >
	<b>NEW</b> GA8958-20	<b>Comfort Flower Rake</b> 8.5cm rake for raking and loosening soil. Duroplast coated. Corrosion protection.	 4 078500 023771 >
	<b>NEW</b> GA8959-20	<b>Comfort Patio Weeder</b> For removing grass, moss and weeds from the joints between slabs and on walls. Double-sided ground and hardened high grade stainless steel blade, rust-proof. Corrosion protection.	 4 078500 023795 >
	GA3412-20	<b>Bulb Planter</b> Automatic release on handle. Depth scale.	 4 078500 341202 >
	GA3067-20	<b>The Gripper in display unit</b> The easy way to pick up waste and refuse. Gripping and spiking all in one unit.	 4 078500 306706 >

# Spares & Accessories



Image	Product Code	Description	EAN
	GA5300-20	<p><b>Washer</b> For Tap Connector 901/2901, Profi-System Tap Connector 2801 and Twin-Tap 938.</p>	 4 078500 530002 >
	GA5303-20	<p><b>O-ring 9mm</b> For all OGS connecting pieces.</p>	 4 078500 530309 >
	GA5305-20	<p><b>Adapter</b> For changing from 33.3mm (G1) female thread to 26.5mm (3/4") male thread.</p>	 4 078500 530507 >
	GA1124-20	<p><b>SB Washer Set</b> 1 x 3/4" Washer and 3 x 3.9mm O-Rings for 901/2901 Tap Connector.</p>	 4 078500 112406 >



Handy Distribution Ltd

The company reserves right to make changes in the interest of technological progress.

