

# **Passion for Life**



GARDENA smart system		
smart Robotic Lawnmowers	6	
smart Watering Control	7	
smart Multi-Channel Control	8	

Watering	9
Original GARDENA System	9
GARDENA Profi System	18
<b>GARDENA Watering Accessories</b>	19
Nozzles/Sprayers/Spray Lances	20
GARDENA Sprinklers	25
Circular Sprinklers	26
Oscillating Sprinklers	27
Wide-Range Sprinklers	28
Sprinkler Hoses	28
GARDENA Cleansystem	29
Cleansystem & Accessories	30
GARDENA Hose Trolleys & Reels	31
Hose Trolleys	33
Hose Reels	37
GARDENA Wall-Mounted Hose Boxes	38
GARDENA Hoses	40
Classic	41
Comfort FLEX	41
Comfort HighFLEX	42
Premium SuperFLEX	42
GARDENA Textile Hoses	43
GARDENA Micro-Drip-System	46
Starter Sets	47
System Start	50
Pipes and Accessories	51
Pipe Coupling	52
Drip Heads and Spray Nozzles	53
Cooling Mist Set	58
NatureUp! The vertical garden system	59
GARDENA Pipeline	62
GARDENA Sprinklersystem	63
Pop-up Sprinkler	64
Connectors	65
Pipes	66
Accessories	67
GARDENA Water Computers	68
GARDENA Irrigation Control System	72

**GARDENA Irrigation Control System** 



Lawn Care	75
GARDENA Robotic Lawnmowers	76
GARDENA Electric Lawnmowers	80
GARDENA Battery Lawnmowers	81
GARDENA Trimmers	82
GARDENA Battery Garden Shears	84
GARDENA Tree and Shrub Care	85
GARDENA Mechanical Grass Shears	86



Cutting & Pruning	89
GARDENA Secateurs	89
Secateurs	90
Household Scissors	93
GARDENA Hedge Clippers	94
GARDENA Pruning Loppers	97
GARDENA Branch Pruners	103
Tree and Pruning Loppers	103
combisystem Branch Pruners	104
combisystem Telescopic Handle	105
GARDENA Gardeners' Saws	106
GARDENA Axes and Hatchets	109



Gardening tools	111
GARDENA Large Tools	111
GARDENA NatureLine Garden Tools	115
GARDENA combisystem	118
combisystem Hand Tools	119
Hand Tools	121
Handles	125
Storage	127
Lawn Care	128
Soil Cultivation	129
Cleaning	130
Telescopic Application	131
Branch Pruner	132
GARDENA Special Tools	133
GARDENA Spreaders	134
GARDENA Sprayers	136
Pump Sprayers	136
Pressure Sprayers	137
Accessories	138



city gardening	139
Products for balconies	139
Planting and Topiary Trimming Mats	141
Products for terraces	143
NatureUp! The vertical garden system	144
Urban garden	147
Spare Parts	149

Article	indov	15	1
AI UUU	IIIUUX	เข	1









For iOS, Android and web. Control, information and know how for the garden.





2 smart Gateway

The heart of the networked garden. Connected to your home router either via WiFi or LAN cable. smart mowing

3 smart SILENO

2 different robotic lawnmowers for lawn care available for small and medium gardens.

smart watering

4 smart Water Control

Water computer for connecting directly to a tap for one area of the garden.

5 smart Irrigation Control

Multi-channel control for an underground watering system covering up to six areas of the garden.

6 smart Sensor

Sensor supplies status data about current soil moisture, temperature and light intensity.

A smart Gateway is required to operate the GARDENA smart system. This Gateway is included in all GARDENA smart system start sets.









New!







reddot award 2016 winner	C€	New!
Article designation	smart SILENO city Set	smart SILENO life Set
Article No.	19066-28	19113-28
EAN Code	4 078500 032711	4 078500 043885
Quantity in pack/Pallet unit	1/4	1/4
Packaging type	4-colour display carton	4-colour display carton
Sale/Info	only available as Set Art. No. 19066	only available as Set Art. No. 19113
Contents	smart Gateway, smart SILENO city Robotic Lawnmower	smart Gateway, smart SILENO life Robotic Lawnmower
Expandable	Via all smart system extensions	Via all smart system extensions
Battery technology	Lithium-lon battery	Lithium-lon battery
Battery power	18 V	18 V
Battery capacity	2.1 Ah	2.1 Ah
Charging time approx.	60 min	60 min
Mowing time per charge approx.	65 min	65 min
Recommended lawn area	< 500 m <sup>2</sup>	< 750 m <sup>2</sup>
Max. incline	Up to 25 %	Up to 30 %
Cutting height, min - max	20 - 50 mm	20 - 50 mm
Cutting deck	Blade disc with three blades	Blade disc with three blades
Charging system	automatic	automatic
Energy consumption per month approx.	7 kWh	8 kWh
Weight approx.	7 kg	8 kg
Dimensions (L x W x H)	55 x 36 x 22 cm	57 x 40 x 24 cm
Boundary wire	150 m	200 m
Hooks	200 pieces	300 pieces
Spare blades	-	-
Couplers	4	4
Connectors	5	5
Housing	High impact plastic	High impact plastic
Display	LCD with programme menu	LCD with programme menu
Defines the area to be mowed	Through boundary wire	Through boundary wire
Sensor	Collision-, lift- and tilt sensor	Collision-, lift- and tilt sensor
Programming the mowing time	Using selection panel and display or smart App	Using selection panel and display or smart App
Hose washable	•	•
Remote start function	3 / settable	3 / settable
SensorControl— adapts amount of mowing to lawn growth rate	_	•
Control via smart App	Free to download, no subscription fees, available for smartphone, tablet and web	
Requirements	Wi-Fi router and Internet access, smartphone, tablet or pc	
Special features	Can be used in wet conditions, anti-theft protection/PIN code, flexible placement of the charging station, EasyPassage — automatic handling in narrow corridors, simple installation of software updates	

SMART SYSTEM

### **GARDENA smart system Start Sets – Robotic Lawnmower / Water Control**









reddot award 2016 winner	Ç€	C€	CE
Article designation	smart system Set	smart Sensor Control Set	smart Water Control Set
Article No.	19100-28	19102-28	19103-28
EAN Code	4 078500 029735	4 078500 029858	4 <sup>0</sup> 078500 029834
Quantity in pack/Pallet unit	1/-	1 / 40	1/72
Packaging type	4-colour display carton	4-colour display carton	4-colour display carton
Sale/Info	_	_	_
Contents	smart SILENO Robotic Lawnmower, smart Water Control, smart Sensor, smart Gateway	smart Water Control, smart Sensor, smart Gateway	smart Water Control, smart Gateway
Application	Mow lawns and water plants using the smart App Water plants using the smart App		
Expandable	Via all smart system expansions		
Requirements	Wi-Fi router and Internet access, smartphone, tablet or pc		

### **GARDENA smart system Extensions – Water Control**









 $\epsilon$ 

reddot award 2016 winner	<b>↓</b> C€	
Article designation	smart Sensor	
Article No.	19030-20	
EAN Code	4 078500 018845	
Quantity in pack/Pallet unit	1 / 208	
Packaging type	4-colour display carton	
Sale/Info	-	
Application	Measure factors such as soil moisture, light intensity and external temperature and include the soil moisture in the irrigation control system using the smart App	
Usable with	All smart system Sets	
Energy supply	2 x AA 1.5 V alkaline batteries (LR6, not included)	
LED status indicator	Strength of the signal for the wireless connection to the Gateway	
Soil moisture	0 - 100 %	
Light intensity	0 - 200,000 Lux	
External temperature	-1 - +50 °C	
Control via smart App	Free to download, no subscription fees, available for smartphone, tablet and web	
Requirements	smart Gateway, Wi-Fi router and Internet access, smartphone, tablet or pc	

t award 2016	
le designation	smart Water Control
le No.	19031-28
Code	

Article designation	smart Water Control
Article No.	19031-28
EAN Code	4 078500 029810
Quantity in pack/Pallet unit	1 / 294
Packaging type	4-colour display carton
Sale/Info	_
Application	Automatic irrigation via smart App, ideal for use with Micro-Drip-System or Sprinklersystem
Usable with	All smart system Sets
Energy supply	3 x AA 1.5 V alkaline batteries (LR6, not included)
LED status indicator	Active watering, signal strength, battery warning
Programmable outputs	1
Watering duration	1 min - 10 h
Watering frequency	Choice of weekdays
Thread for connecting to the tap	26.5 mm (G 3/4), 33.3 mm (G 1)
Operating pressure	0.5 - 12 bar
Control via smart App	Free to download, no subscription fees, available for smartphone, tablet and web
Requirements	smart Gateway, Wi-Fi router and Internet access, smartphone, tablet or pc
Special features	Choice of weekdays, frost warning sent to smart App when temperatures drop below 5°C





€

Article designation	smart Irrigation Control
Article No.	19032-20
EAN Code	4 078500 031653
Quantity in pack/Pallet unit	1/180
Packaging type	4-colour display carton
Sale/Info	-
Application	Water multiple areas via smart App, control six 24 V irrigation valves per device
Can be used with	24 V Irrigation Valve (Art. No.1278), 24 V Pump Control (Art. No.1273), smart Sensors, all smart system Sets
Energy supply	230 V / 24 V
Number of irrigation valves 24 V which can be controlled	6
Individual irrigation programmes per valve	Configured individually via smart App
Watering duration per programm	Configured individually via smart App
Suitable for use outdoors	Protection class IP X4
Master channel for controlling a pump	•
Connection to valve	24-V Connection Cable (Art. No.1280)
Control via smart App	Free to download, no subscription fees, available for smartphone, tablet and web
Requirements	smart Gateway, Wi-Fi router and Internet access, smartphone, tablet or pc















Article designation	Tap Connector	Adapter Tap Connector
Article No.	18202-20	6005-20
EAN Code	4 078500 011372	4 078500 600507
Quantity in pack / Pallet unit	12 / 2304	10 / 1560
Packaging type	4-colour blister card	4-colour blister card
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units
Use	Connection options on tap	Connection options on tap
Frost protection	•	•
Connection options	26.5 mm (G 3/4) tap with 33.3 mm (G 1) thread	For taps with 26.5 mm (G 3/4") and 21 mm (G 1/2") thread
Special features	Easy, comfortable handling	-
















Article designation	Premium Tap Connector	Premium Tap Connector	Premium Tap Connector
Article No.	18240-20	18241-20	18242-20
EAN Code	4 078500 031684	4 078500 031738	4 078500 031776
Quantity in pack / Pallet unit	6 / 1728	12 / 2304	6 / 1728
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units	Sold only in complete packaging units
Use		Connection options on tap	
Frost protection	•	•	•
Connection options	16.7 mm (G 3/8") tap with 21 mm (G 1/2") thread	21 mm (G 1/2") tap with 26.5 mm (G 3/4") thread	26.5 mm (G 3/4") tap with 33.3 mm (G 1") thread
Special features	Increased water flow: Special interior dimensions ensure maximum water flow. Anti-splash: The innovative shape lets you draw water with no splashing - guaranteed; metal version		







Special interior dimensions ensure maximum water flow.



Anti-splash

Focused water jet. Drawing water without splashes.



















Article designation	Round MixerTap Connector	Angled Tap Connector	Round Tap Connector 1	Twin-Tap Connector
Article No.	5906-28	2999-20	2907-20	938-20
EAN Code	4 078500 590648	4 078500 299909	4 078500 290708	4 078500 093804
Quantity in pack / Pallet unit	10 / 1120	10 / 850	12 / 960	6 / 684
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card	4-colour blister card
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units	_	Sold only in complete packaging units
Use		Connection options on tap		
Frost protection	•	•	•	•
Connection options	For taps with an external diameter of 20 - 25 mm	26.5 mm (G 3/4) tap with 33.3 mm (G 1) thread, 21 mm (G 1/2) tap with 26.5 mm (G 3/4) thread	For taps without thread with outside diameter 15 - 20 mm	21 mm (G 1/2) tap with 26.5 mm (G 3/4) thread
Special features	Corrosion-resistant and can be attached without tools	No kinking and twisting of the hose on the tap due to rotating and swivelling connector, ideal for use on hose trolleys	Corrosion-resistant	For operating 2 watering accessories at the same time, 2 fully adjustable outlets

### Original GARDENA System – Connection Options for the Tap













THE SHY - LIMBERT			CE.
Article designation	Twin-Tap Connector	Four Channel Water Distributor	Water Smart Flow Meter
Article No.	8193-20	8194-20	8188-20
EAN Code	4 078500 819305	4 078500 819404	4 078500 818803
Quantity in pack / Pallet unit	4 / 240	2/104	4 / 288
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card
Sale/Info	_	_	-
Use	Connection	options on tap	For controlling water consumption, measures the water quantity that has flowed through
Connection options		n (G 1) thread, 21 mm (G 1/2) tap with G 3/4) thread	Tap, sprayer, sprinkler, pump, hose connector
Special features	For operating 2 watering accessories, flow rate can be adjusted and shut off, suitable for 2 GARDENA Water Computers or Water Timers	For operating up to 4 watering accessories at the same time, fully adjustable water flow, suitable for 2 GARDENA Water Computers or Water Timers	Four functions can be easily selected with a press of a button: water consumption per day, per season, per watering cycle and current flow (litre/min.), Battery included















Article designation Article No.	Adapter For Indoor Taps 8187-20	Universal Tap Connector 2909-20	Threaded Hose Connector 2917-20
EAN Code	4 078500 818704	4 078500 290906	4 078500 291705
Quantity in pack / Pallet unit	10 / 850	10 / 850	6 / 1728
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card
Sale/Info	-		Sold only in complete packaging units
Use	Connection options on tap	For use on indoor square taps	For adapting a screw-type hose connection to a GARDENA Tap Connector
Frost protection	•	•	•
Connection options	For indoor taps with M 22 x 1 male and M 24 x 1 female thread	_	With 26.5 mm (G 3/4) thread
Special features	The Original GARDENA System can be attached and detached very quickly after a onetime replacement of the shower head	Corrosion-resistant and can be attached without tools	e.g. on a washing machine, childproof: disconnection is made by twisting
















Article designation	Hose Connector	Hose Connector	Premium Hose Connector
Article No.	18215-20	18216-20	18255-20
EAN Code	4 078500 011808	4 078500 011969	4 078500 031936
Quantity in pack / Pallet unit	24 / 1728	12 / 1584	12 / 1248
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units	Sold only in complete packaging units
Use	Hose lead	Hose lead	Hose lead
Frost protection	•	•	•
Connection options	13 mm (1/2") - 15 mm (5/8") hoses	19 mm (3/4") hoses	13 mm (1/2") - 15 mm (5/8") hoses
Special features		haped sleeve nut for a very tight fit and d soft plastic grip for comfortable handling	Modern and sophisticated design, grooved soft plastic grip, a very tight fit thanks to a stable clamping nut of metal, with extended hose guide





Prevents the hose from slipping out.

# Metal locking nuts

And the hose is rock-solid.











Article designation	Water Stop	Premium Water Stop
Article No.	18213-20	18253-20
EAN Code	4 <sup>0</sup> 078500 <sup>0</sup> 011396 <sup>0</sup>	4 078500 031837
Quantity in pack / Pallet unit	24 / 1728	12 / 1248
Packaging type	4-colour blister card	4-colour blister card
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units
Use	End of the hose	End of the hose
Frost protection	•	•
Connection options	13 mm (1/2") - 15 mm (5/8") hoses	13 mm (1/2") - 15 mm (5/8") hoses
Special features	POWER GRIP — specially shaped sleeve nut for a very tight fit and trouble-free assembly, grooved soft plastic grip for comfortable handling, easy changing of watering accessories, disconnect = automatic water stop, connect = water flows	Modern and sophisticated design, grooved soft plastic grip, easy changing of watering accessories, disconnect = automatic water stop, connect = water flows, a very tight fit thanks to a stable metal clamping nut, with extended hose guide





#### Easy to change the watering accessories

There is no need to walk to the tap to switch connection units. As soon as the spray nozzle, sprayer or spray lance is disconnected the water flow is interrupted, and only starts again once a new watering accessory is connected to the hose.

#### **Convenient handling**

Grooved recessed grips made of soft plastic make for exceptionally comfortable handling.











Article designation	Hose Connector with Control Valve	Accessory Adapter
Article No.	2942-20	2921-20
EAN Code	4 078500 294201	4 078500 292108
Quantity in pack / Pallet unit	6/792	6 / 1728
Packaging type	4-colour blister card	4-colour blister card
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units
Use	End of the hose	For adapting sprinklers with female thread to the Original GARDENA System
Frost protection	•	•
Connection options	13 mm (1/2") - 15 mm (5/8") hoses	26.5 mm (G 3/4) thread
Special features	Ideal for changing accessories without turning off the tap, especially suitable for high water pressure	-

### Original GARDENA System – Connection Options in the Hose













5 to say - Aller	6 11		
Article designation	Hose Repairer	Extension Joint	3-way Y Coupling
Article No.	18232-20	2931-20	2934-20
EAN Code	4 078500 012003	4 078500 293105	4 078500 293402
Quantity in pack / Pallet unit	24 / 1728	24 / 2304	12 / 2592
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units	Sold only in complete packaging units
Use	Hose repair	Hose repair	Divides your water source in two, for changing from 19 mm (3/4") to 13 mm (1/2") hoses
Frost protection	•	•	•
Connection options	13 mm (1/2") and 15 mm (5/8") hoses	Hose connector, water stop	Hose connector, water stop
Special features	Quick hose repair without tools: just cut out the damaged section, insert the hose repairer and the hose is back in use	For hose extension, for changing from 19 mm (3/4") to 13 mm (1/2") hoses	-

# Original GARDENA System – Sets













Article designation	Hose Connection Set	Rapid Connection Set	Connection Set
Article No.	18281-20	18285-20	18286-20
EAN Code	4 078500 012379	4 078500 010269	4 078500 010429
Quantity in pack / Pallet unit	6 / 936	6 / 792	10 / 900
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card
Sale/Info	_	-	-
Frost protection	•	•	•
Connection options	13 mm (1/2") and 15 mm (5/8") hoses	M 22 x 1 female and 26.5 mm (G 3/4) male thread and 13 mm (1/2") and 15 mm (5/8") hoses	26.5 mm (G 3/4) thread and 13 mm (1/2") and 15 mm (5/8") hoses
Product Info, see article	18215	2906, 18201, 18215	18201, 18215
Contents	2 x 18215	1 x 2906, 18201, 18215	2 x 18201, 1 x 18215

# Original GARDENA System – Sets



**Article designation** 













 Sprayer Set
 Basic Set
 Basic Set Promotion

 18288-20
 18291-20
 18295-34

Watering Sprayer Promotion

Article No.	18288-20	18291-20	18295-34	18299-34
EAN Code	4 078500 010283	4 078500 010344	4 078500 035880	4 078500 035842
Quantity in pack / Pallet unit	10 / 1120	10 / 600	50 / 300	36 / 144
Packaging type	4-colour blister card	4-colour blister card	Display	Display
Sale/Info	_	_	Sold only as display with 50 pieces	Sold only as display with 36 pieces
Frost protection	•	•	•	•
Connection options	13 mm (1/2") and 15 mm (5/8") hoses	13 mm (1/2") and 15 mm (5/8") hoses and tap with 26.5 mm (G 3/4) and 33.3 mm (G 1) thread	13 mm (1/2") and 15 mm (5/8") hoses and tap with 26.5 mm (G 3/4") and 33.3 mm (G 1") thread	13 mm (1/2") and 15 mm (5/8") hoses and tap with 26.5 mm (G 3/4") and 33.3 mm (G 1") thread
Product Info, see article	18213, 18300	18202/5305, 18215, 18213, 18300	18202/5305, 18215, 18213, 18300	18202/5305, 18215, 18213, 18311
Contents	1 x 18213, 18300	1 x 18202/5305, 18215, 18213, 18300	50 x 18291	1 x 18202/5305, 18215, 18213, 18311

# **GARDENA Profi System**





\*Warranty Information: www.gardena.com/warranty or +44 (0) 344 844 4558

# The system for greater water power and an increased water flow

The GARDENA Profi System is a special solution for applications where large quantities of water are required and long distances need to be spanned. The system is able to accommodate high-performance pumps and is specially designed for 19 mm (3/4") hoses.

Matching system parts are also available for switching between the GARDENA Profi System and the Original GARDENA System.

#### **GARDENA Profi System**









Article designation	Profi System Threaded Tap Connector	Profi System Hose Connector
Article No.	2801-20	2817-20
EAN Code	4 078500 280105	4 078500 281706
Quantity in pack / Pallet unit	10 / 1560	10 / 1120
Packaging type	4-colour blister card	4-colour blister card
Sale/Info	-	-
Use	Connection options on tap	Hose lead
Connection options	21 mm (G 1/2) tap with 26.5 mm (G 3/4) thread	19 mm (3/4") hoses
Special features	-	Special connector ensures tight fit, a simple pull releases the connection

#### **GARDENA Profi System**












Profi System Extension Joint	Profi System Reducing Coupling	Profi System Universal Adapter
2831-20	2830-20	2821-20
4 078500 283106	4 078500 283007	4 078500 282109
10 / 1560	10 / 1560	6 / 1728
4-colour blister card	4-colour blister card	4-colour blister card
-	-	_
For connecting hoses, extending	Conversion from Profi System to Original GARDENA System	For converting watering equipment with female thread to the Profi System
1 x 3/4" inlet and 1 x 3/4" outlet	"Profi" Maxi-Flow System inlet,     Original GARDENA System outlet	26.5 mm (G 3/4) thread
	2831-20  4 078500 283106  10 / 1560  4-colour blister card  For connecting hoses, extending	2830-20  4 078500 283106 4 078500 283007  10 / 1560 10 / 1560  4-colour blister card 4-colour blister card


# **GARDENA Watering Accessories**

# The right model for every application

The new generation of accessories impresses with:

- · Use-oriented range of products





• Convenient, single-handed regulation of the water volume





Patented / patent pending

#### **Nozzles** Perfect for cleaning tasks





#### **Comfort Cleaning Nozzle ecoPulse**

Save up to 40% on water with improved cleaning performance on surfaces with the new ecoPulse technology.





### **Multi-functional sprayers**

Perfect for all kinds of watering and cleaning tasks



#### **Sprayers**

Ideal for watering plants, flowerbeds and delicate plants





#### city gardening Balcony Sprayer

Ideal for gentle watering on balconies or terraces.

#### **Spray lances**

Perfect for all kinds of watering and cleaning tasks in remote or hard-to-reach places



### **Nozzles - Perfect for cleaning tasks**



















Article designation	Cleaning Nozzle	Classic Cleaning Nozzle	Comfort Cleaning Nozzle Offer	Comfort Cleaning Nozzle ecoPulse	Comfort Cleaning Nozzle ecoPulse Promotion	Premium Cleaning Nozzle
Article No.	18300-20	18301-20	18303-34	18304-20	18304-34	18305-20
EAN Code	4"078500"010733"	4 078500 010757	4 078500 035781	4 078500 044561	4 078500 044585	4 078500 024242
Quantity in pack / Pallet unit	24 / 960	10 / 440	36 / 144	5 / 340	36 / 144	5 / 420
Packaging type	4-colour information card	4-colour information card	4-colour information card	4-colour information card	verpackt im Display	4-colour information card
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units	Sold only as display with 36 pieces	Sold only in complete packaging units	Sold only as display with 36 pieces	_
Use		Ideal for effective	ely cleaning surfaces and i	ntensive stains, loosening of	dirt or fine spraying	
Spray pattern	Ha	ard jet, fine mist, fully adjus	stable		hard jet, flat jet, soft spray jet	Hard jet, fine mist, fully adjustable
Frost protection	•	•	•	•	•	•
On/off trigger	-	•	•	•	•	•
Lo k c	_	•	•	•	•	•
Handle with soft plastic components	•	_	•	•	•	•
Water flow can be shut off	•	•	•	•	•	•
Water quantity can be regulated	-	•	•	•	•	•
Soft plastic ring on the head to protect from damage	•	•	•	•	•	•
Content	-	-	36 x 18303	-	36 x 18304	_
Special features		leeve cannot be removed e cannot be lost	Nozzle sleeve cannot be removed and there- fore cannot be lost	Save up to 40% on war	cleaning jet: ter with improved cleaning on surfaces, when standard hard jets	Nozzle sleeve cannot be removed and there- fore cannot be lost Sturdy metal / plastic version



#### **GARDENA Promotions**











NO 2MA - YTHAS		
Article designation	Cleaning Gun Offer	Multi Spray Gun Offer
Article No.	18341-32	18343-32
EAN Code	4 078500 034296	4 <sup>0</sup> 078500 <sup>0</sup> 034401 <sup>0</sup>
Quantity in pack / Pallet unit	48 / 192	36 / 144
Packaging type	4-colour information card	4-colour information card
Sale/Info	Sold only as display with 48 pieces	Sold only as display with 36 pieces
Connection options	13 mm (1/2") and 15 mm (5/8") hoses	13 mm (1/2") and 15 mm (5/8") hoses
Product info	For cleaning of intensive stains and watering with a fine mist.  With frost protection	Perfect for watering flowerbeds and delicate plants, as well as for powerful cleaning and for removing dirt. With frost protection
Content	48 blister cards with 1 x Cleaning Gun and Water Stop	36 blister cards with Multi Spray Gun and Water Stop

# **Sprayers - Perfect for watering tasks**













sic Watering Sprayer <sup>1</sup>	Watering Sprayer Offe

city	aardonina	Palcony	Cnra	vor
CITY	gardening	Baicony	Spray	/er

Article designation	Classic Watering Sprayer <sup>1</sup>	Watering Sprayer Offer <sup>1</sup>	city gardening Balcony Sprayer
Article No.	18311-20	18299-34	18405-20
EAN Code	4 078500 010795	4 078500 035842	4 078500 044608
Quantity in pack / Pallet unit	5/300	36 / 144	5/-
Packaging type	4-colour information card	Display	4-colour information card
Sale/Info	Sold only in complete packaging units	Sold only as display with 36 pieces	Sold only in complete packaging units
Use	Ideal for irrigation potted plants and areas	-	Ideal for watering plants on balconies
Spray pattern	Soft spray	-	Extra soft spray thanks to reduced water flow
Frost protection	•	•	•
On/off trigger	•	-	Dulas trianger with automatic leading quaters
Lock	•	-	Pulse trigger with automatic locking system
Handle with soft plastic components	-	-	•
Water flow can be shut off	•	-	•
Water quantity can be regulated	•	-	•
Soft plastic ring on the head to protect from damage	•	-	•
Connection options	_	13 mm (1/2") and 15 mm (5/8") hoses and tap with 26.5 mm (G 3/4")- and 33.3 mm (G 1") thread	-
Product Info, see article	-	18202/5305, 18215, 18213, 18311	-
Contents	-	1 x 18202/5305, 18215, 18213, 18311	-



# **Sprayers - Perfect for watering and cleaning tasks**











reddot	award	2016

Article designation	Comfort Sensitive Plant Sprayer <sup>1</sup>	Comfort Cleaning Sprayer
Article No.	18321-20	18323-20
EAN Code	4 078500 017244	4"078500"025140"
Quantity in pack / Pallet unit	5/240	5/240
Packaging type	4-colour information card	4-colour information card
Sale/Info	_	-
Use	Ideal for gently watering flowers and delicate plants, herbs and seedlings	Perfect for watering and cleaning tasks
Spray pattern	Fine mist, soft spray	Fine mist, hard jet
Frost protection	•	•
On/off trigger	•	•
Lock	•	•
Handle with soft plastic components	•	•
Water flow can be shut off	•	•
Water quantity can be regulated	•	•
Soft plastic ring on the head to protect from damage	•	•

# **Sprayers - Perfect for watering tasks**











reddot award 2016

winner	
Article designation	Comfort Bed Sprayer
Article No.	18319-20
EAN Code	4 078500 017336
Quantity in pack / Pallet unit	4 / 224
Packaging type	4-colour information card
Sale/Info	_
Use	Ideal for watering beds and large areas
Spray pattern	Concentrated and fanned soft spray
Drip Protection	•
Frost protection	•
Adjustable spray pattern width	•
On/off trigger	•
Lock	•
Handle with soft plastic components	•
Water flow can be shut off	•
Water quantity can be regulated	•
Soft plastic ring on the head to protect from damage	•
Special features	The integrated, innovative drip protection system prevents the product from continuing to drip after watering,

filter which can be removed and cleaned





# Multi-purpose Sprayers — perfect for all kinds of watering and cleaning tasks















	• )	

Article designation	Classic Multi Sprayer	Classic Multi Sprayer Offer	Comfort Multi Sprayer	Comfort Multi Sprayer Offer	Premium Multi Sprayer
Article No.	18313-20	18313-34	18315-20	18315-34	18317-20
EAN Code	4 078500 010511	4"078500"035446"	4"078500"024228	4 078500 035767	4 078500 024181
Quantity in pack / Pallet unit	5/300	48 / 192	4 / 224	36 / 144	4 / 224
Packaging type	4-colour information card	packed in display	4-colour information card	packed in display	4-colour information card
Sale/Info	_	Sold only as display with 48 pieces	_	Sold only as display with 36 pieces	_
Use	Ideal for watering potted plants and beds as well as powerful cleaning		Perfect for watering flowerbeds, pot plants and delicate plants, as well as for powerful cleaning and for removing dirt		
Spray pattern	Soft spray – bubble jet, spray – 3 point hard jet		Soft spray,	fine mist, hard jet, bubble jet sp	oray, flat spray
Frost protection	•	•	•	•	•
On/off trigger	•	•	•	•	•
Lo k c	•	•	•	•	•
Handle with soft plastic components	_	_	•	•	•
Water flow can be shut off	•	•	•	•	•
Water quantity can be regulated	•	•	•	•	•
Soft plastic ring on the head to protect from damage	•	•	•	•	•
Contents	_	48 x 18313	_	36 x 18315	
Special features	Integrated filter which can be removed and cleaned			Integrated filter which can be removed and cleaned Sturdy metal / plastic	



#### Spray Lances - Perfect for all kinds of watering and cleaning tasks in remote or hard-to-reach areas












Article designation	Spray Lance Offer	Classic Spray Lance
Article No.	18330-34	18332-20
EAN Code	4 078500 035415	4 078500 010368
Quantity in pack / Pallet unit	24/96	6 / 144
Packaging type	Loose in display	4-colour information card
Sale/Info	Sold only as display with 24 pieces	-
Use	Ideal for watering with longer reach	Ideal for watering with longer reach
Spray pattern	Soft spray	Soft spray
Frost protection	•	•
Water quantity can be regulated	-	•
Contents	24 x watering lance (Art. No. 18330)	-
Special features	Length 60 cm, can be hung up for compact storage	Length 75 cm, can be hung up for compact storage
Characteristics	On/off trigger, lock, water flow can be shut off, soft plastic ring on the head to protect from damage	

#### Spray Lances - Perfect for all kinds of watering and cleaning tasks in remote or hard-to-reach areas





The operating pressure (bar) determines the watered area.

The performance data given was obtained with an operating pressure of 4 bar at the sprinkler.

# **Circular Sprinklers**









Classic Spray Sprinkler Fox	Classic 4 Pattern Sprinkler Twist Offer

Article designation	Classic Spray Sprinkler Fox	Classic 4 Pattern Sprinkler Twist Offer
Article No.	1951-20	2068-34
EAN Code	4 078500 195102	4 078500 035170
Quantity in pack / Pallet unit	6 / 480	60 / 240
Packaging type	4-colour blister card	Display
Sale/Info	-	Sold only as display with 60 pieces
Area coverage	Max. 100 m <sup>2</sup>	Full circle: 80 m <sup>2</sup> / Half circle: 100 m <sup>2</sup> Square: 64 m <sup>2</sup> / Rectangle: 32 m <sup>2</sup>
Irrigation sector	360°	-
Range of spray	Ø Max. 11 m	Full circle: Ø max. 10 m / Half circle: r = max. 8 m Square: max. 8 x 8 m / Rectangle: max. 16 x 2 m
Securing	Spike	Spike
Special features	-	By simply turning the rotary dial on the sprinkler
Contents	-	60 blister cards with 1 x 4 pattern sprinkler and water stop

# **Circular Sprinklers**







		C€	(€
Article designation	Comfort Circular Sprinkler Vario		Comfort Circular Sprinkler Vario
Article No.	1949-20		1948-20
EAN Code	4 078500 194907		4 078500 194808
Quantity in pack / Pallet unit	5 / 420		5 / 145
Packaging type	4-colour information card		4-colour display carton
Sale/Info	_		-
Area coverage	Max. 225 m <sup>2</sup>		Max. 225 m <sup>2</sup>
Irrigation sector	From 90° to 360°, 7-step sector settings in steps of 45°		From 90° to 360°, 7-step sector settings in steps of 45°
Range of spray	Ø Max. 17 m		Ø Max. 17 m
The sprinkling range can be adjusted	-		-
Water quantity can be regulated	_		-
Removable filter	Plastic		Plastic
Securing	Metal spike		Plastic sled with metal insert
Special features	Special sprinkler-turning turbine for even water	distribution	, individually adjustable spray direction, several sprinklers can

sprinkler-turning turbine for even water distribution, individually adjustable spray direction, several sprinkl be connected in a row (Accessory: tap connector 18201 or Profi System threaded tap connector 2801)

#### **Oscillating Sprinklers**











breakage security

	C€	(€	C€
Article designation	Classic Oscillating Sprinkler Polo 220	Classic Oscillating Sprinkler Polo 220	Classic Oscillating Sprinkler Polo 280
Article No.	2082-20	2080-20	2084-20
EAN Code	4 078500 208208	4 078500 208000	4 078500 208406
Quantity in pack / Pallet unit	10 / 200	20 / 200	5/90
Packaging type	4-colour display carton	4-colour display carton	4-colour display carton
Sale/Info	Sold only in complete packaging units	_	1
Area coverage	90 m² - max. 220 m²	90 m² - max. 220 m²	120 m² - max. 280 m²
Range is fully adjustable	7 m - max. 17 m	7 m - max. 17 m	8 m - max. 18 m
Sprinkling width	max. 13 m	max. 13 m	max. 16 m
Soft plastic nozzles	-	-	•
Removable filter	Stainless steel	Stainless steel	Stainless steel
Special features	-	-	Aluminium-reinforced nozzle tube for high

#### **Oscillating Sprinklers**











C€





 $\epsilon$ 

mfort Full or Part Circle	Comfort Full or Part Circle Pulse Sprinkler	Premium Full or Part Circle Pulse Sprinkle
lse Sprinkler <sup>2</sup>	- Offer 1, 2	-

Article designation	Comfort Full or Part Circle Pulse Sprinkler <sup>2</sup>	Comfort Full or Part Circle Pulse Sprinkler  – Offer 1,2	Premium Full or Part Circle Pulse Sprinkler <sup>2</sup>
Article No.	8141-20	8142-27	8135-20
EAN Code	4 078500 814102	4 078500 814270	4 078500 813501
Quantity in pack / Pallet unit	5 / 125	30 / 120	5/90
Packaging type	4-colour information card	Display	4-colour display carton
Sale/Info	-	Sold only as display with 30 pieces	-
Area coverage	75 - max. 490 m <sup>2</sup>	75 - max. 490 m <sup>2</sup>	75 - max. 490 m²
Irrigation sector	25° - 360°	25° - 360°	25° - 360°
Range is fully adjustable	5 - max. 12.5 m	5 - max. 12.5 m	5 - max. 12.5 m
Removable Filter	-	_	-
Securing	Spike	Spike	Sturdy plastic sled with metal inserts for high stability
Material	Plastic	Plastic	Plastic with metal hammer and high-precision brass nozzle
Special features	Several sprinklers can be installed in a row (accessory: Tap Connector 18201)	Contents: 30 x Pulse Sprinkler 8141	Several sprinklers can be installed in a row (Accessory: Tap Connector 18201)

# **Sprinkler Hoses**











E do SWV - ALMERICA		4	
Article designation	Sprinkler Hose	Soaker Hose	Soaker Hose Connection Set
Article No.	1998-20	1969-20	1989-20
EAN Code	4 078500 199803	4 078500 196901	4 078500 198905
Quantity in pack / Pallet unit	5 / 150	5/60	6 / 792
Packaging type	4-colour display carton	4-colour display carton	4-colour blister card
Sale/Info	_	-	-
Length	15 m	15 m	_
Warranty	10 years	5 years	5 years
Individually extended	Up to 22.5 m (Accessory 5316-20)	Up to 30 m (Accessory 1989-20)	-
Can be cut to length	•	•	-
Use	Fine mist for watering narrow, elongated zones	The efficient way to water rows of plants	-
Special features	-	-	Complete fittings for inlet and outlet ends of the soaker hose: connection unit with control valve and water stop



#### **GARDENA Cleansystem & Accessories**









Article designation	Car Wash Set	Shampoo
Article No.	5580-20	1680-20
EAN Code	4 078500 558006	4 078500 168007
Quantity in pack / Pallet unit	4/36	10 / 2080
Packaging type	4-colour information card	4-colour blister card
Sale/Info	-	Sold only in complete packaging units
Use	Gentle, effective cleaning of vehicles and sensitive surfaces	For effective cleaning of sensitive and robust surfaces and glass
Product Info / Useable for	See Art. No. 5570, 5552, 1680	Art. No. 5552, 5550, 5554
Contents	1 x 5570 Wash Brush, 1 x 5552 Running Water Handle 90, 1 x 1680 Shampoo	-
Special features	_	Biodegradable



# Infinitely adjustable flow control

Water quantity and pressure are regulated and locked on the handle. For use with clear water and/or adding care products according to requirements.

#### Dispenser

Durable dispenser for GARDENA Care Products (Art. No. 1680).



#### **Connections on handle**

The connection technology with twist-off cap allows all Original Cleansystem Connecting Devices to be easily connected to a handle.



**Top-quality materials** 

Lightweight and sturdy, made of high-grade aluminium, with easy-to-grip plastic coating for comfortable handling: prevents scratch marks, slipping, and protects hands from the cold.



# **GARDENA Hose Trolleys / Reels**

# The hose is always stored in an orderly manner but ready at hand

With the hose trolley, the hose is always neatly rolled and ready for use. Bothersome pulling and carrying of the hose through the garden is no longer necessary.



#### **Hose Trolleys**

The new hose trolleys in the AquaRoll series convince with many new and innovative properties.

For particularly high loads, metal models are also available in the new AquaRoll series.



#### **Hose Reel**

High standing security through special, threecorner construction with deeply placed centre.

Ergonomic handle for easy transport.



#### **Hose Box**

Compact and lightweight, making it ideal for use on the go, such as when camping and during water sports and other recreational activities.

Crank and handle can be folded in.





Warranty Information: www.gardena.com/warranty or +44 (0) 344 844 4558



#### **Wall-fixed Hose Reel**

For convenient roll-up of the hose in standing.

Hose protection guide for easy rolling and unrolling of the hose, even around corners (Art. 2650-20).

1 product for 2 applications: For storing the hose on the wall; can be removed at any time for mobile use in the garden (Art. 8009-20).



# The right hose trolley for every garden size

Our clearly structured product range makes choosing easy. What's more, all of our hose trolleys of the new AguaRoll series are frost-resistant. Lasting quality made in Germany.





\*Warranty Information: www.gardena.com/warranty or +44 (0) 344 844 4558











#### AquaRoll S - for small gardens

- For max. 40 m 13 mm (1/2") hose
- Compact model with height-adjustable handle

#### AquaRoll M - for mediumsized gardens

- For max. 60 m 13 mm (1/2") hose
- · Maximum stability thanks to the innovative Kick&Stand feature
- New: Now also available with a sturdy metal reel

#### AquaRoll L Easy - for large gardens

- For max. 100 m 13 mm (1/2") hose
- Maximum stability thanks to the innovative Kick&Stand feature
- Fitted with robust metal hose guide as standard for precise winding
- New: Now also available with a sturdy metal reel



#### **Compact storage**

Simply release the lever, adjust the height and then close the lever again to fix the hose in place.



#### **Convenient winding**

Ergonomic, comfortable handle for easy winding. Fast folding crank saves space when storing.



#### **Kick&Stand: Guaranteed stability**

Thanks to the fold-out supporting foot, your trolley won't fall over again. The trolley's special shape plus its visibly higher wheels provide additional support for the stability of the hose trolley. Simply fold the supporting foot away when storing.





### **Hose Trolleys**













Article No.
Article designa
red <mark>dot</mark> award 2018 winner

Article designation	AquaRoll S	AquaRoll S Set	AquaRoll M
Article No.	18500-20	18502-26	18511-20
EAN Code	4 078500 033084	4 078500 034128	4 078500 032834
Quantity in pack/Pallet unit	1/39	18 / 18	1/18
Packaging type	4-colour display carton	4-colour information card	4-colour display carton
Sale/Info	-	-	_
Hose reel capacity	13 mm (1/2") 40 m 15 mm (5/8") 30 m 19 mm (3/4") 25 m	13 mm (1/2") 40 m 15 mm (5/8") 30 m 19 mm (3/4") 25 m	13 mm (1/2") 60 m 15 mm (5/8") 50 m 19 mm (3/4") 35 m
Kick&Stand	-	-	•
Frost protection	•	•	•
Hose guide	-	-	-
Crank handle	One piece	One piece	Foldable
Assembly	Requires self-assembly	Fully assembled	Requires self-assembly (no tools needed)
Convertible to the GARDENA Profi System	-	-	Profi-System Tap Connector 2801 required
Dimensions minmax. (L x W x H)	36 x 44 x 48-75 cm	36 x 44 x 48-75 cm	43-74 x 38-48 x 67-90 cm
Special features	Height-adjustable handle, angled hose connection, anti-drip device, freely selectable crank side (right/left)		ctable crank side (right/left)
Contents	-	With 30 m Classic Hose, 13 mm (1/2"), Original GARDENA System Parts and Spray Nozzle	-



**Convenient hose guide** with metal frame for extra stability

Ensures that the hose is rolled up evenly. When the crank on the hose wheel is used, your hands stay clean.



**Everything in the** right place

Always at hand: The nozzle and connection hose can be attached to the clip.



Safe transport

Prevents water leakage when transporting or after using the hose trolley.



Freely selectable crank side

The crank can be used on both sides: The drum with the crank can be unhooked, turned 180 degrees and reattached.















red<mark>dot</mark> award 2018 winner

Article designation	AquaRoll M Set	AquaRoll M Easy
Article No.	18513-20	18515-20
EAN Code	4 078500 032872	4 078500 032902
Quantity in pack/Pallet unit	2/8	1/19
Packaging type	4-colour information card	4-colour information card
Sale/Info	Sold only on a pallet with 8 units	-
Hose reel capacity	13 mm (1/2") 60 m 15 mm (5/8") 50 m 19 mm (3/4") 35 m	13 mm (1/2") 60 m 15 mm (5/8") 50 m 19 mm (3/4") 35 m
Kick&Stand	•	•
Frost protection	•	•
Crank handle	Foldable	Foldable
Assembly	Assembled, ready to use: Hose is already equipped with Original GARDENA System Parts	Requires self-assembly (no tools needed)
Convertible to the GARDENA Profi System	Profi-System Tap Connector 2801 required	
Dimensions minmax. (L x W x H)	43-74 x 38-48 x 67-90 cm	43-74 x 38-48 x 72-90 cm
Special features	Height-adjustable handle, angled hose connection, anti-drip device, freely selectable crank side (right/left)	
Contents	With 20 m Classic Hose, 13 mm (1/2"), Original GARDENA System Parts and Spray Nozzle	-



### **Hose Trolleys**

reddot award 2018 winner













AguaRoll L Easy	AquaRoll L Easy Set
Aqualion E Easy	Aquanon E Easy Sc

Article designation	AquaRoll L Easy	AquaRoll L Easy Set	
Article No.	18520-20	18522-20	
EAN Code	4 078500 032919	4 <sup>0</sup> 078500 <sup>0</sup> 032926 <sup>0</sup>	
Quantity in pack/Pallet unit	1/16	1/4	
Packaging type	4-colour display carton	4-colour display carton	
Sale/Info	-	-	
Hose reel capacity	13 mm (1/2") 100 m 15 mm (5/8") 80 m 19 mm (3/4") 50 m	13 mm (1/2") 100 m 15 mm (5/8") 80 m 19 mm (3/4") 50 m	
Kick&Stand	•	•	
Frost protection	•	•	
Hose guide	•	•	
Crank handle	Foldable	Foldable	
Assembly	Requires self-assembly (no tools needed)	Assembled, ready to use: Hose is already equipped with Original GARDENA System Parts	
Convertible to the GARDENA Profi System	Profi-System Tap Connector 2801 required		
Dimensions minmax. (L x W x H)	46-74 x 38-48 x 72-90 cm	46-74 x 38-48 x 72-90 cm	
Special features	Height-adjustable handle, angled hose connection, anti-drip device, freely selectable crank side (right/left)		
Contents	-	With 50 m Classic Hose, 13 mm (1/2"), Original GARDENA System Parts and Spray Nozzle	







Kick&Stand – for a high degree of stability

The supporting foot can be folded away when storing.

Simply fold the stand back out with your foot to use.

Convenient to use thanks to high levels of stability: The hose trolley no longer falls over when you pull on the hose.























**Article designation** Article No.

**AquaRoll M Metal AquaRoll M Metal Set** 18541-20 18542-20

**AquaRoll M Easy Metal Set** 18547-20

**AquaRoll L Easy Metal** 18550-20

46-74 x 38-48 x 72-90 cm

EAN Code	4 078500 045032	4 078500 045056	4 078500 045070	4 078500 045087
Quantity in pack/Pallet unit	2/8	2/8	1/6	1/6
Packaging type	4-colour information card	4-colour information card	4-colour information card	4-colour information card
Sale/Info	-	_	_	-

13 mm (1/2") 60 m 13 mm (1/2") 60 m 13 mm (1/2") 60 m 13 mm (1/2") 100 m Hose reel capacity 15 mm (5/8") 50 m 15 mm (5/8") 50 m 15 mm (5/8") 50 m 15 mm (5/8") 80 m 19 mm (3/4") 35 m 19 mm (3/4") 35 m 19 mm (3/4") 35 m 19 mm (3/4") 50 m Kick&Stand • Frost protection Hose guide Crank handle Metal, foldable Plastic, foldable Metal, foldable Metal, foldable Assembled, ready to use: Hose Assembly Fully assembled Assembled, ready to use: Hose Fully assembled is already equipped with Original is already equipped with Original **GARDENA System Parts GARDENA System Parts** 

Profi-system Tap Connector 2801 required Convertible to the GARDENA Profi System

Height-adjustable handle, angled hose connection, anti-drip device, freely selectable crank side (right/left) With 20 m Classic Hose, 13 mm

(1/2"), Original GARDENA System Parts and Spray Nozzle

43-74 x 38-48 x 67-90 cm

With 25 m FLEX Hose, 13 mm (1/2"), Original GARDENA System Parts and Spray Nozzle

43-74 x 38-48 x 72-90 cm

**Connection Sets** 

Dimensions L x W x H

Special features











**Article designation** 

**Connection Set Classic** 13 mm (1/2"), 1.5 m

4-colour information card

18011-20

13 mm (1/2"), 1.5 m 18040-20

Article	No.

EAN Code

**Connection Set Comfort FLEX** 

Quantity in pack/Pallet unit 5/340

5/340

Packaging type Sale/Info

4-colour information card

Contents

Equipped with Original GARDENA System Parts and tap connectors 18202/5305 and 18200











Article designation	Hose Reel Set	Classic Hose Reel 10 Set	Hose Reel 30
Article No.	2691-20	8010-20	2687-20
EAN Code	4 078500 269100	4 078500 801003	4 078500 013420
Quantity in pack/Pallet unit	6 / 18	1/24	12 / 12
Packaging type	4-colour information card	4-colour display carton	4-colour display carton
Sale/Info		_	_
Hose reel capacity	13 mm (1/2") 40 m 15 mm (5/8") 30 m 19 mm (3/4") 25 m	13 mm (1/2") 10 m	13 mm (1/2") 30 m
Standing security	•	•	•
Swivel axle	-	•	•
Anti-drip device	-	•	-
Special features	Height-adjustable handle, angled hose connection	Strong standing security through 3-point side-part connection, integrated handle, angled hose connection	
Contents	Complete with 20m Classic Hose 13mm (1/2"), Set 1x 18300, 3x 18215, 1x 18213, 1x 18202/5305	Complete with 10m Classic Hose 13mm (1/2"), Set 1x 18300, 3x 18215, 1x 18213, 1x 18202/5305	Complete with 15m Classic Hose 13 mm (1/2"), Set 1 x 18300, 2x 18215, 1x 18213, 1x 18202/5305

### **Wall Hose Brackets / Wall-Fixed Hose Reels**













Article designation	Wall Hose Bracket <sup>1</sup>	Classic Wall-fixed Hose Reel 50 Set <sup>1</sup>	Classic Wall-fixed Hose Reel 60 with Hose Guide
Article No.	241-20	8009-20	2650-20
EAN Code	4 078500 024105	4 078500 800907	4 078500 265003
Quantity in pack/Pallet unit	10 / 240	12 / 12	1/22
Packaging type	Loose/sticker	4-colour information card	4-colour display carton
Sale/Info	-	Sold only on a pallet with 12 units	-
Hose reel capacity	13 mm (1/2") 35 m 15 mm (5/8") 25 m 19 mm (3/4") 20 m	13 mm (1/2") 50 m, 15 mm (5/8") 40 m, 19 mm (3/4") 30 m	13 mm (1/2") 60 m, 15 mm (5/8") 50 m, 19 mm (3/4") 35 m
Anti-drip device	-	•	•
Convertible to the GARDENA Profi System	-	Profi-System Tap Connector 2801 required	Profi-System Tap Connector 2801 required
Special features	Facility for hanging up the garden hose and Original GARDENA System Parts	2 applications: for storing the hose on the wall; can be removed at any time for mobile use in the garden. Folding crank handle, integrated handle, angled hose connection	Hose guide makes it easy to roll up and unroll the hose around corners
Contents	-	Complete with 20m Classic Hose, 13 mm (1/2"), Original GARDENA System Parts and Spray Noz- zle. Includes wall bracket, wall plug and screws	Complete with hose guide and stable metal bracket

# **GARDENA Wall-Mounted Hose Boxes**

# The solution for easy garden irrigation

Comfort is becoming increasingly important in the garden. GARDENA offers a solution for comfortable and easy garden irrigation with the GARDENA Wall-Mounted Hose Boxes.

- Automatic hose winding no bending over, no cranking, no dirty hands
- · Sophisticated technology for safe and reliable hose roll-up
- Pull out hose to desired length small tug on the hose hose is rolled up in an even and controlled way
- All models are equipped with 13 mm (1/2") high-quality hose
- Integrated frost protection: All models include the new, innovative GARDENA frost protection technology



**Practical** 



#### **Powerful hose retraction**

 High-quality spring that is perfectly adapted to the hose length

#### **Even hose retraction**

· Effective centrifugal brake

#### Locking stops engage clearly at regular distances of max. 50 cm Function can be deactivated with a guick tug

with a quick tug of the hose



# Wall-Mounted Hose Box roll-up automatic

Powerful steel spring for safe and reliable roll-up.

Pull out hose to desired length – small tug on the hose – hose is rolled up in an even and controlled way.

- ${\bf 15}~{\bf m}$  for smaller gardens and patios
- ${\bf 25}~{\bf m}$  for medium-sized gardens
- 35 m for larger gardens

Space-saving

Box can be swivelled by 180°

**High-quality** 

• Complete with 1/2" (13 mm) high-quality hose for a high water flow, e.g. when using a sprinkler

\*Warranty Information: www.gardena.com/warranty or +44 (0) 344 844 4558















Article designation
red <mark>dot</mark> design award best of the best 2013

Article No.

EAN Code

city gardening Automatic Hose Box 15 m
18402-20

**Comfort Wall-Mounted** Hose Box 15 roll-up automatic

8022-20

1/14

**Comfort Wall-Mounted** Hose Box 25 roll-up automatic 8023-20

4 110785001

1/12

**Wall-Mounted Hose** Box 30 roll-up automatic 8026-20

4-colour display carton

1/12

**Comfort Wall-Mounted** Hose Box 35 roll-up automatic 8024-20

	4"078500"033534"
Quantity in pack/Pallet unit	1 / 14
Packaging type	4-colour display carton
Drive	Steel spring
Frost protection	•
Dimensions L x W x H	47.7 x 21.2 x 39.5 cm
Contents	Complete with: 15m GARDENA high-quality hose, 13 mm (1/2"), connection hose, Original GARDENA System Parts and Sprayer. Includes wall bracket with screws, wall plugs and assembly aid
Special features	Integra

Steel spring	
•	
47.7 x 21.2 x 39.5	cm
Complete with: 15m GARDENA high-qua 13 mm (1/2"), conn hose, Original GARD System Parts and Sy Nozzle. Includes wal with screws, wall plu assembly aid	lity hose, ection DENA pray I bracket

4-colour display carton

4-colour display carton Steel spring 59.3 x 25 x 54.2 cm Complete with: 25m GARDENA high-quality hose, 13 mm (1/2"), connection hose, Original GARDENA System Parts and Spray Nozzle. Includes wall bracket with screws, wall plugs and assembly aid

Steel spring 59.3 x 25 x 54.2 cm Complete with: 30m GARDENA high-quality hose, 13 mm (1/2"), connection hose, Original GARDENA System Parts and Sprayer. Includes wall bracket with screws, wall plugs and assembly aid

1/12 4-colour display carton Steel spring 59.3 x 25 x 54.2 cm Complete with: 35m GARDENA high-quality hose, 13 mm (1/2"), connection hose, Original GARDENA System Parts and Spray Nozzle. Includes wall bracket with screws, wall plugs and assembly aid

Integrated frost protection, can be swivelled by 180°, hose guide, integrated handle, theft protection, anti-drip device





#### Flexible in use and easy transportation

The practical wall bracket makes it possible: the hose box can be swivelled at a 180° angle. In this way, the hose does not bend when watering and the box can be folded back to the wall after use.

In winter, the box may simply be removed from the bracket and stored in a frost-proof place.



#### **Everything at hand**

The hose is always on hand and at the same time there are various watering accessories nearby. Nozzles, sprayers and wash brushes can be easily attached and stored on the wall bracket.

# **GARDENA Hoses**

# **Innovative products – everything fits together!**

GARDENA FLEX Quality Hoses with Power Grip profile for the ideal fit of the hose and the Original GARDENA System Parts. Both parts engage with each other like gears thanks to innovative technology. Boasting the typical GARDENA design, the elements form a single unit both technically and visually — a guarantee of quality.

All GARDENA hoses are resistant to UV and free from phthalates and heavy metals.



# Classic Hoses



Pressure-resistant and keeps its shape	***
Flexibility	***
Burst pressure	22 bar
Material	PVC, high-quality textile
Characteristics	Free of phthalates and heavy metals, UV resistant





Article designation	Classic Hose 13 mm (1/2"), 15 m	Classic Hose 13 mm (1/2"), 30 m	Classic Hose 13 mm (1/2"), 50 m
Article No.	18000-20	18009-20	18010-20
EAN Code	4 078500 002202	4 078500 002233	4 078500 002288
Quantity in pack/Pallet unit	1/72	1 / 48	1/30
Packaging type	4-colour display disc	4-colour display disc	4-colour display disc
Sale/Info	Sold only on a Euro pallet with 60 units	-	-
Diameter	13 mm (1/2")	13 mm (1/2")	13 mm (1/2")
Length	15 m	30 m	50 m
Contents	-	-	-

# **Comfort FLEX Hoses**



Power Grip	POWER GRIP
Pressure-resistant and keeps its shape	***
Flexibility	***
Burst pressure	25 bar
Material	PVC, high-quality spiral mesh textile
Characteristics	Free of phthalates and heavy metals, UV resistant
Special features	Thick walls to ensure safety and a long service life Carbon





Article designation	Comfort FLEX Hose 13 mm (1/2"), 15 m	Comfort FLEX Hose 13 mm (1/2"), 30 m	Comfort FLEX Hose 13 mm (1/2"), 50 m
Article No.	18031-20	18036-20	18039-20
EAN Code	4 078500 001687	4 078500 001717	4 078500 001731
Quantity in pack/Pallet unit	1 / 68	1 / 48	1/30
Packaging type	4-colour display disc	4-colour display disc	4-colour display disc
Sale/Info	-	-	-
Diameter	13 mm (1/2")	13 mm (1/2")	13 mm (1/2")
Length	15 m	30 m	50 m
Contents	-	-	-

## **Comfort HighFLEX Hoses**



Power Grip	POWER GRIP
Pressure-resistant and keeps its shape	****
Flexibility	****
Burst pressure	30 bar
Material	PVC, high-quality spiral mesh textile
Characteristics	Free of phthalates and heavy metals, UV resistant
Special features	Thick walls to ensure safety and a long service life Carbon





Article designation	Comfort HighFLEX Hose 13 mm (1/2"), 30 m	Comfort HighFLEX Hose 13 mm (1/2"), 50 m
Article No.	18066-20	18069-20
EAN Code	4 078500 001939	4 078500 002080
Quantity in pack/Pallet unit	1 / 48	1/30
Packaging type	4-colour display disc	4-colour display disc
Sale/Info	-	-
Diameter	13 mm (1/2")	13 mm (1/2")
Length	30 m	50 m

#### **Premium SuperFLEX Hoses**



Power Grip	POWER GRIP
Pressure-resistant and keeps its shape	****
Flexibility	****
Burst pressure	35 bar
Material	PVC, high-quality spiral mesh textile
Characteristics	Free of phthalates and heavy metals, UV resistant
Special features	Transparent external hose with pearling effect. Thick walls to ensure safety and a long service life Carbon





Article designation	Premium SuperFLEX Hose 13 mm (1/2"), 30 m	Premium SuperFLEX Hos1 13 mm (1/2"), 50 m
Article No.	18096-20	18099-20
EAN Code	4 078500 001991	4 078500 002141
Quantity in pack/Pallet unit	1 / 48	1/30
Packaging type	4-colour display disc	4-colour display disc
Sale/Info	-	-
Diameter	13 mm (1/2")	13 mm (1/2")
Length	30 m	50 m



**Power Grip Profile** 

GARDENA FLEX quality hoses with Power Grip profile for perfect connection and optimal fit of the hose with Original GARDENA System Parts.



Dense, high-quality spiral mesh textile

Thanks to high quality textile, the garden hose does not tie itself in knots or twist. This hose is flexible, yet keeps its shape.



Unusual design

With high recognition value. Fits perfectly into the Original GARDENA System.



Phthalate and heavy metal-free

The GARDENA Hoses are heavy metal-free and free of poisonous plasticisers (phthalates).

# **GARDENA Textile Hoses**

# The robust and agile Textile Hose Liano

GARDENA's premium quality with a new look: The new GARDENA Liano consists of an inner hose covered in a highly durable textile fabric. Even when you drag it over the terrace or it brushes up against a prickly rose bush, it won't damage the hose. It is convenient to use, with no annoying twists or kinks. Unique, exclusive technology with a 30-year warranty.







#### **Maximum flexibility**

 For excellent manoeuvrability: does not kink or twist, even in cold temperatures

#### Light weight

 For ergonomic handling and easy storage



#### **High durability**

 Excellent burst resistance due to durable woven fibre technology

#### Safe, leak-free connection

 A tight fit thanks to an extended clamping nut that prevents the hose from slipping off

#### **Easy storage**

 Works perfectly on hose reels and trolleys

# **GARDENA Spiral Hoses**



\*Warranty Information: www.gardena.com/warranty or +44 (0) 344 844 4558



- Comfortable watering of plants on terraces and balconies or for watering smaller areas such as front gardens
- · Automatically coils back after use



#### **Textile Hoses**















	Nev
Article designation	Texti

Textile Hose Liano 15 m Set
18430-20



Textile Hose Liar 20 m Set
10101 00

13 mm (1/2")

20 m

**Textile Hose Liano** 20 m Set Promotion

New!

Article No. EAN Code

15 m Set	
18430-20	

Textile Hose Liano 15 m Set Promotion
18431-20

18434-20

18435-20

13 mm (1/2")

20 m

**Textile Hose Liano** 30 m Set 18438-20



Packaging type

Quantity in pack/Pallet unit



13 mm (1/2")

15 m

4 078500 044226
16 / 48
4-colour display carton
Sold only as display with 16 pieces

13 mm (1/2")

15 m

4 078500 044233	
6/72	
4-colour display carton	
_	

16/48 3/36 4-colour display carton Sold only as display with 16 pieces



13 mm (1/2")

30 m




Special features

Sale/Info

Diameter



PVC inner hose, textile outer coat Complete with Original GARDENA System Parts, Spray Nozzle and tap connectors 18205/5305 and 18200



Free of phtalathes and heavy metals, UV and frost resistant, dirt-repellent, non-marring outer cover perfect for sensitive surfaces






#### **Efficient watering**

optimal plant growth.

- Saves water and money
- Enhances the growth and health of plants
- Saves time and is more convenient



of watering not only saves water, but also simultaneously contributes to





#### Micro-Drip-System

- Uses precisely the right amount of water
- Waters the root directly
- Saves up to 70% water compared to conventional watering methods



#### Holiday and flower box watering

- Supplies the plants with water during vacations
- Exact water supply for healthy plants
- İrrigation without a tap



#### **Water control**

- Ideal care for your plants, without having to be there yourself
- Waters at night or in the morning when evaporation losses are at their lowest
- Avoids unnecessary watering when the soil is moist and watering is not necessary


Find out more at www.gardena.com/cleverwatering

# **GARDENA Micro-Drip-System**



# **Water-conserving garden irrigation**

- · For versatile use on the balcony, patio or in the vegetable and flower garden
- Innovative, clever system solutions enhance the ease of use
- · Can be automatically controlled with a GARDENA Water Control





#### **Flower Pots**

Precise watering of pot plants and planter troughs using drip heads

- Regulate the amount of water
- No continued dripping after the tap is turned off
- Self-cleaning





#### **Planted Areas**

Flexible spray nozzles enable plants to be watered to optimum effect where vegetation times are short for plants in flowerbeds and vegetable patches



#### **Rows of Plants**

Root watering with pinpoint accuracy using irrigation lines

- Self-cleaning drip head
- Special labyrinth technology prevents ingress of roots

#### Patented "Quick & Easy" **Pipe Connection Technology**

- Permanently sealed pipe connection
- Easy to loosen if required
- For faster system construction and conversion













Article designation	Starter Set Flower Pots S (Display)	Starter Set Flower Pots M	Starter Set Flower Pots M automatic
Article No.	13000-32	13001-20	13002-20
EAN Code			

Article No.	13000-32	13001-20	13002-20
EAN Code	4 078500 018364	4 078500 018388	4 078500 018401
Quantity in pack / Pallet unit	36 / 144	3/30	2/24
Packaging type	4-color display carton	4-color display carton	4-color display carton
Sale/Info	Only in display with 36 pieces	-	-
Application	For 5 flower pots	For 7 flower pots and 3 planters	For 7 flower pots and 3 planters
Contents	1 Hose Connector Adapter 917, 1 Master Unit 1000, 10 m Supply Pipe, 5 Adjustable Endline Drip Heads 0-10 l/h, 1 End Cap 4.6 mm (3/16"), 5 T-Pieces 4.6 mm (3/16"), 5 Pipe Pegs 4.6 mm (3/16")	1 Master Unit 1000, 15 m Connecting pipe, 1 T-Joint 13 mm (1/2"), 10 m Supply Pipe, 7 Adjustable Endline Drip Heads 0-10 l/h, 9 Inline Drip Head 2 l/h, 10 Reducing T-Joint, 2 End Caps 13 mm (1/2"), 3 End Caps 4.6 mm (3/16"), 10 Pipe Pegs 13 mm (1/2"), 15 Pipe Pegs 4.6 mm (3/16"), 1 Cleaning needle	1 Water Control Flex, 1 Master Unit 1000, 15 m Supply Pipe, 10 m Supply Pipe, 1 T-Joint 13 mm (1/2"), 7 Adjustable Endline Drip Heads, 9 Inline Drip Head, 10 Reducing T-Joint, 2 End Caps 13 mm (1/2"), 3 End Caps 4.6 mm (3/16"), 10 Pipe Pegs 13 mm (1/2"), 15 Pipe Pegs 4.6 mm (3/16"), 1 Cleaning needle
Expandable	Extendable up to max. 15 flower pots	•	•
Automatic Irrigation	-	_	Including Water Control Flex







Article designation	Starter Set Planted Areas
Article No.	13015-20
EAN Code	4 078500 018524
Quantity in pack / Pallet unit	3/30
Packaging type	4-color display carton
Sale/Info	-
Application	For 40 m² flower/kitchen garden beds
Contents	1 Master Unit 1000, 25 m Connecting Pipe, 4 Spray Nozzles 90°, 1 Spray Nozzles 360°, 2 L-Joint 13 mm (1/2"), 1 4-Way Coupling 13 mm (1/2"), 5 Pipe Guide 13 mm (1/2"), 5 Extension Pipes for Spray Nozzles, 5 Control Valves, 3 Plug 13 mm (1/2"), 10 Pipe Pegs 13 mm (1/2"), 1 Installation Tool
Expandable	•



# **Start Sets Rows of Plants / Extension**









Article designation	Starter Set Rows of Plants S <sup>1</sup>	Extension Irrigation Line for Rows of Plants Protruding Above the Ground 4.6 mm (3/16")
Article No.	13010-20	1362-20
EAN Code	4 078500 018241	4 078500 136204
Quantity in pack / Pallet unit	4 / 144	4 / 240
Packaging type	4-colour display carton	4-colour display disc
Sale/Info	-	-
Application	15 m planting row or sensitive kitchen garden and ornamental plants	For extending the start set for rows of plants S, Art. No. 13010
Contents	1 Master Unit 1000, 15 m Irrigation Line 4.6 mm (3/16") 15 Pipe Pegs 4.6 mm (3/16") 1 Plug 4.6 mm (3/16")	15 m Irrigation Line, without fittings
Water release per Drip Head	1.6 l/h each 30 cm	1.6 J/h each 30 cm
Expandable	With Art. No. 1362 up to 30 m	-
Internal pipe diameter	4.6 mm (3/16")	4.6 mm (3/16")
Maximum length (with master unit fitted in a central position)	30 m	30 m
Characteristics	Membrane/labyrinth technology ensuring long reliability and self-cleaning, installation above ground, drip head distance 30 cm	
Special features	Highly flexible due to small pipe diameter	

## **Start Sets Rows of Plants / Extension**









C€

Article designation	Starter Set Rows of Plants M automatic <sup>1</sup>	Extension Irrigation Line for Rows of Plants Protruding
		Above the Ground 13 mm (1/2")

<b>3</b>		Above the Ground 13 mm (1/2")
Article No.	13012-20	13131-20
EAN Code	4 078500 018487	4 078500 018227
VE in pieces / Pallet unit	2/16	2/95
Packaging type	4-colour display carton	4-colour display disc
Sale/Info	-	-
Application	25 m planting row (e.g. hedges or planted borders)	For extending the start set for rows of plants M, Art. No. 13011/13012 and start set for rows of plants L Art. No. 13013-20
Contents	1 Water Control Flex, 1 Master Unit 1000, 25 m Irrigation Line 13 mm (1/2") 15 Pipe Pegs 13 mm (1/2") 1 Plug 13 mm (1/2")	25 m Irrigation Line, without fittings
Water release per Drip Head	4 l/h each 30 cm	4 l/h each 30 cm
Expandable	With Art. No. 13131-20 up to100 m	
Internal pipe diameter	13 mm (1/2")	13 mm (1/2")
Drip Head distance	30 cm	30 cm
Maximum length (with master unit fitted in a central position)	100 m	100 m
Membrane/ labyrinth technology ensuring long reliability and self-cleaning	•	•
Installation above ground	•	•
Special features	Including Water Control Flex	-





#### Above Ground Drip Irrigation Line 4.6 mm (3/16") and 13 mm (1/2")

Particularly suited for watering smaller areas of vegetation in the flower and vegetable garden as well as rows of plants, as well as sensitive kitchen garden and ornamental plants. Self-cleaning thanks to labyrinth technology.











Article designation	Master Unit 1000	Master Unit 2000 <sup>1</sup>	Fertilizer Dispenser <sup>1</sup>	Installation Tool
Article No.	1355-20	1354-20	8313-20	8322-20
EAN Code	4 078500 135504	4 078500 135405	4 078500 831307	4 078500 832205
Quantity in pack / Pallet unit	5 / 1200	5 / 420	3 / 240	6 / 924
Packaging type	4-colour display carton	4-colour display carton	4-colour display carton	4-colour blister card
Sale/Info	-	_	_	-
Contents	1 item, ready to connect, equipped with adapter	1 item, ready to connect, equipped with tap connector 901	1 pieces	1 pieces
Application	Starter component of the Micro-Drip-System for reducing pressure and filtering water	Starter component of the Micro-Drip-System for reducing pressure and filtering water	Micro-Drip-System for reducing Universal Liquid Fertilizer	
Useable	Connecting pipe 13 mm (1/2") (Art. No. 1346, 1347), Supply pipe 4.6 mm (3/16") (Art. No. 1348, 1350)	Connecting pipe 13 mm (1/2") (Art. No. 1346, 1347), Supply pipe 4.6 mm (3/16") (Art. No. 1348, 1350)	Connecting pipe 13 mm (1/2") (Art. No. 1346, 1347), Supply pipe 4.6 mm (3/16") (Art. No. 1348, 1350)	Endline drip heads, spray nozzles, spray nozzle extension pipe, connector 4.6 mm, connecting pipe 13 mm, cleaning needles of the drip heads
Water flow	Up to 1.000 l/h	Up to 2.000 l/h	-	1
Pressure reduction	To 1.5 bar	To 1.5 bar	_	_
Water filtering	•	•	-	_
Special features	Connection tech	nology "Quick & Easy"	Connection technology "Quick & Easy", large filler opening, with level indicator, valve for emptying before frost and before filling with liquid fertilizer	Easy to use universal tool with sturdy metal tip



#### **Pipes and Accessories**



#### Micro-Drip-System - Pipe Pegs

MADE IN GERMANY  Light Every drop counts.  Conveneer the					*	*
Article designation	Pipe Clip 13 mm (1/2")	Pipe Clip 4.6 mm (3/16")	Pipe Pegs 13 mm (1/2")	Pipe Pegs 4.6 mm (3/16")	Pipe Guide 13 mm (1/2")	Pipe Guide 4.6 mm (3/16")
Article No.	8380-20	8379-20	1328-20	1327-20	8328-20	8327-20
EAN Code	4 078500 838009	4 078500 837903	4 078500 132800	4 078500 132701	4 078500 832809	4 078500 832700
Quantity in pack / Pallet unit	10 / 1080	10 / 1080	10 / 720	10 / 960	10 / 450	10 / 800
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card	4-colour blister card	4-colour blister card	4-colour blister card
Sale/Info	-	_	_	_	_	-
Contents	2 pieces	5 pieces	5 pieces	10 pieces	3 pieces	3 pieces
Application	For securing pipes to a fixed surface and securing Spray Nozzles in the Connecting Pipe 13 mm (1/2") (Art. No. 1347/1346), for adjusting the height of Spray Nozzles together with the T-Joint for Spray Nozzles (Art. No. 8331) and Extension Pipe (Art. No. 1377)	For securing pipes to a fixed surface and securing Spray Nozzles in the Supply Pipe 4.6 mm (3/16") (Art. No. 1348/1350), for adjusting the height of Spray Nozzles together with the T-Joint for Spray Nozzles (Art. No. 8332) and Extension Pipe (Art. No. 1377)	Guiding and fixing Supply Pipe 13 mm (1/2") (Art. No. 1346/1347) and Irrigation Line (Art. No. 13011/13012/ 13013/13131) in the ground	Guiding and fixing Supply Pipe 4.6 mm (3/16") (Art. No. 1348/1350) and Irrigation Line (Art. No. 13010/1362) in the ground	For securing pipes in the ground and securing Spray Nozzles in the Connector Pipe 13 mm (1/2") (Art. No. 1347/1346), for adjusting the height of Spray Nozzles together with the T-Joint for Spray Nozzles (Art. No. 8331) and Extension Pipe (Art. No. 1377)	For securing pipes in the ground and securing Spray Nozzles in the Supply Pipe 4.6 mm (3/16") (Art. No. 1348/1350), for adjusting the height of Spray Nozzles together with the T-Joint for Spray Nozzles (Art. No. 8332) and Extension Pipe (Art. No. 1377)











Article designation	Reducing T-Joint 13 mm (1/2") - 4.6 mm (3/16")	T-Pieces 13 mm (1/2")	T-Pieces 4.6 mm (3/16")
Article No.	8333-20	8329-20	8330-20
EAN Code	4 078500 833301	4 078500 832908	4 078500 833004
Quantity in pack / Pallet unit	10 / 800	10 / 1080	10 / 1320
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card
Sale/Info	-	-	-
Contents	5 pieces	2 pieces	10 pieces
Application	For transition from Connecting Pipe 13 mm (1/2") (Art. No. 1347/1346) to Supply Pipe 4.6 mm (3/16") (Art. No. 1348/1350)	Branching off the Connecting Pipe 13 mm (1/2") (Art. No. 1347/1346)	For branching off the Supply Pipe 4.6 mm (3/16") (Art. No. 1348/1350)
Connection technology "Quick & Easy"	•	•	•

# Pipe Coupling

MADE IN GERMANY  Every drop courts.						
Article designation	L-Joint 13 mm (1/2")	L-Joint 4.6 mm (3/16")	Connector 13 mm (1/2")	Connector 4.6 mm (3/16")	Plug 13 mm (1/2")	Plug 4.6 mm (3/16")
Article No.	8382-20	8381-20	8356-20	8337-20	8324-20	1323-20
EAN Code	4 078500 838207	4 078500 838108	4 078500 835602	4 078500 833707	4 078500 832403	4 078500 132305
Quantity in pack / Pallet unit	10 / 1560	10 / 1320	10 / 1080	10 / 1560	6 / 936	6 / 1728
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card	4-colour blister card	4-colour blister card	4-colour blister card
Sale/Info	-	_	_	_	-	-
Contents	2 pieces	10 pieces	3 pieces	10 pieces	5 pieces	10 pieces
Application	Precise branching off the Connecting Pipe 13 mm (1/2") (Art. No. 1347/1346)	Precise branching off the Supply Pipe 4.6 mm (3/16") (Art. No. 1348/1350)	Extension of the Connecting Pipe 13 mm (1/2") (Art. No. 1347/1346)	Extension of the Supply Pipe	Sealing of Connecting Pipe 13 mm (1/2") (Art. No. 1347/1346)	For sealing a hole in the Connecting Pipe 13 mm (1/2"), for sealing off the Supply Pipe 4.6 mm (3/16")
Connection technology "Quick & Easy"	•	•	•	•	•	_

# **Endline Drip Head for Flower Pots**














Article designation	Endline Drip	Endline Drip	Adjustable Endline Drip	Adjustable Endline Drip Head, pressure equalizing
Article No.	1340-20	1341-20	1391-20	8316-20
EAN Code	4 078500 134002	4 078500 134101	4 078500 139106	4 078500 831604
Quantity in pack / Pallet unit	10 / 2160	10 / 2160	10 / 1080	10 / 1320
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card	4-colour blister card
Sale/Info	_	_	_	-
Contents	25 Endline Drip Heads, 1 Cleaning needle	25 Drip Heads, 1 Cleaning Needle	10 pieces	5 pieces
Application	For single standing plants w	rith similar water requirements	For single standing plants wi	th different water requirements
Useable		22). On the end of the supply pipe or othe connecting pipe	On the end of the supply pipe or directly attached to the connecting pipe	
Water flow	2 l/h	4 l/h	Adjustable from 0 - 10 l/h	1 - 8 I/h adjustable, independent of the water pressure
Pressure equalizing for uniform water distribution independent of the water pressure	_	_	_	• at 1 - 4 bar
Special features	-	-	Detachable, fully adjustable spray head with integrated Cleaning needle	With volume scale



# **Inline Drip Head for Planters**













Article designation	Inline Drip Head	Inline Drip Head	Adjustable Inline Drip Head	Adjustable Inline Drip Head, pressure equalizing
Article No.	8343-20	8344-20	8392-20	8317-20
EAN Code	4 078500 834308	4 078500 834407	4 078500 839204	4 078500 831703
Quantity in pack / Pallet unit	10 / 1080	10 / 1080	10 / 1080	10 / 900
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card	4-colour blister card
Sale/Info	_	-	-	-
Contents	10 Inline Drip Head, 1 End Cap, 1 Cleaning Needle	10 Inline Drip Heads, 1 End Cap, 1 Cleaning Needle	10 Inline Drip Head, 1 End Cap	5 Inline Drip Head, 1 End Cap
Application		For rows of plants with s	imilar watering requirements	
Useable		With 4.6 mm (3/16") Pip	pe Clip (Art. No. 1348/1350)	
Water flow	2 l/h	4 <i>l</i> /h	Adjustable from 0 - 10 l/h	Adjustable from 1 - 8 l/h independent of the water pressure
Continuously reliable, self-cleaning membrane/labyrinth technology	-	-	•	_
Pressure equalizing for uniform water distribution independent of the water pressure	-	-	-	• with 1 - 4 bar
Connection technology "Quick & Easy"	•	•	•	•
Special features	-		Detachable, fully adjustable spray head with integrated cleaning needle	With volume scale, Continuously reliable, self-cleaning membrane/labyrinth technology



# **Spray Nozzles for Planted Areas**












				•	
Article designation	Spray Nozzle 90°	Spray Nozzle 180°	Spray Nozzle 360°	6-Pattern Spray Nozzle	
Article No.	1368-20	1367-20	1365-20	1396-20	
EAN Code	4 078500 136808	4 078500 136709	4 078500 136501	4 078500 139601	
Quantity in pack / Pallet unit	6 / 1728	6 / 1728	6 / 1728	6 / 792	
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card	4-colour blister card	
Sale/Info	_	_	-	_	
Contents	5 pieces	5 pieces	5 pieces	2 pieces	
Application	For covering areas with a fine spray in long small areas in flower beds	For covering areas with a fine spray in long small areas in flower beds	For covering areas with a fine spray in long small areas in flower beds	Flexible watering needs, control knob for adjusting the spray pattern (90°, 180°, 270°, 360°, strips, end strips)	
Useable		Connecting pipe 13 mm (1/2") (Art. No. 1347/1346) or T-Joint for Spray Nozzles (Art. No. 8331/8332), can be assembled with installation tool (Art. No. 8322)			
Irrigation diameter	-	6 m	6 m	-	
Sprinkling width	-	_	_	-	
Range	Approx. 3 m	Approx. 3 m	Approx. 3 m	Adjustable	
Special features	Ex	Extendable with Extension Pipe (Art. No. 1377)			





# **Spray Nozzles and Sprinklers for Planted Areas**







reddot design award











•	┖

winner 2013			, and the second		- (6
Article designation	Micro Rotor Sprinkler 360°	Micro Mist Nozzle	Small Area Spray Nozzle	Small Area Spray Nozzle	Oscillating Sprinkler <sup>1</sup> OS 90
Article No.	1369-20	1371-20	8320-20	8321-20	8361-20
EAN Code	4 078500 136907	4 078500 137102	4 078500 832007	4 078500 832106	4 078500 836104
Quantity in pack / Pallet unit	6 / 1728	6 / 1296	10 / 1320	10 / 1080	3 / 120
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card	4-colour blister card	4-colour blister card
Sale/Info	_	_	_	-	-
Contents	2 pieces	5 pieces	10 pieces	10 Small Area Spray Nozzles, 1 End Cap	1 Oscillating Sprinkler, 1 End Cap
Application	For covering areas with fine spray	For watering of newly planted beds, greenhouses	, and the second	ver small areas such as shrubs bushes	Watering of square and rectangular areas
Useable with	T-Joint for Spray Nozz	1/2") (Art. No. 1347/1346) or les (Art. No. 8331/8332), stallation tool (Art. No. 8322)	connecting pipe 13 mm (1/2") (Art. No. 1347/1346)	supply pipe 4.6 mm (3/16") (Art. No. 1348/1350)	connecting pipe 13 mm (1/2") (Art. No. 1347/1346)
Area coverage	7 - 38 m²	Ø 1 m	Ø 10 - 40 cm	Ø 10 - 40 cm	1 - 90 m²
Sprinkling width	-	_	_	-	Adjustable from 0.5 - 7 m
Range	1.5 - 3.5 m	-	_		Adjustable from 1.5 - 13 m
Special features	Extendable with Extension Pipe (Art. No. 1377), adjustable with Shut Off Valve (Art. No. 8357)	Extendable with Extension Pipe (Art. No. 1377), adjustable via Shut-Off- Valve (Art. No. 1374)	Detachable, fully adjustable spray head with integrated cleaning needle	Connection technology "Quick & Easy" Detachable, fully adjustable spray head with integrated cleaning needle	Connection technology "Quick & Easy" Height-adjustable with Extension Pipe (Art. No. 8363), fix in the ground using Pipe Guide (Art. No. 8328), can be secured to a fixed surface




# **Accessories for Spray Nozzles and Sprinklers**













Article designation	T-Joint for Spray Nozzles 13 mm (1/2")	T-Joint for Spray Nozzles 4.6 mm (3/16")	Extension Pipe for Spray Nozzles	Control Valve	Extension Pipe for OS 90
Article No.	8331-20	8332-20	1377-20	1374-20	8363-20
EAN Code	4 078500 833103	4 078500 833202	4 078500 137706	4 078500 137409	4 078500 836302
Quantity in pack / Pallet unit	10 / 800	10 / 1320	6 / 864	6 / 792	6 / 432
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card	4-colour blister card	4-colour blister card
Sale/Info	-	_	-	-	-
Contents	5 T-Pieces, 1 End Cap	5 T-Pieces, 5 End Cap	5 pieces	5 pieces	2 pieces
Application	For fixing spray nozzles in Connecting Pipe 13 mm (1/2") (Art. No. 1346, 1347)	For fixing spray nozzles in Supply Pipe 4.6 mm (3/16") (Art. No. 1348/1350)	Spray Nozzle for watering over and above high plants	For adjusting the flow rate and range of Spray Nozzles	For Oscillating Sprinkler OS 90 to water over and above high plants
Useable	In combination with Pipe Guide (Art. No. 8328) or Pipe Clip (Art. No. 8380) for all Spray Nozzles, increase the Spray Nozzles with the Extension Pipe (Art. No. 1377)	In combination with Pipe Guide (Art. No. 8327) or Pipe Clip (Art. No. 8379) for all Spray Nozzles, increase the Spray Nozzles with the Extension Pipe (Art. No. 1377)	Spray Nozzles	Spray Nozzles (Art. No. 1396, 1367, 1368, 1370, 1372, 1371), on the extension pipe for spray nozzles	Oscillating Sprinkler OS 90 (Art. No. 8361)
Special features	Connection techno	ollogy "Quick & Easy"	Several extension pipes can be connected, length 20 cm	-	Assembled between sprinkler head and sturdy base, length 20 cm







Article designation	city gardening Outdoor Cooling Mist Set	city gardening Micro Mist Nozzle
Article No.	13135-20	13136-20
EAN Code	4 078500 034852	4 078500 034876
Quantity in pack / Pallet unit	3 / 129	6/630
Packaging type	4-color display carton	4-colour blister card
Sale/Info	-	-
Application	The Outdoor Cooling Mist Set provides a cooling effect when outside on hot summer days. A fine water spray, spread by the micro mist nozzles, cools temperatures by up to 6 °C. It can be easily installed on balconies, terraces, under parasols and in tents.  The system is connected to the tap using an integrated OGS hose connector.	Micro mist nozzles produce a fine water spray that refreshes and cools on hot days. The replacement micro mist nozzles are used with the Outdoor Cooling Mist Set Art. No. 13135-20.
Contents	10 m hose, 3.5 mm internal diameter, 7 Micro Mist Nozzles (incl. 1 Micro Mist Nozzle with water stop), 13 fixing clamps, 13 screws, coupling with control valve and hose connector	3 replacement micro mist nozzles
Water flow	13 l/h	1.9 l/h
Use	Can be extended with additional sets Art. No. 13135-20	With Art. No. 13135-20



#### **High level of comfort**

The Outdoor Cooling Mist Set ensures a high level of comfort on hot summer days thanks to the refreshing and cooling water spray.



#### **Broad range of applications**

Offers a variety of installation options, such as on balconies, terraces, under parasols or in tents.



#### **Convenient watering**

Water is supplied by a direct connection to the tap using the OGS hose connector. The Micro Mist Nozzle with water stop prevents water leaking.



# NatureUp! The vertical garden system

More nature: Plant and water walls

On the smallest balconies, terraces and patios, something is happening. Vertical gardening is adding greenery to walls. With the help of automatic watering, you can relax and enjoy your green oasis.



More space for greenery! More time to unwind. Transform bare walls into blooming wonders. NatureUp! The system for vertical gardening:

- Transforms the smallest spaces into oases of well-being with flowers, herbs and vegetables
- Offers new design options
- Impresses with smart design
- Adds nature & freshness
- · Can be watered intelligently
- · Weatherproof



#### **Space-saving**

The vertical plant wall only needs a small area. A variety of plants can be grown in a tiny space. There are no limits to creativity.




#### Individual

The flexible system can be expanded in modules and connected without tools. The planters can stand on the ground or be hung up. A range of fasteners offer extra safety.



#### Intelligent water supply

Excess water from the planters is directed into the collectors on the base plate via an integrated drainage system.



#### **Clever Watering Sets**

- · Reliably water your green wall. Even when you are on holiday or away
- Plants are looked after in the best way possible with the correct amount of water
- Saves time, gives you freedom
- Water saving
- · Installed conveniently, flexibly and simply
- Precisely and evenly, waters the root directly
- Automatic management is possible with Water Control (optional)



# NatureUp! Vertical and Corner Basic Sets with Accessories







Article designation	NatureUp! Vertical Basic Set	NatureUp! Corner Basic Set
Article No.	13150-20	13153-20
EAN Code	4 078500 034890	4 078500 034906
Quantity in pack / Pallet unit	1/15	1/72
Packaging type	4-colour display carton	4-colour display carton
Sale/Info	-	-
Application	For vertically planting greenery on balconies, terraces and patios	
Contents	3 vertical planters, 3 covers, 1 base plate, 12 clips	3 corner planters, 3 covers, 1 base plate, 6 clips, 2 fixings, 16 hardened steel nails
Space required (I x w)	65 cm x 15 cm	17 cm x 17 cm
Number of plants	For 9 plants	For 3 plants
Dimensions (Set) (I x w x h)	65 cm x 15 cm x 54 cm	17 cm x 17 cm x 54 cm
Expansion	With Art. No. 13150-20 or Art. No. 13153-20	
Automatic watering	With GARDENA Water Control (optional) and NatureUp! Watering Sets	With GARDENA Water Control (optional) and NatureUp! Watering Sets

MADE IN GERMANY	1x 4x 16x	1 x 32 x 8 x	8 x	4 x 16 x
Article designation	NatureUp! Vertical Wall Bracket	NatureUp! Corner Wall Bracket	NatureUp! Connection Clip	NatureUp! Fastener
Article No.	13162-20	13163-20	13164-20	13166-20
EAN Code	4 <sup>1</sup> 078500 <sup>1</sup> 034975 <sup>1</sup>	4 078500 034999	4 078500 035026	4 078500 035040
Quantity in pack / Pallet unit	3 / 168	3 / 168	10 / 1320	10 / 1080
Packaging type	4-colour display carton	4-colour display carton	4-colour blister card	4-colour blister card
Sale/Info	_	_	_	-
Application	For hanging up to 3 vertical planters; to hang up to max. 6 planters, 2 x Art. No. 13162-20 are required	For hanging 3 corner planters in a corner or 6 corner planters arranged in a crescent design at 180°	For connecting vertical and/or corner planters with one another and planters with covers	Fixing and stabilising vertical and corner planters to walls or vertical spaces
Contents	1 wall bracket, 2 screws, 2 wall plugs, 4 fasteners and 16 hardened steel nails	2 special base plates, 3 clips, 8 fasteners, 32 hardened steel nails	8 clips	4 fasteners with premium dou- ble-sided tape, 16 hardened steel nails
Dimensions (length x width x height) approx.	18.2 x 13.3 x 8.9 cm (wall bracket)	-	-	5.0 x 5.0 x 0.8 cm









Article designation	NatureUp! Vertical Watering Set Tap	NatureUp! Corner Watering Set Tap
Article No.	13156-20	13157-20
EAN Code	4 078500 034913	4 078500 034937
Quantity in pack / Pallet unit	3 / 150	3 / 150
Packaging type	4-colour display carton	4-colour display carton
Sale/Info	-	-
Application	For watering up to 27 plants or 9 vertical containers with a water supply	For watering up to 12 plants or 12 corner planters with a water supply
Contents	1 Master Unit 1000, 1 Shut-Off Valve 4.6 mm (3/16"), 6 Connectors 4.6 mm (3/16"), 7 T-Pieces 4.6 mm (3/16"), 1 Cross Fitting 4.6 mm (3/16"), 2 L-Pieces 4.6 mm (3/16"), 10 Plugs 4.6 mm (3/16"), 9 Drip Irrigation Lines 65 cm, 8 Supply Pipes 15.5 cm, 1 x Supply Pipe 150 cm (all Pipes 4.6 mm (3/16"))	1 Master Unit 1000, 1 Shut-Off Valve 4.6 mm (3/16"), 12 Connectors 4.6 mm (3/16"), 10 T-Pieces 4.6 mm (3/16"), 1 Cross Fitting 4.6 mm (3/16"), 13 L-Pieces 4.6 mm (3/16"), 13 Plugs 4.6 mm (3/16"), 12 Drip Irrigation Lines 14 cm, 11 Supply Pipes 15.5 cm, 3 Supply Pipes 4 cm, 9 Supply Pipes 8.5 cm, 1 x Supply Pipes 150 cm (all Pipes 4.6 mm (3/16"))
Number of plants	For up to 27 plants	For up to 12 plants
Automatic watering	With GARDENA Water Control (optional)	With GARDENA Water Control (optional)
Water release per Drip Head	1.6 l/h	1.6 l/h
Uses	For the connection between the tap and Master Unit 1000, we recommend the Connection Set Classic 13 mm (1/2"), 1.5 m Art. No. 18011-20	













Article designation	Connecting Point	Water Connector
Article No.	2722-20	8250-20
EAN Code	4 078500 272209	4 078500 825009
Quantity in pack / Pallet unit	3 / 180	3 / 180
Packaging type	4-colour display carton	4-colour display carton
Sale/Info	-	-
Connection	3/4" male thread	3/4" male thread
Assembly	Underground	Underground
Water connection with stop valve	-	•
Pop-up spherical cover	•	•
Removable filter	•	•
Tiltable, rotatable connection	-	-
Special features	For the underground connection of Pipeline and Sprinklersystem	-
Contents	With Profi-System and Tap Connector	-
Necessary accessories	-	-

# **GARDENA Sprinklersystem**

# **Convenient, reliable and easy installation**

Pop-up sprinklers that can be permanently installed below ground keep your lawn looking beautiful and vanish out of sight again when their work is done.

The GARDENA Sprinklersystem range:

- · Reliable and high-quality Pop-up Sprinklers
- · Clever and innovative system modules
- · Automatic drain valves for frost protection
- · Automatic controlling possibilities



# 1

#### **Frost-proof**

The entire system becomes frost-proof by using a Drain Valve.



#### Pop-up Sprinkler

For small and large lawn areas, with excellent product advantages

Example T200/380:

- Easy nozzle selection without nozzle assembly
- Tool-free setting of the watering sector
- Vandal-proof thanks to sector memory function

#### 3

#### Pop-up Oscillating Sprinkler OS 140

The innovation for irrigating rectangular and square areas.

Can be adjusted to use for areas from 2 — 140 m<sup>2</sup>. Adjustable water-flow quantity.

Especially even water distribution through 16 self-cleaning precision nozzles made of soft plastic.



#### Large-Area Irrigation AquaContour automatic

Irregular shaped lawn areas are watered evenly and contour- exact using 50 programmable key contour points.

#### Patented Connection Technology "Quick & Easy"

The numerous system components ensure a flexible installation of the system for various lawn areas.

- Pipe assembly / disassembly by turning the connecting pieces 140°
- Weather and UV-resistant











63













red <mark>dot</mark> design award winner 2013	
Article designation	

Packaging type

Range

Filter

Sprinkling width

Connection thread

Sand-proof turbo-drive gear

•	•
Turbo-driven Pop-up Sprinkler T 100	

In display box 4-colour

Can be adjusted from

1/2" female thread

4 - 6 m

•

Turbo-driven Pop-up Sprinkler T 200

In display box 4-colour

Can be adjusted from

1/2" female thread

5 - 8 m

OS 140

•

product sticker

8203-29

Turbo-driven Pop-up Sprinkler T 380

In display box 4-colour

Can be adjusted from

3/4" female thread

6 - 11 m

product sticker

8205-29

Pop-up Oscillating Sprinkler OS 140

Large-Area Pop-Up Irrigation AquaContour automatic 1

 $\epsilon$ 

Article No.	0201-29
EAN Code	4 078500 820196
Quantity in pack / Pallet unit	10 / 600

4 078500 820394	4 078
6 / 264	6 / 264

078500 820592	4 078500 822
070300 020392	4 070300 022
7 264	2/90

8220-29
4 078500 822091

4-colour display carton

1 - 9.5 m


3/4" female thread

3 3 5 5	product sticker
Sale/Info	-
Use	Smaller lawn areas
Watering areas	Up to 100 m <sup>2</sup>
Watering sector	Fully adjustable from 70 - 360°

_	_
Middle-sized lawn areas	Larger lawn areas
Up to 200 m <sup>2</sup>	Up to 380 m <sup>2</sup>
Fully adjustable from 25 - 360°	Fully adjustable from 25 - 360°


_	
For watering square and rectangular areas	Precise contour irrigation uneven lawn areas
Adjustable from 2 - 140 m <sup>2</sup>	Up to 350 m <sup>2</sup>
_	Adjustable from 25 - 360
2 - 15 m	Select from 2.5 - 9 m (2


For even watering with combined use of sprinklers	•	
Combinable	With Turbo-driven Pop-up Sprinkler T 200, T380, Pop-up Oscillating Sprinkler OS 140	
Special features	_	



Through selectable, integrated nozzles with variable water flow, for differently set watering sectors nozzle 1: 25 - 90°







bar)/4 -10.5 m (4 bar)

3/4"-female thread

Flexible area coverage due to option of storing up to 50 key contour points and fully adjustable range. With high power solar cell and lithium-ion battery

The operating pressure (bar) is set according to the area to be watered. The data for the Large-Area Irrigation AquaContour automatic was obtained with 4 bar, for all other pop-up sprinklers with 2 bar operating pressure at the sprinkler.



# **Connection for Pop-up Sprinklers**









Article designation	L-Piece 25 mm x 1/2" male thread	L-Piece 25 mm × 3/4" male thread	T-Piece 25 mm 1/2" male thread
Article No.	2780-20	2781-20	2786-20
EAN Code	4 078500 278003	4 078500 278102	4 078500 278607
Quantity in pack / Pallet unit	10 / 1840	10 / 1840	10 / 1140
Packaging type	Loose	Loose	Loose
Sale/Info	_	-	-
Application	Connection for Pop-up Sprinkler S 80, Turbo-driven Pop-up Sprinkler T 100, Turbo-driven Pop-up Sprinkler T 200	Connection for Turbo-driven Pop-up Sprinkler T 380, Pop-up Oscillating Sprinkler OS 140, Large-area Pop-up Irrigation AquaContour automatic	Connection within the run of the pipe for Pop-up Sprinkler S 80, Turbo-driven Pop-up Sprinkler T 100, Turbo-driven Pop-up Sprinkler T 200
Special features	Connection technology "Quick & Easy", self-sealing screwed connection		

# **Connection for Pop-up Sprinklers and Accessories**

MADE IN GERMANY					
Article designation	T-Piece 25 mm 3/4" male thread	T-Piece 25 mm 3/4" female thread	Connector 25 mm × 3/4" female thread	Connector 25 mm × 1" female thread	Connector 25 mm × 1" male thread
Article No.	2787-20	2790-20	2761-20	2762-20	2763-20
EAN Code	4 078500 278706	4 078500 279000	4 078500 276108	4 078500 276207	4 078500 276306
Quantity in pack / Pallet unit	10 / 1140	10 / 800	10 / 1840	10 / 1920	10 / 1840
Packaging type	Loose	Loose	Loose	Loose	Loose
Sale/Info	-	_	_	_	_
Application	For the connection within the run of the pipes for Turbo-driven Pop-up Sprinkler T 380, Pop-up Oscillating Sprinkler OS 140	For the installation of the Drain Valve within the run of the pipes	For pipe connection to the Connecting Point, the Water Connector, the Regulator and Shut off Valve, the Central Filter and the Popup Sprinkler S 80/300 and for directly connecting the sprinkler system to the domestic water supply	For pipeline connection to the Valve Boxes V1 and V3 and to the Pipeline Spiral Hose Box and for directly connecting the sprinkler system to the domestic water supply	For pipe connection to the irrigation valves and for directly connecting the sprinkler system to the domestic water supply
Special features	Connection technology "Quick & Easy", self-sealing screwed connection		Со	nnection technology "Quick & E self-sealing screwed connectio	

## **Pipe Connectors and Accessories**











Article designation	T-Piece 25 mm	T-Piece 25 mm	Connector 25 mm	End-Piece 25 mm
Article No.	2771-20	2773-20	2775-20	2778-20
EAN Code	4 078500 277105	4 078500 277303	4 078500 277501	4 078500 277808
Quantity in pack / Pallet unit	10 / 800	10 / 1140	10 / 1140	10 / 2560
Packaging type	Loose	Loose	Loose	Loose
Sale/Info	-	-	-	-
Application	Pipe branching for Connecting Pipe	Direction change of the Connecting Pipe	Extension for the Connecting Pipe	Terminating the Connecting Pipe
Special features		Connection techr	ology "Quick & Easy"	

Connection technology "Quick & Easy"

#### **Pipes**







Article designation	Connecting Pipe	Connecting Pipe
Article No.	2700-20	2701-20
EAN Code	4 078500 270007	4 078500 270106
Quantity in pack / Pallet unit	1 / 44	1/36
Packaging type	4-colour product tag	4-colour product tag
Sale/Info	-	_
Use	Pipeline, Sprinklersystem	Pipeline, Sprinklersystem
Length	25 m	50 m
Assembly	Can be installed above and below ground	Can be installed above and below ground
Outer diameter	25 mm	25 mm
Operating pressure	To 6 bar	To 6 bar
Special features	UV stabilized, impervious to I	ight, Non-ageing, weatherproof

# System start







Article designation	Central Filter
Article No.	1510-20
EAN Code	4 078500 151009
Quantity in pack / Pallet unit	2/626
Packaging type	4-colour display carton
Sale/Info	-
Use	Filters the water flowing through, can be used in connection with pumps and other irrigation devices
System	Sprinklersystem
Assembly	Below and above ground
Pop-up spherical cover	
Removable filter	•
Contents	-
Connection	3/4" male thread
Special features	Removable filter for easy filter cleaning, fitted in the main feed to the system

## **Accessories**













			O	₩ FROST <b>Ø</b>
Article designation	"Profi" Maxi-Flow System Connector Set <sup>1</sup>	"Profi" Maxi-Flow System Connection Set <sup>1</sup>	Adapter piece	Drain Valve
Article No.	1505-23	2713-20	1513-20	2760-20
EAN Code	4 078500 150545	4 078500 271301	4 078500 151306	4 078500 276009
Quantity in pack / Pallet unit	3 / 342	3 / 120	4 / 1152	10 / 1560
Packaging type	4-colour blister card	4-colour display disc	4-colour blister card	4-colour blister card
Sale/Info	_	_	_	_
Use	For the connection of the pipeline and the Sprinklersystem to the water tap	Complete set for connection of Pipeline and Sprinklersystem to the water supply	For creating a permanently pres- sure-resistant hose connection	For draining water automatically when shutting down the system
Assembly	For water taps with 26.5 mm (G3/4") and 33.3 mm (G 1") thread	For water taps with 26.5 mm (G3/4") and 33.3 mm (G 1") thread	For water taps with 26.5 mm (G3/4") and 33.3 mm (G 1") thread	On T-Joint 25 mm ×3/4" female thread (Art. No. 2790)
Contents	1 Threaded Tap Connector with Adapter, 2 "Profi" Maxi-Flow System Hose Connectors for 19 mm (3/4") hose	1 Threaded Tap Connector with Adapter, 2 "Profi" Maxi-Flow System Hose Connectors for 19 mm (3/4") hose	With Hose Clip for securing the hose, for 19 mm (3/4") hoses	_
Special features		With "Profi" Max-Flow System parts for a larger water quantity and less pressure loss		Install at the lowest point of the system. The entire system becomes frost-proof by using a Drain Valve.



# **GARDENA Water Controls**

# The new full range with innovative features for automatic and water-saving garden irrigation

- Automatic irrigation with mobile sprinklers, Micro-Drip-System or Sprinklersystem the water-saving solution that gives you more time to enjoy your garden
- "Safe stop" technology: 100% safe closing. The unique technology prevents watering if the battery level is too low





#### For beginners

- Manual Tap Timer
- Water Control Flex

Popular programming options.

Innovative features such as optimum watering options for plant pots.



#### For demanding gardeners

- Water Control Select
- Water Control Multi Control Duo

Flexible irrigation settings.



#### For passionate gardeners

• Water Control Master

Individual programming of up to six independent schedules. Automatic irrigation of up to six garden areas one after the other when combined with a Water Distributor automatic.

#### Water-saving:

A connected soil moisture sensor prevents scheduled watering if the soil is already sufficiently moist.



#### Unique, convenient user interface

- Easy to adjust thanks to an intuitive push and turn principle
- · Large display and angled control unit make it easier to adjust settings
- Angled control unit for optimal readability
- Weather-proof electronics















New!	CE	New!

w!	CE

	New!	New! C €	New! C €	New! C €	New! C €
Article designation	Manual Tap Timer	Flex Promotion	Flex	Select	Master
Article No.	1169-28	1890-34	1890-28	1891-28	1892-28
EAN Code	4 078500 116985	4 078500 046190	4 078500 045735	4 078500 045674	4 078500 045612
Quantity in pack / Pallet unit	2 / 288	24/-	2/-	2/-	2/-
Packaging type	4-colour blister card	4-colour display carton	4-colour display carton	4-colour display carton	4-colour display carton
Sale/Info	-	_	_	_	-
Programmable outlets	1	1	1	1	1
Energy supply	Mechanical	1 x 9 V alkaline battery (not included)	1 x 9 V alkaline battery (not included)	1 x 9 V alkaline battery (not included)	1 x 9 V alkaline battery (not included)
Control elements	Rotary knob	Large rotary element for selection, button for confirmation	Large rotary element for selection, button for confirmation	Turn and push button for selection and confirmation in one	Turn and push button for selection and confirmation in one
LCD display with menu	_	•	•	•	<ul> <li>High-quality LCD display with flexible text display</li> </ul>
Number of schedules (start, duration, intervals)	_	1	1	3	6
Watering start	When activated	Time adjustable	Time adjustable	Time adjustable	Time adjustable
Watering duration	5–120 min.	1 sec99 min.	1 sec99 min.	1 min3 hrs.	1 min.–4 hrs.
Watering intervals	_	every 4/6/8/12/24/48/72 hours	every 4/6/8/12/24/48/72 hours	Days of the week	Days of the week
Detachable control panel — for convenient setting away from the tap	_	•	•	•	•
Compatible with sensors — optional sensor detects soil moisture and interrupts the schedule	-	•	•	•	•
"Manual watering" function	•	With automatic stop	With automatic stop	With automatic stop	With automatic stop
Battery status indicator	_	•	•	•	•
Safe stop technology	_	•	•	•	•
Child safety lock/screen lock	_	•	•	•	•
Weather proof	•	•	•	•	•
Thread for connecting to the tap	26.5 mm (G 3/4"), 33.3 mm (G 1")	26.5 mm (G 3/4"), 33.3 mm (G 1")	26.5 mm (G 3/4"), 33.3 mm (G 1")	26.5 mm (G 3/4"), 33.3 mm (G 1")	26.5 mm (G 3/4"), 33.3 mm (G 1")
Operating pressure	0.5–12 bar	0.5–12 bar	0.5–12 bar	0.5–12 bar	0.5–12 bar
Can be used with	-	Soil Moisture Sensor (Art. No. 1188)	Soil Moisture Sensor (Art. No. 1188)	Soil Moisture Sensor (Art. No. 1188)	Water Distributor automatic (Art. No. 1197) Soil Moisture Sensor (Art. No. 1188)
Special features	Automatic watering stop, water flow can be set	Flexible setting with innovative turn and push feature; short cycles for watering pot plants – ideal for use with the GARDENA Micro-Drip-System	Flexible setting with innovative turn and push feature; short cycles for watering pot plants – ideal for use with the GARDENA Micro-Drip-System	Individual setting options of three independent sched- ules, intuitive operation with just one button	Individual setting options of six independent schedules, intuitive operation with just one button, centrally reduce the watering duration for all schedules based on the season, "rain off" function stops watering due to bad weather, control up to six connecting devices with Water Distributor automatic (Art. No. 1197), large LCD display with flexible menu display in selectable language







reddot award 2016 winner









 $\epsilon$ 

Article designation	MultiControl duo	smart Water Control <sup>1</sup>
Article No.	1874-20	19031-28
EAN Code	4 078500 187404	4 078500 029810
Quantity in pack / Pallet unit	2/120	1 / 294
Packaging type	4-colour display carton	4-colour display carton
Sale/Info	-	-
Programmable outlets	2	1
Energy supply	1 x 9 V alkaline battery (not included)	3 x AA 1.5 V alkaline batteries (LR6, not included)
Control elements	5 buttons	smart App
LCD display with menu	•	-
Number of schedules (start, duration, intervals)	1 schedule	freely selectable
Watering start	Time adjustable	Time adjustable
Watering duration	1 min - 3 hr 59 min (per outlet)	1 min - 10 h
Watering frequency	Free selection of watering days or every 2nd / 3rd / 7th day	Choice of weekdays
Detachable control panel – for convenient setting away from the tap	•	-
Compatible with sensors — optional sensor detects soil moisture and interrupts the schedule	•	•
"Manual watering" function	With automatic stop	With automatic stop
With battery level display	•	•
Safe stop technology	-	•
Weather proof	•	•
Connection thread for tap	26.5 mm (G 3/4"), 33.3 mm (G 1")	26.5 mm (G 3/4"), 33.3 mm (G 1")
Operating pressure	0.5 - 12 bar	0.5 - 12 bar
Can be used with	Soil Moisture Sensor (Art. No. 1188)	smart Sensor (Art. No.19030)
Special features	With large LCD display for simple programming. Both outlets can be controlled through a sensor	LED lights for active irrigation, signal strength, battery warning, requirements: Gateway, (Wi-Fi) router and Internet access – smartphone, tablet or pc, continuously expanding functions in the smart system App, fully automatic control with a smart Sensor

(€



#### "Manual watering" function

The "Manual watering" function enables manual watering or lets you fill up a bucket without having to unscrew the Water Control and stops automatically after a predefined period.

#### **Water Control Accessories**



reddot award 2016















(Art. No. 18201) and 3 End Caps

Article designation Soil Moisture Sensor		Extension Cable	smart Sensor <sup>1</sup>	Water Distributor automatic	
Article No.	1188-20	1186-20	19030-20	1197-20	
EAN Code	4 078500 118804	4 078500 118606	4 078500 018845	4 078500 119726	
Quantity in pack / Pallet unit	2/304	2/576	1 / 208	2/100	
Packaging type	4-colour display carton	4-colour display carton	4-colour display carton	4-colour display carton	
Sale/Info	_	_	-	_	
Application	Taking soil moisture into considera- tion during controlled watering	For extension of up to 105 m of the sensor's power cable	Measures soil moisture, light intensity and external temperature and includes the soil moisture in the watering schedules using the smart App	Fully-automatic control of up to 6 accessories, one after the other	
Useable for	GARDENA Water Control Flex (Art. No. 1890), Select (Art. No. 1891), Master (Art. No. 1892), MultiControl duo (Art. No. 1874), Irrigation Control 4030 (Art. No. 1283) and 6030 (Art. No. 1284), Controller 9 V (Art. No. 1250), Balcony Watering (Art. No. 1407)	Soil Moisture Sensor (Art. No. 1188)	All smart system Sets	GARDENA Water Control MasterControl (Art. No. 1892)	
Energy supply	2 x 1.5 V (LR 14/C/Baby, not included), approx. 1 year of operation	_	2 x AA 1.5 V alkaline batteries (LR6, not included)	Mechanical	
LED status indicator	-	-	Strength of the signal for the wire- less connection to the Gateway	_	
Control via smart App	-	-	Free to download, no subscription fees, available for smartphone, tablet and web	-	
Requirements	-	_	smart Gateway, Wi-Fi router and Inter- net access, smartphone, tablet or pc	_	
Special features	Reliable long-term operation due to electronic measurement of temperature differences in the soil. Displays the current soil moisture level.	Length 10 m. For use above or below ground	Measured values: Soil moisture 0 - 100 %, Light intensity 0 - 200.000 Lux, External temperature -1 - +50 °C	Garden areas are watered as per the programming of the Water Control one after the other. With 26.5 mm (G 3/4) male threads. Complete with 5 Tap Connectors	



With 5 m connection cable and plug



#### Water-saving sensor technology

The Flex, Select, Master and MultiControl Duo Water Control systems are compatible with a GARDENA Sensor (Art. No. 1188). A sensor interrupts or prevents the scheduled watering in cases of sufficient soil moisture or rain.

#### Control of up to 6 irrigation areas

Fully-automatic control of up to 6 irrigation devices. Ideal for individual plants and garden areas with varying water requirements, or when the water quantity is insufficient for simultaneous supply of all watering accessories. Garden areas are watered as per the programming of Water Control one after the other.



# **GARDENA Irrigation Control System**

## The competence range for automatic control of irrigation systems


GARDENA Irrigation Control Systems are ideal if the tap water supply is not sufficient to operate the whole irrigation system at once or if the areas of the garden have different water requirements.

The smart Irrigation Control Water Control is fully integrated into the scope of the smart system.

All irrigation assignments for the entire garden can be conveniently configured in the smart system App.

- Valve control with or without power connector is possible battery powered or 230 V connection to mains
- · Water flow opens and closes automatically
- Numerous and independent programmes for each Watering Valve is possible
- · Simple programming through user guide
- Sensor connection for water-saving irrigation. Soil Moisture Sensor prevents or interrupts irrigation when soil is sufficiently moist or when rain has started





#### For valve control by cable

Through a water control mounted on a wall 1, the valve 2 receives an impulse by direct cable as to when the water flow should open and close. Thereby, up to six Irrigation Valves 24 V can be controlled fully automatically.



#### For decentralised, cable-free valve control

Using a mobile programming unit 1, the controller 2 can be programmed which is then attached to the Irrigation Valve 3 and opens and closes according to the data input. It is all wireless — with battery — and allows as many 9 V Irrigation Valves to be controlled as desired.

# **Irrigation Controls and accessories**

















	C€	_ (€	C€		New! C€	New! CE
Article designation	smart Irrigation Control <sup>1</sup>	Programming Unit	Controller 9 V	Irrigation Valve 9 V	Irrigation Valve 24 V	Connection Cable 24 V
Article No.	19032-20	1242-20	1250-20	1251-20	1278-20	1280-20
EAN Code	4 078500 031653	4 078500 124201	4 078500 125000	4 078500 125109	4 078500 127806	4 078500 128001
Quantity in pack / Pallet unit	1 / 180	2/304	2/1140	2/264	4 / 340	4/304
Packaging type	4-colour display carton	4-colour display carton	4-colour display carton	4-colour display carton	4-colour display carton	4-colour wrapper
Sale/Info	-	_	_	_		_
Application	Water multiple areas via smart App, control six 24 V Irrigation Valves per device	For programming the Controller 9 V	For controlling the Irrigation Valves 9 V	For the control of the irrigation system according to the programming of the controller 9 V through the programming unit	Connection to a GARDENA Irrigation Control System via cable	Connection of up to 6 Irrigation Valves 24 V to a GARDENA Irrigation Control
Useable for	24 V Irrigation Valve (Art. No. 1278), 24 V Pump Control (Art. No. 1273), smart Sensor (Art. No. 19030)	Controller 9V (Art. No. 1250), Irrigation Valve 9V (Art. No.1251)	Programming Unit (Art. No. 1242), Irrigation Valve 9 V (Art. No. 1251)	Programming Unit (Art. No. 1242), Controller 9V (Art. No.1250)	Irrigation Control System 4030 (Art. No. 1283), 6030 (Art. No. 1284), smart Irrigation Control (Art. No. 19032, 19108, 19109)	
Energy supply	230 V / 24 V	_	_	_	-	_
Number of Irrigation Valves 24V which can be controlled	6	_	_	_	-	_
Individual watering programmes per valve	Configured individually via smart App	6	_	_	-	_
Watering duration programme	Configured individually via smart App	1 min - 9 hr 59 min	_	_	_	_
Suitable for use outdoors	<ul> <li>Protection class</li> <li>IP X4</li> </ul>	_	_	_	•	•
Master channel for controlling a pump	•	_	_	_	-	_
Connection to valve	24 V Connection Cable (Art. No. 1280)	_	_	_	_	_
Control via smart App	Free to download, no subscription fees, available for smartphone, tablet and web	_	_	_	-	_
Expandable	Via other smart sys- tem expansions, via other smart Irrigation Controls	_	_	_	-	_
Requirements	Gateway, (Wi-Fi) router and Internet access – smartphone, tablet or pc	_	-	-	-	_
Special features	Continuously expand- ing functions in the smart system App	Data transfer by the press of a button to and from control module. Approx. 1 year operation with 1 x 9 V alkaline battery (not included)	Soil Moisture Sensor or Rain Sensor can be connected. Approx. 1 year operation with 1 x 9 V alkaline battery (not included)	Energy-saving 9V electro-magnet valve technology. Manual opening/closing possible. Flow-opti- mised valve geometry for minimum pressure loss. Operating pressure from 0.5 to 12 bar. With 1" female thread	Manual opening/closing possible. Self-cleaning finemesh filter for faultfree control. Operating pressure from 0.5 to 12 bar. With 1" female thread	15 m, cable cross-section 7 x 0.5 mm². Max. cable length 30 m. Max. voltage 30 V

### Irrigation Control Accessories 9 V and 24 V





74 WATERING

# **GARDENA Robotic Lawnmowers**

### Do what you love

Quiet. Agile. Fully automatic. Precise and reliable. The robotic lawnmower makes your garden a more relaxing place to be - and has done so for a long time now. After dedicating a lot of time to conceiving the product, followed by intensive research and development within our group of companies, we set the robotic lawnmower to work on the world's lawns more than two decades ago.

Unlike any competitor, with the launch of SILENO life we are going to offer

- a robotics range for very small to really large gardens
- premium quality based on 20 years of experience in the field of robotic lawnmowers
- · a comprehensive, DIY optimized product family
- all models also available within the smart system as smart model

# **GARDENA** smart system App

With the free GARDENA smart App for iOS, Android and web, control of your robotic lawnmower is at your fingertips. You can also manage all of your smart system irrigation devices via smart App.









	Li-lon +	Li-lon + sma	
<sup>1</sup> <b>&amp;</b>			
red <mark>dot</mark> award 2018 winner	C€	C	€ New!
Article designation	SILENO city <sup>1</sup>	smart SILENO city Set <sup>1</sup>	smart SILENO life Set
Article No.	15001-28	19066-28	19113-28
EAN Code	4"078500"038423"	4 078500 032711	4 078500 043885
Quantity in pack/Pallet unit	1/4	1/4	1/4
Packaging type	4-colour display carton	4-colour display carton	4-colour display carton
Sale/Info	-	only available as Set Art. No. 19066	only available as Set Art. No. 19113
Contents	-	smart Gateway, smart SILENO city Robotic Lawnmower	smart Gateway, smart SILENO life Robotic Lawnmower
Expandable		Via all smart system extensions	Via all smart system extensions
Battery technology	Lithium-lon battery  18 V	Lithium-lon battery 18 V	Lithium-lon battery  18 V
Battery power  Battery capacity	2.1 Ah	2.1 Ah	2.1 Ah
Charging time approx.	60 min	60 min	60 min
Mowing time per charge approx.	65 min	65 min	65 min
Recommended lawn area	< 250 m <sup>2</sup>	< 500 m <sup>2</sup>	< 750 m <sup>2</sup>
Max. incline	Up to 25 %	Up to 25 %	Up to 30 %
Cutting height, min - max	20 - 50 mm	20 - 50 mm	20 - 50 mm
Cutting deck		Blade disc with 3 blades	
Charging system		Automatic	
Energy consumption per month approx.	4 kWh	7 kWh	8 kWh
Weight approx.	7.0 kg	7.0 kg	8 kg
Dimensions (L x W x H)	55 x 36 x 22 cm	55 x 36 x 22 cm	57 x 40 x 24 cm
Boundary Wire	150 m	150 m	200 m
Hooks	200 pieces	200 pieces	300 pieces
Spare Blades	-	<del>-</del>	-
Couplers	4	4	4
Connectors	5	5 High impact plastic	5
Housing Display		LCD with programme menu	
Defines the area to be mowed		Through boundary wire	
Sensor		Collision-, lift- and tilt sensor	
Programming the mowing time	Using selection panel and display	Using selection panel and display or smart App	Using selection panel and display or smart App
Can be used in rain	•	•	•
Theft protection / PIN code	•	•	•
Hose washable	•	•	-
Remote start function	3 / settable	3 / settable	3 / settable
Flexible charging station position	•	•	•
EasyPassage— handles very narrow corridors automatically	•	•	•
SensorControl— adapts amount of mowing to lawn growth rate	-	-	-
SpotCutting	-	_	•
Control via smart App	-	•	ees, available for smartphone, tablet and web
Requirements	_	Wi-Fi router and interne	t access, smartphone, tablet or pc

### **Robotic Lawnmowers**



### For smaller lawns


The trend is moving towards smaller garden plots. Users can spend more time on their vegetable and flower beds or take more time for themselves and let the robotic mower SILENO city take care of cutting the lawn.

### For complex gardens

For small lawns that are complex or have a winding structure, the SILENO city robotic lawnmower offers more customisable settings.

The remote start function lets you decide how often your robotic lawnmower heads for the hard-to-reach areas of the garden. EasyPassage guides it without difficulty along the guide wire through narrow passages.

The charging station can also be placed in narrow areas.







### SensorCut system

Stripe-free and uniform mowing. Because the robotic lawnmower mows in various directions, the cross section is even and very clean. Daily care will help the lawn to become thicker and to achieve the appearance of a green carpet.

### Watertight

The feature many have been waiting for: The SILENO city model can easily be cleaned with a garden hose.


#### Can be operated in all weathers

GARDENA robotic lawnmowers are technologically one step ahead and as a result can be used in all weathers. It is therefore no longer necessary to have a rain sensor to stop the mowing process in wet weather.

#### **Extremely quiet**

Thanks to Silent Drive motors, GARDENA offers the quietest robotic lawnmowers on the market and so your little helper won't bother you or your neighbours.

### **Robotic Lawnmower Accessories**















**Integrated Li-ion battery** 

18 V Li-ion battery system

230 V mains adapters

### The new generation of wireless freedom



### The latest GARDENA Li-ion battery technology

- No memory effect, can be charged at any time as required
- Long battery life with consistently high performance



# GARDENA Battery Management System for increased safety

High-tech electronics for full control of all battery processes

- Gentle but fast battery charging
- Even discharge with overload protection and deep discharge protection
- Safe storage without self-discharge



### **GARDENA POWER info indicator**

Clear charging status indicator with 3 LEDs



### Lightweight and robust

- Low weight for optimum working comfort
- · Resistant thanks to a particularly robust housing



### **Integrated Li-ion battery**

Integrated Li-ion batteries are ideal for devices in continuous use, such as Robotic Lawnmowers. They are also particularly suitable for extremely light and compact garden equipment, such as Battery Shears.



### 18 V Li-ion battery system

The models with the 18 V Li-ion battery system allow full freedom of movement and provide high battery power for mains-free operation. The replaceable system battery can be used in various devices.

### 18 V battery system

### One system battery – a growing range of possibilities





### Set offers or individual devices

 Step 1 for getting started with the GARDENA Battery System: Purchase a set containing a product, battery and charger (as a basic setup)








New!

Step 2: Expand your own system with any device. No additional charger or additional battery are necessary.



### **Electric Lawnmowers**





(€

Article designation	PowerMax™ 1200/32	PowerMax™ 1400/34
Article No.	5032-28	5034-28
EAN Code	4 078500 047357	4 078500 047364
Quantity in pack/Pallet unit	1/6	1/6
Packaging type	4-colour display carton	4-colour display carton
Sale/Info	-	_
Power	1200 W	1400 W
Cutting width	32 cm	34 cm
Recommended lawn area	Up to 300 m <sup>2</sup>	Up to 400 m <sup>2</sup>
Collection volume grass collector	30 I	40 I
Central cutting-height adjustment	10 stages 20 - 60 mm	10 stages 20 - 60 mm
Cutting-height adjustment	QuickFit	QuickFit
Ergonomically shaped handle	ErgoTec	ErgoTec Plus
Edging combs (for cutting close to edges)	•	•
Folding handle	•	•
Level indicator	•	•
CnC system	•	•
Weight	8.3 kg	9.7 kg



Article designation	Set PowerMax™ Li-18/32
Article No.	5039-28
EAN Code	4 078500 042253
Quantity in pack/Pallet unit	1/6
Packaging type	4-colour display carton
Sale/Info	-
Power	2 x 18 V Li-lon / 2.6 Ah
Cutting width	32 cm
Recommended lawn area	Up to 230 m <sup>2</sup>
Collection volume grass collector	30 I
Central cutting-height adjustment	10 stages 20 - 60 mm
Ergonomically shaped handle	ErgoTec
Edging combs (for cutting close to edges)	•
PowerPlus Motor (brushless)	•
Folding handle	•
Level indicator	•
QuickFit height adjustment	•
CnC System	•
Weight	9.3 kg
Contents	Incl. 2 x Li-lon Battery BLi-18, incl. 2 x Battery Charger 18 V
Special features	Compact storage



### **PowerPlus Motor**

High-power engine with high-torque gear drive delivering precision cutting results. Particularly efficient for an extra-long service life.



### **Ergonomically shaped handle**

Simple, convenient operation. **ErgoTec and ErgoTec Plus** handles ensure a flexible approach to work and enable the tool to be used in a natural hand position


### **Lawnmower Spare Parts**

Article designation	Spare Blade	Spare Blade	Spare Blade
Article No.	4080-20	4100-20	4101-20
EAN Code	4 078500 042253	4 078500 024099	4 078500 024075
Quantity in pack/Pallet unit	3 / 720	3 / 480	3/360
Packaging type	Individual packaging	Individual packaging	Individual packaging
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units	Sold only in complete packaging units
Useable for	Art. No. 4033, 4073, 5032	Art. No. 5033, 5039	Art. No. 5034, 4074
Miscellaneous	Hardened steel	-	-



### **Turbotrimmers**

reddot award 2016 winner	New! CE	New! CE	New!
Article designation	SmallCut 300/23 <sup>1</sup>	EasyCut 400/25	ComfortCut 450/25
Article No.	9805-28	9807-28	9808-28
EAN Code	4 078500 047371	4 078500 047388	4 078500 047333
Quantity in pack/Pallet unit	1/30	1/25	1/21
Packaging type	4-colour display carton	4-colour display carton	4-colour display carton
Sale/Info	-	-	-
Motor power	300 W	400 W	450 W
Cutting diameter	230 mm	250 mm	250 mm
Filament diameter	1.6 mm	1.6 mm	1.6 mm
Filament length	6 m	6 m	6 m
Bump feed	•	•	•
Front handle individually adjustable	-	•	•
Plant guard	-	•	•
Telescopic handle	-	•	•
Trimmer head angle adjustment	-	•	•
Tiltable trimmer head	-	-	•
Integrated guide wheel	-	-	•
Suitable replacement filament cassette	Art. No. 5307	Art. No. 5307	Art. No. 5307
Weight	1.6 kg	2.8 kg	3.1 kg




### **Trimmer Accessories**

Article designation	Battery Charger 18 V	Spare Blades RotorCut	Replacement Filament Cassette
Article No.	8833-28	5368-20	5307-20
EAN Code	4 078500 032230	4 078500 536806	4 078500 530705
Quantity in pack/Pallet unit	3 / 648	6 / 936	6 / 1428
Packaging type	4-colour display carton	4-colour blister card	4-colour blister card
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units	Sold only in complete packaging units
Filament diameter	-	-	1.6 mm
Filament length/Contents	-	20 Blades	6 m
Suitable for the following products	18 V Battery Technology	Art. 9823 (EasyCut Li-18/23R), Art. 9822 (SmallCut Li-23R)	Art. 9805 (SmallCut 300/23), Art. 9807 (EasyCut 400/25), Art. 9808 (ComfortCut 450/25),



### **Battery Grass and Shrub Shears**



# **GARDENA Tree and Shrub Care Electric and Battery-operated**

## **Convenient and powerful!**


Whether operated with an electric motor or battery, whether shrubs or boxwoods, small or large hedges, GARDENA has the right hedge trimmers for almost all requirements and gardens.



### **Electric/Battery Hedge Trimmers**

Light hedge trimmers with ergonomically shaped handle for comfortable and safe cutting of large and small hedges. Optimised blade geometries ensure an efficient, fast and clean cut.

Li-lon System Battery with charging status indicator for more mobility and extra long operating time.







# **GARDENA Mechanical Grass Shears**

# Ideal for the precise, mechanical cut of short lawn edges

Ergonomic handles for ideal handling. Suitable for right-handed and left-handed users. Wave-ground cutting blades for a precise cut and top finish lawn edge.





\*Warranty Information: www.gardena.com/warranty or +44 (0) 344 844 4558



Blades rotable through 360°

Effortless work for right-handed and left-handed users.



**Wave-ground** 

Cutting blade and runner – keep the grass in the cutting area and ensure easy and precise cutting with a consistent cutting height.



**Special comfort handle** 

Fits perfectly in the hand and cuts very easily. Force is applied via index finger and middle finger.



With handle

For an upright working position protecting the back.

# **Mechanical Grass Shears**













Article designation	Classic Grass Shears	Classic Grass Shears, rotatable	Classic Grass Shears, rotatable	Comfort Grass Shears, rotatable <sup>1</sup>
Article No.	8730-30	8731-34	8731-30	8735-30
EAN Code	4 078500 873048	4 078500 036474	4 078500 873147	4 078500 873543
Quantity in pack/Pallet unit	30 / 440	30 / 180	10 / 440	10 / 400
Packaging type	Loose in the display box	4-colour information card	Loose in the display box	4-colour information card
Sale/Info	Sold only in display box	Sold only in display box	Sold only in complete packaging units	Sold only in complete packaging units
Coating		Friction-reducing		-
Grind		Straight-ground		Wave-ground
Blade		Self-sharpening		
Rotatable blades	-	• (360°)	• (360°)	-
Special features		Ergonomically shaped handle, single-hand lock		









Article designation	Comfort long-handle Grass Shears	Comfort Grass Shears Assortment	
Article No.	12100-20	12100-30	
EAN Code	4 078500 032278	4 078500 032292	
Quantity in pack/Pallet unit	5/30	20 / 40	
Packaging type	4-colour information card	4-colour information card	
Sale/Info	Sold only in complete packaging units	Metal display with 4-colour poster, with 20 pieces	
Coating	Non-stick-coated	I, friction-optimised	
Grind	Straigh	nt-ground	
Blade	Self-sh	arpening	
Handle with additional soft component	•		
Rotatable blades	• (180°)	• (180°)	
Handle	•		
Handle angle adjustable	•		
Large wheels	•	•	
Special features	Ergonomically shaped handle, single-hand lock		



# **GARDENA Secateurs**

# **Maximum cutting ability**

These high-quality shears, which are **Made in Germany**, have innovative product advantages and excellent ergonomics that guarantee lasting, reliable cutting results.



The adjustable handle width can be set to accommodate various hand

# \*Warranty Information: www.gardena.com/warranty or +44 (0) 344 844 4558

MADE IN GERMANY



The reliability of these secateurs is increased by the stainless steel springs that are integrated and non-detachable.

## An excellent choice for every user



Ergonomically shaped handles with

soft components for comfortable

handling.

Secateurs for smaller hands and delicate cutting work.



Models for larger hands and larger cutting diameters.



Masculine products with aluminium handles and particular product advantages.















red <mark>dot</mark> award 2	016

Article designation	Garden Secateurs-Offer	Garden Secateurs <sup>1</sup> B/S	Garden Secateurs <sup>1</sup> B/S-M	Garden Secateurs-Offer B/S-M <sup>1</sup>
Article No.	8754-20	8854-20	8857-20	8853-34
EAN Code	4 078500 875400	4 078500 018647	4 078500 018685	4 078500 036559
Quantity in pack/Pallet unit	10	10 / 840	10 / 840	14/336
Packaging type	Loose in the display box	4-colour information card	4-colour information card	4-colour information card
Sale/Info	Sold only as display with 30 pieces	Sold only in complete packaging units	Sold only in complete packaging units	Sold only as display with 30 pieces
Max. cutting edge Ø	18 mm	20 mm	22 mm	22 mm
Cutting principle	Bypass	Bypass	Bypass	Bypass
Precision-ground blades	•	•	•	•
Angled cutting head	•	•	•	•
With sap groove	•	•	•	•
With wire cutter	•	•	•	•
2 handle positions	•	•	•	•
Single-hand safety lock	•	•	•	•
Variable handle opening	-	_	2 stage	2 stage
Ergonomically shaped handle	•	•	•	•
Handles with additional soft components	-	1x	1x	1x
Non-stick-coated blade	•	•	•	•
Uses	For cutting flowers and young shoots	For cutting flowers and young shoots, green wood	For cutting flowers and young shoots, green wood	For cutting flowers and young shoots, green wood
Special features	Stainless steel lower blade	Stainless steel lower blade, fibreglass-reinforced handle	Stainless steel lower blade, fibreglass-reinforced handle, two handle opening widths	Stainless steel lower blade, fibreglass-reinforced handle, Two handle opening widths







reddot award 2016 winner

**Secateurs** 




11
,





Article designation	Garden Secateurs A/M <sup>1</sup>	Garden Secateurs B/M <sup>1</sup>	Garden Secateurs B/S-XL <sup>1</sup>	Promotion Garden Secateurs B/S-XL <sup>1</sup>	Promotional pack of 8904+8704
Article No.	8903-20	8904-20	8905-20	8902-20	12200-20
EAN Code	4 078500 018722	4 078500 018746	4 078500 018760	4 078500 018708	4 078500 041225
Quantity in pack/Pallet unit	5/700	5/700	5/700	30 / 240	6/-
Packaging type	4-colour information card	4-colour information card	4-colour information card	4-colour information card	4-colour information card
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units	Sold only in complete packaging units	Sold only as display with 30 pieces	Sold only in complete packaging units with 6 x 8904 + 6 x 8704
Max. cutting edge Ø	23 mm	24 mm	24 mm	24 mm	24 mm
Cutting principle	Anvil	Bypass	Bypass	Bypass	Bypass
Precision-ground blades	•	•	•	•	•
Angled cutting head	•	•	•	•	•
With sap groove	-	•	•	•	•
With wire cutter	_	•	•	•	•
2 handle positions	•	•	•	•	•
Single-hand safety lock	•	•	•	•	•
Variable handle opening	_	_	Infinitely variable	Infinitely variable	-
Ergonomically shaped handle	•	•	•	•	•
Handles with additional soft components	2x	2x	2x	2x	2x
Non-stick-coated blade	•	•	•	•	•
Uses	For cutting older woody branches and twigs	Stronger branches and twigs with a larger diameter, green wood	Stronger branches and twigs with a larger diame- ter, green wood	Stronger branches and twigs with a larger diame- ter, green wood	Stronger branches and twigs with a larger diame- ter, green wood
Special features	Sturdy anvil, fibreglass-re-	Upper blade made of stain-	Upper blade made of stain-	Upper blade made of stain-	Upper blade made of stain-





For gentle and precise cutting to protect plants.



inforced handle, spring

integrated in handle



2 handle positions

For power cutting and quick snipping.



less steel, fibreglass-re-

inforced handle, variable

integrated in handle

size handle opening, spring

less steel, fibreglass-re-

inforced handle, spring

integrated in handle

**Ergonomic handle** 

Comfort handle with soft components for more comfort and safe hold.



less steel, fibreglass-re-

inforced handle, variable

integrated in handle

size handle opening, spring

Fits in every hand

The handle opening width can be adjusted to fit individual hands.



less steel, fibreglass-reinforced handle, spring integrated in handle

Exchangeable blades/ adjustable joint

For a long service life and perfect cutting that lasts.







reddot award 2016 winner





Article designation	Alu Garden Secateurs B/L <sup>1</sup>	Comfort Ratchet Secateurs SmartCut	Premium Secateurs B+/L <sup>1</sup>
Article No.	8906-20	8798-20	8702-20
EAN Code	4 078500 018784	4 078500 879804	4 078500 870207
Quantity in pack/Pallet unit	5/700	5/700	5/700
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card
Sale/Info	Sold only in complete packaging units	-	-
Max. cutting edge Ø	25 mm	25 mm	24 mm
Cutting principle	Bypass	Anvil	Bypass
Precision-ground blades	•	•	•
Angled cutting head	•	•	•
With sap groove	•	-	•
With wire cutter	•	-	•
2 handle positions	•	•	•
Single-hand safety lock	•	•	•
Ergonomically shaped handle	•	•	•
Handles with additional soft components	2x	2x	2x
Non-stick-coated blades	•	•	-
Uses	Stronger branches and twigs with a larger diameter, green wood	Stronger branches and twigs with a larger diameter, dry wood	Stronger branches and twigs with a larger diameter, green wood
Special features	Stainless steel lower blade, with sturdy aluminium handles, exchangeable blade, adjustable joint	With sturdy aluminium handles, ratchet mechanism to increase power (150% Power)	Bottom blade forged, with sturdy aluminium handles, exchangeable blade, adjustable joint



### **SmartCut-Function**

Automatic engagement of ratchet mechanism to increase power for larger cutting diameters.









Article designation	SchnippSchnapp	SchnippSchnapp XL
Article No.	8704-20	8705-20
EAN Code	4 078500 870405	4 078500 870504
Quantity in pack/Pallet unit	10 / 2000	10 / 2000
Packaging type	4-colour information card	4-colour information card
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units
Also available in loosed form		
Article No.	8704-30	-
EAN Code	4 078500 870450	_
Quantity in pack/Pallet unit	10 / 840	-
Sale/Info	Sold only as display with 10 pieces	
Total length	180 mm	210 mm
Dishwasher safe	•	•
Blade made of rust-proof stainless steel	•	•
Ergonomic handle with soft components	•	•
Materials	Specially ground cutting edge	Specially ground cutting edge
Uses	Easy to use all-purpose scissors for the kitchen and garden. Ideal for flowers, herbs, cord, binding wire, cardboard, plastic etc	Comfortable all-purpose scissors for home and hobby use. Ideal for paper, wallpaper, leather, textiles, twine etc
Special features	Suitable for right and left handed people	Suitable for right and left handed people. For very precise cutting of long straight cuts



# **GARDENA Hedge Clippers**



\*Warranty Information: www.gardena.com/warranty or +44 (0) 344 844 4558

# **Combines innovation and proven quality**

Whether for exact shaping or for large-scale cutting back: each product is optimised for its intended purpose and is designed for the needs of the user.



Short blades and straight-ground blades

For the exact shaping of shrubs, e.g. boxwood.



Long wave-ground blades or special toothing

Suitable for larger areas.



**Gear transmission** 

Simple and effort saving to cut through thick branches.

# The right Hedge Clippers for every application



### Classic

Trust the proven methods: traditional materials and solid workmanship.



### Comfort

Outstanding cutting results and ease of use. Integral Technogel® gel pads and two-component buffer for optimum shock absorption.



### **Premium**

High-quality materials and technical details create the special character of the tool and make these hedge clippers especially powerful and



### **Mechanical Hedge Clippers**





**Article designation** 



Classic	Hedge	Clippers	540 <sup>1</sup>
---------	-------	----------	------------------



Classic Hedge Clippers 510 <sup>1</sup>



Comfort



**Comfort Boxwood Secateurs** 

		3.1	Boxwood Secateurs	Offer
Article No.	391-30	397-20	399-20	319-20
EAN Code	4"078500"025423	4 078500 039703	4 078500 039901	4 078500 031905
Quantity in pack/Pallet unit	4/112	4/112	4 / 176	16 / 96
Packaging type	Product hanger with 4-colour information card	Product hanger with 4-colour information card	Product hanger with 4-colour information card	Product hanger with 4-colour information card
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units	Sold only in complete packaging units	Sold only as display with 16 pieces
Total length	54 cm	54 cm	40 cm	40 cm
Blade length	23 cm	23 cm	18 cm	18 cm
Weight	830 g	830 g	only 615 g	only 615 g
Grinding	Wave-ground	Wave-ground	Straight-ground	Straight-ground
Cutting blade	Non-stick-coated	Non-stick-coated	Non-stick-coated	Non-stick-coated
Gel pads on handle	-	-	•	•
Integral branch-cutter	•	•	•	•
Shock absorption through double-sided endstop buffers	•	•	•	•
Special features	Ergonomically shaped wooden handles from FSC®100%-certified wood.		. ,	sise and comfortable shaping of



Integral branch-cutter

Work efficiently by cutting individual thicker branches.



Robust and durable

**Handle with plastic** components

For extra comfort and improved grip when cutting.



Non-stick-coated blades

Simple and accurate cutting thanks to precision-ground and non-stick-coated blades. Effortless cleaning and corrosion resistant.



shrubs such as boxwood, etc. Ergonomic design for effortless work

**Integrated shock** absorption

Optimum shock absorption due to integral Technogel® gel pads in the handle grips.

# **Mechanical Hedge Clippers**







Article designation	Comfort Hedge Clippers 570	Comfort Hedge Clippers 700 T
Article No.	392-20	394-20
EAN Code	4 078500 039208	4 078500 039406
Quantity in pack/Pallet unit	4 / 140	4/72
Packaging type	Product hanger with 4-colour information card	Product hanger with 4-colour information card
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units
Total length	57 cm	70- 90 cm
Blade length	20 cm	25 cm
Weight	only 690 g	1380 g
Grinding	Straight-ground Straight-ground	Wave-ground
Cutting blade	Non-stick-coated	Non-stick-coated
Gear transmission	-	-
Gel pads on handle	•	-
Integral branch-cutter	•	•
Shock absorption through double-sided endstop buffers	•	•
Telescopically adjustable	-	•
Special features	Easy and effortless work in all cutting situations. Ideal for exact shaping	Especially suited for cutting large high hedges. Telescopic aluminium lever arms (+20 cm) for a longer reach



# GARDENA Pruning Loppers

# Easily achieve more cutting power





\*Warranty Information: www.gardena.com/warranty or +44 (0) 344 844 4558

Innovative solutions and state-of-the-art materials ensure extra comfort and superb cutting results.



### **EasyCut**

Classic pruning loppers.

Cutting branches is easy due to being lightweight with excellent ergonomics.



### **EnergyCut**

Pruning loppers with integrated transmission for powerful cutting.

The gear ratio guarantees huge reductions in effort, even when cutting stronger branches.



### **TeleCut**

Telescopic pruning loppers.

Adjustable lever arms make precise cutting of far-away branches easy.



### SlimCut

Pruning loppers with 0° opening width and integrated two-gear transmission.

The long aluminium handle and extra-slim head means these loppers are ideally suited to thinning dense bushes and shrubs.



### **Pruning Loppers**

**Article designation** 













EasyC	ut
680 B	Promotion

, and the second	500 B	680 B	680 A	680 B Promotion
Article No.	12002-20	12003-20	12004-20	12003-30
EAN Code	4 078500 043342	4 078500 043366	4 078500 043403	4 078500 043380
Quantity in pack/Pallet unit	4 / 224	4 / 140	4/112	12/-
Packaging type		Product hanger and 4-colour in	formation card incl. blade protection	
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units	Sold only in complete packaging units	Sold only as display with 12 x 12003 + 12 x 8754
Max. branch Ø	42 mm	42 mm	40 mm	42 mm / 18mm
Total length	500 mm	680 mm	680 mm	680 mm (pruning lopper)
Total weight	895 g	1035 g	1040 g	1035 g (pruning lopper)
Cutting principle	Bypass	Bypass	Anvil	Bypass
Precision-ground blades	•	•	•	•
Non-stick-coated blades	•	•	•	•
Ergonomically shaped handle	•	•	•	•
Handles with additional soft components	•	•	•	•
End-stop buffer	•	•	_	•
Materials	Drop-shaped aluminium lever arms			
Uses	Ideal fo	ldeal for green wood For cutting hard dry wood Ideal for green wood		Ideal for green wood
Special features	Ultra-light and ergonomic	Light and ergonomic	Light and ergonomic	Light and ergonomic





The double-edged shears are

### Anvil

The stable anvil is suitable for hard, dry wood and provides support when cutting the branch, preventing damage to the bark.





Ergonomic handles with soft components provide the required anti-slip properties, also ensuring easy handling and safe working.




### **Precision-ground blades**

The precision-ground blades with excellent cutting geometry allow an easy and precise cutting which is particularly gentle on plants.

ideal for fresh wood.

**Bypass** 

### **Pruning Loppers**







Article decignation	EnergyCut 600 B	EnergyCut 750 B	EnorquCut 750 A
Article designation  Article No.	12006-20	12007-20	EnergyCut 750 A 12008-20
EAN Code	4"078500"043441"	4 078500 043465	4 078500 043489
Quantity in pack/Pallet unit	2/150	2/90	2/90
Packaging type	I	Product hanger and 4-colour information card incl. bla	de protection
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units	Sold only in complete packaging units
Max. branch Ø	42 mm	42 mm	42 mm
Total length	600 mm	750 mm	750 mm
Total weight	1010 g	1125 g	1170 g
Power +	3 x more cutting power	3 x more cutting power	3 x more cutting power
Cutting principle	Bypass	Bypass	Anvil
Precision-ground blades	•	•	•
Non-stick-coated blades	•	•	•
Ergonomically shaped handle	•	•	•
Handles with additional soft components	•	•	•
End-stop buffer	•	•	-
Applied force technology	Transmission mechanism		
Materials	Drop-shape	ed aluminium lever arms	Aluminium anvil, drop-shaped aluminium lever arms

Ideal for green wood

Exchangeable blades



### **Energy-saving**

Uses

Special features

The integrated transmission ensures huge reductions in cutting effort.



### **Exchangeable blades**

The upper blade is exchangeable and the joint can be adjusted as required.



### Coating

The extra non-stick coating ensures smooth cutting, straightforward cleaning and rust protection for cutting.



### Lightweight

For cutting hard dry wood

Exchangeable blades and anvil

Very light pruning loppers due to optimised geometry and use of lightweight materials, including aluminium for the lever arms.

### **Pruning Loppers**







+15 QM	
	N







**Article designation** TeleCut 520-670 B TeleCut 520-670 B Promotion 12005-30

12009-20

TeleCut 650-900 B Promotion

12009-30

Article No.	12005-20
EAN Code	4 <sup>0</sup> 078500 043427
Quantity in pack/Pallet unit	4/112
Packaging type	

4 078500 046527

	4 078500 043427	4 078500 046527	4"078500"043519"	4 078500 046541
Quantity in pack/Pallet unit	4/112	12/-	2/130	12/-
Packaging type	Product hanger and 4-colour information card incl. blade protection			
Sale/Info	Sold only in complete packaging units	Sold only as display with 12 pieces	Sold only in complete packaging units	Sold only as display with 12 pieces
Max. branch Ø	42 mm	42 mm	42 mm	42 mm
Total length	520-670 mm	520-670 mm	650 - 900 mm	650 - 900 mm
Total weight	975 g	975 g	1320 g	1320 g
Cutting principle	Bypass	Bypass	Bypass	Bypass
Precision-ground blades	•	•	•	•
Non-stick-coated blades	•	•	•	•
Ergonomically shaped handle	•	•	•	•
Handles with additional soft components	•	•	•	•
End-stop buffer	•	•	•	•
Applied force technology	Greater reach, more leverage			
M. 1. 1. 1.				

Materials Aluminum lever arms Ideal for green wood Uses Special features Telescopic trigger close to the handle

Telescopic









Article designation	SmartCut Ratchet Lopper
Article No.	8773-20
EAN Code	4 078500 877305
Quantity in pack/Pallet unit	2/110
Packaging type	Product hanger and 4-colour information card
Sale/Info	Sold only in complete packaging units
Max. branch Ø	45 mm
Total length	59 cm
Total weight	1295 g
Power +	3 x more cutting power
Applied force	250 %
Cutting principle	Anvil
Precision-ground blades	•
Replaceable blade	-
Forged bottom blade	-
Non-stick-coated blades	(Upper blade)
Adjustable blade tension	-
Ergonomically shaped handle	•
Handles with additional soft component	•
Applied force technology	SmartCut technology with 4-stage ratchet mechanism
Materials	Aluminium anvil. Oval aluminium lever arms
Uses	Powerful anvil lopper for cutting strong branches and hard wood

Effortless cutting thanks to ratchet mechanism







Special features

Highly powerful and convenient.

Thanks to the innovative ratchet function, even strong branches and hard wood can be cut effortlessly.



### **Premium blade**

Equipped with special steel exchangeable blades and forged lower blades, these loppers have a long service life.

**Article designation** 





SlimCut	SlimCut Promotion
---------	-------------------

· · · · · · · · · · · · · · · · · · ·		
Article No.	12010-20	12010-30
EAN Code	4 078500 043533	4 078500 046503
Quantity in pack/Pallet unit	2/-	8/-
Packaging type	Product hanger and 4-colour information card	Product hanger and 4-colour information card
Sale/Info	Sold only in complete packaging units	Sold only as display with 8 pieces
Max. branch Ø	28 mm	28 mm
Total length	1170 mm	1170 mm
Total weight	1200 g	1200 g
Power +	12 x more cutting power	12 x more cutting power
Cutting principle	Bypass	Bypass
Precision-ground blades	•	•
Non-stick-coated blades	•	•
Ergonomically shaped handle	•	•
Handles with additional soft components	•	•
Applied force technology	Two-gear transmission; for fast and powerful cutting	
Materials	Aluminium	
Uses	Ideal for dense undergrowth and fresh wood	
Special features	Ultra-light and ergonomic, with two-gear transmission	





### **Two-gear transmission**

The integrated transmission ensures optimum cutting power. With a single movement, the transmission can be transferred from a 1:12 ratio for thick branches to a 1:6 ratio for quick cuts of thin branches.

### Height-adjustable handle

The handle can be adjusted to suit your individual height, allowing a working posture that does not strain the back.

# **GARDENA Branch Pruners**






### The specialist tools for thick hedges, shrubs and tall trees

Get everywhere without getting tangled up! Exact, precise cutting, even in treetops. Work without a ladder, safely and comfortably from the ground.

\*Warranty Information: www.gardena.com/warranty or +44 (0) 344 844 4558

### **Tree and Pruning Loppers**





### Adjustable cutting angle

Cutting angle up to 200° adjustable for precise cutting of individual branches from the ground.



# Innovative hook for removing cut-off branches

With the adjustable hook on the handle you can easily remove cut-off branches from the tree crown.



### Steel gearing

The internal steel gearing is especially robust and durable. The 12-speed gear ratio provides noticeably more cutting force.

### combisystem Branch Pruners








Article designation	combisystem Anvil Branch Pruner
Article No.	297-20
EAN Code	4 078500 012591
Quantity in pack/Pallet unit	4/96
Packaging type	4-colour information card incl. blade protection
Sale/Info	-
Max. branch diameter Ø	35 mm
Cutting principle	Anvil
Can be hung on branches	•
Blade designed for precision branch hooking	•
Safety clip	•
Cord length	4.7 m
Non-tear cord	•
Block and tackle mechanism	•
Includes a D-handle for efficient and easy work	•
D-handle with cord storage	•
Fixing of cord end	•
Can also be used as hand shear	•





Minimal power needed and comfortable pulling.



**D-Handle** 

Work effectively and comfortably with this adjustable D-handle.



Block and tackle mechanism

Effortless pruning thanks to the 5-fold transmission and dual action lever mechanism.

Recommended handle

Materials

Special features

Uses

combisystem Telescopic Handles

Hardened, non-stick-coated blade for smooth, clean cut

Comfortable removal of dry brittle branches in high places

Save a huge amount of effort with 5-fold transmission (60% more power)

### combisystem Telescopic Handle





Article designation	combisystem Telescopic Handle 160 - 290 cm	combisystem Telescopic Handle 210 - 390 cm
Article No.	3720-20	3721-20
EAN Code	4 078500 012652	4 078500 012676
Quantity in pack/Pallet unit	4/200	4/200
Packaging type	1	-
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units
Length	160 - 290 cm	210 - 390 cm
Working height	Up to 5 m	Up to 6 m
Compatibility	For all combisystem tools	For all combisystem tools
Material	High quality aluminium	High quality aluminium
Duroplast-coated outer-handle	•	•
With captive fastening screw	•	•
Fastening screw with soft components	•	•
Push-button mechanism	•	•
Oval-shaped handle	•	•
Lock connection	•	•
Special features	Easily adjust your pole length with the push-button mechanism.	

Easily adjust your pole length with the push-button mechanism. The lock connection avoids the inner pole from unexpectedly sliding down. Oval-shaped handle provides increased stability and prevents inner tube from turning.



### Adjusts to your needs

Easily adjust your pole length with the push-button mechanism.



### Safely attach tools

A large, non-detachable fastening screw with soft components enables tools to be connected securely.




### **Oval-shaped handle**

Oval-shaped handle provides increased stability and prevents inner tube from turning when performing adjustments.

# **GARDENA Gardeners' Saws**

25 TEAS SWY - LIMBERS

A strong range for all sawing work around the house and garden





### **Bow Saw**

Ideal for thick branches and logs.

Long-lasting cutting quality and low maintenance.

Comfort handle with hand protection and second grip option on bow.

Convenient, easily adjustable screwing mechanism.

Suitable for green and dry wood.



### combisystem Saw

A diverse range of applications possible.

Can be used as a hand saw or with the GARDENA combisystem handle range.

With crossed toothing or triple-ground precision toothing.

Anti-slip during pulling movements thanks to handle with soft components and additional stop.



#### **Gardeners' Saw**

Hard-chrome-plated surface for high protection against corrosion and wear.

Impulse-hardened toothing with triple grinding for extreme sharpness and a clean cut.

Impulse-hardened toothing tips for durable, professional quality.











	•	
Article designation	Comfort Bow Saw 530	combisystem Gardeners' Saw 300 PP, curved <sup>1</sup>
Article No.	8747-20	8738-20
EAN Code	4 078500 874700	4 078500 873802
Quantity in pack/Pallet unit	6 / 120	6/324
Packaging type	4-colour information sleeve	4-colour information card
Sale/Info	-	-
Blade length	530 mm	315 mm
Blade change	without tools	-
Saw blade	Pulse-hardened, rust-proofed saw blade with fine cut teeth	-
Light and easily adjustable blade tension	•	-
Screw mechanism	for maximum blade tension	-
Comfort handle with hand protection	•	-
With blade protection	•	-
Toothing	-	Crossed toothing
Safety lock	-	•
Hard-chrome-plated saw blade made of quality spring steel	-	•
Impulse-hardened toothing	-	•
Eyelet hanger	-	•
Slip stop on handle end	_	•
Blade cover	-	•
Hook for removing cut-off branches	_	•
Recommended handle	-	combisystem Telescopic Handle Art. 3721 or 3720
Uses	Light, robust saw with pointed bow for working in confined spaces. Wood saw	Can be used as hand saw or in combination with combisystem handles
Special features	Rust-proof bow design, made of steel	Tension- Saw



### **Ergonomic handle**

Accessories

Anti-slip during pulling movements thanks to soft component and additional stop on the handle end.



Replacement saw blade

# Professional quality saw blade

Quality spring steel, impulsehardened toothing tips and hard-chrome-plated surface for high protection against corrosion and wear.



Safety lock

The safety lock guarantees safe connection of combisystem Gardener's Saw and combisystem Handle.



Hook for removing cut-off branches

Eases the removal of cut-off branches.









Article designation	Gardeners' Folding Saw 135 P	Gardeners' Folding Saw 200 P
Article No.	8742-20	8743-20
EAN Code	4 078500 874205	4 078500 874304
Quantity in pack/Pallet unit	4 / 672	4/320
Packaging type	4-colour information card	4-colour information card
Sale/Info	-	-
Blade length	135 mm	200 mm
Toothing	Precision toothing with triple grind (tension)	Precision toothing with triple grind (tension)
Hard-chrome-plated saw blade made of quality spring steel	•	•
Impulse-hardened toothing	•	•
Lockable saw blade (3 positions)	•	•



Eyelet hanger
Slip stop on handle end
Special features

### **Ergonomic handle**

Ergonomically shaped handle. Anti-slip during pulling movements thanks to soft component and additional stop on the handle end.



Tension- Saw

Professional quality saw blade

Quality spring steel, impulse-hardened toothing tips and hard-chrome-plated surface for high protection against corrosion and wear.



Tension-Saw

Precision toothing with triple grind (tension)

Saws with triple grind for quick results with less effort and a clean and smooth cut.



Lockable saw blade

Lock into three possible positions for diverse applications.

# **GARDENA Axes and Hatchets**

## An axe for all wood chopping needs

For felling, splitting, pruning and hewing wood.



\*Warranty Information: www.gardena.com/warranty or +44 (0) 344 844 4558



# Application-adapted blades and axe head geometry

The blade and head geometry of the GARDENA Axes and Hatchets are adapted to the application and work situation, and thus guarantee optimum working results.

GARDENA Splitting Axes, with their cutting angle and wedge-shaped axe head, are particularly suitable for splitting firewood.



### **Impact protection**

The riveted stainless steel shaft protection protects the handle even if a hit goes astray.




#### **Hammer function**

For easily and effectively splitting wood.

The processed impact surface is gentle on wedges and chopping blocks.

Suitable for all common wedge types such as wood, plastic and aluminium wedges (not for steel wedges).

### **Axes and Hatchets with special characteristics**



#### **Axes and Hatchets**













Article designation	Universal Hatchet 900 B	Universal Axe 1000 A	Universal Axe 1400 A	Splitting Axe 1600 S	Splitting Axe 2800 S
Article No.	8713-48	8714-48	8716-48	8718-48	8719-48
EAN Code	4 078500 015196	4 078500 015288	4 078500 015233	4 078500 015219	4 078500 015172
Quantity in pack/Pallet unit	4 / 288	4 / 192	2 / 108	2 / 108	2/80
Packaging type	4-colour information card				
Sale/Info	-	_	_	-	-
Total length	34 cm	45 cm	60 cm	60 cm	70 cm
Total weight	900 g	1000 g	1400 g	1600 g	2800 g
Axe head weight	700 g	700 g	1000 g	1200 g	2300 g
Coating axe head	Non-stick-coated	Non-stick-coated	Non-stick-coated	Non-stick-coated	Non-stick-coated
Shaft protection		-	•	•	•
Hammer function	•	•	•	•	•
Blade cover	(for fastening onto belt)	•	•	•	•

Hammer function, special coating





#### **GARDENA Universal Axes**

GARDENA Universal Axes are particularly suitable for felling small trees and for pruning and splitting resinous wood.



#### **GARDENA Splitting Axes**

The wedge-shaped axe head also splays the wood on impact, facilitating easy and efficient splitting of firewood.





#### **GARDENA Universal Hatchet**

Excellent for producing kindling, for pruning smaller trees and other outdoor chopping activities.



Special features



#### **ErgoLine Large Tools**







#### **Ergonomically shaped handle**

Comfortable grip in any position thanks to ergonomically shaped plastic handle.



#### Wide foot tread


Wide foot tread with special profile guarantees perfect transmission of power and secure footing.



#### **Sharp blade**

Powerful and sharp blade allows efficient working.

#### **ErgoLine Large Tools**







# **NatureLine Large Tools**







	New!
aturel ine Snade	







**NatureLine Pointed Spade** 



**NatureLine Digging Fork** 

Article designation	NatureLine Spade	NatureLine Spade Promotion	NatureLine Pointed Spade	NatureLine Digging Fork
Article No.	17000-20	17000-30	17001-20	17002-20
EAN Code	4 078500 042741	4"078500"045995"	4 078500 042765	4 078500 042789
Quantity in pack / Pallet unit	4 / 48	8/-	4 / 48	4 / 48
Packaging type	4-colour information card	4-colour information card	4-colour information card	4-colour information card
Sale/Info	_	Sold only as display with 8 pieces	_	_
Total length	117 cm	117 cm	117 cm	117 cm
Handle	D handle	D handle	D handle	D handle
Material handle	Ashwood FSC® 100%	Ashwood FSC® 100%	Ashwood FSC® 100%	Ashwood FSC® 100%
Material	Hardened	Hardened blade made of quality steel with high-grade coating		4 spear-shaped prongs made of hardened quality steel with high-grade coating
Extra-large foot tread	•	•	•	_
Non-slip profile	•	•	•	_
Uses	and transport of the second se		For digging, removing, loosening and transplanting soil. Particularly well suited for hard, heavy soil	For digging, removing and loosening soil especially in planted areas.  Spares roots and living organisms
Special features	Ergonomic as	hwood handle with extra-wide foot tread	and sharp blade	Ergonomic ashwood handle with four spear-shaped prongs





# **GARDENA NatureLine Garden Tools**

# **Take life in your hands**

No garden is complete without the new GARDENA NatureLine garden tools for all major applications. The high-quality wooden handle and robust tools made of quality steel or high-quality plastic form a sturdy product, for comfortable handling and a long life span.



www.gardena.com/warranty or +44 (0) 344 844 4558





presentation and storage

· Hole for pegboard-

**Practical** 



#### **Guaranteed stable**

 Stable and reliable tool/ handle connection

#### Convenient / robust / ergonomic

- Beech wood handle
- FSC® certificated
- ø 26 mm
- painted






# The NatureLine range offers the right tool for every application









#### **GARDENA NatureLine Garden Tools**



#### **GARDENA NatureLine Garden Tools**



#### **GARDENA NatureLine Garden Tools - Promotions**









Article designation
---------------------


**NatureLine Mixed Display** 

**NatureLine Mixed Display** 1/2 Pallet

1/2 Pallet

	i i alict	I/Z I dilet	I/ L I dilet
Article No.	17150-20	17152-20	17153-20
EAN Code	4 078500 045841	4 078500 045865	4 078500 045872
Quantity in pack / Pallet unit	1/-	1/-	1/-
Packaging type	In display box	In display box	In display box
Sale/Info	Sold only in complete packaging unit	Sold only in complete packaging unit	Sold only in complete packaging unit
Product info	see Art. No. 17105, 17106, 17111	see Art. No. 17105, 17106, 17108, 17111	see Art. No. 17105 und 17111
Content	20 x 17105, 10 x 17106, 10 x 17111	5 x 17105, 5 x 17106, 5 x 17108, 5 x 17111	10 x 17105 und 10 x 17111

#### **GARDENA NatureLine Garden Tools - Promotions**



# **GARDENA** combisystem

# **Guaranteed strongly connected**

The GARDENA combisystem is the leading assortment of ergonomic products that offers the right tool/handle combination for every possible job in the garden making it easy for both amateur and professional gardeners to work efficiently and comfortably.

- Best possible ergonomic position
- · Comfortable grip
- · Easy to use
- All handles can be combined with all tools regardless of tool size
- The right tool/handle combination > over 80 combinable systems
- · Guaranteed tight fit
- · Quality materials, outstanding coating



\*Warranty Information: www.gardena.com/warranty or +44 (0) 344 844 4558



The mark of responsible forestry

# A guaranteed tight fit since 1976



# The GARDENA range offers the right attachment all year round



#### combisystem Hand Tools

An ergonomic handle with a slip stop ensures that you can work comfortably and effortlessly. Can be extended using any combisystem handle.



combisystem Heads

The right head for every application. Simply attach the appropriate handle and screw tight. Guaranteed tight fit.



#### combisystem Handles

From soil cultivation right up to working in tall trees — a range of handles ideally matched to the application.



combisystem Winter Tools

The right tool for ice and snow from GARDENA.

# combisystem Hand Tools







Article designation	combisystem Hand Hoe	combisystem Hand Hoe	combisystem Hand Hoe
Article No.	8911-20	8913-20	8915-20
EAN Code	4 078500 023382	4 078500 023405	4 078500 023429
Quantity in pack / Pallet unit	5/390	5/390	5 / 280
Packaging type	Hanger with 4-colour information card	Hanger with 4-colour information card	Hanger with 4-colour information card
Sale/Info	-	-	-
Width	6 cm	5 cm	6.5 cm
Material		High quality coated steel, duroplast coated	
Ergonomically shaped handle	•	•	•
Handle with soft component	•	•	•
Uses	For loosening, aerating and weeding the soil		
Special features	Corrosion protection, extendable, captive fastening screw with soft plastic components		

# combisystem Hand Tools







Article designation	combisystem Wire Hand Rake	combisystem Hand Rake	combisystem Hand Grubber
Article No.	8917-20	8919-20	8921-20
EAN Code	4 078500 023443	4 078500 023467	4 078500 023481
Quantity in pack / Pallet unit	5 / 385	5 / 450	5 / 520
Packaging type	Hanger with 4-colour information card	Hanger with 4-colour information card	Hanger with 4-colour information card
Sale/Info	-	Sold only in complete packaging units	-
Width	12 cm	12 cm	7 cm
Material		High quality coated steel, duroplast coated	
Ergonomically shaped handle	•	•	•
Handle with soft component	•	•	•
Slip-proof, even when used for pulling actions	•	•	•
Uses	Tidying beds and aerating small, mossy areas	Raking leaves, weeds and grass cuttings in beds	Loosening and aerating soil without damaging roots
Special features	Corrosion protection, extendable, captive fastening screw with soft plastic components		

# combisystem Hand Tools











Article designation	combisystem Hand Weeder	combisystem Flower Rake	combisystem Patio Weeder	combisystem Hand Trowel
Article No.	8923-20	8925-20	8927-20	8929-20
EAN Code	4 078500 023504	4 078500 023542	4 078500 023566	4 078500 023580
Quantity in pack / Pallet unit	5 / 640	5 / 520	5/700	5 / 520
Packaging type	Hanger with 4-colour information card	Hanger with 4-colour information card	Hanger with 4-colour information card	Hanger with 4-colour information card
Sale/Info	-	-	Sold only in complete packaging units	Sold only in complete packaging units
Width	7 cm	8.5 cm	-	8.5 cm
Material	High quality coated steel, duroplast coated	High quality coated steel, duroplast coated	Double-sided ground and hardened high grade stainless steel blade, rust-proof	High quality coated steel, duroplast coated
Ergonomically shaped handle	•	•	•	•
Handle with soft component	•	•	•	•
Non-slip grip also during pulling movements	•	•	•	•
Uses	Loosening soil in beds and flower boxes	Raking and loosening soil	Removing grass, moss and weeds from the joints between slabs and on walls	Planting and transplanting
Special features		dable, captive fastening screw stic components	Complete with high quality blade guard, corrosion protection, extendable, captive fastening screw with soft plastic components	Corrosion protection, extendable, captive fastening screw with soft plastic components



# **Hand Tools**







Article designation	Weeding Trowel	Hand Trowel
Article No.	8935-20	8950-20
EAN Code	4 078500 023627	4 078500 023603
Quantity in pack / Pallet unit	5 / 950	20 / 960
Packaging type	Hanger with 4-colour information card	Loose in the display box
Sale/Info	Sold only in complete packaging units	Sold only in display box with 20 pieces
Width	-	8 cm
Material	High quality coated s	steel, duroplast coated
Ergonomically shaped handle	•	•
Handle with soft component	•	-
Slip-proof, even when used for pulling actions	•	•
Uses	Removal of weeds	For planting and transplanting
Special features	Working depth 14.5 cm, corrosion protection	Corrosion protection

# **Hand Tools**







Article designation	Trowel	Flower Fork
Article No.	8951-20	8952-20
EAN Code	4 078500 023658	4 078500 023672
Quantity in pack / Pallet unit	20 / 960	20 / 960
Packaging type	Loose in the display box	Loose in the display box
Sale/Info	Sold only in display box with 20 pieces	Sold only in display box with 20 pieces
Width	6 cm	7.5 cm
Material	High quality coated	steel, duroplast coated
Ergonomically shaped handle	•	•
Slip-proof, even when used for pulling actions	-	-
Handle with soft component	•	•
Uses	For planting and transplanting	Gentle on the roots for planting and transplanting
Special features	Corrosion protection	Corrosion protection

# **Hand Tools**









Article designation	Comfort Hand Hoe	Comfort Hand Rake	Comfort Hand Grubber
Article No.	8955-20	8956-20	8957-20
EAN Code	4 078500 023719	4 <sup>0</sup> 078500 023733	4 078500 023757
Quantity in pack / Pallet unit	5 / 450	5 / 450	5 / 650
Packaging type	Hanger with 4-colour information card	Hanger with 4-colour information card	Hanger with 4-colour information card
Sale/Info	-	-	-
Width	6 cm	12 cm	7 cm
Material		High quality coated steel, duroplast coated	
Ergonomically shaped handle	•	•	•
Handle with soft component	•	•	•
Slip-proof, even when used for pulling actions	•	•	•
Uses	For loosening, aerating and weeding the soil	Raking leaves, weeds and grass cuttings in beds	Loosening and aerating soil without damaging roots
Special features	Corrosion protection	Corrosion protection	Corrosion protection

# **Hand Tools**









	ווווו	V	A.C.
Article designation Article No.	Comfort Flower Rake	Comfort Patio Weeder 8959-20	Comfort Hand Trowel
EAN Code	4 078500 023771	4 078500 023795	4 078500 023528
Quantity in pack / Pallet unit	5 / 600	5 / 700	5 / 520
Packaging type	Hanger with 4-colour information card	Hanger with 4-colour information card	Hanger with 4-colour information card
Sale/Info	-	-	-
Width	8.5 cm	-	8.5 cm
Material	High quality coated steel, duroplast coated	Double-sided ground and hardened high grade stainless steel blade, rust-proof	High quality coated steel, duroplast coated
Ergonomically shaped handle	•	•	•
Handle with soft component	•	•	•
Slip-proof, even when used for pulling actions	•	•	•
Uses	Raking and loosening soil	Removing grass, moss and weeds from the joints between slabs and on walls	For planting and transplanting
Special features	Corrosion protection	Corrosion protection	Corrosion protection

#### **Hand Tool Promotions**

**Article designation** 

Article No.

EAN Code


Packaging type

pulling actions Uses

Special features

Sale/Info

Material



Plant and replant, loosen soil

#### **Hand Tools Promotions**

Plant and replant, loosen soil, cut flowers and

herbs, sweep up dirt on balconies and terraces

Set of tools mainly for use on balconies/terraces.

Complete with storage box. 25 years warranty

			GANCELL
Article designation	city gardening Balcony Basics	city gardening #growanyspace Promotion	Hand Tools Set
Article No.	8966-32	8967-20	8968-30
EAN Code	4 <sup>0</sup> 078500 <sup>0</sup> 035088 <sup>0</sup>	4 078500 035583	4 078500 040631
Quantity in pack / Pallet unit	10 / 80	4 / 176	12/48
Packaging type	4-colour infosleeve	Attractive gift packaging	Packaging with benefit: the set can be removed and the basket can be used as a shopping basket
Sale/Info	Sold only as display with 10 pieces	-	Sold only as display with 12 pieces
Material	Multifunctional jug made from high-quality plastic	-	_
Ergonomically shaped handle	•	•	•
Slip-proof, even when used for pulling actions	•	-	•
Uses	Watering, shovelling, planting and replanting, cutting flowers and young shoots	For growing plants on the window sill	Planting and re-planting, cutting flowers and young shoots
Contents	_	Trowel 8951-20 Gardening gloves 206-20 Metal planting tray Planting substrate (clay pellets) Basil seeds	_
Special features	Multifunctional jug with two functions: for watering and shovelling (e.g. flower soil). For other product information, see Art. No. 8950 and 8754	Planting tips on the packaging	See Art. No. 8950, 8952, 8754

Planting and re-planting, weeding, cutting flowers

and young shoots

See Art. No. 8950, 8935, 8754, 206







Article designation	Bulb Planter	Bulb Planter Assortment
Article No.	3412-20	3039-20
EAN Code	4 078500 341202	4 078500 303903
Quantity in pack / Pallet unit	5/240	48 / 192
Packaging type	Product tag	-
Sale/Info	-	Sold only as display with 48 pieces
Working depth	_	-
Corrosion protection	•	•
Material	High quality coated steel, duroplast coated	
Uses	Planting of flower bulbs	
Special features	With depth scale and automatic release on handle	





#### combisystem Handles








Article designation	combisystem Wooden Handle 130 cm	combisystem Wooden Handle 150 cm
Article No.	3723-20	3725-20
EAN Code	4 078500 372305	4 078500 372503
Quantity in pack / Pallet unit	10 / 640	10 / 640
Packaging type	-	-
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units
Length	130 cm	150 cm
Compatibility	For all combisystem tools	For all combisystem tools
Material	Ashwood / aluminium	Ashwood / aluminium
With captive fastening screw	•	•
Special features	Captive fastening screw with soft plastic components. High quality, flexible ashwood which absorbs vibration.	

European wood, FSC® certified. Anodised aluminium tube for sturdy tool/handle connection. Grooved plastic coated handle, non-slip and ergonomic ease in handling

#### combisystem Handles







Easily adjust your pole length with the push-button mechanism.

The lock connection prevents the inner pole from unexpectedly sliding down.

Oval-shaped handle provides increased stability and prevents inner pole from turning.

Article designation	combisystem Telescopic Handle 90 - 145 cm	combisystem Telescopic Handle 160 - 290 cm	combisystem Telescopic Handle 210 - 390 cm
Article No.	3719-20	3720-20	3721-20
EAN Code	4 078500 042697	4 078500 012652	4 078500 012676 4/200
Quantity in pack / Pallet unit	5/-	4/200	4 / 200
Packaging type	Hanger with 4-colour-information card	-	-
Sale/Info	-	Sold only in complete packaging units	Sold only in complete packaging units
Length	90 - 145 cm	160 - 290 cm	210 - 390 cm
Work height	-	Up to 5 m	Up to 5 m
Compatibility	For all combisystem tools (except for combisystem snow shovels)	For all combisystem tools	For all combisystem tools
Material	High-quality aluminium	High quality aluminium	High quality aluminium
Duroplast-coated outer handle	-	•	•
With captive fastening screw	•	•	•
Captive fastening screw with soft plastic components	•	•	•
Push-button mechanism	-	•	•
Oval-shaped handle	-	•	•
Lock connection	-	•	•



Special features

Made from lightweight and sturdy aluminium, inner tube: anodized aluminium tube, outer tube: with skin-friendly plastic cover for comfortable, non-slip handling. Large locknut, additional grip

# combisystem Storage









Article designation	Tool Rack	Tool Rack	Single Holder
Article No.	3500-20	3501-20	3503-20
EAN Code	4 078500 350006	4 078500 350105	4 078500 350303
Quantity in pack / Pallet unit	6/300	4/112	4 / 576
Packaging type	4-colour display carton	4-colour display carton	4-colour display carton
Sale/Info	-	-	-
Hangers suitable for diameter	-	Ø from 18 - 40 mm	Ø from 18 - 40 mm
Total weight capacity per single holder	_	max. 10 kg	max. 10 kg
Total weight capacity for the complete tool rack	-	max. 60 kg	-
Width	-	Approx. 78 cm	-
Supplied complete with screws and wall plugs	•	•	•
Materials	High-quality plastic/ metal	Aluminium rack with holders made of glass-fibre reinforced plastic. Galvanised steel hangers with rubber sleeves	Holders made of glass-fibre reinforced plastic. Galvanised steel hangers with rubber sleeves
Uses	Space-saving storage of 6 combisystem tools and handles	Space-saving storage of home- and garden tools, combisystem heads, Original GARDENA System connecting tools and other practical accessories	As an addition to the GARDENA Tool Rack. Can also be individually mounted on the wall



# combisystem Lawn Care









Article designation	combisystem Spring-Wire Rake	combisystem Lawn Rake	combisystem Lawn Edge Trimmer
Article No.	3100-20	3101-20	3149-20
EAN Code	4 078500 310000	4 078500 310208	4 078500 310703
Quantity in pack / Pallet unit	5/140	5 / 120	5/340
Packaging type	Hanger with 4-colour information card	Hanger with 4-colour information card	4-colour information card
Sale/Info	_	Sold only in complete packaging units	-
Width	50 cm	43 cm	-
Rec. Handle length	130 cm	130 cm	130 cm
Materials	Strong wire prongs, duroplast coated	High quality plastic	High quality coated steel, duroplast coated
Uses	For clearing and aerating mossy areas of lawn	For raking up leaves, grass clippings, and garden waste	Cutting of lawn edges
Special features	-	Lightweight, practical and gentle on the lawn	With hardened, sharpened steel edge. Can be used like a spade or pushed along the edge of a lawn

## combisystem Lawn Care











	New!	New!	
Article designation	combisystem Fan Rake XXL Assortment	combisystem Plastic Fan Rake XXL vario	combisystem Aerator Rake
Article No.	3015-20	3107-20	3391-20
EAN Code	4 078500 301503	4 078500 310703	4 078500 339100
Quantity in pack / Pallet unit	20 / 40	3 / 42	5 / 135
Packaging type	In display box	4-colour information card	Hanger with 4-colour information card
Sale/Info	Sold only as display with 20 pieces	Sold only as display with 20 pieces	_
Width	_	77 cm	35 cm
Rec. Handle length	_	130 cm or 150 cm	180 cm
Materials	-	High-quality plastic with integrated aluminium tube for high stability	Metal
Uses	_	For time-saving raking of leaves, grass cuttings, aerated material and other garden waste	For removing moss and matted grass and for breaking up clumps of soil and levelling
Special features	-	Can be divided into 2 parts for comfortable collection of the raked material. Can be folded for space-saving storage. Large locking tab for simple separating	Galvanized, pressed tines
Product Info	see Art. No. 3106 and 3723	_	_
Contents	20 complete tools with 1 x 3106, 1 x wooden handle 130 cm FSC® 100 %	-	-

# combisystem Soil Cultivation










Article designation	combisystem Hoe	combisystem Push-pull Hoe GARDEX	combisystem Draw Hoe
Article No.	3112-20	3187-20	3192-20
EAN Code	4 078500 311205	4 078500 318709	4 078500 319201
Quantity in pack / Pallet unit	5 / 450	5 / 930	5/360
Packaging type	Hanger with 4-colour information card	Hanger with 4-colour information card	Hanger with 4-colour information card
Sale/Info	-	-	-
Width	14 cm	14 cm	12 cm
Rec. Handle length	150 cm	150 cm	150 cm
Materials	Rust-proof, stainless steel blade	High quality coated steel, duroplast coated	Rust-proof, stainless steel blade
Uses	Weed removal	For weeding beds and paths	For hoeing and loosening the soil
Special features	Rust-proof stainless steel blade	Underside of the plate is contoured with sharp edge all around	Double bow construction for challenging applications, rust-proof stainless steel blade

# combisystem Soil Cultivation

June GARANIE LEAR WAR LEAR TO THE LEAR WAS A SWY . J. L.			מנונונווווווווווווווווווווווווווווווווו	מונונוווווווווווווווווווווווווווווווווו	
Article designation	combisystem Grubber	combisystem Rake	combisystem Rake	combisystem Bow Rake	combisystem Garden Hoe
Article No.	3166-20	3184-20	3178-20	3168-20	3218-20
EAN Code	4 078500 316606	4 078500 318402	4 078500 317801	4 078500 316804	4 078500 321808
Quantity in pack / Pallet unit	5 / 420	5 / 945	5 / 350	5 / 240	5/770
Packaging type	Hanger with 4-colour information card	Hanger with 4-colour information card	Hanger with 4-colour information card	Hanger with 4-colour information card	Hanger with 4-colour information card
Sale/Info	Sold only in complete packaging units	_	_	_	_
Width	9 cm	15 cm / 8 tines	36 cm / 14 tines	36 cm / 14 tines	7.5 cm
Rec. Handle length	130 cm	130 cm	150 cm	150 cm	130 cm
Materials		Higl	h quality coated steel, duroplast	coated	
Uses	Gentle on the roots, loosens and aerates the soil. Ideal for stony ground and close- set plants	Versatile rake for various small jobs such as tidying up, roughing up and level- ling out		ol for raking, levelling, king the soil	For hoeing, weeding, aerating, ridging and levelling and for working in close-set rows without damaging the plants
Special features	-	_	-	Double bow construction for challenging applications and safe movement during use	2 teeth, straight blade

#### combisystem Cleaning



next to trees)



# combisystem Telescopic Application







	4
oisystem	combisvs





Article designation	combisystem Fruit Picker	combisystem Fruit Picker Promotion	combisystem Gutter Cleaner	combisystem Gutter Cleaner Promotion
Article No.	3115-20	3115-30	3651-20	3651-30
EAN Code	4 078500 033565	4 078500 033589	4 078500 033664	4 078500 033688
Quantity in pack / Pallet unit	5 / 100	20 / 80	5 / 120	12 / 48
Packaging type	4-colour information card	4-colour information card	4-colour information card	4-colour information card
Sale/Info	-	Sold only as display with 20 pieces	-	Sold only as display with 12 pieces
Recommended handle	combisystem Telescopic Handles for working at heights of up to 5 metres	-	combisystem Telescopic Handles for working at heights of up to 5 metres	-
Materials	Strong plastic construction	_	Housing and scraper made from high-quality plastic. Brush with stiff plastic bristles	-
Uses	Convenient picking of fruit	-	Cleaning and clearing gutters	-
Special features	The teeth between the openings make it easy to pick the fruit. The working angle can be adjusted as required using the quick release system. Includes a handle so that the tool can also be used without a combisystem handle. Collection bag is made from mesh material to make it easy to identify the contents	In display. Contents: 20 complete tools with 1 x 3721, 1 x 3115	Two scrapers for efficient dirt removal. Original GARDENA system connection for cleaning with water. Stiff bristles for excellent cleaning, particularly when using with water. The working angle can be adjusted as required using the quick release system. Includes a handle so that the tool can also be used without a combisystem handle	In display. Contents: 12 complete tools with 1 x 3721, 1 x 3651






#### combisystem Branch Pruner





Article designation	combisystem Anvil Branch Pruner
Article No.	297-20
EAN Code	4 078500 012591
Quantity in pack / Pallet unit	4/96
Packaging type	4-colour information card with plastic blade guard
Sale/Info	-
Max. branch diameter Ø	35 mm
Cutting principle	Anvil
Cord length	4.7 m
Recommended handle	combisystem Telescopic Handles
Materials	Hardened, non-stick-coated blade for smooth, clean cut
Uses	Comfortable removal of dry brittle branches in high places
Special features	Distinctly less effort required thanks to 5-fold transmission (+60% power), can be hooked onto branches, blade designed for precision branch hooking, safety loop, tear-proof pulling cord, pulley mechanism, incl. D-shaped handle for powerful and simple operation, fixing for cable end, can also be used as manual shears

#### combisystem Promotions



# **GARDENA Special Tools**

# Great helpers, each with many uses

Gripper – gentle on the back, pick up waste and other bits without bending down



#### Gripper

The easy way to pick up waste and refuse while being gentle on the back. Gripping and spiking function in one unit.

#### **Special Tools**



rticle designation	Gripper Assortmen
--------------------	-------------------

Article No.	3067-20	
EAN Code	4 078500 306706	
Quantity in pack / Pallet unit	25 / 250	
Packaging type	4-colour display	
Sale/Info	Sold only as display with 25 pieces	
2 in 1 Function	• (gripping and spiking)	
Uses	The easy way to pick up waste and refuse which is gentle on the back	
Material	Spike made of steel, non-rusting	
Special features	Simple removal at the press of a button.  Metal ply section in the upper gripper arm for removing refuse suitable for right and left handed people	

# **GARDENA Spreaders**

# Innovative and convenient – create a beautiful lawn effortlessly

The right model for every garden size and every application.

No more materials trickling out! Manual opening and closing prevents spreading materials from leaking accidentally. Rotation technology for efficient and quick application.



Suitable for sowing and fertilising. Can be used all year round, also for spreading road salt.



**Small Caster S** For targeted distribution of spreading material.



Ideal for small to medium-

sized lawns and city gardens. Quick and easy thanks to intuitive crank mechanism.



Spreader L

For medium-sized gardens. Spreading material no longer escapes accidentally. Handle with open/ close function. Patented closure strip with soft plastic lip. Ergonomic quantity setting in upright position.



Spreader XL

For larger gardens. Up to approx. 6 cm spreading distance for convenient distribution over large areas. Spreads exactly to the edge due to limited sideward casting distance.

# Spreaders

	New!	New!	New!	New!
Article designation	Hand-Held Spreader M	Hand-Held Spreader M Assortment	Spreader L	Spreader XL
Article No.	431-20	431-34	432-20	436-20
EAN Code	4 078500 033121	4 078500 039345	4 078500 033169	4 <sup>0</sup> 78500 033190
Quantity in pack / Pallet unit	4/72	18 / 48	1 / 24	1/8
Packaging type	4-colour infosleeve	4-colour infosleeve	4-colour display carton	4-colour display carton
Sale/Info	_	Sold only in complete packaging units	_	_
Range / Spreading width	1 m - max. 4 m (depending on the crank speed and type of spreading material)		45 cm	1.5 m - max. 6 m (depending on walking speed and type of spreading material)
Volume	1.81		12.5	181
Recommended lawn area up to approx.	10	00 m <sup>2</sup>	400 m <sup>2</sup>	800 m <sup>2</sup>
Even distribution with	Freely ro	otating disc	Special scattering roller	Freely rotating disc
Open/close function	Thumb re	lease button	Released o	on the handle
Ergonomic quantity setting	4 levels o	n the handle	In upright position	
Distribution of solid fertiliser and fertiliser granules	•	•	•	•
Distribution of lawn seeds and road salt	•	•	•	•
Distribution of ferrous sulphate, sand and powdered spreading material	-	-	•	_
Dosage table / Setting recommendation	Setting recommendati	ion in terms of grain size	Multi-level	on the handle
With lug tread	_	_	•	•
With dosage table	1	_	Available on www.gardena.com	Setting recommendation in terms of grain size
Two wheel drive	_	_	•	•
With ball bearing		_	•	_
Robust U-bracket with handle	-	_	•	•
Practical storage	Space-saving on the shelf		• (standin	g or hanging)
Easy cleaning	Rinse with water		With	water
Materials	High-quality plastic, corrosion resistant and break-proof			ant and break-proof. Robust aluminium ss steel wire cable
Uses	Distribution of fertiliser, seeds and road salt		Can be used universally all year round. For applying fertiliser, seeds, limestone, road salt and sand	Can be used all year round. For applying fertiliser, seeds and road salt
Special features	simple and quick dist Filling volume: ferti	n, can be used all year round, ribution of spreading material. iliser: approx. 1.65 kg; kg; seeds: approx. 1.0 kg	Locking slide with seal lip to reliably close the container. Cover flap for easy emptying and cleaning.	Extra-large casting distance to save time. With cover plate for spreading close to the edges and cleaner application



Ergonomic handle — thanks to central centre of gravity. Simple and quick — intuitive crank mechanism.



No accidental leakage of spreading material – patented locking slide with soft plastic lip



Exact spreading on the edges – with cover plate

# **GARDENA Sprayers**

# For care using irrigation, fertiliser or plant protection

Pump and Pressure Sprayers are useful tools to finely water and to distribute fertiliser or plant protection products. GARDENA has the right model for every requirement.



**GARDENA Pump Sprayers** - For small water quantities

Ideal for flowers in the home, on the patio or in the garden. All GARDENA Pump Sprayers rest nicely in hand and hold water quantities from 0.5 or 1 litre.



**GARDENA Pressure Sprayers** - For larger water quantities

GARDENA Pressure Sprayers hold between 1.25 and 12 litres and are convenient for trees, shrubs, orchards or large flower beds. Thanks to the large opening, it is easy to fill the pressure sprayers.


#### **Pump Sprayers**



Article designation	Comfort Pump Sprayer 1

Article No.	803-20
EAN Code	4 078500 080507
Quantity in pack / Pallet unit	6 / 144
Packaging type	4-colour product hanger
Sale/Info	-
Filling quantity	1 Litre
Ergonomic handle	•
Spray nozzle fully adjustable	•
Large filling opening	•
Filter at the suction pipe	•
Uses	Garden and household
Special features	Level indicator, large filling opening

#### **Pressure Sprayers**





Spray nozzle fully adjustable

Fully adjustable from hard jet to fine mist



**Shoulder strap** 

With a shoulder strap for comfortable carrying



Level indicator

**Level indicator** 

With level indicator for exact dosage







**Moulded feet** 

Moulded feet allow easy pumping and guarantee stability on uneven surfaces

Filter

Large opening with removable filter for filling

Safety pressure control valve

Ensures quick pressure decrease if necessary

#### **Pump and Pressure Sprayer Accessories**





# **GARDENA** city gardening

## Gardening is everywhere - including the heart of the city

The trend is unmissable; more and more people are being drawn to urban living and they are all keen to make their space their very own private oasis. After all, living centrally and having your own green space isn't mutually exclusive, because more and more plants are blossoming, sprouting and flourishing on balconies, garden terraces and roof terraces.

The motto is: Out with the grey, in with the green!

GARDENA city gardening lets you unleash your passion for gardens, however small the space. Looking for the green in the city? Look no further! GARDENA city gardening makes the city more green, more colourful and more pleasant. Right outside your own door.

### Plenty of green, however small the space



#### Small urban gardens (up to 100 m<sup>2</sup>)

- Terraced house gardens/ gardens in the backyard
- Tiny spaces with lawn, beds and hedges
- · Limited storage space
- · Water supply available
- Oases of well-being peaceful and private



#### Terraces/roof terraces (20-50 m<sup>2</sup>)

- Average size 20-30 m<sup>2</sup>
- Plenty of potted and container plants
- Extremely limited storage space
- Water supply usually available
- Private retreats



#### Balconies (5-30 m²)

- Extremely limited space
- Exclusively potted and container plants
- Small and manageable
- Minimal storage space desire for compact and space-saving solutions
- Water supply rarely available
- Tiny paradise

#### **Products for balconies**









Article No.	8966-32	8974-20	8967-20
Article designation	city gardening Balcony Basics <sup>1</sup>	city gardening Balcony Plant Set	city gardening #growanyspace Basil Set

	EAN Code	4 078500 035088	4 078500 035064	4 078500 035583
Ī	Quantity in pack / Pallet unit	10 / 80	5 / 340	4 / 176
	Packaging type	4-colour infosleeve	4-colour product card	Attractive gift packaging
	Sale/Info	Sold only as display with 10 pieces	Sold only in complete packaging units	_
	More information about the product	123	123	123
	on page			

# More products for balconies

		New!	
Article designation	city gardening Balcony Box Assortment	city gardening Textile Hose Liano 10 m Set	
Article No.	8970-30	18429-20	
EAN Code	4 078500 023887	4 <sup>0</sup> 078500 <sup>0</sup> 046091 <sup>0</sup>	
Quantity in pack / Pallet unit	12 / 48		
Packaging type	4-colour-infosleeve	4-colour information card	
Sale/Info	Sold only as display with 12 pieces	Sold only as display with 8 pieces	
Material	Die-cast aluminium and high-quality plastic	_	
Ergonomically shaped handle	•	-	
Handle with soft component	•	-	
Uses	Plant and replant, loosen soil, cut flowers and herbs, sweep up dirt on balconies and terraces	-	
Special features	Set of products mainly for use on balconies/terraces. Complete with storage box. 25 years warranty	-	




# **GARDENA Planting and Topiary Trimming Mats**

For potting, repotting and topiary trimming. Dirt-free.


These mats serve as a practical sheet for all repotting and topiary work. They can be used anywhere: on your balcony or terrace, in your apartment... so everything stays clean! Any soil and clippings can be disposed of quickly. The mats are the ideal solution for reducing dirt and improving convenience.

#### **New products**





- Edges can be adjusted using push buttons
- Water-repellent material



Planting Mat M for potting and repotting

- Edges can be adjusted using push buttons
- Water-repellent material
- With four handles
- With sealable opening for emptying



# Planting Mat L for potting and repotting

- Edges can be adjusted using push buttons
- Water-repellent material
- With four handles
- With sealable opening for emptying
- · With knee cushions



#### **Topiary Trimming Mat**

- Water-repellent material
- With four handles
- With adjustable collar for adapting to the pot or plant stem



**Work dirt-free** 

Lay down the mat and adjust the edges using the push buttons to ensure that soil and plant waste will not fall onto the table or floor. The contents can be easily emptied into a bin or compost heap — so everything stays clean.



**Practical emptying** 

So convenient: Simply open the centre tab to empty soil and plant cuttings through the mat opening and into the bin or compost heap. Handles make it easy to empty and transport the mat.



**Kneel in comfort** 

Keep comfortable while you pot or repot plants: Knee cushions in the mat take the pressure off your knees as you work on the ground.



# Collect topiary trimmings

Simply place the "collar", i.e. the adjustable opening in the topiary trimming mat, around the plant stem or pot, cut the plant into shape, fold up the mat and empty any twigs and leaves into the bin or compost heap.

#### New products for balconies and terraces






#### **More products for terraces**







	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWI		
Article designation	city gardening Cooling Mist Set	city gardening Micro Mist Nozzle	city gardening Automatic Hose Box 15 m <sup>1</sup>
Article No.	13135-20	13136-20	18402-20
EAN Code	4 078500 034852	4 <sup>0</sup> 078500 <sup>0</sup> 034876	4 078500 033534
Quantity in pack / Pallet unit	3/144	6 / 630	1/14
Packaging type	4-colour display carton	4-colour display carton	4-colour display carton
Sale/Info	_	_	_
Diameter	_	-	13 mm
Length	_	_	15 m
Anti-drip device	-	_	•
Material	-	_	PVC
Special features	The Cooling Mist Set provides a cooling effect when outside on hot summer days. A fine water spray, spread by the Micro Mist Nozzles, cools temperatures by up to 6 °C. It can be easily installed on balconies, terraces, under parasols and in tents. The system is connected to the tap using an integrated OGS hose connector.	Micro Mist Nozzles produce a fine water spray that refreshes and cools on hot days. The replacement Micro Mist Nozzles are used with the Cooling Mist Set Art. No. 13135-20.	Steel-spring driven, integrated frost protection, automatic hose retraction by pulling on the hose, can be swivelled by 180°, hose guide, integrated handle, theft protection
Contents	10 m hose, 3.5 mm internal diameter, 7 Micro Mist Nozzles (incl. 1 Micro Mist Nozzle with water stop), 13 fixing clamps and hose connector	3 replacement Micro Mist Nozzles	Complete with: 15 m GARDENA high-quality hose, 13 mm (1/2"), connection hose, Original GARDENA System Parts and Sprayer. Includes wall bracket with screws, wall plugs and assembly aid











Article designation	NatureUp! Vertical Basic Set	NatureUp! Corner Basic Set	
Article No.	13150-20	13153-20	
EAN Code	4 078500 034890	4 078500 034906	
Quantity in pack / Pallet unit	1/15	1/72	
Packaging type	4-colour display carton	4-colour display carton	
Sale/Info	-	-	
Application	For vertically planting green	ery on balconies, terraces and patios	
Contents	3 vertical planters, 3 covers, 1 base plate, 12 clips	3 corner planters, 3 covers, 1 base plate, 6 clips, 2 fixings, 16 hardened steel nails	
Space required (I x w)	65 cm x 15 cm	17 cm x 17 cm	
Number of plants	For 9 plants	For 3 plants	
Dimensions (Set) (I x w x h)	65 cm x 15 cm x 54 cm	17 cm x 17 cm x 54 cm	
Expansion	With Art. No. 13150-20 or Art. No. 13153-20		
Automatic watering	With GARDENA Water Control (optional) and NatureUp! Watering Sets	With GARDENA Water Control (optional) and NatureUp! Watering Sets	

MADE IN GERMANY	1x 4x	32 x 8 x	8 x	4 x 16 x
Article designation	NatureUp! Vertical Wall Bracket	NatureUp! Corner Wall Bracket	NatureUp! Connection Clip	NatureUp! Fastener
Article No.	13162-20	13163-20	13164-20	13166-20
EAN Code	4 <sup>0</sup> 078500 034975	4 078500 034999	4 078500 035026	4 078500 035040
Quantity in pack / Pallet unit	3/-	3/-	10/-	10/-
Packaging type	4-colour display carton	4-colour display carton	4-colour blister card	4-colour blister card
Sale/Info	1	_	-	_
Application	For hanging up to 3 vertical planters; to hang up to max. 6 planters, 2 x Art. No. 13162-20 are required	For hanging 3 corner planters in a corner or 6 corner planters arranged in a crescent design at 180°	For connecting vertical and/or corner planters with one another and planters with covers	Fixing and stabilising vertical and corner planters to walls or vertical spaces
Contents	1 wall bracket, 2 screws, 2 wall plugs, 4 fasteners, 16 hardened steel nails	2 special base plates, 3 clips, 8 fasteners, 32 hardened steel nails	8 clips	4 fasteners with premium double- sided tape, 16 hardened steel nails
Dimensions (length x width x height) approx.	18.2 x 13.3 x 8.9 cm (wall bracket)	_	-	5.0 x 5.0 x 0.8 cm









Article designation	NatureUp! Vertical Watering Set Tap	NatureUp! Corner Watering Set Tap	
Article No.	13156-20	13157-20	
EAN Code	4 078500 034913	4 078500 034937	
Quantity in pack / Pallet unit	3 / 150	3 / 150	
Packaging type	4-colour display carton	4-colour display carton	
Sale/Info	_	-	
Application	For watering up to 27 plants or 9 vertical containers with a water supply	For watering up to 12 plants or 12 corner planters with a water supply	
Contents	1 Master Unit 1000, 1 Shut-Off Valve 4.6 mm (3/16"), 6 Connectors 4.6 mm (3/16"), 7 T-Pieces 4.6 mm (3/16"), 1 Cross Fitting 4.6 mm (3/16"), 2 L-Pieces 4.6 mm (3/16"), 10 Plugs 4.6 mm (3/16"), 9 Drip Irrigation Lines 65 cm, 8 Supply Pipes 15.5 cm, 1 x Supply Pipes 15.0 cm (all Pipes 4.6 mm (3/16"))	1 Master Unit 1000, 1 Shut-Off Valve 4.6 mm (3/16"), 12 Connectors 4.6 mm (3/16"), 10 T-Pieces 4.6 mm (3/16"), 1 Cross Fitting 4.6 mm (3/16"), 13 L-Pieces 4.6 mm (3/16"), 13 Plugs 4.6 mm (3/16"), 12 Drip Irrigation Lines 14 cm, 11 Supply Pipes 15.5 cm, 3 Supply Pipes 4 cm, 9 Supply Pipes 8.5 cm, 1 x Supply Pipe 150 cm (all Pipes 4.6 mm (3/16"))	
Number of plants	For up to 27 plants	For up to 12 plants	
Automatic watering	With GARDENA Water Control (optional)	With GARDENA Water Control (optional)	
Water release per Drip Head	1.6 J/h	1.6 l/h	
Uses	For the connection between the tap and Master Unit 1000, we recommend the Connection Set Classic 13 mm (1/2"), 1,5 m Art. No. 18011-20		









 $\epsilon$ 

Article designation Article No.	Starter Set Flower Pots S (Display)	Starter Set Flower Pots M	Starter Set Flower Pots M automatic
EAN Code	4 078500 018364	4 078500 018388	4 078500 018401
Quantity in pack / Pallet unit	36 / 144	3/30	2/24
Packaging type	4-color display carton	4-color display carton	4-color display carton
Sale/Info	Only in display with 36 pieces	-	-
More information about the product on page	47	47	47

## **Urban garden**





C€

Article designation	SILENO city
Article No.	15001-28
EAN Code	4 078500 038423
Quantity in pack/Pallet unit	1/4
Packaging type	4-colour display carton
Sale/Info	-
Working width	-
Recommended lawn area	< 250 m <sup>2</sup>
Cutting height, min - max	20 - 50 mm
Weight	7.0 kg
Material	High-quality plastic
Use	Automatic lawn care
Special features	Easy installation — installation assistant and flexible positioning of charging station, convenient cutting level adjustment, covers very tight spaces in the garden, extremely quiet, simple to clean using garden hose



# Urban garden







Quantity in pack / Pallet unit

More information about the product

Article No.

EAN Code

Packaging type Sale/Info

on page



8127-20

5/90

4 078500 812702

4-colour display carton



(€

22







	Comfort Sensitive Plant Sprayer <sup>2, 3</sup>	
--	---	--


Comfort Sensitive Plant Sprayer <sup>2, 3</sup>	city gardening Balcony Sprayer <sup>3</sup>
18321-20	18405-20
4 078500 017244	4 078500 044608
5 / 240	5/-
4-colour information card	4-colour information card
-	Sold only in complete packaging units

21









# **Original GARDENA System**

	0	0	0 00	
Article designation	Washer	0-Ring	Washer Set	Adapter
Article No.	5300-20	5303-20	1124-20	5305-20
EAN Code	4 078500 530002	4 078500 530309	4 078500 112406	4 078500 530507
Quantity in pack / Pallet unit	10 / 1560	10 / 4080	10 / 4080	6 / 1728
Packaging type	4-colour blister card	4-colour blister card	4-colour blister card	4-colour blister card
Sale/Info	Sold only in complete packaging units	Sold only in complete packaging units	Sold only in complete packaging units	Sold only in complete packaging units
Suitable for	For Original GARDENA System Tap Connector, Art. No. 901/2901, 18201 Profi-System Tap Connector, Art. No. 2801 and Twin-Tap, Art. No. 938	For all Original GARDENA System connecting pieces, e. g. to click-on accessories, nozzles, sprayers and sprinklers	Tap Connector with the Art. No. 901-50, 2901-20 and 18201	For changing from 33.3 mm (G 1) female thread to 26.5 mm (G 3/4) male thread
Contents	5 washers	5 O-rings	1 washer, 3 O-rings	-

# Saws

Article designation	Replacement Blade
Article No.	5376-20
EAN Code	4 078500 537605
Quantity in pack / Pallet unit	5/2400
Packaging type	Blister card
Sale/Info	Sold only in complete packaging units
Suitable for	Saw, Art. No. 8747
Characteristics	-



150 SPARE PARTS

ArtNo.	Article description	Page	ArtNo.	Article description	Page
241-20	Wall Hose Bracket	37	1680-20	Shampoo	30
	combisystem Anvil Branch Pruner	104/132		MultiControl duo	70
	Comfort Boxwood Secateurs Offer	95	1890-28		69
	Classic Hedge Clippers 540	95	1890-34		69
	Comfort Hedge Clippers 570	96	1891-28		69
	Comfort Hedge Clippers 700 T	96	1892-28		69
	Classic Hedge Clippers 510	95		Comfort Circular Sprinkler Vario	26
	Comfort Boxwood Secateurs	95		Comfort Circular Sprinkler Vario	26
431-20	Hand-Held Spreader M	135		Classic Spray Sprinkler Fox	26
	Hand-Held Spreader M Assortment	135		Soaker Hose	28
	Spreader L	135		Comfort Aquazoom 250/2	27
	Spreader XL	135		Comfort Aquazoom 350/2	27
	city gardening Planting Mat S	142		Soaker Hose Connection Set	28
	city gardening Planting Mat M	142	1998-20	Sprinkler Hose	28
	city gardening Planting Mat L	142		Classic 4 Pattern Sprinkler Twist Offer	26
	city gardening Topiary Trimming Mat	142		Classic Oscillating Sprinkler Polo 220	27
	Comfort Pump Sprayer 1 I	136		Classic Oscillating Sprinkler Polo 220	27
	Comfort Pressure Sprayer 1.25 I	137		Classic Oscillating Sprinkler Polo 280	27
	Pressure Sprayer 5 L	137		Classic Wall-fixed Hose Reel 60 with Hose Guide	37
	Comfort Pressure Sprayer 3 I	137	2687-20	Hose Reel 30	37
	Comfort Pressure Sprayer 5 I	137		Hose Reel Set	37
	Comfort Backpack Sprayer 12 I	137		Connecting Pipe	66
	Weedkiller Cone	138		Connecting Pipe	66
	Extension Lance	138		"Profi" Maxi-Flow System Connection Set	67
	Twin-Tap Connector	12		Connecting Point	62
	Washer Set	150		Drain Valve	67
	Manual Tap Timer	69		Connector 25 mm × 3/4" female thread	65
	Extension Cable	71		Connector 25 mm × 1" female thread	65
	Soil Moisture Sensor	71		Connector 25 mm × 1" male thread	65
	Water Distributor automatic	71		T-Piece 25 mm	66
	Programming Unit	73		T-Piece 25 mm	66
	Controller 9V	73		Connector 25 mm	66
	Irrigation Valve 9V	73		End-Piece 25 mm	66
	Valve Box V1	74		L-Piece 25 mm x 1/2" male thread	65
	Valve Box V3	74		L-Piece 25 mm × 3/4" male thread	65
	Irrigation Valve 24V	73		T-Piece 25 mm 1/2" male thread	65
	Connection Cable 24V	73		T-Piece 25 mm 3/4" male thread	65
	Cable Clip 24 V	74		T-Piece 25 mm 3/4" female thread	65
	•	52			18
	Plug 4.6 mm (3/16") Pipe Pegs 4.6 mm (3/16")	51		Profi System Threaded Tap Connector Profi System Hose Connector	18
	Pipe Pegs 13 mm (1/2")	51		•	18
		53		Profi System Universal Adapter	18
	Endline Drip Endline Drip			Profi System Reducing Coupling	
		53		Profi System Extension Joint Round Tap Connector	18
	Connecting Pipe 13 mm (1/2")	51			12
	Connecting Pipe 13 mm (1/2")	51		Universal Tap Connector	13
	Supply Pipe 4.6 mm (3/16")	51		Threaded Hose Connector	13
	Supply Pipe 4.6 mm (3/16")	51		Accessory Adapter	16
	Master Unit 2000	50		Extension Joint	16
1355-20	Master Unit 1000	50		3-way Y Coupling	16
1362-20	Extension Irrigation Line for Rows of Plants Protruding Above the Ground 4.6 mm (3/16")	48		Hose Connector with Control Valve Angled Tap Connector	16 12
1365-20	Spray Nozzle 360°	55	3015-20	combisystem Fan Rake XXL Assortment	128
1367-20	Spray Nozzle 180°	55	3020-23	combisystem Lawn Rake Assortment	132
1368-20	Spray Nozzle 90°	55	3022-20	combisystem Fan Rake Assortment	132
1369-20	Micro Rotor Sprinkler 360°	56	3039-20	Bulb Planter Assortment	124
1371-20	Micro Mist Nozzle	56	3067-20	Gripper Assortment	133
1374-20	Control Valve	57	3087-20	Combi Starter Set	132
1377-20	Extension Pipe for Spray Nozzles	57		combisystem Spring-Wire Rake	128
	Adjustable Endline Drip	53		combisystem Lawn Rake	128
	6-Pattern Spray Nozzle	55		combisystem Plastic Fan Rake XXL vario	128
1000 20	1 2			combisystem Fruit Collector	130
	"Profi" Maxi-Flow System Connector Set	67	3100-20		
1505-23	"Profi" Maxi-Flow System Connector Set Central Filter	67 67			132
1505-23 1510-20	-		3108-30	combisystem Fruit Collector Assortment combisystem Hoe	

ArtNo.	Article description	Page	ArtNo.	Article description	Page
3115-30	combisystem Fruit Picker Promotion	131	8320-20	Small Area Spray Nozzle	56
	combisystem Lawn Edge Trimmer	128		Small Area Spray Nozzle	56
	combisystem Grubber	129		Installation Tool	50
	combisystem Bow Rake	129	8324-20	Plug 13 mm (1/2")	52
	combisystem Rake	129	8327-20	Pipe Guide 4.6 mm (3/16")	51
	combisystem Rake	129		Pipe Guide 13 mm (1/2")	51
	combisystem Push-pull Hoe GARDEX	129		T-Pieces 13 mm (1/2")	52
	combisystem Draw Hoe	129		T-Pieces 4.6 mm (3/16")	52
	combisystem Garden Hoe	129	8331-20	T-Joint for Spray Nozzles 13 mm (1/2")	57
	combisystem Aerator Rake	128		T-Joint for Spray Nozzles 4.6 mm (3/16")	57
	Bulb Planter	124		Reducing T-Joint 13 mm (1/2") - 4.6 mm (3/16")	52
	Tool Rack	127		Connector 4.6 mm (3/16")	52
	Tool Rack	127		Inline Drip Head	54
	Single Holder	127		Inline Drip Head	54
	combisystem Joint Brush M	130		Connector 13 mm (1/2")	52
	combisystem Road Broom	130		Shut-Off Valve 4.6 mm (3/16")	51
	combisystem Road Broom Assortment	132		Shut-Off Valve 13 mm (1/2")	51
	combisystem House Broom	130		Oscillating Sprinkler OS 90	56
	combisystem Gutter Cleaner	131		Extension Pipe for OS 90	57
	combisystem Gutter Cleaner Promotion	131		Pipe Clip 4.6 mm (3/16")	51
	combisystem Telescopic Handle 90 - 145 cm	126		Pipe Clip 13 mm (1/2")	51
	combisystem Telescopic Handle 160 - 290 cm	105/126		L-Joint 4.6 mm (3/16")	52
	combisystem Telescopic Handle 210 - 390 cm	105/126		L-Joint 13 mm (1/2")	52
	combisystem Wooden Handle 130 cm	125		Adjustable Inline Drip Head	54
	combisystem Wooden Handle 150 cm	125		Premium Secateurs B+/L	92
	House for Robotic Lawnmower	77		•	93
				SchnippSchnapp	
	House for Robotic Lawnmower	77		SchnippSchnapp	93
	Spare Blade	81		SchnippSchnapp XL	93
	Spare Blade	81		Universal Hatchet 900 B	110
	Spare Blade	81		Universal Axe 1000 A	110
	PowerMax™ 1200/32	80		Universal Axe 1400 A	110
	PowerMax™ 1400/34	80		Splitting Axe 1600 S	110
	Set PowerMax™ Li-18/32	81		Splitting Axe 2800 S	110
5300-20		150		Classic Grass Shears	87
5303-20		150		Classic Grass Shears, rotatable	87
5305-20	•	150		Classic Grass Shears, rotatable	87
	Replacement Filament Cassette	83		Comfort Grass Shears, rotatable	87
5368-20	Spare Blades RotorCut	83	8738-20	combisystem Gardeners' Saw 300 PP, curved	107
	Replacement Blade	150		Gardeners' Folding Saw 135 P	108
5580-20	Car Wash Set	30	8743-20	Gardeners' Folding Saw 200 P	108
	Round MixerTap Connector	12	8747-20	Comfort Bow Saw 530	107
6005-20	Adapter Tap Connector	10	8754-20	Garden Secateurs-Offer	90
8009-20	Classic Wall-fixed Hose Reel 50 Set	37	8773-20	SmartCut Ratchet Lopper	101
8010-20	Classic Hose Reel 10 Set	37	8798-20	Comfort Ratchet Secateurs SmartCut	92
8022-20	Comfort Wall-Mounted Hose Box 15 roll-up automatic	39	8833-28	Battery Charger 18 V	83
8023-20	Comfort Wall-Mounted Hose Box 25 roll-up automatic	39	8853-34	Garden Secateurs-Offer B/S-M	90
8024-20	Comfort Wall-Mounted Hose Box 35 roll-up automatic	39	8854-20	Garden Secateurs B/S	90
8026-20	Wall-Mounted Hose Box 30 roll-up automatic	39	8857-20	Garden Secateurs B/S-M	90
8127-20	Oscillating Sprinkler ZoomMaxx	27/148	8902-20	Promotion Garden Secateurs B/S-XL	91
	Premium Full or Part Circle Pulse Sprinkler	28		Garden Secateurs A/M	91
	Comfort Full or Part Circle Pulse Sprinkler	28		Garden Secateurs B/M	91
	Comfort Full or Part Circle Pulse Sprinkler – Offer	28		Garden Secateurs B/S-XL	91
	Adapter For Indoor Taps	13		Alu Garden Secateurs B/L	92
	Water Smart Flow Meter	12		combisystem Hand Hoe	119
	Twin-Tap Connector	12		combisystem Hand Hoe	119
	Four Channel Water Distributor	12		combisystem Hand Hoe	119
	Turbo-driven Pop-up Sprinkler T 100	64		combisystem Wire Hand Rake	119
	Turbo-driven Pop-up Sprinkler T 200	64		combisystem Hand Rake	119
	Turbo-driven Pop-up Sprinkler T 380	64		combisystem Hand Grubber	119
	Pop-up Oscillating Sprinkler OS 140	64		combisystem Hand Weeder	120
	Water Connector	62		combisystem Flower Rake	120
	Fertilizer Dispenser	50		combisystem Patio Weeder	120
	Adjustable Endline Drip Head, pressure equalizing	53		combisystem Hand Trowel	120
	Adjustable Inline Drip Head, pressure equalizing	54	0005.00	Weeding Trowel	121

ArtNo.	Article description	Page	ArtNo.	Article description	Page
8950-20	Hand Trowel	121	17001-20	NatureLine Pointed Spade	114
8951-20	Trowel	121	17002-20	NatureLine Digging Fork	114
8952-20	Flower Fork	121	17010-20	ErgoLine Spade	112
8955-20	Comfort Hand Hoe	122	17010-30	ErgoLine Spade Promotion	112
8956-20	Comfort Hand Rake	122	17011-20	ErgoLine Small Spade	112
8957-20	Comfort Hand Grubber	122	17012-20	ErgoLine Pointed Spade	112
8958-20	Comfort Flower Rake	122	17013-20	ErgoLine Digging Fork	113
8959-20	Comfort Patio Weeder	122	17020-20	ErgoLine Telescopic Spade	113
8960-20	Comfort Hand Trowel	122	17020-30	ErgoLine Telescopic Spade Promotion	113
8965-30	Basic Equipment Hand Tools	123	17100-20	NatureLine Spare Wooden Handle 140 cm	116
8966-32	city gardening Balcony Basics	123/139	17105-20	NatureLine Lawn Rake	116
8967-20	city gardening #growanyspace Promotion	123/139	17105-30	NatureLine Rake Broom Promotion	117
8968-30	Hand Tools Set	123	17106-20	NatureLine Rake	116
8970-30	city gardening Balcony Box Assortment	123/140	17106-30	NatureLine Rake Promotion	117
8974-20	city gardening Balcony Plant Set	123/139	17107-20	NatureLine Adjustable Rake	116
9805-28	SmallCut 300/23	82	17108-20	NatureLine Grubber	116
9807-28	EasyCut 400/25	82	17109-20	NatureLine Hoe	116
9808-28	ComfortCut 450/25	82	17110-20	NatureLine Garden Hoe	116
9822-28	SmallCut Li-23R	83	17111-20	NatureLine Road Broom	116
9823-28	Set EasyCut Li-18/23R	83	17111-30	NatureLine Street Broom Promotion	117
9823-55	9823-55	83	17112-20	NatureLine Push-pull Hoe	116
9830-28	EasyCut 420/45	85	17150-20	NatureLine Mixed Display 1 Pallet	117
9836-28	EasyCut Li	85	17152-20	NatureLine Mixed Display 1/2 Pallet	117
9850-28	Grass Shears AccuCut Li	84	17153-20	NatureLine Mixed Display 1/2 Pallet	117
9852-28	Set AccuCut Li Grass & ShrubShears	84	17154-20	NatureLine Mixed Display 1/2 Pallet	117
12000-20	StarCut 160 plus	103	18000-20	Classic Hose 13 mm (1/2"), 15 m	41
12001-20	Telescopic StarCut 410 plus	103	18009-20	Classic Hose 13 mm (1/2"), 30 m	41
12002-20	EasyCut 500 B	98	18010-20	Classic Hose 13 mm (1/2"), 50 m	41
12003-20	EasyCut 680 B	98	18011-20	Connection Set Classic 13 mm (1/2"), 1.5 m	36
12003-30	EasyCut 680 B Promotion	98	18031-20	Comfort FLEX Hose 13 mm (1/2"), 15 m	41
12004-20	EasyCut 680 A	98	18036-20	Comfort FLEX Hose 13 mm (1/2"), 30 m	41
12005-20	TeleCut 520-670 B	100	18039-20	Comfort FLEX Hose 13 mm (1/2"), 50 m	41
12005-30	TeleCut 520-670 B Promotion	100	18040-20	Connection Set Comfort FLEX 13 mm (1/2"), 1.5 m	36
12006-20	EnergyCut 600 B	99	18066-20	Comfort HighFLEX Hose 13 mm (1/2"), 30 m	42
12007-20	EnergyCut 750 B	99	18069-20	Comfort HighFLEX Hose 13 mm (1/2"), 50 m	42
12008-20	EnergyCut 750 A	99	18096-20	Premium SuperFLEX Hose 13 mm (1/2"), 30 m	42
12009-20	TeleCut 650-900 B	100	18099-20	Premium SuperFLEX Hos1 13 mm (1/2"), 50 m	42
12009-30	TeleCut 650-900 B Promotion	100	18202-20	Tap Connector	10
12010-20	SlimCut	102	18213-20	Water Stop	15
12010-30	SlimCut Promotion	102	18215-20	Hose Connector	14
12100-20	Comfort long-handle Grass Shears	88	18216-20	Hose Connector	14
12100-30	Comfort Grass Shears Assortment	88	18232-20	Hose Repairer	16
12200-20	Promotional pack of 8904+8704	91	18240-20	Premium Tap Connector	11
13000-32	Starter Set Flower Pots S (Display)	47/147	18241-20	Premium Tap Connector	11
13001-20	Starter Set Flower Pots M	47/147	18242-20	Premium Tap Connector	11
13002-20	Starter Set Flower Pots M automatic	47/147	18253-20	Premium Water Stop	15
13010-20	Starter Set Rows of Plants S	48	18255-20	Premium Hose Connector	14
13012-20	Starter Set Rows of Plants M automatic	49	18281-20	Hose Connection Set	17
13015-20	Starter Set Planted Areas	48	18285-20	Rapid Connection Set	17
10101 00	Extension Irrigation Line for Rows of Plants Protruding	40	18286-20	Connection Set	17
13131-20	Above the Ground 13 mm (1/2")	49	18288-20	Sprayer Set	17
13135-20	city gardening Cooling Mist Set	58/143	18291-20	Basic Set	17
13136-20	city gardening Micro Mist Nozzle	58/143	18295-34	Basic Set Promotion	17
13150-20	NatureUp! Vertical Basic Set	60/145	18299-34	Watering Sprayer Promotion	17
13153-20	NatureUp! Corner Basic Set	60/145	18299-34	Watering Sprayer Offer	21
13156-20	NatureUp! Vertical Watering Set Tap	61/146	18300-20	Cleaning Nozzle	20
12157 20	NatureUp! Corner Watering Set Tap	61/146		Classic Cleaning Nozzle	20
13137-20		60/145		Comfort Cleaning Nozzle Offer	20
	NatureUp! Vertical Wall Bracket	,		Comfort Cleaning Nozzle ecoPulse	20
13162-20	NatureUp! Vertical Wall Bracket NatureUp! Corner Wall Bracket	60/145	10004-20	Contribut Clock in 19 1 102210 CCC1 GICC	20
13162-20 13163-20		60/145 60/145		Comfort Cleaning Nozzle ecoPulse Promotion	
13162-20 13163-20 13164-20	NatureUp! Corner Wall Bracket NatureUp! Connection Clip	60/145	18304-34	Comfort Cleaning Nozzle ecoPulse Promotion	20
13162-20 13163-20 13164-20 13166-20	NatureUp! Corner Wall Bracket NatureUp! Connection Clip NatureUp! Fastener	60/145 60/145	18304-34 18305-20	Comfort Cleaning Nozzle ecoPulse Promotion Premium Cleaning Nozzle	20 20
13162-20 13163-20 13164-20 13166-20 15001-28	NatureUp! Corner Wall Bracket NatureUp! Connection Clip NatureUp! Fastener SILENO city	60/145 60/145 76/147	18304-34 18305-20 18311-20	Comfort Cleaning Nozzle ecoPulse Promotion Premium Cleaning Nozzle Classic Watering Sprayer	20 20 21
13162-20 13163-20 13164-20 13166-20 15001-28 17000-20	NatureUp! Corner Wall Bracket NatureUp! Connection Clip NatureUp! Fastener	60/145 60/145	18304-34 18305-20 18311-20 18313-20	Comfort Cleaning Nozzle ecoPulse Promotion Premium Cleaning Nozzle	20 20

ArtNo.	Article description	Page	ArtNo.	Article description	Page
18315-34	Comfort Multi Sprayer Offer	23	18500-20	AquaRoll S	33
18317-20	Premium Multi Sprayer	23	18502-26	AquaRoll S Set	33
18319-20	Comfort Bed Sprayer	22	18511-20	AquaRoll M	33
18321-20	Comfort Sensitive Plant Sprayer	22	18513-20	AquaRoll M Set	34
18323-20	Comfort Cleaning Sprayer	22	18515-20	AquaRoll M Easy	34
18330-34	Spray Lance Offer	24	18520-20	AquaRoll L Easy	35
18332-20	Classic Spray Lance	24	18522-20	AquaRoll L Easy Set	35
18334-20	Comfort Spray Lance	24	18541-20	AquaRoll M Metal	36
18335-20	Comfort Hanging Basket Spray Lance	24	18542-20	AquaRoll M Metal Set	36
18341-32	Cleaning Gun Offer	20	18547-20	AquaRoll M Easy Metal Set	36
18343-32	Multi Spray Gun Offer	20	18550-20	AquaRoll L Easy Metal	36
18400-20	city gardening Terrace Hose Box 10 m	143	19030-20	smart Sensor	71
18401-20	city gardening Terrace Spiral Hose 7.5 m	143	19030-20	smart Sensor	7
18402-20	city gardening Automatic Hose Box 15 m	39/142	19031-28	smart Water Control	7
18405-20	city gardening Balcony Sprayer	21/148	19031-28	smart Water Control	70
18424-20	city gardening Terrace Hose 10 m	143	19032-20	smart Irrigation Control	8
18429-20	city gardening Textile Hose Liano 10 m Set	140	19032-20	smart Irrigation Control	73
18430-20	Textile Hose Liano 15 m Set	44	19066-28	smart SILENO city Set	6/76
18431-20	Textile Hose Liano 15 m Set Promotion	44	19100-28	smart system Set	7
18434-20	Textile Hose Liano 20 m Set	44	19102-28	smart Sensor Control Set	7
18435-20	Textile Hose Liano 20 m Set Promotion	44	19103-28	smart Water Control Set	7
18438-20	Textile Hose Liano 30 m Set	44	19113-28	smart SILENO life Set	6/76

#### **GARDENA Overview sound and vibration levels**

Product name	Art. No.	Measured sound power level [dB(A)]	Guaranteed sound power level [dB(A)]	Sound pressure level at the operator's ear [dB]	Measurement uncertainty of sound pressure level [dB]	Vibration level [m/s²]
Robotic Lawnmower SILENO city	15001	56	58	45	2-4	-
Robotic Lawnmower smart SILENO city	19066	56	58	45	-	-
Robotic Lawnmower smart SILENO life	19113	*	*	*	*	*
Electric Lawnmower PowerMax™ 1200/32	5032	91	92	77	3	2.51
Electric Lawnmower PowerMax™ 1400/34	5034	91	93	81	3	< 2.5
Battery Lawnmower PowerMax™ Li-18/32	5039	86	87	77	3	< 2.5
Trimmer SmallCut 300/23	9805	92	94	83	3	4.3
Turbotrimmer EasyCut 400/25	9807	92	95	80	3	3
Turbotrimmer ComfortCut 450/25	9808	93	94	84	3	< 2.5
Battery Trimmer SmallCut Li-23R	9822	*	*	*	*	*
Set Battery Trimmer EasyCut Li-18/23R	9823	83	88	75	3	< 2.5
Battery Trimmer EasyCut Li-18/23 without battery	9823	83	88	75	3	< 2.5
Grass Shears AccuCut Li	9850	*	*	*	*	*
Electric Hedge Trimmer EasyCut 420/45	9830	94	97	84	3	3.8
Battery Hedge Trimmer EasyCut Li	9836	*	*	*	*	*

\* Details not available at time of printing

Further information at: www.gardena.com/int/noiseandemission | Printing errors, changes and mistakes excepted.