2016-2017 Lawn & Garden



RYON

D



of the Ryobi **ONE** + System.

An industry breakthrough that has stood the test of time, ONE+ meant a variety of different tools could all share the same battery. That hasn't changed. nology, they will actually work even In fact, the ONE+ tools you bought

back then are not only compatible with the cutting edge ONE+ batteries of today, but thanks to our Lithium+ techbetter than ever. So, dig out that old

grass trimmer or hedge trimmer, upgrade the battery and re-discover the incredible power and versatility of the Ryobi ONE+ range that now features over 40 tools for the home and garden.

Wish Ryobi a Happy Anniversary using **#20yearsONEsystem**

Ryobi is #1 in USA and Australia. It is also the fastest growing power tool brand in the UK - GfK, 2015

Contents

At Ryobi[®] we've built a solid and enviable reputation by developing a real knowledge of exactly what people need from their garden tools.

Cordless Tools

18V ONE+ Garden Tools	7–13
18V ONE+ Power Tools	14–29
18V Batteries & Chargers	30–31

Lawn Care

Tree & Hedge Care

Hedge Trimmers: Electric & Petrol
Electric Pole Saws
Chainsaws

Garden Clean Up

Blowers & Vacs

Accessories

Accessories



We offer a 2 year warranty on all our product range, excluding accessories and components subject to natural and normal wear and tear, please refer to our warranty conditions in the user manual for complete conditions

All products shown are in compliance with the appropriate European regulations (displaying the CE approval mark on the rating plate).

Warning: All warranties are country/region specific. Tools purchased e.g. in the USA or via the internet, and imported into Europe, which are not CE approved, not only violate EU legislation, but will not be supported/ serviced in Europe by Ryobi® as a result. Only tools bought in the European Union displaying the CE approval mark on the rating plate (incl. Switzerland) are covered by a European warranty. Ryobi® reserves the right to revise product specifications at any time without notice

 32-37
 38-41
 39
 42-43
 44-45

 .46-50
 . 51
 . 52–53

	51 - 57
 	 J4-J1

				58	61
 	 	 	 	00-	04

What's **NEW** in **NE+**?

The leading cordless system for DIY'ers around the world just keeps growing and growing!

These are the latest additions to the **ONE**+ system for your garden.

NEW Lawn Mower QUIKMOW+, ZIPMOW+ & OLM1833H

Designed for the modern British garden, the new 18V ONE+ mower is powered by ONE battery, making it lightweight and manoeuvrable for mowing round corners and in tight spaces. Available with different sized battery packs or as a Zero tool.

1st! The world's first lawnmower powered by one 18V ONE+ battery.

NEW Pole Hedge Trimmer OPT1845 A new Pole Hedge

Trimmer which extends so you can reach those high hedges and bushes.

Hybrid Lawn Mower RLM18C34H25

The latest addition to the of power.

Do it your way

Choose a kit...

Select a starter kit from one of many options, and then build with Zero tools.



Over 40 Tools

powered by the same

Lithium + battery

Pick a tool...

Select the tool, battery & charger you want from the range as individual items, grow your ONE+ family.

f 🎔 🗹 #RyobiToolsUK ryobitools.co.uk



Hybrid range of tools, which are ONE+ compatible and can also be powered by an electric cord, so you never run out

<u>d'Lithium</u> **Battery Technology**

The **NE+** System: 40+ tools powered by the largest range of Lithium+ batteries.

Fuel Gauge

The simplest way to monitor your battery life and manage your workload.

IntelliCell™

Monitors and balances each cell so no energy is wasted. It maximises runtime and improves your tool's performance by up to 10%!

Protection Electronics

The electronics shut down the tool if there is too much strain on the battery or if it gets too hot, protecting both tool and battery from damage.

High Power Cells

A first for the DIY market! Energy flows easily through the cells when required in high bursts for increased performance.



+Runtime +Performance +Power Management +Durability Lithium+ instantly upgrades your ONE+ tool.

For further technical specifications, including noise and vibration data, please visit our website: www.ryobitools.co.uk

QUIKMOW+ NEV 18V Cordless Lawn Mower, 33cm Deck (1x4.0Ah)

- Supplied Lithium+ battery offers more power, longer run times, and better durability providing premium mowing performance
- Intellicell[™] technology monitors and balances individual cells to maximise run times, storage life and safety
- 33cm cutting path designed for easy maneuverability around the garden
- 5 Position, single point cutting height adjustment from 25-65mm Mow right to the perimeter of your garden with EasyEdge grass comb feature
- Folding and removable handles with a collapsible grass catcher for easy and compact storage
- As part of the ONE+ System, the 18V Lithium+ battery is compatibl with all home & garden tools in the cordless system

ZIPMOW+ NEV 18V Cordless Lawn Mower, 33cm Deck, (1x5.0Ah)

- Supplied Lithium+ battery offers more power, longer run times, and better durability providing premium mowing performance
- Intellicell[™] technology monitors and balances individual cells to maximise run times, storage life and safety
- 33cm cutting path designed for easy maneuverability around the garder
- 5 Position, single point cutting height adjustment from 25-65mm
- Mow right to the perimeter of your garden with EasyEdge grass comb feature
- Ergonomic handle design, with 5 height positions to accommodate all users
- Folding and removable handles with a collapsible grass catcher for easy and compact storage
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system

NEW

L OLM1833H 18V Cordless Lawn Mower, 33cm Deck

- 33cm cutting path designed for easy maneuverability around the garden
- 5 Position, single point cutting height adjustment from 20mm-60mm
- Mow right to the perimeter of your garden with EasyEdge grass comb feature
- Ergonomic handle design, with 5 height positions to accommodate all users
- Folding and removable handles with a collapsible grass catcher for easy and compact storage
- Recommended for use with RB18L40 or RB18L50 ONE+ batteries






Voltage (V)	18
Battery pack capacity (Ah)	4.0
No. of batteries supplied	1
Charger supplied	2 hr
Decksize (cm)	33
Drive mechanism	Push
Mulching capable	Yes
Weight with battery pack (kg)	12
Article Number	5133002566
EAN Code	4892210137883

Standard equipment (QUIKMOW+) 35L grass bag







Battery pack capacity (Ah)	5.0
No. of batteries supplied	1
Decksize (cm)	33
Charger supplied	3 hr
Drive mechanism	Push
Mulching capable	Yes
Weight with battery pack (kg)	12
Article Number	5133002608
EAN Code	4892210140760

Standard equipment (ZIPMOW+) 35L grass bag





Voltage (V)	18
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Decksize (cm)	33
Drive mechanism	Push
Mulching capable	Yes
Weight with battery pack (kg)	11.5
Article Number	5133002616
EAN Code	4892210139351

Standard equipment (OLM1833H) Mulching Plug, 35L grass bag





RLM18X40H240

36V Fusion Cordless Lawn Mower, 40cm Deck, Powered by ONE+ (2x4.0Ah)

- The performance of 36V with Ryobi Lithium Fusion™ technology. Powered by dual 18V Lithium+ 4.0Ah batteries
- The 4.0Ah Lithium+ battery offers more power, longer runtimes and better durability, giving petrol equivalent performance
- Intellicell[™] monitors and balances individual cells to maximise runtimes, storage life and safety
- 40cm cutting with metal blade for excellent cutting and mulching
- 5 Position, single point height adjustment from 20mm-70mm •
- Mow up to edge or around flower beds with EasyEdge™ grass comb •
- Quick release handles and soft bag for compact storage • •
- Vertebrae[™] handle with multiple grip positions and adjustable height As part of the 18V ONE+™ system, the battery is compatible with over 40 tools for the home and garden



Voltage (V) Battery pack capacity (Ah) 4.0 Vo. of batteries supplied 40 Decksize (cm) Blade speed (rpm) 3550 2 hr Charger supplied Push Drive mechanism Mulching capable Yes 19.2 Neight with battery pack (kg 5133002099 Article Number 4892210820815 EAN Code

Standard equipment (RLM18X40H240) 50 litre hard top grass bag, Mulching plug

Hvbrid

2.5Ah

6 hr

34 Push

Yes

16.1

5133002368 489221013230

x 2

x 2

RLM18C34H25 36V Fusion Hybrid Cordless Lawn Mower, 34cm Deck, Powered by ONE+ (2x 2.5Ah)

- 36V Hybrid Corded and Cordless Lawn Mower powered by either 2 x 18V Lithium+ 2.5Ah battery or electric power with a cable
- Intellicell[™] technology monitors and balances individual cells to mazimise run-times, storage life and safety
- Mower has 34cm cutting path
- Mow right to the perimeter with EasyEdge™ grass comb feature Folding handles and collapsible grass catcher for compact and easy .
- storage Up to 5 different adjustable heights for improved comfort
- Grass catcher has 45L capacity
- Mulching plug included •
- Vertebrae[™] handle design, with multiple grip positons and adjustable height for improved comfort
- As part of the 18V ONE+[™] system, the battery is compatible with over 40 tools for the home and garden







Did you know...?

Ryobi's Hybrid range is also part of the ONE+ System, meaning you can power over 40 different power and garden tools with the same Lithium+ battery.

The best of both worlds.

Hybrid tools never run out of power, so you can work for longer.

Have a job to do in the garden? Enjoy the freedom of cordless with a Lithium+ battery. And if your battery runs out, switch to mains electricity to keep going. Hybrid gives you the ultimate flexibility to choose between power sources so you can keep going and going and going...

#Hvbrid



Look out for the #Hybridi logo on our tools.

RYOBI



OLT1831S 18V Cordless Grass Trimmer, 30cm Cutting Width


- Adjustable cutting width from 25-30cm for great versatility when grass & weed cutting
- EasyEdge[™] feature offers quick transition between edging and trimming modes
- Telescoping boom and adjustable handle provides comfort for all users
- Three position pivoting string head for more versatile cutting •





X1





Also Available as

®NE

•

٠

.

18V Cordless Grass Trimmer, 25cm Cutting Width x0 EAN Code: 4892210818447 Product Code: 5133001808 OLT1825

OHT1855R ®NE 18V Cordless Hedge Trimmer 55cm Blade

- 18V Cordless Hedge Trimmer for pruning hedges & shrubs
- Powerful cutting performance due to high torgue motor
- Excellent cutting quality through precision 55cm laser cut, diamond ground blades
- Capable of cutting large branches with 22mm blade gap, and sawing function
- Anti-jamming system prevents accidential blocking
- Rotating rear handle offers ease of use in multiple positions
- HedgeSweep[™] attachment offers easy removal of clippings
- Sold as a Zero tool, without battery and charger



- High Torque motor delivers powerful cutting performance for pruning hedges & shrubs
- Excellent cutting quality through precision 50cm diamond ground blades
- Capable of cutting large branches with 18mm blade gap, and sawing function
- Anti-jamming system prevents accidential blocking
- Rotating rear handle offers ease of use in multiple positions
- HedgeSweep[™] attachment offers easy removal of clippings .
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system



• 4-position articulating head for pruning all sizzes of hedges & shrubs

- Rotating rear handle for optimum reach in all cutting applications
- Central trigger for easy use in extended reach position
- HedgeSweep debris sweeper for easy removal of clippings

🖪 🕑 🗹 #RyobiToolsUK ryobitools.co.uk



Voltage (V)	18
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	_
Max. cutting capacity (mm)	22
Blade speed (rpm)	2700
Blade length [cm]	55
Battery type	_
Weight with battery pack (kg)	2.8
Article Number	5133002161
EAN Code	4892210821249

Standard equipment (OHT1855R) HedgeSweep[™] attachment, blade sheath





Voltage (V)	18
Battery pack capacity (Ah)	1.5
No. of batteries supplied	1
Charger supplied	60 min
Max. cutting capacity (mm)	18
Blade speed (rpm)	2700
Blade length [cm]	50
Battery type	Li-ion
Weight with battery pack (kg)	3.15
Article Number	5133002110
EAN Code	4892210820754

Standard equipment (RHT1851R15) HedgeSweep™ attachment, blade sheath







Voltage (V)	18
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	-
Max. cutting capacity (mm)	16
Stroke rate (spm)	2400
Blade length (cm)	50
Weight with battery pack (kg)	3.73
Article Number	5133001249
EAN Code	4892210815439

Standard equipment (OHT1850X) HedgeSweep™ attachment, blade sheath





OPP1820 18V Cordless Pole Pruner, 20cm Bar

- 20cm Oregon bar and chain for effective pruning and cutting
- High torque performance with 5.5m/s chain speed
 Extendable shaft for a reach of up to 4m
- 15° angled cutting head for easy pruning and better control
- Automatic chain and bar lubrication for continuous cutting



- High speed nozzle provides airflow speed of 193km/h
 Lightweight design, with ultimate cordless convenience
- GripZone[™] overmould for comfortable grip

- Powerful cutting performance due to premium 18V motor
 45cm diamond ground blades for clean cutting
- Capable of cutting large branches with 18mm blade gap
- 135° articulating cutting head, with 4 positions for versatile trimming •
- Removable extension shaft for full length of 2.3m, or compact storage







Voltage (V)	18
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	_
Blade length (mm)	450
Blade speed (rpm)	1500
Cutting capacity	18mm
Weight without battery pack (kg)	4.2
Article Number	5133002523
EAN Code	4892210138521

Standard equipment (0PT1845) HedgeSweep, blade sheath, single shoulder strap harness





f 🎔 🖸 #RyobiToolsUK ryobitools.co.uk



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Chain bar length (cm)	20
Chain speed (m/s)	5.5
Weight (kg)	4.1
Article Number	5133001250
EAN Code	4892210815446

Standard equipment (OPP1820) Bar and Chain Oil, scabbard





Voltage (V)	18
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	-
Airflow speed (km/h)	193
Weight with battery pack (kg)	1.6
Article Number	5133000731
EAN Code	4892210812605

Standard equipment (0BL1802) 1 x nozzle



And did you know we have ONE+ power tools for your home as well?

Over 40 Tools

powered by the same **ONE+** battery

Power tools and kits for all your DIY needs

Choose a kit...

Buy any tool + battery kit, then expand your family for less.



Pick a tool...

Select the tool, battery & charger you want from the range as individual items, grow your ONE+ family.

R18PDBL-0 18V Brushless Percussion Drill

- Brushless motor is electronically-controlled to optimise efficiency for up to 40% more run time per charge.
- Electronic performance control delivers up to 20% more power than brushed drills
- Brushless motor runs cooler and last up to 10 times longer than brushed drills
- All metal 13mm ratcheting chuck for improved bit gripping strength and durability
- e-Torque control settings make it easy to drive screws flush everytime
- LED illuminates the work area Metal planetary gearbox with 2 gears (0-440 & 0-1,700 RPM) for a wide range of drilling and fastening applications
- New ErgoTech Handle design with Gripzone+ microtexture for added comfort and control
- The most compact Ryobi 18V percussion drill ever, measuring 201 mm in length Powered by Lithium+ battery technology which provides more power, longer
- runtime and better durability than our previous lithium batteries

Also Available as





18V Cordless Percussion Drill (2x1.3Ah)

- Combination Drill, Screw Driver and Percussion drill to suit multiple applications
- 13mm keyless chuck for greater accessory compatibility Quick adjustment 24 torque settings for perfect screwdriving
 - every time 2 gears for most materials and applications
- Electronic variable speed, reverse and brake for total control

Also Available as





Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Max. torque (Nm)	60
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-440
No load speed gear 2 (rpm)	0-1,700
Max. drilling wood (mm)	50
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Torque settings	10
Weight without battery pack (kg)	1.7
Our and the set in	Recyclable
Supplied in	carton
Article Number	5133002438
EAN Code	4892210135636

Standard equipment (R18PDBL-0) 1 x double-ended screwdriver bit



ess Percussion E)rill (2x1.3Ah)
Product Code: 5133001949	EAN Code: 4892210124579
Hammer Drill & (2x1.3Ah)	mpact Driver Kit

4892210126733

Voltage (V)	18
No. of batteries supplied	2
Charger supplied	45 min
Max. torque (Nm)	50
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	400
No load speed gear 2 (rpm)	1550
percussion rate gear 1	6000
percussion rate gear 2	23250
Max. drilling wood (mm)	38
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Torque settings	24
Weight with battery pack (kg)	1.93
Supplied in	Tool bag
Article Number	5133001955
EAN Code	4892210124609

Standard equipment (LLCDI18022) 1x double-ended screwdriver



R18PD-0 **18V Cordless Percussion Drill**

- Combination Drill, Screw Driver and Percussion drill to suit multiple applications
- All Metal 13mm keyless chuck for greater accessory compatibility
- LED Illuminates the work area
- Quick adjustment 24 torque settings for perfect screwdriving everv time
- 2 gears to control max speed to match different materials and applications
- Magnetic bit holder keeps screws and accessories close to hand
- Ergonomic GripZone+ with microtexture for a postive grip



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Max. torque (Nm)	55
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-375
No load speed gear 2 (rpm)	0-1600
Max. drilling wood (mm)	38
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Torque settings	24
Weight with battery pack (kg)	2.1
Cupalized in	Recyclable
Supplied in	carton
Article Number	5133002478
EAN Code	4892210137647

Standard equipment (R18PD-0) Double ended bit, Auxiliary handle and Depth stop 571

RCD1802M 18V Cordless Drill/Driver

- 13mm keyless chuck for greater accessory compatibility
- LED Illuminates the work area
- Quick adjustment 24 torque settings for perfect screwdriving every time
- 2 gears to control max speed to match different materials and • applications
- Magnetic bit holder keeps screws and accessories close to hand Ergonomic GripZone+ with microtexture for a postive grip



No. of batteries supplied	(
Charger supplied	-
Max. torque (Nm)	45
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	440
No load speed gear 2 (rpm)	1600
Max. drilling wood (mm)	38
Max. drilling steel (mm)	13
Torque settings	24
Weight with battery pack (kg)	1.64
Supplied in	Tool bag
Article Number	5133001171
EAN Code	4892210118684

хO

Also Available as

	18V Cord	lless Drill/Driver	(1x1.3Ah)
x1	Name:	Product Code:	EAN Code:
	RCD18021L	5133001954	4892210124593

18V Cordless Drill/Driver

- 13mm keyless chuck for greater accessory compatibility •
- Electronic variable speed, reverse and brake for total control .
- Spirit level for precise drilling
- 2 gears to control max speed to match different materials and
- applications Quick adjustment 24 torque settings for perfect screwdriving every time
- . Magnetic bit holder keeps screws and accessories close to hand
- Soft touch trigger and gear switch for user comfort
- Ergonomic GripZone[™] overmould technology for improved comfort with a positive grip



Voltage (V)	1.
No. of batteries supplied	
Charger supplied	-
Max. torque (Nm)	4:
Chuck capacity (mm)	1.
No load speed gear 1 (rpm)	44
No load speed gear 2 (rpm)	1,60
Max. drilling wood (mm)	3.
Max. drilling steel (mm)	1.
Torque settings	2
Weight with battery pack (kg)	1.8
Supplied in	Recyclable
Supplied in	cartoi
Article Number	513300209
EAN Code	489221012803

Standard equipment (R18DDP-0) 1 x double-ended screwdriver bit x0

R18SDS-0 IE. 18V Cordless SDS+ Rotary Hammer Drill

- Pneumatic hammer mechanism delivers 1.3J of EPTA rated impact energy ideal for drilling holes in stone and concrete
- SDS+ chuck for fast drilling and easy accessory bit changes
- 4 modes for extra versatility (hammer drill, rotary drill, chisel, chisel alignment)
- Chisel function ideal for applications such as light tile removal Non-hammer setting ideal for drilling holes in wood, metal and
- tiles Variable speed, forward and reverse for total control
- Built-in LED lights up your work area .
- Gripzone+™ overmold for added comfort and control reduces fatigue during use

Also available as



RID1801M 18V Cordless Impact Driver

- High power cordless impact driver perfect for screwing and loosening larger bolts
- Motor deliveres 220Nm of torque to easily drive long screws and nuts
- Keyless bit changes 6.35mm (1/4 '') hex drive
- 3 LED lights light up your work area, so you can see what you are doing
- Robust die-cast front gear housing to protect the motor
- Variable speed, reverse and brake for total control of your tool

R18IW3-0 18V Cordless 3-Speed Impact Wrench

- 18V high power motor delivers 400Nm of torque ideal for fast tightening/ removing of heavy duty fasteners.
- Impact Mechanism allows for high amounts of torque with little reactionary feedback through the handle.
- Tri-Beam LED lights eliminate shadows on bits and fasteners even in the darkest work areas.
- 3 speed settings provide added control and versatility.
- Mode 1: 0-2,100 rpm for precision work
- Mode 2: 0-2,500 rpm for added control which helps prevent damage to fasteners and materials
- Mode 3: 0-2,900 rpm for maximum performance for the toughest applications
- 1/2" Square drive with locking pin for easy socket fitment
- Inlcudes 1/4" hex adapter to fit screw driver bits
- Fit up to 100 wheels per charge when combined with our high capacity Lithium+ 4.0Ah battery RB18L40

Also Available as





Voltage (V)

🖪 😏 🖸 #RyobiToolsUK ryobitools.co.uk





Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Impact rate (ipm)	0-5,000
Blow energy (J)	1.3
Max. drilling wood (mm)	16
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	16
Weight with battery pack (kg)	2.08
Supplied in	Recyclable
	carton
Article Number	5133002305
EAN Code	4892210130211





Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Max. torque (Nm)	220
No load speed (rpm)	3200
Weight with battery pack (kg)	1.63
Supplied in	Recyclable carton
Article Number	5133001169
EAN Code	4892210118608

Standard equipment (RID1801M) 1 x impact bit, 1 x 5/8 inch socket adpator





Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Impact rate (ipm)	0-3200
Max. torque (Nm)	400
No load speed (rpm)	0-2900
Weight with battery pack (kg)	2.00
Supplied in	Recyclable
	carton
Article Number	5133002436
EAN Code	4892210132352

Standard equipment (R18IW3-0) 1/," hex adapter



RAD1801M 18V Cordless Right Angle Drill

- Cordless Angle Drill ideal for working in tight and awkward corners
- Keyless 10mm chuck, for simple bit changes •
- · Automatic spindle lock for one-handed bit change
- . LED lights up your work area for better visibility
- Magnetic drill bit tray for easy storage and access to your drill bits
- Variable speed, reverse and brake for total control of your tool





R18AG-0 18V Cordless Angle Grinder

- Cordless grinder with 115mm disk ideal for a variety of cutting and grinding applications
- 3 position handle for better control when grinding or cutting • Two stage non lockable switch for enhanced user protection
- preventing accidental start up •
- Easy to adjust tool-less wheel guard Spindle lock for easy accessory changing
- GripZone[™] overmould technology for improved comfort with a positive grip



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Bore size (mm)	22
No load speed (rpm)	7500
Wheel size (mm)	115
Weight with battery pack (kg)	2.58
Supplied in	Recyclable
	carton
Article Number	5133001903
EAN Code	4892210123657

Standard equipment (R18AG-0) Auxiliary handle, Wrench, wheel guard, 1 x grinding disc



Discover how to make creative DIY projects for your home and garden.



Visit uk.ryobitools.eu/my-ryobi for more information and follow us on Facebook, Twitter & Instagram @RyobiToolsUK

R18MT-0 NEV E **18V Cordless Multi tool**

- A versaltile multi purpose tool that cuts drywall, metal, wood, plastic, composite and many other materials; it also sands the finest details.
- 4 position articulating head for increased application versatility and comfort
- Tool less blade change
- 6 Position variable speed wheel for ultimate control across a range of applications.
- Built-in LED light ensures your work piece is always well lit and clearly visible.
- Universal accessory adaptor makes the product compatible with any brand of accessories
- Gripzone+™ overmold for added comfort and control reduces fatigue during use.

Available Q3 2016









R18JS-0 18V Cordless Jigsaw

- Cordless jigsaw with 25mm stroke length ideal for cutting wood at a veriety of different angles
- 1 handed speed control for easy speed adjustment to suit different applications
- 4 stage pendulum action for enhanced cutting performance
- Tool-less blade clamp for quick and easy blade change
- Lock on switch keeps your tool working so reduces your fatigue
- LED worklight illuminates the cut line and work area
- Easy base adjustment to cut between 0° to 45° angles

f 🎔 🖸 #RyobiToolsUK ryobitools.co.uk



Voltage (V)



0
-
3.0°
10,000-20,000
1.4
Recyclable carton
5133002466
4892210136534



Standard equipment (R18MT-0) 1 x Plunge cutting blade, wood / metal cutting segment blade, sanding pad and 5 sanding sheets





Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Stroke length (mm)	25
No load stroke rate (spm)	1,100 - 3,000
Max. cutting capacity	101
wood (mm)	101
Weight with battery pack	2.53
(kg)	2.03
Supplied in	Recyclable carton
Article Number	5133002158
EAN Code	4892210128010

Standard equipment (R18JS-0) 1 x 10 TPI Wood blade, 1 x 14 TPI Scrolling blade



R18CS-0 **18V Cordless Circular Saw**

- Ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work tops, flooring or to make guick and accurate cross cuts in timber.
- Impressive cut capacities 52mm at 90°, 36mm at 45° allows you to complete applications usually reserved for corded tools
- Tool less depth and bevel adjustments make it quick at easy to set up the saw
- Rotatable dust port helps keep the cut line clear and allows you to work in a dust free environment by connecting to a vacuum
- Premium Thin Kerf 165mm blade with 24 carbide tipped teeth provides superb performance and cut quality
- Make up to 275 cross cuts in 2x4 (52x100mm) timber per charge when combined with our high capacity Lithium+ 5.0Ah battery RB18L50
- Cuts through 2x4" Wood

Also available as





RWSL1801M **®NE 18V Cordless Circular Saw**

- Ideal for making long straight cuts, trimming sheet wood to size, • cutting kitchen work tops, flooring or to make guick and accurate cross cuts in timber.
- Impressive cut capacities 45mm at 90°, 32mm at 45°
- Tool less depth and bevel adjustments make it quick at easy to set up the saw
- Dust port helps you to work in a dust free environment by connecting to a vacuum
- Premium Thin Kerf 150mm blade with 18 carbide tipped teeth provides superb performance and cut quality



RAOBI

Voltage (V) No. of batteries supplied

Charger supplied

Bevel capacity (°) Blade diameter (mm)

Blade width (mm)

Max. cutting depth 45° (mm)

Max. cutting depth 90° (mm)

Weight with battery pack (kg)

Standard equipment (B18CS-0) 1x 24 Tooth TCT blade, Side fence

Max. cutting depth 56

No load speed (rpm)

Bore size (mm)

degrees [mm]

Supplied in

EAN Code

Article Number

0

0°-56°

165

1.6

16

36

28

52

4,700

carton

Recyclable

5133002338

4892210117304

x0

2.8

Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Blade diameter (mm)	150
Bore size (mm)	10
No load speed (rpm)	0-4,700
Max. cutting depth 45° (mm)	32
Max. cutting depth 90° (mm)	45
Bevel capacity (°)	50
Weight with battery pack (kg)	2.93
Supplied in	Recyclable
	carton
Article Number	5133001165
EAN Code	4892210118561

Standard equipment (RWSL1801M) Hex key, 150mm TCT circular saw blade and edge guide

хО

RRS1801M ®NE 18V Cordless Reciprocating Saw

- Ideal for cutting a wide variety of materials including worktops, boards, metal or plastic pipes, branches and other tough materials
- Tool-less blade clamp for quick and easy blade changes
- The variable speed trigger with electric brake provides more speed control to cut a variety of materials. Make cuts faster with up to 3,100 strokes per minute
- 22mm stroke length provides impressive cutting performance
- The combination of the unique Anti-Vibe™ handle and the new GripZone[™] overmold increase user comfort and control while reducing fatigue during prolonged use
- The adjustable, pivoting shoe allows greater depth control and more efficient use of the blade by moving to a less worn section.



- Cordless Mitre saw cuts up to 38x108mm at 90°
- Exactline laser accurately aligns the cut line with the blade Pre-select mitre angles at 0,15,22.5,31.6 and 45° and bevel from
- 0-45° Thin Kerf 24T carbide tipped blade for improved performance and •
- longer runtime
- Extremely compact and lightweight for great portability Make up to 189 cross cuts (22x100mm) combined with the
- Lithium+ 5.0Ah battery RB18L50



- Produces high force for high viscosity materials
- Switch lock helps prevent accidental start-ups .
- Variable speed adjustment lever for flow control
- Easy release manual push rod for quick reloading
- Durable gears and carriage frame help ensure tool longevity
- On-board puncture tool to brake tube seal if needed
- GripZone™ overmould technology for improved comfort with a positive grip

Also available as



f 🎔 🖸 #RyobiToolsUK ryobitools.co.uk



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Stroke length (mm)	22
No load speed (rpm)	3100
Max. cutting capacity wood (mm)	180
Weight with battery pack (kg)	2.33
Supplied in	Recyclable carton
Article Number	5133001163
EAN Code	4892210118707

Standard equipment (RRS1801M)

1 x metal blade, 1 x wood blade





18
0
-
190
-
45
45
45
7.43
Recyclable
carton
5133000932
4892210116895

Standard equipment (EMS190DCL) 1 x 24 TCT blade, 1 x clamp, dust bag, wrench





Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
No load speed high	6
No load speed low	1
Max. ouput force	225
Weight with battery pack (kg)	2.13
Article Number	5133000192
EAN Code	4892210109200



R18PS-0 18V Cordless Palm Sander

- Ideal for light to medium weight applications such as fine finshing and paint removal
- 1.8mm orbital sanding motion for fast and efficient stock removalCompact design allows users to sand easily in corners and tight
- Quick fit hook and loop sanding sheet attachment
- Triangular pad design for sanding up to the edge in tight corners



Voltage (V)	18
No. of batteries supplied	0
Orbit rate [opm]	22,000
Diameter of orbit (mm)	1.8
Sanding pad size (mm)	100x140mm
Weight with battery pack (kg)	1.06
Supplied in	Recyclable cartor
Article Number	5133002443
EAN Code	4892210133700

Standard equipment (R18PS-0) 6 sanding sheets (2x60, 2x120 and 2x240 Grit)



- Ideal for light to medium weight applications such as fine finishing and paint removal.
- 2.5mm orbital sanding motion for fast and efficient stock removal.
- Random Orbital action delivers a swirl free finish.
- Built in dust extraction system ensures a clean work environment.
 Quick fit hook and loop sanding sheet attachment
- Up to 50 minutes runtime with the 5.0Ah Lithium+ battery RB18L50



0
20,000
2.5
125
1.56
Recyclable Carton
5133002471
4892210136855

Voltage (V)

Standard equipment (R18R0S-0) 3 sanding sheets (80, 120 and 240 grit)



©NE + CPL180MHG 18V Cordless Planer

- Chamfering groove in die-cast front shoe for added precision
- Positive depth adjustment 0-0.4mm
- Additional front handle for greater control
- Side fence included for precision planing
- DustTech[™] Integrated technology for maximum dust pick-up
- GripZone[™] overmould technology for improved comfort with a positive grip



Voltage (V)	1
No. of batteries supplied	
Charger supplied	
Planing width (mm)	5
Planing depth (mm)	0.
Rebate depth (mm)	1
No load speed (rpm)	10,00
Weight with battery pack (kg)	2.1
Article Number	513300019
EAN Code	489221010914

Standard equipment (CPL180MHG) side fence, dust bag, wrench, 2 x reversible TCT blades



ONE+ Power Tools

R18N18G-0 18V Cordless 18G Nailer

- AirStrike [™] Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 18 Gauge (1.2mm) nails from 15 to 50mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-Light technology engages twin LEDs by grasping the handle
 Tool less depth of drive adjustment helps protect work surface and
- allows proper setting of nail headsDry-fire lockout prevents the tool working without nails loaded
- Tool less jam release for easy removal of clear nails
- Low nail indicator so you can see when it is time to re-load



- AirStrike[™] Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 16 Gauge (1.6mm) nails from 19 to 65mm long
 2 firing modes, full sequential mode for precision and contact
- actuation mode for rapid fasteningGrip-Light technology engages LED by grasping the handle
- Tool less depth of drive adjustment helps protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool less jam release for easy removal of clear nails
- Low nail indicator so you can see when it is time to re-load

P620 18V Cordless Speed Sprayer

- Ideal for painting fences, exterior walls, garage doors and outbuildings
- Choose between three spray patterns, horizontal, vertical or round, to provide you with the best coverage whilst minimising overspray
 Suitable for use with any brand point
- Suitable for use with any brand paint
- Highly versatile Spray System that can be used with varnishes,wood
 preservatives, enamels, as well as oil-based and water-based paints
- Innovative and patented delivery system also minimizes the need for dilution
- Cordless convenience means paint projects have no limits. Spray up to 4m² per minute
- GripZone[™] overmould technology for improved comfort with a positive grip

■ ♥ ♥ #RyobiToolsUK ryobitools.co.uk





Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Magazine capacity brads	105
nail type (mm)	1.2
Weight with battery pack (kg)	2.93
Article Number	5133002093
EAN Code	4892210128058

Standard equipment (R18N18G-0) 500 x 32mm nails, 2 x no mark shoes, reversible belt hook







Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Magazine capacity nails	100
nail type (mm)	1.6
Weight with battery pack (kg)	3.13
Article Number	5133002222
EAN Code	4892210128898

Standard equipment (R18N16G-0) 500 x 50mm nails, 2 x no mark shoes, reversible belt hook





Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Container capacity (ml)	1000
Paint coverage sprayer (m²/ min)	10
Flow rate (I/h)	20
Weight with battery pack (kg)	2.36
Supplied in	Recyclable
	carton
Article Number	5133000155
EAN Code	4892210110589

Standard equipment (P620) vertical tip, horizontal fan tip, viscosity & measuring cup, cleaning kit



Image: Market Care

Keep your car looking like new with Ryobi's ONE+ cordless tools. You'll only need one battery to power them all.

Soundtrack to your work.

Listen to the radio or connect your phone via Bluetooth to listen to your favourite tunes whilst you work with the ONE+ Radio.



Get your car sparkling on the outside.

The ONE+ Buffer will have your bodywork shining like new.

Never get left in the dark.

Whether you need to see under the bonnet of your car or you have broken down in the dark, the ONE+ Lights have you covered.



Get the pressure just right.

Ensure your tyres have the correct pressure with the ONE+ Inflator. Measure it, set it and inflate your wheels without the need to take your car to the garage.

www.youtube.com/RyobiTV





Looking like new on the inside.

Ensure your car interior is always clean and tidy with the ONE+ Handvac.





Need to change a tyre?

The ONE+ Impact Wrench makes light work of loosening and tightening nuts on your wheels. So, you can change your wheel quickly with ease whenever you want, wherever you want.

See how to keep your car looking like new by visiting our YouTube Channel:





- Ideal for applying polish and wax to maintain your car's paint finish
- . Also great for use on boats, wooden furniture and flooring
- Random orbit motion delivers a swirl free finish
- Powerful motor delivers 2,500 opm maintaining optimum performance during extended use
- Complete the job quickly with a full size 254mm (10in) buffing applicator and bonnet
- Crescent shaped handle provides comfort and access to hard to reach spaces •
- Up to 120 mins runtime with the 5.0Ah Lithium+ battery RB18L50



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Diameter of orbit (mm)	12.5
Oscillation rate (opm)	2500
Size (mm)	254
Weight without battery pack (kg)	1.97
Article Number	5133002465
EAN Code	4892210135483

Standard equipment (R18B-0) 1x Elastic polishing bonnet, 1x Elastic buffing bonnet

х0

R18IW3-0 18V Cordless 3-Speed Impact Wrench NEV

- 18V high power motor delivers 400Nm of torque ideal for fast tightening/ removing of heavy duty fasteners.
- Impact Mechanism allows for high amounts of torque with little reactionary feedback through the handle.
- Tri-Beam LED lights eliminate shadows on bits and fasteners even in the darkest work areas.
- 3 speed settings provide added control and versatility.
- Mode 1: 0-2,100 rpm for precision work • Mode 2: 0-2,500 rpm for added control which helps prevent damage to •
- fasteners and materials
- Mode 3: 0-2,900 rpm for maximum performance for the toughest applications 1/2" Square drive with locking pin for easy socket fitment
- Inlcudes 1/4" hex adapter to fit screw driver bits
- Fit up to 100 wheels per charge when combined with our high capacity Lithium+ 4.0Ah battery RB18L40

Also Available as



R18I-0 18V Cordless Inflator

- Dual Function Inflator/Deflator provides high pressure inflation for tires and high volume for inflatables.
- Easy to use controls allow automatic shut off at any pressure you choose and there is a digital pressure readout for accurate inflation
- Connect the hose to a separate port for deflation mode ideal for packing down air beds or other inflatables
- Convienient switch for high and low pressure selection All of the hoses, nozzles and adaptors needed are stored
- on-board for your convenience

CHV182M 18V Cordless Hand Vac

- Motor creates strong vacuum suction to easily pick up a variety of dry materials
- Dual filter system captures debris for removal to provide maximum vacuum performance
- Easy-clean dust bowl for quick disposal with no mess
- Crevice tool with built-in slide brush for hard to reach areas
- GripZone[™] overmould technology for improved comfort with a positive grip

🖪 😏 🖸 #RyobiToolsUK ryobitools.co.uk



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Impact rate (ipm)	0-3200
Max. torque (Nm)	400
No load speed (rpm)	0-2900
Weight with battery pack (kg)	2.00
Supplied in	Recyclable
	carton
Article Number	5133002436
EAN Code	4892210132352

Standard equipment (R18IW3-0) 1/," hex adapter





Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Hose length (m)	High pressure hose 711mm, High volume hose 756mm
Max. pressure (bar)	10.3 bar, 150psi
Weight with battery pack (kg)	1.71
Supplied in	Recyclable Carton
Article Number	5133001834
EAN Code	4892210122780

Standard equipment (R18I-0) High pressure hose, high volume hose, 3 x air accesories





Voltage (V)	18
017	
No. of batteries supplied	0
Charger supplied	-
Container capacity (ml)	173
Weight with battery pack (kg)	1.39
Supplied in	Recyclable
	carton
Article Number	5133000077
EAN Code	4892210106339

Standard equipment (CHV182M) Crevice and brush attachment, Washable filter



R18R-0

18V Cordless Radio with Bluetooth®

- Premium speaker provides clear, crisp music at a range of volumes Integrated Bluetooth® Wireless Technology for ultimate versatility to stream full audio from up to than 10 metres away
- Digital tuning with capability to save 10 FM and 10 AM station presets • 1 Amp USB Charger port charges many portable electronic devices
- including smartphones Integrated auxiliary input with storage location for smartphone use
- Compact size is durable and portable for use at home .
- Low battery indicator advises when 18V ONE+[™] battery will need to •
- be recharged Provides over 15 Hours runtime using the RB18L40 Lithium+ battery





●NE - R18F-0 NE\ **18V Cordless Fan**

- Cordless fan ideal for indoor our outdoor use, compact and portable with built in carry handle
- 8 adjustable positions to aim air in multiple directions
- Multiple hanging options for maximum versatility.
- 2,100 rpm for max air flow or 1,400rpm for increased runtime and quieter operation
- Up to 18 Hours runtime with RB18L50 allowing you to run all day or even overnight on one charge.



Voltage (V)	18V
No. of batteries supplied	0
Charger supplied	-
Fan speed [rpm]	2,100 / 1,400
Weight with battery pack (kg)	1.56
Article Number	5133002612
EAN Code	4892210140678

90mm

5133002455

4892210135476

x0

x0

1.1

RFL180M 18V Cordless Flash Light

- Rotating head directs light where needed
- Multi-functional design that is capable of sitting flat on the battery or hanging from a nail, screw or hook
- Lightweight and durable for every day use
- High power Halogen bulb emits up to 150 Lumens with a recommended throw of up to 10 metres





- 20 high power LEDs emit up to 850 Lumens
- Stand, fold or hang almost anywhere, allowing you to work with both hands in a clearly lit environment
- 2 separate banks of LED's so you can choose to have either half of the light on or all 20 LEDs for full power
- CCT (Correlated Colour Temperature) of 5,700K means the light emits a bright white beam of light, helping to see objects better and easier.
- CRI rating of 80, meaning its 80% as good as natural daylight which is ideal for all your various DIY and decorating projects.
- Extensive runtime up to 360 minutes with RB18L40



- Works with all ONE+ batteries for cordless convenience
- 25W lifetime LED emits up to 2,000 Lumens. .
- 360° rotation of the lens and multiple hanging options add versatility. Compact design with integrated handle for easy transportation and .
- storage Up to 240 minutes run time as a cordless light with RB18L40

f 🎔 🖸 #RyobiToolsUK ryobitools.co.uk

Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Bulb type	Halogen
Weight with battery pack (kg)	0.72
Article Number	5133001637
EAN Code	4892210120199





18
0
-
ED
1.3
304
199





Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Bulb type	LED
Weight with battery pack (kg)	1.9
Article Number	5133002339
EAN Code	4892210117311





Batteries & Chargers

BIS HE RB18L15 18V 1.5Ah Lithium + Battery

- Powerful 1.5Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies.
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
 IntelliCell[™] technology monitors and balances individual cells to
- Tough pack design with built in impact protection for long term
- rough pack design with built in impact protection for long term durability
 Drive up to 500 4:40 second second with DOD 1000
- Drive up to 528 4x40mm screws with RCD1802
- Cross-cut up to 72 pine 2x6's (50*150mm) with R18CS
- Runtime can vary by tool, battery and application

	18V Battery and Charger Kit (1x1.5Ah)		
x1	Name:	Product Code:	EAN Code:
	RBC18L15	5133001910	4892210124173

RB18L13 18V 1.3Ah Lithium Battery

- Powerful 1.3Ah Lithium battery
- Tough pack design with built in impact protection for long term durability
- Drive up to 426 4x40mm screws with RCD1802
- Cross-cut up to 49 pine 2x6's (50*150mm) with R18CS
- Runtime can vary by tool, battery and application

	18V Battery and Charger Kit (1x1.3Ah)			2 x 18v (1.3A	
x1	Name: RBC18L13	Product Code: 5133001908	EAN Code: 4892210124159	x2	Name: RBC18LL13

BCL14181H 18V ONE+ Charger

- Dual chemisty charger for use with all Ryobi 18V batteries
- LED charge indicators
- Maintenance mode Batteries stored on charger are conditioned for peak performance
- Charges batteries within a temperature range of 0°C to 50°C



- Multiport charger for efficient battery re-charging
- Dual chemistry charger for use with all Ryobi 18V batteries
- LED charge indicators
- Maintenance mode Batteries stored on charger are conditioned for peak performance
- Charges batteries within a temperature range of 0°C to 50°C

Cross-cut up to 115 pine 2x6's (50*150mm) with R18CS

• Runtime can vary by tool, battery and application

■ ♥ ♥ #RyobiToolsUK ryobitools.co.uk



5133001905

4892210124081

Article Number

EAN Code





n) Lithium-ion Batteries & Super Charger		
Product Code: EAN Code: 5133002000 4892210125	5835	

Article Number	5133001904
AN Code	4892210124074



rticle Number	5133001127
AN Code	4892210117991

Article Number EAN Code 5132000042 4892210106346



LAWNCARE

Lawnmowers: Electric & Petrol		32-37
Grass Trimmers: Electric & Petrol		38-41
Trimming Hints & Tips		39
Expand-it		42-43
Brush Cutters: Electric & Petrol	A ALANTIN ATTAINS	44-45



RLM12E33H

1250W Lawnmower, 33cm Cutting Path

- Powerful 1250W motor with a 33cm cutting path
- 5 handle height positions to accomodate all users
 Vertebrae™ Ergonomic Handle Design with both vertical and
- horizontal handle positions
- Single point, 5 position height adjustment from 20mm-60mm
 Folding and removeable handles with a collapsible grass catcher for easy and compact storage
- Grass Catcher has 35L capacity
- Mow right to the perimeter with the EasyEdge

Also Available as

1250W Lawn Mower & 300W Grass Trimmer Twin Pack		
Name:	Product Code:	EAN Code:
RLM12LT300	5133002595	4892210140319

RLM13E33SUK

1300W Electric Lawnmower, 33cm Cutting Path

- Powerful 1300W motor with a 33cm cutting path
 5 handle height positions to accomodate all users
- Mow right to the perimeter with the EasyEdge
 Single point, 5 position height adjustment from 20mm-60mm
- . Folding and removeable handles with a collapsible grass catcher for easy and compact storage Grass Catcher has 35L capacity



1500W Electric Lawnmower, 36cm Cutting Path

- Powerful 1500W motor with a 36cm cutting path
- •
- Mow right to the perimeter with EasyEdge™ Single point, 5 position height adjustment from 20mm 70mm .
- •
- 3 handle height positions to accomdate all users Foldeable handle and collapsible grass catcher for easy and • compact storage
- Grass catcher has 45L capacity

f 🎔 🖸 #RyobiToolsUK ryobitools.co.uk





Power input (W)	1250W
Decksize (cm)	32
Drive mechanism	Push
Mulching capable	No
Weight (kg)	9
Article Number	5133002590
EAN Code	4892210140227

Standard equipment (RLM12E33H) Mulching plug







Power input (W)	1300
Decksize (cm)	33
Drive mechanism	Push
Mulching capable	Yes
Weight (kg)	9
Article Number	5133002344
EAN Code	4892210822598

Standard equipment (RLM13E33SUK) Mulching plug





Power input (W)	1500
Decksize (cm)	36
Drive mechanism	Push
Mulching capable	Yes
Weight (kg)	11.5
Article Number	5133002609
EAN Code	4892210140722

Standard equipment (RLM15E36S) Mulching Plug



RLM16E36H EASY SEDGE 1600W Electric Lawnmower, 36cm Cutting Path • Powerful 1600W motor with a 36cm cutting path 1600 Power input (W) Mow right to the perimeter with EasyEdge^T Push Drive mechanism Single point, 5 position height adjustment from 20mm - 70mm Mulching capable Yes • 11.5 Weight (kg) 3 handle height positions to accommodate all users • Article Number 5133002346 • Vertebrae[™] Ergonomic Handle Design with both vertical and 4892210822574 EAN Code horizontal handle positions Foldeable handle and collapsible grass catcher for easy and Standard equipment (RLM16E36H) compact storage Mulching plug Grass catcher has 45L capacity Also Available as 1600W Electric Lawnmower & 300W Electric Grass trimmer Twin Pack Product Code: EAN Code: 5133002618 4892210141040 RLM16LT300 **RLM18E40S** EASYGEDGE 1800W Electric Lawnmower, 40cm Cutting Path • Powerful 1800W motor with a 40cm cutting path Power input (W) 1800 Mow right to the edge with EasyEdge Decksize (cm) 40 • Single point, 5 position height adjustment from 20mm - 70mm Drive mechanism Push Mulching capable Yes 3 handle height positions to accomdate all users • 13 Weight (kg) Foldeable Handle and Collapsible Grass Catcher for easy and 5133002610 Article Number compact storage EAN Code 4892210140739 Grass Catcher has 50L capacity Standard equipment (RLM18E40S) Mulching plug

The perfect way to mow your lawn.

In search of a greener grass? Well why not try some of these handy tips to improve your lawn quality.

To get a much denser turf you should cut your lawn little and often. Ideally, once a week dille. 2103

What type of gardener are you?



NEW 18V ONE+ Mower QUIKMOW+

CHECK OUT. 190cc Subaru Mower RLM53190S

Classic

Petrol

Classic gardeners

gardening traditional

like to keep their

That's why they

choose petrol too

every time

RLM19E40H 1900W Electric Lawnmower, 40cm Cutting Path

- Powerful 1900W motor with a 40cm cutting path
- Mow right to the edge with EasyEdge
- 3 handle height positions to accomdate all users
- Single point, 5 position height adjustment from 20mm 70mm . Verterbrae[™] Ergonomic handle design with both vertical and • horizontal handle positions
- Foldeable Handle and Collapsible Grass Catcher for easy and compact storage
- Grass Catcher has 50L capacity



EAN Code 4892210822611 Standard equipment (RLM19E40H) Mulching plug

Power input (W)

Decksize (cm)

Drive mechanism

Mulching capable

Weight (kg)

Article Numbe

EASY GEDGE

1900

Push

Yes

13

5133002348

40

f 🎔 🖸 #RyobiToolsUK ryobitools.co.uk

> The height of your mower and the frequency you mow your lawn determine how healthy and attractive your lawn looks.

Also, wait for your grass to dry before mowing. Wet grass can clog up your mower and result in an uneven cut.

Reliable



Reliable gardeners don't like their gardening to be interrupted by anything They like endless power and that's why they choose electric power.

CHECK OUT... **Ryobi's Electric Mower** RLM16E36H





Lawnmowers

RLM4614 140cc Petrol Lawnmower, 46cm Deck • 140cc OHV engine technology Engine displacement (cc) • Clean engine technology Cutting path width (cm) 46cm Self propelled • 2-in-1: Grass bagging and rear eject Drive mechanism Mulching plug supplied Self-propel transmission removes the need to push mower, saving . Weight (kg) time and energy 5133002550 Article Number Large rear wheels for smooth and easy movement 4892210139245 EAN Code Robust 7 Position, single point height adjustment provides cutting range from 24mm-76mm Standard equipment (RLM4614) Mulching compatible desk, mulch plug sold separately Mulching plug

RLM46140 NEW

140cc OHV Petrol Lawnmower, 46cm Deck

- 140cc OHV engine technology
- Clean engine technology •
- 4-in-1: Grass bagging, mulching, side eject and rear eject
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- Side eject feature allows mower to cut longer or higher volume of grass without the need to empty bag
- Self-propel transmission removes the need to push mower, saving time and energy
- Large rear wheels for smooth and easy movement
- Robust 7 Position, single point height adjustment provides cutting . range from 25mm-75mm
- Ergonomic handle design with multiple grip positions and adjustable height for improved comfort
- Quick release handles and hard top / soft sides bag for compact storage



Engine displacement (cc) 140 Cutting path width (cm) 46cm Drive mechanism Self propelled 38.7 Weight (kg) Article Number 5133002551 EAN Code 4892210138156

Standard equipment (RLM46140) Mulching plug, side eject kit

NEW

NEW

140

RLM46175S

Subaru[®] 175cc OHC Petrol Lawnmower, 46cm deck

- Subaru® 175cc OHC chain drive engine technology
- Clean engine technology
- 4-in-1: Grass bagging, mulching, side eject and rear eject
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- Side eject feature allows mower to cut longer or higher volume of grass without the need to empty bag
- Self-propel transmission removes the need to push mower, saving time and energy
- Large rear wheels for smooth and easy movement
- Robust 7 Position, single point height adjustment provides cutting range from 25mm-75mm
- Ergonomic handle design with multiple grip positions and adjustable height for improved comfort
- Quick release handles and hard top / soft sides bag for compact storage
- Bumpers to protect the mower when cutting close to hard surfaces

RLM53175S Subaru® 175cc OHC Petrol Lawnmower, 53cm deck

- Subaru[®] 175cc OHC chain drive engine technology
- Clean engine technology
- 4-in-1: Grass bagging, mulching, side eject and rear eject Mulching function finely chops and redistributes grass clippings into
- the ground as a natural fertiliser
- Side eject feature allows mower to cut longer or higher volume of grass without the need to empty bag
- Self-propel transmission removes the need to push mower, saving time and energy
- Large rear wheels for smooth and easy movement
- Robust 7 Position, single point height adjustment provides cutting range from 25mm-75mm
- Ergonomic handle design with multiple grip positions and adjustable height for improved comfort
- Quick release handles and hard top / soft sides bag for compact storage
- Bumpers to protect the mower when cutting close to hard surfaces



Engine displacement (cc) 173cc 46cm Cutting path width (cm) Self propelled Drive mechanism Weight (kg) 5133002552 Article Number EAN Code 4892210138163

Standard equipment (RLM46173) Mulching plug, side eject kit

RLM46173 NEV

173cc OHV Petrol Lawnmower, 46cm Deck

- 173cc OHV engine technology
- Clean engine technology •
- 4-in-1: Grass bagging, mulching, side eject and rear eject
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- Side eject feature allows mower to cut longer or higher volume of grass without the need to empty bag
- Self-propel transmission removes the need to push mower, saving time and energy
- Large rear wheels for smooth and easy movement Robust 7 Position, single point height adjustment provides cutting range from 25mm-75mm
- Ergonomic handle design with multiple grip positions and adjustable height for improved comfort
- Quick release handles and hard top / soft sides bag for compact storage
- Hose connection for quick and easy cleaning of the underside of deck



RLM53190S Subaru[®] 190cc OHC Petrol Lawnmower, 53cm deck

- Subaru[®] 190cc OHC chain drive engine technology
- Clean engine technology
- 4-in-1: Grass bagging, mulching, side eject and rear eject
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- Side eject feature allows mower to cut longer or higher volume of grass without the need to empty bag
- Self-propel transmission removes the need to push mower, saving time and energy
- Large rear wheels for smooth and easy movement
- Robust 7 Position, single point height adjustment provides cutting range from 25mm-75mm
- Ergonomic handle design with multiple grip positions and adjustable height for improved comfort
- Quick release handles and hard top / soft sides bag for compact storage
- Bumpers to protect the mower when cutting close to hard surfaces

🖪 🕑 🗹 #RyobiToolsUK ryobitools.co.uk





Engine displacement (cc)	175
Cutting path width (cm)	46cm
Drive Mechanism	Self-propelled
Weight (kg)	38
Article Number	5133002553
EAN Code	4892210138170

Standard equipment (RLM46175S) Mulching plug, side eject kit





Engine displacement (cc)	175cc
Cutting path width (cm)	53cm
Drive mechanism	Self-propelled
Weight (kg)	40
Article Number	5133002555
EAN Code	4892210138194

Standard equipment (BLM53175S) Mulching plug, side eject kit





Engine displacement (cc)	190
Cutting path width [cm]	53cm
Drive mechanism	Self-propelled
Weight (kg)	40
Article Number	5133002596
EAN Code	4892210140241

Standard equipment (RLM53190S) Mulching plug, side eject kit



Grass Trimmers

are smaller and lighter.

They are used to cut and

tidy up stray bits of grass


around the edges of your

garden or patio. They use

fine plastic string (called

the 'line') to do

the job.





Brush Cutter or Grass Trimmer – which should I use?



Innovative gardeners don't like to be tied down. They enjoy the freedom of cordless innovation where one battery powers a range of tools.

Classic Petrol

Classic gardeners like to keep their gardening traditional. That's why they choose petrol tools every time.

CHECK OUT... **18V Hybrid Line Trimmer** RLT1830H13

CHECK OUT... 26cc Petrol Brush Cutter RBC26SESB

For further technical specifications, including noise and vibration data, please visit our website: www.ryobitools.co.uk

 \triangle

500

27 Auto feed

2 x 1.5mm

5133002118

4892210820617

twisted

2.8

Power input (W)

Line feed system

Line type

Weight (kg)

EAN Code

Article Number

Auto feed spool

Cutting path width [cm]

Standard equipment (RLT5027)

RLT5027

modes

users

•

•

•

500W Electric Line Trimmer, 27cm Cutting Width

EasyEdge[™] allows quick transition between edging and trimming

Telescoping boom and adjustable handle provides comfort for all

Three position pivoting string head for more versatile cutting

• Lightweight and powerful 500W high performance motor

• Large 27cm cutting path to get your job done quickly

Integrated wall mount hook for storage convenience

Integrated quick-release cord wrap

Brush Cutters are more robust and are used to combat tough shrub and overgrowth, high grass, heavy brushwood and small trees. They use a metal blade for heavier cutting.



Ryobi Brush Cutters double up as Grass Trimmers. So, now you can have both tools when you buy one Ryobi Brush Cutter.







Reliable gardeners don't like their gardening to be interrupted by anything. They like endless power and runtime. That's why they choose Ryobi's corded range of garden tools.

CHECK OUT...

NEW Electric Expand-it Brush Cutter RBC1226I



RLT6030

600W Electric Grass Trimmer, 30cm Cutting Width



- Powerful, high torque 600w motor to tackle all jobs
- Large 30cm cutting path to get your job done quickly
- EasyEdge[™] allows you to quickly switch from trimmer mode to edging mode with simple foot pedal •
- Telescoping boom and adjustable handle provides comfort for all users
- Integrated wall mount hook for storage convenience
- Integrated quick-release cord wrap







Power input (W)	600
Cutting path width [cm]	30
Line feed system	Auto feed
Line type	2 x 1.5mm twisted
Weight (kg)	3.5
Article Number	5133002120
EAN Code	4892210820655

 \bigtriangleup

Standard equipment (RLT6030) Auto feed spool

RLT26C

26cc POWR LT2[™] Line Trimmer with Ergo Handle

- PoWR LT2[™] series 26cc 2-cycle engine delivers excellent power to weight ratio
- Clean engine technology. Beats CE CO emissions limits by 69% and CE HC+ NOX emission limits by 48%
- Large 43cm cutting path to get your job done quickly ProCut[™] cutting head for rapid line refills
- •

RLT26CDS 26cc POWR LT2[™] Line Trimmer with Ergo Handle

- POWR LT2[™] series 26cc 2-cycle engine delivers excellent power-toweight ratio
- Clean engine technology. Beats CE CO emission limits by 69%, and CE HC+Nox emission limits by 48%
- Large 43cm cutting path to get your job done quickly
- ReelEasy™ bump feed head with patented thread and load system for rapid line refills
- Split shaft for Expand-It™ attachments compatibility

RLT30CESC

30cc POWR LT2 Grass Trimmer with Ergo Handle

- POWR LT2[™] series 30cc 2-stroke engine delivers excellent power-toweight ratio
- Clean engine technology. Beats CE CO emission limits by 78%, and CE HC+Nox emission limits by 48%
- Large 43cm cutting path to get your job done quickly
- ReelEasy[™] bump feed head with patented thread and load system for rapid line refills
- Split shaft for Expand-It™ attachments compatibility

🖪 У 🖸 #RyobiToolsUK ryobitools.co.uk



Engine type	PoWR LT2™ 2 Stroke
Engine displacement (cc)	26
Power (Hp)	0.9
Tank capacity (I)	0.25
Cutting path width [cm]	43
Line diameter (mm)	2.4
Weight (kg)	4
Article Number	5133002354
EAN Code	4892210131805

Standard equipment (RLT26C) ProCut[™] cutting head, wrench, D handle





Engine type	PoWR LT2™ 2 Stroke
Engine displacement	26
(cc)	20
Power (Hp)	0.9
Tank capacity (I)	0.25
Cutting path width [cm]	43
Line diameter (mm)	2.4
Weight (kg)	4.3
Article Number	5133001653
EAN Code	4892210816436

Standard equipment (RLT26CDS) 2 stroke oil, Reel-Easy™ cutting head with 6m cutting line, wrench, D handle





Engine type	PoWR LT2 2 Stroke
Engine displacement (cc)	30
Power (Hp)	1.0
Tank capacity (I)	0.42
Cutting path width (cm)	43
Line diameter (mm)	2.4
Weight (kg)	5.3
Article Number	5133002412
EAN Code	4892210134455

Standard equipment (RLT30CESC) 2 stroke oil, Reel-Easy™ cutting head with 6m cutting line, wrench, ergo handle

-		X		2	<u> </u>	N			
А	т	т	А	С	н	м	Е	Ν	т
						<u> </u>			

Expand-it[™] attachments.

Turn one garden tool into five...

Step 1

compatible logo.

Choose your power. Just look out for the Expand-it"

Step 2

Choose your attachments.

Save time, space and money.



With Expand-it[™] you can cut, trim, sculpt, tidy and prune your garden, just by adding a new attachment.



SmartTool. Let your tool do the thinking.

Optimised performance no matter what attachment you're using. No compromise on power, no compromise on performance.

Find out more at ryobitools.co.uk

RXAHT01

Articulating Hedge Trimmer

Art.-No.: 5132002796 EAN Code: 4892210140265

- SmartTool technology optimises blade speed for hedge cutting
- Ultimate performance with 4670 rpm blade speed powered by petrol engine
- Maximum performance with 3916rpm blade speed powered by 1200W motor
- 44cm dual reciprocating diamond ground blades for clean cutting results
- Capable of cutting large branches with 28mm blade gap
- 90° articulating blade for comfortable cutting in any angle
- 2.17 kg

RXPR01 **Pole Pruner**

Art.-No.: 5132002797 EAN Code: 4892210140142

- SmartTool technology optimises chain speed for cutting
- Ultimate performance with 30m/s chain speed powered by petrol engine
- Maximum performance with 15m/s chain speed powered by 1200W motor
- 15° angled blade for comfortable and safer cutting
- Automatic chain oiler and clear oil tank
- 2.2kg

RXEX01 **Extension Shaft**

Art.-No.: 5132002793 EAN Code: 4892210140272

- Ideal for extending pole pruner or hedge trimmer attachments
- Length: 62cm
- 0.61kg

RXB01 Blower

Art.-No.: 5132002794 EAN Code: 4892210140159

- SmartTool technology optimises blower performance
- Ultimate performance with 240km/h airflow speed and 8m3/min air volume powered by petrol engine
- Maximum performance with 240km/h airflow speed and 8.3m³/min air volume powered by 1200W motor
- Leaf Guard[™] technology for higher efficiency
- 1.4kg

RXBC01

Brush Cutter

Art.-No.: 5132002795 EAN Code: 4892210140258

- SmartTool technology optimises blade speed for clearing tall grass, small bushes and undergrowth
- Ultimate performance with 8100rpm blade speed powered by petrol engine
- Maximum performance with 7080rpm blade speed powered by 1200W motor
- 20cm cutting path to get your job done quickly
- Tri-Arc[™] hardened metal blade
- 2.05kg •

f 🎔 🖸 #RyobiToolsUK ryobitools.co.uk















1200W Electric Brush Cutter, 26cm Cutting Width



- Powerful 1200W motor delivers excellent cutting performance •
- SmartTool technology delivers more rotational speed than any other motor
- 2-in1: 26cm Tri-Arc+™ hardened steel cutting blade for clearing grass, small bushes and undergrowth
- 2-in-1: 38cm trimming width for clearing tall dense grass
- Quick release mechanism easily change to Expand-It™ SmartTool attachments, Articulating Hedge Trimmer, Pole Pruner, Extension Shaft, Brush Cutter and Blower
- Ergonomic design offers good weight distribution, comfortable to use



\triangle

1200

38

38

Bump head


2 x 1.5mm

5133002507

4892210138040


twisted

RBC26SESB 26cc POWR LT2[™] Brush Cutter with Ergo Handle



• POWR LT2[™] series 26cc 2-cycle engine delivers excellent power-to-weight ratio Clean engine technology.

- Large 46cm (line) / 26cm (blade) cutting path to get your job done quickly
- 2-in-1: ReelEasy™ bump feed head with patented 'Thread and load' system for rapid line refills
- 2-in-1: 26cm Tri-Arc+[™] sharp hardened metal brush cutting blade for clean, powerful and precise cutting
- Ergonomic handle design with comfortable harness strap





For further technical specifications, including noise and vibration data, please visit our website: www.ryobitools.co.uk

🖪 У 🖸 #RyobiToolsUK ryobitools.co.uk





4892210819482 EAN Code Standard equipment (RBC26SESB)

2 storke oil, RealEasy™ cutting head with 6m cutting line, wrench, Tri-Arc+ blade, single harness

TREE & HEDGE CARE

Hedge Trimmers	1. 25	47-50
Pole Saw	and the second se	51
Chainsaws		52-53



Tree & Hedge Care

RHT4245

420W Electric Hedge Trimmer 45cm Blade

- Light-weight and comfortable to use
- Dual action blade for improved cutting performance
- 45cm diamond ground blade for improved durability
- Loop front trigger handle for enhanced comfort

RHT5050 500W Electric Hedge Trimmer 50cm Blade, 20mm Cut

- Powerful 500W motor provide excellent cutting performance
- 50cm dual action diamond ground blades, for clean cutting results •
- Capable of cutting large branches with 20mm blade gap ٠
- Loop front trigger handle for enhanced comfort
 GripZone™ overmould for user comfort

RHT5555RSH

550W Electric Hedge Trimmer 55cm Blade, 26mm Cut, Hedge Sweep Included

- . Powerful and high torque 550W motor offers excellent cutting performance
- 55cm Precision diamond ground blades ensure high quality cutting results
- Capable of cutting large branches with 26mm blade gap, and sawing ٠ function
- Anti-jamming system prevents accidential blockingWell balanced and lightweight design with a rotating rear handle
- offers user comfort in any cutting position HedgeSweep[™] attachment offers easy removal of clippings

f 🎔 🖸 #RyobiToolsUK ryobitools.co.uk





Power input (W)	420
Blade length [cm]	45
Max. cutting capacity (mm)	18
Blade type	Dual-action
T blade protector	No
Blade speed (rpm)	1500
Weight (kg)	2.7
Article Number	5133001810
EAN Code	4892210818461

Standard equipment (RHT4245) blade sheath



	Blade ler
	Cutting c
	Blade typ
	T blade p
	Blade sp
	Weight (k
	Article Nu
	EAN Cod
a la la management de la	
annon annon anno 1	Standa

Power input (W)	500
Blade length [cm]	50
Cutting capacity	20
Blade type	Dual-action
T blade protector	No
Blade speed (rpm)	3000
Weight (kg)	2.8
Article Number	5133001812
FAN Code	4892210818485

standard equipment (RHT5050) Blade sheath





Power input (W)	550
Blade length (cm)	55
Max. cutting capacity (mm)	26
Blade type	Diamond ground
T blade protector	Yes
Weight (kg)	4.2
Article Number	5133002122
EAN Code	4892210820556

Standard equipment (RHT5555RSH) HedgeSweep[™] attachment, blade sheath



RHT6060RS

600W Electric Hedge Trimmer 60cm Blade, 28mm Cut

- Powerful and high torque 600W motor offers excellent cutting performance
- 60cm Precision diamond ground blades ensure high quality cutting results
- Capable of cutting large branches with 28mm blade gap, and sawing function
- Anti-jamming system prevents accidental blocking
- Well balanced and lightweight design with a rotating rear handle • offers user comfort in any cutting position
- HedgeSweep[™] attachment available as an accessory



Power input (W)	600
Blade length [cm]	60
Max. cutting capacity (mm)	28
Blade type	Diamond ground
T blade protector	Yes
Weight (kg)	4.2
Article Number	5133002363
EAN Code	4892210132130

 \bigtriangleup

650

60

Standard equipment (RHT6060RS) Blade sheath

RHT6560RL 650W Electric Hedge Trimmer 60cm Blade, 30mm Cut

- Powerful and high torque 650W motor offers excellent cutting performance
- 60cm Precision Laser cut, diamond ground blades provide ultra sharp and clean cutting results
- Capable of cutting large branches with 30mm blade gap, and sawing functior
- Anti-jamming system prevents accidental blocking
- Well balanced and lightweight design with a rotating rear handle offers user comfort in any cutting position
- HedgeSweep[™] attachment offers easy removal of clippings





Power input (W)

Standard equipment (BHT6560BL) HedgeSweep™ attachment, blade sheath

RHT7565RL 750W Electric Hedge Trimmer 65cm Blade, 34mm Cut

- Powerful and high torque 750W motor offers excellent cutting performance
- 65cm Precision Laser cut, diamond ground blades provide ultra sharp and clean cutting results
- Capable of cutting large branches with 34mm blade gap, and sawing function
- Anti-jamming system prevents accidental blocking
- Well balanced and lightweight design with a rotating rear handle offers user comfort in any cutting position
- HedgeSweep[™] attachment offers easy removal of clippings



Power input (W)	750
Blade length [cm]	65
Max. cutting capacity (mm)	34
Blade type	Laser cut
biade type	diamond ground
T blade protector	Yes
Weight (kg)	4.4
Article Number	5133002126
EAN Code	4892210820594

Standard equipment (RHT7565RL) HedgeSweep™ attachment, blade sheath

Steps for effective hedge & tree care



What type of gardener are you?

Innovative

Cordless Innovative gardeners don't like to be tied down. They enjoy the freedom of cordless innovation where one battery

powers a range of tools.

Classic

Petrol

Classic gardeners like to keep their gardening traditional. That's why they choose petrol tools every time.

CHECK OUT... NEW 18V ONE+ Pole Hedge Trimmer OPT1845

CHECK OUT ...

Petrol Hedge Trimmer RHT2660F

f 🎔 🖸 #RyobiToolsUK ryobitools.co.uk

You might find it easier to use a pole hedge trimmer or saw for thick and hard-toreach branches.

RICA TITTI.

People sometimes use lines or wire to mark where you want to trim, so you have an even flat hedge at the end, shaped exactly how you want.





Reliable gardeners don't like their gardening to be interrupted by anything. They like endless power and runtime. That's why they choose Ryobi's corded range of garden tools.

CHECK OUT...

Electric Hedge Trimmer BHT6560BL



RHT2660R

26cc POWR LT2[™] Hedge Trimmer with 60cm blade, 26mm Cut

- POWR LT2[™] series 26cc 2-cycle engine delivers excellent power-to-weight ratio
- Clean engine technology. Beats CE CO emission limits by 48% and HC+Nox emission limits by 12%
- 60cm dual-reciprocating diamond-ground blades offer minimal vibration during cutting
- 28mm cut capacity, to tackle the toughest of hedges •
- HedgeSweep[™] attachment for easy removal of clippings during cutting
- 5 position rotating rear handle for optimum user comfort
- Ultra-easy starting system



	Engine displacement (cc)	26
	Power (Hp)	0.8
	Blade length (cm)	60
	Max. cutting capacity (mm)	28
	Blade type	Dual-action
h	Weight (kg)	5.1
1	Article Number	5133001838
	EAN Code	4892210818867

Standard equipment (RHT2660R) 2 stroke oil, wrench, HedgeSweep™ attachment

RPT4545M 450W Electric Pole Hedge Trimmer 45cm Blade, Ergonomic Harness

- Powerful 450W motor performance
- 45cm Laser cut high precision blade for cleanest cut
- Capable of cutting large branches with 20mm blade gap
- 135° articulating cutting head, with 4 positions for versatile trimming
- Removable shaft for both long reach and convenent storage
- Length extends to 2.7m with center shaft. Provides reach up to 4m.
- New ergonomic harness included to reduce fatigue during extended . use



Power input (W)	450
Blade length [cm]	45
Cutting capacity	20
Blade type	Dual-action, diamond ground
T blade protector	No
Blade speed (rpm)	3400
Weight (kg)	4.1
Article Number	5133002227
EAN Code	4892210821409

Standard equipment (RPT4545M) Vertebrae[™] comfort strap

Tree & Hedge Care

RPP750S 750W Electric Pole Saw 20cm Bar

- Powerful 750W motor performance
- 20cm Oregon® bar and chain
- High torque performance with 10m/s chain speed
- Length extends to 2.7m with center shaft. Provides reach up to 4m.
- 15° angled cutting head for easy pruning and better control
- Automatic chain and bar lubrication for continuous cutting
- Removable shaft for both long reach and convenient storage



RCS1935 1900W Electric Chainsaw 35cm Bar

- Powerful 1900W high motor performance
- 35cm Oregon[®] bar and chain
- 15m/s chain speed offers excellent cutting performance
- Rapid mechanical chain brake system
- Quick and reliable tool-less chain tensioning system
- Anti-vibration system for fatigue-reduced operation
- Automatic chain and bar lubrication for continuous cutting
- Innovative debris deflector routes wood chips away from the user
- Well balanced and lightweight design ensures ease of handling



 \wedge

🖪 У 🖸 #RyobiToolsUK ryobitools.co.uk



Power input (W)	750
Chain bar length (cm)	20
Chain speed (m/s)	10
Oil tank capacity (I)	80
Weight (kg)	3.8
Article Number	5133002229
EAN Code	4892210821386

Standard equipment (RPP750S) Bar & chain oil, wrench, shoulder harness



Power input (W)	1900
Chain bar length (cm)	35
Chain speed (m/s)	15
Tooless chain tensioner	Yes
Oil tank capacity (I)	200
Weight (kg)	5.4
Article Number	5133002185
EAN Code	4892210821485

Standard equipment (RCS1935) Blade sheath, 150ml bar & chain oil





RCS2340

2300W Electric Chainsaw 40cm Bar

- Powerful 2300W high motor performance
- 40cm Oregon[®] bar and chain
- 16m/s chain speed offers excellent cutting performance
- Rapid mechanical chain brake system
- Quick and reliable tool-less chain tensioning system
- Anti-vibration system for fatigue-reduced operation •
- Automatic chain and bar lubrication for continuous cutting · Innovative debris deflector routes wood chips away from the user
- Well balanced and lightweight design ensures ease of handling





40 Chain bar length (cm) Chain speed (m/s) Tooless chain tensioner Yes 200 Oil tank capacity (I) 5.7 Weight (kg) Article Number 5133002187 EAN Code 4892210821515

2300

 \bigtriangleup

Standard equipment (RCS2340) Blade sheath, 150ml bar & chain oil

Tree & Hedge Care

RCS3840T

37.2cc POWR XT[™] Chainsaw with 40cm Bar

- POWR XT[™] series. High performance Petrol Saw with 37.2cc engine (1.3 kW / 1.8 Hp)
- 40 cm guide bar
- 3 Point Anti-vibration Isolation
- 2-position carburettor for simple start-up
- High chain speed 22 m/s
- Automatic chain lubrication
- Tool-less top cover for quick access to filter and spark plug
- Dual Chain Safety Brake
- Quick and Easy tool-less chain tensioning .
- On board tool storage never misplace your tool again •





RCS5145B 51cc POWR XT[™] Chainsaw with 45cm Bar

- POWR XT™ series 51cc Full Crank 2-cycle engine delivers ultimate power-to-weight ratio with high torque
- Clean engine technology. Beats CE CO emission limits by 46.1% and CE HC+Nox emission limits by 42.6%
- 45cm Oregon® Bar & Chain
- Fast 22m/s chain speed for quick and powerful cutting Fast acting mechanical and inertia activated chain brakes for increased safety
 - Convenient and robust side access chain tensioner
- 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- Convenient tool-less air filter access

RCS3835T 37.2cc POWR[™] Toolless Chainsaw, 35cm Bar

- POWR XT[™] series. High performance Petrol Saw with 37.2cc engine (1.3 kW / 1.8 Hp)
- 35 cm guide bar
- 3 Point Anti-vibration Isolation
- 2-position carburettor for simple start-up •
- High chain speed 22 m/s Automatic chain lubrication
- Tool-less top cover for quick access to filter and spark plug
- Dual chain safety brake
- Quick and Easy tool-less chain tensioning .
- On board tool storage never misplace your tool again.



Engine displacement (cc)	37.2
Power (Hp)	1.8
Chain bar length (cm)	35
Chain anneal (m/a)	00

POWR XT

Chain speed (m/s Fuel tank capacity (I) 0.44 Weight (kg) 4.6 5133002386 Article Number 4892210132710 EAN Code

Standard equipment (RCS3835T) Bar & chain oil, 2 stroke oil, wrench



Power input (W)

🖪 У 🖸 #RyobiToolsUK ryobitools.co.uk







Engine displacement (cc)	37.2
Power (Hp)	1.8
Chain bar length (cm)	40
Chain speed (m/s)	22
Fuel tank capacity (I)	0.44
Weight (kg)	4.6
Article Number	5133002387
EAN Code	4892210132727

Standard equipment (RCS3840T) Bar & chain oil, 2 stroke oil, wrench



Engine displacement (cc)	51
Power (Hp)	2.7
Chain bar length (cm)	45
Chain speed (m/s)	22.2
Fuel tank capacity (I)	0.575
Weight (kg)	5.3
Article Number	5133001858
EAN Code	4892210819215

Standard equipment (RCS5145B) ar & chain oil, 2 stroke oil, wrench



GARDEN CLEAN UP

Blower Vacs/Blowers 55 - 57

RBV3000CSV

3000W Electric Blower Vac Conversion Style

- Powerful 3000W motor performance
- Conversion blower and vacuum
- Two speed dial provides maximum airflow speed of 375km/h with quiet mode
- •
- Ultimate blower performance with 14 m³/min air volume Power Mulching™ heavy duty metal blade offers 16:1 mulching ratio for better composing Easy to remove tubes to convert quickly from blower mode to
- vacuum mode
- Vertebrae[™] shoulder strap for maximum comfort and weight balance



RBV3000CESV 3000W Electric Blower Vac Over Under Style

- Powerful 3000W motor performance
- Newly designed 3in1 blower and vacuum allows you to use as blower only, vacuum only, or with both tubes on the the tool. Multi speed dial provides maximum airflow speed of 375km/h with .
- quiet mode
- Ultimate blower performance with 14 m³/min air volume Power Mulching[™] heavy duty metal blade offers 16:1 mulching ratio .
- •
- •



f 🎔 🖸 #RyobiToolsUK ryobitools.co.uk



Power input (W)		3000
Airflow speed (km/h)		375
Air volume [m per minute]		14
Mulching ratio		16:1
Collection bag capacity (I)		45
Variable speed		No
Weight (kg)		3.6
Article Number	513	3002189
EAN Code	4892210	0821430

Standard equipment (RBV3000CSV) High-speed sweeper nozzle tip, 45l leaf bag, Vertebrae™ Comfort Strap



Power input (W)	3000
Airflow speed (km/h)	375
Air volume [m per minute]	16
Mulching ratio	16:1
Collection bag capacity (I)	45
Variable speed	Yes
Weight (kg)	5.1
Article Number	5133002191
EAN Code	4892210821454

Standard equipment (RBV3000CESV) High-Speed Sweeper Nozzle Tip, 451 Leaf Bag, Vertebrae™ Comfort Strap



Autumn is the prettiest time of the year with multi-coloured leaves adorning your garden. But those pesky leaves can suffocate your lawn and make slippery surfaces on patios. Have a garden clean-up and see the benefits come springtime!

Turn your leaves into natural fertiliser full of healthy nutrients for your garden. Simply use Ryobi's electric blower vacs with mulching capability to shred leaves and add to your compost heap.

Get the whole family involved. Blow or rake leaves into a pile before collecting them up with a leaf vacuum


What type of gardener are you?

Innovative



Innovative gardeners don't like to be tied down. They enjoy the freedom of cordless innovation where one battery powers a range of tools

CHECK OUT... **18V ONE+ Hybrid Blower**





Petrol Classic gardeners like to keep their gardening traditional That's why they choose petrol tools every time.

CHECK OUT... **Petrol Backpack Blower** RBL42BF

Reliable



don't like their gardening to be interrupted by anything. They like endless power and runtime. That's why they choose Ryobi's corded range of garden tools.

CHECK OUT... **Electric Blower Vac** RBV3000CSV

RBV26B

26cc PoWR LT2[™] Blower Vac

- POWR LT2[™] series 26cc 2-cycle engine delivers excellent power-toweight ratio
- Clean engine technology. Beats CE CO and HC+Nox emission limits
- High air speed of up to 320 km/h with cruise control throttle
- Large air volume of up to 12m3/min
- Cruise control throttle allows to set and maintain desired speed during prolonged use to reduce user fatigue
- 12:1 Mulch ratio reduces size of leaves for efficient bagging

RBL42BP 42cc POWR XT[™] Backpack Blower

- PoWR XT[™] series 42cc Full Crank 2-cycle engine delivers ultimate power-to-weight ratio with high torque
- Clean engine technology. Beats CE CO emission limits by 89% and HC+Nox emission limits by 1%
- High air speed of up to 300 km/h with cruise control throttle
- Best-in-class air flow of up to 14.4cm3/min
- Cruise control throttle allows to set and maintain desired speed during prolonged use to reduce user fatigue
- Ergonomic Vertebrae[™] backpack frame with breathable back padding for ultimate user comfort



For further technical specifications, including noise and vibration data, please visit our website: www.ryobitools.co.uk

f 🎔 🖸 #RyobiToolsUK ryobitools.co.uk





Engine displacement (cc)	26
Airflow speed (km/h)	325
Air volume (I/min)	12.8
Mulching ratio	16:1
Collection bag capacity (I)	40
Power (Hp)	1
Weight (kg)	4.3
Article Number	5133002353
EAN Code	4892210117335

Standard equipment (RBV26B) 2 stroke oil, collection bag, on-board wrench, vacuum tubes, blower tubes



Engine displacement (cc)	42
Airflow speed (km/h)	298
Air volume (m³/min)	14.4
Power (Hp)	2.16
Weight (kg)	8.2
Article Number	5133001879
EAN Code	4892210818874

ACCESSORIES

Mower Accessories	59-60
Grass Trimmers & Brush Cutters	60-63
Trimming Accessories	63
Chainsaw Accessories	63-64








Don't forget to check out your tool's accesory compatibility ryobitools.eu/af

🖪 У 🖸 #RyobiToolsUK ryobitools.co.uk







Compatible with Ryobi Corded Lawnmowers including



Grass Trimmers & Brush Cutters



Round Trimmer Line compatible with electric corded & cordless Grass Trimmers including Ryobi RLT4025S, RLT5027, RLT6030, RLT1825LI, RLT183113, RLT1830H13, OLT1825, OLT1831, RLT1830Li



RAC102

- 2.0mm Trimmer Line (15m)
- Round Trimmer Line compatible with electric corded, cordless and petrol Grass Trimmers including Ryobi RLT36, RLT36C33, RLT36C33



RAC104 2.4mm Trimming Line (15m)

Round Trimmer Line compatible with electric corded, cordless and petrol Grass Trimmers including Ryobi RFT254 series, RLT26 series, RLT30 series, RLT430 series, RBC26 series, RBC30 series, RBC30 series, RBC40 series, RBC42 series, RBC430 series, RBC52 series.



RAC123 Spools for Corded Grass Trimmers with 1.5mm Line (3 pack)

- 1.5mm Spools (3 pack) for Corded Grass Trimmers RLT4027, RLT5027,, RLT6030.
- Twisted Line for reduced noise and extra strength



RAC103 2.0mm Trimmer Line (50m)

Round Trimmer Line compatible with electric corded, cordless and petrol Grass Trimmers including Ryobi RLT36, RLT36C3325, RLT36C33

RAC105 2.4mm Trimming Line (50m)

Round Trimmer Line compatible with electric corded, cordless and petrol Grass Trimmers including Ryobi RFT254 series, RLT26 series, RLT30 series, RLT430 series, RBC26 series, RBC30 series, RBC30 series, RBC40 series, RBC42 series, RBC430 series, RBC52 series.



RAC125 1.6mm Spools for Cordless Grass Trimmers (3 pack)

• 1.6mm Spools (3 pack) compatible with all Ryobi 18V ONE+™ Grass Trimmers





RAC108

20cm Tri-Arc[™] Brush Cutter Blade

- 20cm Brush Cutter Blade compatible with all Ryobi Petrol Brush Cutters, Ryobi Corded Brush Cutters RBC7020, RBC1020, RBC1226l and Ryobi Cordless Brush Cutter RBC18X20B4.
- (Supersedes LTA024)



RAC117 26cm Tri-Arc+™ Brush Cutter Blade

- 26cm Brush Cutter Blade compatible with all Ryobi Petrol Brush Cutters and Ryobi 36V Cordless Brush Cutters.
- (Supersedes LTA034 and RAC107)



RAC118

Spool and Cap for Electric Corded Grass Trimmers with 1.2mm Line

- Compatible with Ryobi Electric Corded Grass Trimmers including RLT3025F, RLT3025S, RLT3525S, RLT2523 and RLT3123.
- Dual Line and Bump-Feed Head

RAC121 Trimmer Head for Corded Brush Cutters with 1.5mm Line

- Compatible with Ryobi corded brush cutters including RBC1020 and RBC1226
- Dual line and bump-feed head



LTA039 Pro Cut II[™] Petrol Grass Trimmer Head with 2.7mm Line (10 Pack)

Compatible with all Ryobi Petrol Grass Trimmers and Brush Cutters



RAC115

Reel-Easy[™] Petrol Grass Trimmer Head with 2.4mm Line

- Reel-Easy™ grass trimming head featuring the innovative 'Thread and Load" system for rapid line refills. Simply align the arrows, thread you trimmer line and reel away.
- Compatible with all Ryobi Petrol Grass Trimmers and Brush Cutters



Accessories

RAC106

Easy Fit Grass Trimming Head for Petrol Brush Cutters

 Compatible with Ryobi Petrol Brush Cutters including RBC40SB, RBC52SB and RBC52FSB.



RAC305 50cm HEDGESWEEP™ for all Ryobi Hedge Trimmers

• Universal HEDGESWEEP[™] Debris Remover brushes waste foliage off of your hedges as you cut leaving your hedges looking clean and healthy

	EDGE	SW	EEP	

RAC234

- **8"** / 20cm Chain for Cordless Pole Pruning Saws
- Compatible with all Ryobi Cordless 18V ONE+[™] Pole Pruning Saws.





RAC221 14" / 35cm Chain for Petrol Chainsaws

 Compatible with Ryobi Petrol Chainsaws including RCS33 series, RCS35 series, RCS38 series, RCS40 series and RCS42 series.



RAC222


RAC248

RCS1935.

RAC244


Saws

.



🖪 У 🖸 #RyobiToolsUK ryobitools.co.uk

	•	•	•	•	•	•	•	•	•		•			•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
•	•	•	•	•	•	•	•	•	•	•	0	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	0	•	•
•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•	•			•		•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	0	•	•
•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	0	•	•	0	•	•
•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	0	•	0	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•



Ryobi

Find out more about our Power Tools range at: ryobitools.co.uk or pick up a Power Tools catalogue in-store.

Whether you are a keen DIY'er, a car enthusiast or simply want to spruce up your home, Ryobi Power Tools are designed to meet your every need.



Be happier in your home with Ryobi.

11

Ryobi Power Tools has a tool for every job.



Ryobi Technologies (UK) Limited

Dealer stamp:

Content of the catalogue is correct at time of going to print. Ryobi reserve the right to change images and prices without prior notice.The use of the trademark RYOBI® is pursuant to a license granted by Ryobi Limited.