




years of **ONE+ Innovation**





Celebrate the 20th Anniversary of the Ryobi ONE + System.

An industry breakthrough that has stood the test of time, ONE+ meant a variety of different tools could all share the same battery. That hasn't changed. technology, they will actually work In fact, the ONE+ tools you bought

back then are not only compatible with the cutting edge ONE+ batteries of today, but thanks to our Lithium+ even better than ever. So, dig out that

old drill or sander, upgrade the battery and versatility of the Ryobi ONE+

and re-discover the incredible power range that now features over 40 tools for the home and garden.

Cordless Tools

18V ONE+ Power Tools	8-23
18V ONE+ Garden Tools	24-30
18V Batteries & Chargers	31 – 33
12V/4V Power Tools	34-37

At Ryobi® we've built a solid and enviable

reputation by developing a real knowledge of

exactly what people need from their Power tools.

Corded Tools

Drilling	38-40
Grinding	41 – 42
Woodworking	43-50

Accessories



We offer a 2 year warranty on all our product range, excluding accessories and components subject to natural and normal wear and tear, please refer to our warranty conditions in the user manual for complete conditions

All products shown are in compliance with the appropriate European regulations (displaying the CE approval mark on the rating plate).

Warning: All warranties are country/region specific. Tools purchased e.g. in the USA or via the internet, and imported into Europe, which are not CE approved, not only violate EU legislation, but will not be supported/ serviced in Europe by Ryobi® as a result. Only tools bought in the European Union displaying the CE approva mark on the rating plate (incl. Switzerland) are covered by a European warranty. Ryobi® reserves the right to revise product specifications at any time without notice



Do it your way

Choose a kit...

Buy any tool + battery kit, then expand your family for less.




Pick a tool...

Select the tool, battery & charger you want from the range as individual items, grow your ONE+ family.



Introducing the DIY market's first 5.0Ah battery.

The NEW 5.0Ah battery offers you the longest runtime in the DIY market. DIY'ers can now work for longer without the need to recharge their battery!



Upgrade to the 5.0Ah battery.



Drill 600+ more holes.*



Drive 1,000+ more screws.*



*On a single charge when compared to the 1.5Ah battery.

Get 3x more work done

with a 5.0Ah battery vs the 1.5Ah battery.

Power over 40 different power and garden tools with the same Lithium+ battery.

Lithium+ instantly upgrades your ONE+ tool.

New for 2016

BRUSHLESS

Introducing our best T18V drill ever.

40% more run-time

20% more power

with Brushless Technology

Innovative motor technology.

Ryobi's Brushless Technology uses patented electronics to control a compact but powerful motor.

These advanced electronics constantly monitor and fine tune the performance of the motor to the application, providing higher sustained torque levels to drill faster and optimised power usage for increased run-time. Precise computerised control of the motor delivers huge run-time and performance benefits.





* Drilling 16mm holes into 50mm of wood with 5.0Ah battery pack. Run-time may vary on tool, battery and application.

Please see our ONE+ System range of tools on page 8-9 for product details.

R18PDBL-0 **18V Brushless Percussion Drill**

- Brushless motor is electronically-controlled to optimise efficiency for up to 40% more run time per charge.
- Electronic performance control delivers up to 20% more power than brushed
- Brushless motor runs cooler and last up to 10 times longer than brushed drills
- All metal 13mm ratcheting chuck for improved bit gripping strength and durability
- e-Torque control settings make it easy to drive screws flush everytime
- · LED illuminates the work area
- Metal planetary gearbox with 2 gears (0-440 & 0-1,700 RPM) for a wide range of drilling and fastening applications
- New ErgoTech Handle design with Gripzone+ microtexture for added comfort
- The most compact Ryobi 18V percussion drill ever, measuring 201 mm in length
- Powered by Lithium+ battery technology which provides more power, longer runtime and better durability than our previous lithium batteries



Also Available as

	18V Brushle	ss Percussion D	rill (2x5.0Ah)
x2	Name: R18PDBL-LL50S	Product Code: 5133002477	EAN Code: 4892210137708



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Max. torque (Nm)	60
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-440
No load speed gear 2 (rpm)	0-1,700
Max. drilling wood (mm)	50
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Torque settings	10
Weight without battery pack (kg)	1.7
Cumplical in	Recyclable
Supplied in	carton
Article Number	5133002438
EAN Code	4892210135636

Standard equipment (R18PDBL-0) 1 x double-ended screwdriver bit



Also Avoilable so

LLCDI18022

18V Cordless Percussion Drill (2x1.3Ah)

- Combination Drill, Screw Driver and Percussion drill to suit multiple applications
- 13mm keyless chuck for greater accessory compatibility
- Quick adjustment 24 torque settings for perfect screwdriving
- 2 gears for most materials and applications
- Electronic variable speed, reverse and brake for total control



_	18V Cordle	ss Percussion D	rill (1x1.3Ah)
х1	Name: LLCDI18021L	Product Code: 5133001947	EAN Code: 4892210124562

		LLCDI18021L	5133001947	4892210124562	Ĺ
		18V Cordle	ss Percussion D	rill (2x4.0Ah)	Ĺ.
X	2	Name: LLCDI18LL40S	Product Code: 5133002236	EAN Code: 4892210129093	

	18V Cordle	ess Percussion D	rill (2x1.3Ah)
x 2	Name: LLCDI18022L	Product Code: 5133001949	EAN Code: 4892210124579
	18V Cordless	Hammer Drill & I	mpact Driver Kit

	LLCDITOUZZL	3133001949	4092210124379
	18V Cordless F	Hammer Drill & Ir (2x1.3Ah)	mpact Driver Kit
x2	Name: R18CK2A-LL13F	Product Code: 5133002241	EAN Code: 4892210126733

Voltage (V)	18
No. of batteries supplied	2
Charger supplied	45 min
Max. torque (Nm)	50
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	400
No load speed gear 2 (rpm)	1550
percussion rate gear 1	6000
percussion rate gear 2	23250
Max. drilling wood (mm)	38
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Torque settings	24
Weight with battery pack (kg)	1.93
Supplied in	Tool bag
Article Number	5133001955
EAN Code	4892210124609

Standard equipment (LLCD|18022) 1x double-ended screwdriver

R18PD-0 **18V Cordless Percussion Drill**

- Combination Drill, Screw Driver and Percussion drill to suit multiple applications
- All Metal 13mm keyless chuck for greater accessory
- LED Illuminates the work area
- Quick adjustment 24 torque settings for perfect screwdriving every time
- 2 gears to control max speed to match different materials and applications
- Magnetic bit holder keeps screws and accessories close to
- Ergonomic GripZone+ with microtexture for a postive grip



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Max. torque (Nm)	55
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-375
No load speed gear 2 (rpm)	0-1600
Max. drilling wood (mm)	38
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Torque settings	24
Weight with battery pack (kg)	2.1
0 " "	Recyclable
Supplied in	carton
Article Number	5133002478
EAN Code	4892210137647

Standard equipment (R18PD-0) Double ended bit, Auxiliary handle and Depth stop



Also Available as

RCD1802M 18V Cordless Drill/Driver

- 13mm keyless chuck for greater accessory compatibility
- LED Illuminates the work area
- Quick adjustment 24 torque settings for perfect screwdriving every
- 2 gears to control max speed to match different materials and
- Magnetic bit holder keeps screws and accessories close to hand
- Ergonomic GripZone+ with microtexture for a postive grip



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Max. torque (Nm)	45
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	440
No load speed gear 2 (rpm)	1600
Max. drilling wood (mm)	38
Max. drilling steel (mm)	13
Torque settings	24
Weight with battery pack (kg)	1.64
Supplied in	Tool bag
Article Number	5133001171
EAN Code	4892210118684

Standard equipment (RCD1802M) 1 x double-ended screwdriver bit



R18DDP-0

18V Cordless Drill/Driver

Product Code: EAN Code: 4892210124593

13mm keyless chuck for greater accessory compatibility

18V Cordless Drill/Driver (1x1.3Ah)

- Electronic variable speed, reverse and brake for total control
- Spirit level for precise drilling
- 2 gears to control max speed to match different materials and
- Quick adjustment 24 torque settings for perfect screwdriving every
- Magnetic bit holder keeps screws and accessories close to hand
- Soft touch trigger and gear switch for user comfort
- Ergonomic GripZone™ overmould technology for improved comfort with a positive grip



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Max. torque (Nm)	45
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	440
No load speed gear 2 (rpm)	1,600
Max. drilling wood (mm)	32
Max. drilling steel (mm)	13
Torque settings	24
Weight with battery pack (kg)	1.81
O If a st in	Recyclable
Supplied in	carton
Article Number	5133002095
FAN Code	4892210128034

Standard equipment (R18DDP-0) 1 x double-ended

screwdriver bit



R18SDS-0

18V Cordless SDS+ Rotary Hammer Drill

- Pneumatic hammer mechanism delivers 1.3J of EPTA rated impact energy ideal for drilling holes in stone and concrete
- SDS+ chuck for fast drilling and easy accessory bit changes
- 4 modes for extra versatility (hammer drill, rotary drill, chisel,
- Chisel function ideal for applications such as light tile removal
- Non-hammer setting ideal for drilling holes in wood, metal and
- Variable speed, forward and reverse for total control
- Built-in LED lights up your work area
- Gripzone+™ overmold for added comfort and control reduces fatigue during use



(No.	<u>. </u>
RYOBI	
1	
# 11	

EPTA RATED

Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Impact rate (ipm)	0-5,000
Blow energy (J)	1.3
Max. drilling wood (mm)	16
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	16
Weight with battery pack (kg)	2.08
Compliant in	Recyclable
Supplied in	carton
Article Number	5133002305
EAN Code	4892210130211





Also available as

RID1801M

18V SDS+ Rotary (Pneumatic) Hammer Drill (1x4.0Ah) Name: Product Code: EAN Code: R18SDS-LL40S 5133002432 4892210135612

18V Cordless Impact Driver

- High power cordless impact driver perfect for screwing and loosening larger bolts
- Motor deliveres 220Nm of torque to easily drive long screws and
- Keyless bit changes 6.35mm (1/4 ") hex drive
- 3 LED lights light up your work area, so you can see what you are
- Robust die-cast front gear housing to protect the motor
- · Variable speed, reverse and brake for total control of your tool



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Max. torque (Nm)	220
No load speed (rpm)	3200
Weight with battery pack (kg)	1.63
Our and the set the	Recyclable
Supplied in	carton
Article Number	5133001169
EAN Code	4892210118608

Standard equipment (RID1801M) 1 x impact bit, 1 x 5/8 inch socket





R18IW3-0

18V Cordless 3-Speed Impact Wrench

- 18V high power motor delivers 400Nm of torque ideal for fast tightening/ removing of heavy duty fasteners.
- Impact Mechanism allows for high amounts of torque with little reactionary feedback through the handle.
- Tri-Beam LED lights eliminate shadows on bits and fasteners even in the darkest work areas.
- 3 speed settings provide added control and versatility.
- Mode 1: 0-2,100 rpm for precision work
- Mode 2: 0-2,500 rpm for added control which helps prevent damage to
- Mode 3: 0-2,900 rpm for maximum performance for the toughest applications
- 1/2" Square drive with locking pin for easy socket fitment
- Inlcudes 1/4" hex adapter to fit screw driver bits
- Fit up to 100 wheels per charge when combined with our high capacity Lithium+ 4.0Ah battery RB18L40

Also Available as





Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Impact rate (ipm)	0-3200
Max. torque (Nm)	400
No load speed (rpm)	0-2900
Weight with battery pack (kg)	2.00
Supplied in	Recyclable
	carton
Article Number	5133002436
EAN Code	4892210132352

Standard equipment (R18IW3-0) 1/ " hex adapter



RAD1801M 18V Cordless Right Angle Drill

- Cordless Angle Drill ideal for working in tight and awkward corners
- Keyless 10mm chuck, for simple bit changes
- Automatic spindle lock for one-handed bit change
- LED lights up your work area for better visibility
- Magnetic drill bit tray for easy storage and access to your drill bits
- Variable speed, reverse and brake for total control of your tool



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Chuck capacity (mm)	10
No load speed gear 1 (rpm)	0-1100
Max. drilling wood (mm)	38
Max. drilling steel (mm)	10
Weight with battery pack (kg)	1.83
Our alice tie	Recyclable
Supplied in	carton
Article Number	5133001167
EAN Code	4892210118585

Standard equipment (RAD1801M)

1 x double-ended screwdriver bit



R18AG-0 18V Cordless Angle Grinder

- Cordless grinder with 115mm disk ideal for a variety of cutting and grinding applications
- 3 position handle for better control when grinding or cutting
- Two stage non lockable switch for enhanced user protection preventing accidental start up
- Easy to adjust tool-less wheel guard
- Spindle lock for easy accessory changing
- GripZone™ overmould technology for improved comfort with a positive grip



Voltage (V)	18
No. of batteries supplied	C
Charger supplied	_
Bore size (mm)	22
No load speed (rpm)	7500
Wheel size (mm)	115
Weight with battery pack (kg)	2.58
Owner lie at in	Recyclable
Supplied in	cartor
Article Number	5133001903
EAN Code	4892210123657

Standard equipment (R18AG-0) Auxiliary handle, Wrench, wheel guard, 1 x grinding disc



Discover how to make creative DIY projects for your home and garden.





ollow step-by-step guides so you can DIY at home and impress your family and friends. We'd love to be your creations! Tag your project photos with MyRyobi and we will share the best ones.

Visit uk.ryobitools.eu/my-ryobi for more information and follow us on Facebook, Twitter & Instagram @RyobiToolsUK



NEW

R18MT-0 18V Cordless Multi tool

- A versaltile multi purpose tool that cuts drywall, metal, wood, plastic, composite and many other materials; it also sands the finest details.
- 4 position articulating head for increased application versatility and comfort
- Tool less blade change
- 6 Position variable speed wheel for ultimate control across a range of applications.
- Built-in LED light ensures your work piece is always well lit and clearly visible.
- Universal accessory adaptor makes the product compatible with any brand of accessories
- Gripzone+™ overmold for added comfort and control reduces fatigue during use.




Available Q3 2016











Standard equipment (R18MT-0)

1 x Plunge cutting blade, wood / metal cutting segment blade, sanding pad and 5 sanding sheets



R18JS-0 18V Cordless Jigsaw

- Cordless jigsaw with 25mm stroke length ideal for cutting wood at a veriety of different angles
- 1 handed speed control for easy speed adjustment to suit different applications
- 4 stage pendulum action for enhanced cutting performance
- Tool-less blade clamp for quick and easy blade change
- Lock on switch keeps your tool working so reduces your fatigue
- LED worklight illuminates the cut line and work area
- Easy base adjustment to cut between 0° to 45° angles



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Stroke length (mm)	25
No load stroke rate (spm)	1,100 - 3,000
Max. cutting capacity wood (mm)	101
Weight with battery pack (kg)	2.53
Supplied in	Recyclable carton
Article Number	5133002158
EAN Code	4892210128010

Standard equipment (R18JS-0) 1 x 10 TPI Wood blade, 1 x 14 TPI Scrolling blade



R18CS-0 18V Cordless Circular Saw


- Ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work tops, flooring or to make quick and accurate cross cuts in timber.
- Impressive cut capacities 52mm at 90°, 36mm at 45° allows you to complete applications usually reserved for corded tools
- Tool less depth and bevel adjustments make it quick at easy to set up the saw
 Rotatable dust port helps keep the cut line clear and allows you to
- work in a dust free environment by connecting to a vacuum

 Premium Thin Kerf 165mm blade with 24 carbide tipped teeth
- provides superb performance and cut quality
 Make up to 275 cross cuts in 2x4 (52x100mm) timber per charge when combined with our high capacity Lithium+ 5.0Ah battery
- Cuts through 2x4" Wood

Also available as







RYOBI

Standard equipment (R18CS-0) 1x 24 Tooth TCT blade, Side fence

Weight with battery pack (kg)

Supplied in

Article Number



Recyclable

5133002338 4892210117304



RWSL1801M

18V Cordless Circular Saw

For further technical specifications, including noise and vibration data, please visit our website: www.ryobitools.co.uk

- Ideal for making long straight cuts, trimming sheet wood to size, cutting kitchen work tops, flooring or to make quick and accurate cross cuts in timber.
- Impressive cut capacities 45mm at 90°, 32mm at 45°
- Tool less depth and bevel adjustments make it quick at easy to set up the saw
- Dust port helps you to work in a dust free environment by connecting to a vacuum
- Premium Thin Kerf 150mm blade with 18 carbide tipped teeth provides superb performance and cut quality



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	-
Blade diameter (mm)	150
Bore size (mm)	10
No load speed (rpm)	0-4,700
Max. cutting depth 45° (mm)	32
Max. cutting depth 90° (mm)	45
Bevel capacity (°)	50
Weight with battery pack (kg)	2.93
Ourse lie el in	Recyclable
Supplied in	carton
Article Number	5133001165
EAN Code	4892210118561

Standard equipment (RWSL1801M) Hex key, 150mm TCT circular saw blade and edge guide

хO

Also available as

	18V Cordl	ess Circular Saw	/ (1x1.3Ah)
x1	Name: RWSL18011L	Product Code: 5133001956	EAN Code: 4892210124616

RRS1801M

18V Cordless Reciprocating Saw

- Ideal for cutting a wide variety of materials including worktops, boards, metal or plastic pipes, branches and other tough
- Tool-less blade clamp for quick and easy blade changes
- The variable speed trigger with electric brake provides more speed control to cut a variety of materials. Make cuts faster with up to 3,100 strokes per minute
- 22mm stroke length provides impressive cutting performance
- The combination of the unique Anti-Vibe™ handle and the new GripZone™ overmold increase user comfort and control while reducing fatigue during prolonged use
- The adjustable, pivoting shoe allows greater depth control and more efficient use of the blade by moving to a less worn section.



Voltage (V)	18
No. of batteries supplied	(
Charger supplied	-
Stroke length (mm)	22
No load speed (rpm)	3100
Max. cutting capacity wood (mm)	180
Weight with battery pack (kg)	2.33
Supplied in	Recyclable cartor
Article Number	5133001163
EAN Code	4892210118707

Standard equipment (RRS1801M) 1 x metal blade, 1 x wood blade





EMS190DCL **18V Cordless Mitre Saw**

- Cordless Mitre saw cuts up to 38x108mm at 90°
- Exactline laser accurately aligns the cut line with the blade
- Pre-select mitre angles at 0,15,22.5,31.6 and 45° and bevel from
- Thin Kerf 24T carbide tipped blade for improved performance and longer runtime
- Extremely compact and lightweight for great portability
- Make up to 189 cross cuts (22x100mm) combined with the Lithium+ 5.0Ah battery RB18L50



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Blade diameter (mm)	190
Battery type	_
Mitre capacity left (°)	45
Mitre capacity right (°)	45
Bevel capacity left (°)	45
Weight with battery pack (kg)	7.43
Cumplind in	Recyclable
Supplied in	carton
Article Number	5133000932
EAN Code	4892210116895

Standard equipment (EMS190DCL) 1 x 24 TCT blade, 1 x clamp, dust bag,





- Produces high force for high viscosity materials
- Switch lock helps prevent accidental start-ups · Variable speed adjustment lever for flow control
- Easy release manual push rod for quick reloading
- Durable gears and carriage frame help ensure tool longevity
- On-board puncture tool to brake tube seal if needed
- GripZone™ overmould technology for improved comfort with a positive grip



For further technical specifications, including noise and vibration data, please visit our website: www.ryobitools.co.uk

voilage (v)	18
No. of batteries supplied	0
Charger supplied	_
No load speed high	6
No load speed low	1
Max. ouput force	225
Weight with battery pack (kg)	2.13
Article Number	5133000192
EAN Code	4892210109200





- Ideal for light to medium weight applications such as fine finshing and
- 1.8mm orbital sanding motion for fast and efficient stock removal
- Compact design allows users to sand easily in corners and tight
- Quick fit hook and loop sanding sheet attachment
- Triangular pad design for sanding up to the edge in tight corners



Voltage (V)	18
No. of batteries supplied	(
Orbit rate [opm]	22,000
Diameter of orbit (mm)	1.8
Sanding pad size (mm)	100x140mn
Weight with battery pack (kg)	1.00
Supplied in	Recyclable
	cartor
Article Number	513300244
EAN Code	489221013370

Standard equipment (R18PS-0) 6 sanding sheets (2x60, 2x120 and





R18ROS-0

18V Cordless Random Orbital Sander

- Ideal for light to medium weight applications such as fine finishing and paint removal.
- 2.5mm orbital sanding motion for fast and efficient stock removal.
- Random Orbital action delivers a swirl free finish.
- Built in dust extraction system ensures a clean work environment.
- Quick fit hook and loop sanding sheet attachment
- Up to 50 minutes runtime with the 5.0Ah Lithium+ battery RB18L50



Voltage (V)	18
No. of batteries supplied	0
Orbit rate [opm]	20,000
Diameter of orbit (mm)	2.5
Sanding pad size (mm)	125
Weight with battery pack (kg)	1.56
Supplied in	Recyclable
	Carton
Article Number	5133002471
EAN Code	4892210136855

Standard equipment (R18ROS-0) 3 sanding sheets (80, 120 and 240 grit)





- Chamfering groove in die-cast front shoe for added precision
- Positive depth adjustment 0-0.4mm
- Additional front handle for greater control
- Side fence included for precision planing
- DustTech™ Integrated technology for maximum dust pick-up
- GripZone™ overmould technology for improved comfort with a positive grip



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Planing width (mm)	50
Planing depth (mm)	0.4
Rebate depth (mm)	13
No load speed (rpm)	10,000
Weight with battery pack (kg)	2.13
Article Number	5133000195
EAN Code	4892210109149

Standard equipment (CPL180MHG) side fence, dust bag, wrench, 2 x reversible TCT blades




Nail that fixing job!

Cordless nailers make projects like installing moulding and overhead framing easier and quicker by eliminating the need to hammer by hand. With Ryobi's brad nailer and finish nailer, you will have every fixing job covered.




Your guide to choosing the right nails

Brad nails



Ideal for fixing wood without the need for screws, pre-drilling or glue. Also great for furniture making

Finish nails



The Finish nailer is ideal for fixing skirting, coving and larger materials using a slightly larger nail size

◎NE ♣ R1

R18N18G-0

18V Cordless 18G Nailer

- AirStrike™ Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 18 Gauge (1.2mm) nails from 15 to 50mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-Light technology engages twin LEDs by grasping the handle
- Tool less depth of drive adjustment helps protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool less jam release for easy removal of clear nails
- Low nail indicator so you can see when it is time to re-load





 Voltage (V)
 18

 No. of batteries supplied
 0

 Charger supplied
 -

 Magazine capacity brads nail type (mm)
 1.2

 Weight with battery pack (kg)
 2.93


 Article Number
 5133002093

 EAN Code
 4892210128058

Standard equipment (R18N18G-0) 500 x 32mm nails, 2 x no mark shoes, reversible belt hook




R18N16G-0 18V Cordless 16G Nailer



- Fires 16 Gauge (1.6mm) nails from 19 to 65mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-Light technology engages LED by grasping the handle
- Tool less depth of drive adjustment helps protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool less jam release for easy removal of clear nails
 Low nail indicator so you can see when it is time to re-load





Standard equipment (R18N16G-0) 500 x 50mm nails, 2 x no mark shoes, reversible belt hook



P620 18V Cordless Speed Sprayer

- Ideal for painting fences, exterior walls, garage doors and outbuildings
- Choose between three spray patterns, horizontal, vertical or round, to provide you with the best coverage whilst minimising overspray
- Suitable for use with any brand paint
- Highly versatile Spray System that can be used with varnishes, wood preservatives, enamels, as well as oil-based and water-based paints
- Innovative and patented delivery system also minimizes the need for dilution
- Cordless convenience means paint projects have no limits. Spray up to 4m² per minute
- GripZone™ overmould technology for improved comfort with a positive grip



Voltage (V)	1
No. of batteries supplied	
Charger supplied	
Container capacity (ml)	100
Paint coverage sprayer (m²/	1
min)	
Flow rate (I/h)	2
Weight with battery pack (kg)	2.3
Supplied in	Recyclabl
	carto
Article Number	513300015
EAN Code	489221011058

Standard equipment (P620) vertical tip, horizontal fan tip, viscosity & measuring cup, cleaning kit





Keep your car looking like new with Ryobi's ONE+ cordless tools. You'll only need one battery to power them all.



Listen to the radio or connect your phone via Bluetooth to listen to your favourite tunes whilst you work with the ONE+ Radio.



Get your car sparkling on the outside.

The ONE+ Buffer will have your bodywork shining like new.

Looking like new on the inside.

Ensure your car interior is always clean and tidy with the ONE+ Handvac.



Never get left in the dark.

Whether you need to see under the bonnet of your car or you have broken down in the dark, the ONE+ Lights have you covered.



Need to change

The ONE+ Impact Wrench makes light work of loosening and tightening nuts on your wheels. So, you can change your wheel quickly with ease whenever you want, wherever you want.



Get the pressure just right.

Ensure your tyres have the correct pressure with the ONE+ Inflator. Measure it, set it and inflate your wheels without the need to take your car to the garage.

See how to keep your car looking like new by visiting our YouTube Channel: www.youtube.com/RyobiTV

R18B-0 18V Cordless Buffer



- Ideal for applying polish and wax to maintain your car's paint finish
- Also great for use on boats, wooden furniture and flooring
- Random orbit motion delivers a swirl free finish
- Powerful motor delivers 2,500 opm maintaining optimum performance during extended use
- Complete the job quickly with a full size 254mm (10in) buffing applicator and bonnet
- Crescent shaped handle provides comfort and access to hard to reach spaces
- Up to 120 mins runtime with the 5.0Ah Lithium+ battery RB18L50



18
0
_
12.5
2500
254
1.97
5133002465
4892210135483

Standard equipment (R18B-0) 1x Elastic polishing bonnet, 1x Elastic buffing bonnet





R18IW3-0 18V Cordless 3-Speed Impact Wrench

- 18V high power motor delivers 400Nm of torque ideal for fast tightening/ removing of heavy duty fasteners.
- Impact Mechanism allows for high amounts of torque with little reactionary feedback through the handle.
- Tri-Beam LED lights eliminate shadows on bits and fasteners even in the darkest work areas.
- 3 speed settings provide added control and versatility.
- Mode 1: 0-2,100 rpm for precision work
- Mode 2: 0-2,500 rpm for added control which helps prevent damage to fasteners and materials
- Mode 3: 0-2,900 rpm for maximum performance for the toughest applications
- 1/2" Square drive with locking pin for easy socket fitment
- Inlcudes 1/4" hex adapter to fit screw driver bits
- Fit up to 100 wheels per charge when combined with our high capacity Lithium+ 4.0Ah battery RB18L40

Also Available as

18V Cordless Impact Wrench (1x 1.3Ah)
 Name:
 Product Code:
 EAN Code:

 R18IW3-L13GKIT
 5133002530
 4960673134906



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Impact rate (ipm)	0-3200
Max. torque (Nm)	400
No load speed (rpm)	0-2900
Weight with battery pack (kg)	2.00
Supplied in	Recyclable
	carton
Article Number	5133002436
EAN Code	4892210132352

Standard equipment (R18IW3-0)

1/4" hex adapter





• Dual Function Inflator/Deflator provides high pressure

- inflation for tires and high volume for inflatables. Easy to use controls allow automatic shut off at any pressure you choose and there is a digital pressure readout for
- Connect the hose to a separate port for deflation mode ideal for packing down air beds or other inflatables
- Convienient switch for high and low pressure selection
- All of the hoses, nozzles and adaptors needed are stored on-board for your convenience



Voltage (V)	1.
No. of batteries supplied	
Charger supplied	-
Hose length (m)	High pressure
	hose 711mm
	High volume
	hose 756mn
Max. pressure (bar)	10.3 bar, 150ps
Weight with battery pack (kg)	1.7
Supplied in	Recyclable
	Carto
Article Number	513300183
EAN Code	489221012278

Standard equipment (R18I-0) High pressure hose, high volume hose, 3 x air accesories





Motor creates strong vacuum suction to easily pick up a variety of dry

Dual filter system captures debris for removal to provide maximum vacuum performance

- Easy-clean dust bowl for quick disposal with no mess
- Crevice tool with built-in slide brush for hard to reach areas
- GripZone™ overmould technology for improved comfort with



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Container capacity (ml)	173
Weight with battery pack (kg)	1.39
Supplied in	Recyclable
	carton
Article Number	5133000077
EAN Code	4892210106339

Standard equipment (CHV182M) Crevice and brush attachment, Washable filter





R18R-0

18V Cordless Radio with Bluetooth®

- Premium speaker provides clear, crisp music at a range of volumes
- Integrated Bluetooth® Wireless Technology for ultimate versatility to stream full audio from up to than 10 metres away
- Digital tuning with capability to save 10 FM and 10 AM station presets
- 1 Amp USB Charger port charges many portable electronic devices including smartphones
- Integrated auxiliary input with storage location for smartphone use
- Compact size is durable and portable for use at home
- Low battery indicator advises when 18V ONE+ ™ battery will need to
- Provides over 15 Hours runtime using the RB18L40 Lithium+ battery





Voltage (V)	18
No. of batteries supplied	C
Charger supplied	_
Speaker diameter (mm)	90mm
Speaker output (W)	3
Weight with battery pack (kg)	1.1
Article Number	5133002455
EAN Code	4892210135476

Standard equipment (R18R-0) (2) AAA Alkaline Batteries





®NE R18F-0

18V Cordless Fan

- Cordless fan ideal for indoor our outdoor use, compact and portable with built in carry handle
- 8 adjustable positions to aim air in multiple directions
- Multiple hanging options for maximum versatility.
- 2,100 rpm for max air flow or 1,400rpm for increased runtime and quieter operation
- Up to 18 Hours runtime with RB18L50 allowing you to run all day or even overnight on one charge.



Voltage (V)	18V
No. of batteries supplied	0
Charger supplied	_
Fan speed [rpm]	2,100 / 1,400
Weight with battery pack (kg)	1.56
Article Number	5133002612
EAN Code	4892210140678



RFL180M 18V Cordless Flash Light

- Rotating head directs light where needed
- Multi-functional design that is capable of sitting flat on the battery or hanging from a nail, screw or hook
- Lightweight and durable for every day use
- High power Halogen bulb emits up to 150 Lumens with a recommended throw of up to 10 metres



Voltage (V)	18
No. of batteries supplied	C
Charger supplied	_
Bulb type	Halogen
Weight with battery pack (kg)	0.72
Article Number	5133001637
EAN Code	4892210120199



R18ALF-0 18V Cordless Folding Area Light

- 20 high power LEDs emit up to 850 Lumens
- Stand, fold or hang almost anywhere, allowing you to work with both hands in a clearly lit environment
- 2 separate banks of LED's so you can choose to have either half of the light on or all 20 LEDs for full power
- CCT (Correlated Colour Temperature) of 5,700K means the light emits a bright white beam of light, helping to see objects better and easier.
- CRI rating of 80, meaning its 80% as good as natural daylight which is ideal for all your various DIY and decorating projects.
- Extensive runtime up to 360 minutes with RB18L40



Voltage (V)	1
No. of batteries supplied	
Charger supplied	-
Bulb type	LEI
Weight with battery pack (kg)	1.
Article Number	513300230
EAN Code	489221012019



R18ALH-0 18V Cordless Area Light

- Works with all ONE+ batteries for cordless convenience
- 25W lifetime LED emits up to 2,000 Lumens.
- 360° rotation of the lens and multiple hanging options add versatility.
- Compact design with integrated handle for easy transportation and
- Up to 240 minutes run time as a cordless light with RB18L40



Voltage (V)	1
No. of batteries supplied	
Charger supplied	
Bulb type	LE
Weight with battery pack (kg)	1.
Article Number	513300233
EAN Code	489221011731





And did you know we have ONE+ tools for the garden as well?



Outdoor tools and kits for all your gardening needs

Choose a kit...

Buy any tool + battery kit, then expand your family



Pick a tool...

Select the tool, battery & charger you want from the range as individual items, grow your ONE+ family.



QUIKMOW+

18V Cordless Lawn Mower, 33cm Deck (1x4.0Ah)

- The Lithium+ battery offers more power, longer run times, and better durability providing premium mowing performance
- Intellicell™ technology monitors and balances individual cells to maximise run times, storage life and safety
- 33cm cutting path designed for easy maneuverability around the
- 5 Position, single point cutting height adjustment from 25-65mm
- Mow right to the perimeter of your garden with EasyEdge grass comb
- Folding and removable handles with a collapsible grass catcher for easy and compact storage
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system





Voltage (V)	18
Battery pack capacity (Ah)	4.0
No. of batteries supplied	1
Charger supplied	2 hr
Decksize (cm)	33
Drive mechanism	Push
Mulching capable	Yes
Weight with battery pack (kg)	12
Article Number	5133002566
EAN Code	4892210137883

Standard equipment (QUIKMOW+) 35L grass bag



ZIPMOW+

18V Cordless Lawn Mower, 33cm Deck, (1x5.0Ah)

- The Lithium+ battery offers more power, longer run times, and
- better durability providing premium mowing performance Intellicell™ technology monitors and balances individual cells to maximise run times, storage life and safety
- 33cm cutting path designed for easy maneuverability around the
- 5 Position, single point cutting height adjustment from 25-65mm
- Mow right to the perimeter of your garden with EasyEdge grass
- Ergonomic handle design, with 5 height positions to accommodate all users
- Folding and removable handles with a collapsible grass catche for easy and compact storage
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system





Voltage (V)	18V
Battery pack capacity (Ah)	5.0
No. of batteries supplied	1
Decksize (cm)	33
Charger supplied	3 hr
Drive mechanism	Push
Mulching capable	Yes
Weight with battery pack (kg)	12
Article Number	5133002608
EAN Code	4892210140760

Standard equipment (ZIPMOW+)



▲ OLM1833H

18V Cordless Lawn Mower, 33cm Deck

- Intellicell™ technology monitors and balances individual cells to maximise run times, storage life and safety
- 33cm cutting path designed for easy maneuverability around
- 5 Position, single point cutting height adjustment from 20mm-Mow right to the perimeter of your garden with EasyEdge grass
- Ergonomic handle design, with 5 height positions to accommodate all users
- Folding and removable handles with a collapsible grass catcher for easy and compact storage
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless syste



Voltage (V)	18
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Decksize (cm)	33
Drive mechanism	Push
Mulching capable	Yes
Weight with battery pack (kg)	11.5
Article Number	5133002616
EAN Code	4892210139351

Standard equipment (OLM1833H) Mulching Plug, 35L grass bag





RLM18X40H240

36V Cordless Fusion Mower [Powered by 2x ONE+ Batteries]

- The performance of 36V with Ryobi Lithium Fusion™ technology. Powered by dual 18V Lithium+ 4.0Ah batteries
- The 4.0Ah Lithium+ battery offers more power, longer runtimes and better durability, giving petrol equivalent performance
- Intellicell™ monitors and balances individual cells to maximise run-times, storage life and safety
- 40cm cutting with metal blade for excellent cutting and
- 5 Position, single point height adjustment from 20mm-70mm
- Mow up to edge or around flower beds with EasyEdge™ grass
- Quick release handles and soft bag for compact storage
- Vertebrae[™] handle with multiple grip positions and adjustable
- As part of the 18V One+™ system, the battery is compatible with over 35 tools for the home and garden



Voltage (V)	36
Battery pack capacity (Ah)	4.0
No. of batteries supplied	2
Decksize (cm)	40
Blade speed (rpm)	3550
Charger supplied	2 hr
Drive mechanism	Push
Mulching capable	Yes
Weight with battery pack (kg)	19.2
Article Number	5133002099
EAN Code	4892210820815

Standard equipment (RLM18X40H240) 50 litre hard top grass bag, Mulching



RLM18C34H25 36V Fusion Hybrid Cordless Lawn Mower, 34cm Deck, Powered by ONE+ (2x 2.5Ah)

- 36V Hybrid Corded and Cordless Lawn Mower powered by either 2 x 18V Lithium+ 2.5Ah battery or electric power with a cable
- Intellicell™ technology monitors and balances individual cells to mazimise run-times, storage life and safety
- Mower has 34cm cutting path
- Mow right to the perimeter with EasyEdge™ grass comb feature
- Folding handles and collapsible grass catcher for compact and easy
- Up to 5 different adjustable heights for improved comfort
- Grass catcher has 45L capacity
- Mulching plug included
- Vertebrae[™] handle design, with multiple grip positons and adjustable height for improved comfort
- As part of the 18V ONE+™ system, the battery is compatible with over 40 tools for the home and garden







18
2.5Ah
2
6 hr
34
Push
Yes
16.1
5133002367
4892210132291

Standard equipment (RLM18C34H25) 45L hard top bag, Mulching Plug



The best of both worlds.

Hybrid tools never run out of power, so you can work for longer.

Have a job to do in the garden? Enjoy the freedom of cordless with a Lithium+ battery. And if your battery runs out, switch to mains electricity to keep going. Hybrid gives you the ultimate flexibility to choose between power sources so you can



Did you know...?

Ryobi's Hybrid range is also part of the ONE+ System, meaning you can power over 40 different power and garden tools with the same Lithium+ battery.



Look out for the #Hybridi logo on our tools.

RLT1830H13

18V Hybrid Grass Trimmer, 30cm Cutting Width

- Innovative 18V Hybrid power, offers the choice of seamlessly changing between corded and cordless power in the same tool
- Adjustable cutting width from 25-30cm for great versatility when grass
- 18V Lithium power with patented IntelliCell™ technology which individually monitors and balances each cell to maximise runtime, storage life and safety
- EasyEdge™ feature allows the user to quickly transition between edging and trimming modes
- Telescoping boom and adjustable handle provides comfort for all
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system



_	
Voltage (V)	18
Battery pack capacity (Ah)	1.3
No. of batteries supplied	
Charger supplied	45 mii
Cutting path width [cm]	25-30
Line feed system	Auto feed
Weight with battery pack (kg)	3.2
Article Number	5133002103

Hybrid 7

Standard equipment (RLT1830H13) 1-pack auto feed spool, 8m cable

Also Available as

18V Hybrid Line Trimmer, 30cm Cutting Wi (1x2.5Ah)		n Cutting Width		
x1	Name: RLT1830H25	Product Code: 5133002224	EAN Code: 4892210821638	

_	18V Hybrid Grass Trimmer, 30cm Cutting Width (1x1.5Ah)		
x1	Name: RLT1830H15	Product Code: 5133002460	EAN Code: 4892210136626

OLT1831S

18V Cordless Grass Trimmer, 30cm Cutting Width

- 18V Lithium power with patented IntelliCell™ technology which individually monitors and balances each cell to maximise run time, storage life and safety
- Adjustable cutting width from 25-30cm for great versatility when grass
- EasyEdge™ feature offers quick transition between edging and trimming modes
- Telescoping boom and adjustable handle provides comfort for all
- Three position pivoting string head for more versatile cutting As part of the ONE+ System, the 18V Lithium+ battery is compatible

with all home & garden tools in the cordless system



EASY SEDGE

Voltage (V)	18
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	_
Cutting path width [cm]	25-30
Line feed system	Auto feed
Weight with battery pack (kg)	2.2
Article Number	5133002162
EAN Code	4892210821195

Standard equipment (OLT1831S) 1-pack auto feed spool



©NE + RLT1825LI

18V Cordless Grass Trimmer, 25cm Cutting Width

- Powered by 18V Lithium batteries
- 25cm cutting path for efficient grass & weed cutting
- EasyEdge™ design for quick transition to edging mode

18V EasyEdge Lithium-ion Line Trimmer

- Two handle design for improved user comfort
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system



EASY SEDGE

VERTEBRAE+

Voltage (V)	18
Battery pack capacity (Ah)	1.3
No. of batteries supplied	1
Charger supplied	3 hr
Line feed system	Auto feed
Cutting path width [cm]	25cm
Cutting line diameter (mm)	1.6
Weight with battery pack (kg)	1.65
Article Number	5133001807
EAN Code	4892210818430

Standard equipment (RLT1825LI) 1-pack auto feed spool



18V Cordless Hedge Trimmer 55cm Blade

- 18V Cordless Hedge Trimmer for pruning hedges & shrubs
- Powerful cutting performance due to high torque motor
- Excellent cutting quality through precision 55cm laser cut, diamond ground blades

OHT1855R

- Capable of cutting large branches with 22mm blade gap, and sawing function
- Anti-jamming system prevents accidential blocking
- Rotating rear handle offers ease of use in multiple positions
- HedgeSweep[™] attachment offers easy removal of clippings
- As part of the ONE+ System, the 18V ONE+ battery
- is compatible with all home & garden tools in the cordless system
- Sold as a bare unit, without battery and charger



voitage (v)	10
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	_
Max. cutting capacity (mm)	22
Blade speed (rpm)	2700
Blade length [cm]	55
Battery type	_
Weight with battery pack (kg)	2.8
Article Number	5133002161
EAN Code	4892210821249

Standard equipment (0HT1855R) HedgeSweep™ attachment, blade



RHT1851R15 18V Cordless Hedge Trimmer, 50cm Blade

- High Torque motor delivers powerful cutting performance for pruning hedges & shrubs
- Excellent cutting quality through precision 50cm diamond ground blades
- Capable of cutting large branches with 18mm blade gap, and sawing function
- Anti-jamming system prevents accidential blocking Rotating rear handle offers ease of use in multiple
- positions
- HedgeSweep™ attachment offers easy removal of clippings
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system



Voltage (V)	18
Battery pack capacity (Ah)	1.5
No. of batteries supplied	
Charger supplied	60 min
Max. cutting capacity (mm)	18
Blade speed (rpm)	2700
Blade length [cm]	50
Battery type	Li-ion
Weight with battery pack (kg)	3.15
Article Number	5133002110
EAN Code	4892210820754

Standard equipment (RHT1851R15) HedgeSweep™ attachment, blade sheath



OHT1850X 18V Cordless Extended Reach Hedge Trimmer 50cm Blade

- 4-position articulating head for pruning all sizzes of hedges & shrubs
- Rotating rear handle for optimum reach in all cutting applications
- · Central trigger for easy use in extended reach position HedgeSweep debris sweeper for easy removal of clippings
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system

For further technical specifications, including noise and vibration data, please visit our website: www.ryobitools.co.uk





Voltage (V)	18
Battery pack capacity (Ah)	-
No. of batteries supplied	0
Charger supplied	_
Max. cutting capacity (mm)	16
Stroke rate (spm)	2400
Blade length (cm)	50
Weight with battery pack (kg)	3.73
Article Number	5133001249
EAN Code	4892210815439

Standard equipment (OHT1850X) HedgeSweep™ blade sheath



Also Available as



- Powerful cutting performance due to premium 18V motor



Voltage (V)	18V
Battery pack capacity (Ah)	
No. of batteries supplied	0
Charger supplied	_
Blade length (mm)	450
Blade speed (rpm)	1500
Cutting capacity	18mm
Weight without battery pack (kg)	4.2
Article Number	5133002523
EAN Code	4892210138521

Standard equipment (0PT1845) HedgeSweep, blade sheath, single shoulder strap harness





OPP1820

18V Cordless Pole Pruner, 20cm Bar

- 20cm Oregon bar and chain for effective pruning and cutting
- High torque performance with 5.5m/s chain speed
- Extendable shaft for a reach of up to 4m
- 15° angled cutting head for easy pruning and better control
- Automatic chain and bar lubrication for continuous cutting
- As part of the ONE+ System, the 18V Lithium+ battery is compatible with all home & garden tools in the cordless system



Voltage (V)	18
No. of batteries supplied	0
Charger supplied	_
Chain bar length (cm)	20
Chain speed (m/s)	5.5
Weight (kg)	4.1
Article Number	5133001250
EAN Code	4892210815446

Standard equipment (OPP1820) Bar and Chain Oil, scabbard





- High speed nozzle provides airflow speed of 193km/h
- Lightweight design, with ultimate cordless convenience
- GripZone™ overmould for comfortable grip
- As part of the 18V ONE+™ system, the 18V ONE+ battery is compatible with all home & garden tools in the cordless sytem



18
_
0
_
193
1.6
5133000731
4892210812605

Standard equipment (0BL1802) 1 x nozzle



r Lithium ; **Battery Technology**

The NE+ System: 40+ tools powered by the largest range of Lithium+ batteries.



The simplest way to monitor your battery life and manage your workload.

Protection Electronics

The electronics shut down the tool if there is too much strain on the battery or if it gets too hot, protecting both tool and battery from damage.

IntelliCell™

Monitors and balances each cell so no energy is wasted. It maximises runtime and improves your tool's performance by up to 10%!

High Power Cells

A first for the DIY market! Energy flows easily through the cells when required in high bursts for increased performance.



+Runtime +Performance +Power Management +Durability Lithium+ instantly upgrades your ONE+ tool.





18V 5.0Ah Lithium+ Battery

- Powerful 5.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell[™] technology monitors and balances individual cells to maximise run-times, storage life and safety
- Tough pack design with built in impact protection for long term durability
- Drive up to 1622 4x40mm screws with RCD1802
- Cross-cut up to 276 pine 2x6's (50*150mm) with R18CS
- Runtime can vary by tool, battery and application





Article Number	5133002433
EAN Code	4892210135940

RB18L40

18V 4.0Ah Lithium+ Battery

- Powerful 4.0Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies.
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- Tough pack design with built in impact protection for long term durability
- Drive up to 1322 4x40mm screws with RCD1802
- Cross-cut up to 211 pine 2x6's (50*150mm) with R18CS

	18V Battery and Charger Kit (1x4.0Ah)		
x1	Name: RBC18L40	Product Code: 5133001912	EAN Code: 4892210124210



Product Code: EAN Code: 5133001916 4892210124234



Article Number	513300190
EAN Code	489221012410



- Powerful 2.5Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies.
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)

18V 2.5Ah Lithium+ Battery

- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- Tough pack design with built in impact protection for long term
- Drive up to 749 4x40mm screws with RCD1802
- Cross-cut up to 115 pine 2x6's (50*150mm) with R18CS
- · Runtime can vary by tool, battery and application





ticle Number	5133002237
AN Code	4892210129062

RB18L15 18V 1.5Ah Lithium+ Battery

- Powerful 1.5Ah Lithium+ battery gives more power, longer runtimes and better durability than previous lithium technologies.
- 4 Stage fuel gauge displays remaining power (100%, 75%, 50%, 25%)
- IntelliCell™ technology monitors and balances individual cells to maximise run-times, storage life and safety
- Tough pack design with built in impact protection for long term durability
- Drive up to 528 4x40mm screws with RCD1802
- Cross-cut up to 72 pine 2x6's (50*150mm) with R18CS
- Runtime can vary by tool, battery and application

	18V Batter	y and Charger K	it (1x1.5Ah)
x1		Product Code: 5133001910	EAN Code: 4892210124173





Article Number	5133001905
EAN Code	4892210124081

RB18L13 18V 1.3Ah Lithium Battery

- Powerful 1.3Ah Lithium battery
- Tough pack design with built in impact protection for long term durability
- Drive up to 426 4x40mm screws with RCD1802
- Cross-cut up to 49 pine 2x6's (50*150mm) with R18CS
- Runtime can vary by tool, battery and application



Article Number 5133001904 EAN Code 4892210124074

	18V Battery and Charger Kit (1x1.3Ah)			
x1		Product Code: 5133001908	EAN Code: 4892210124159	-





- Dual chemisty charger for use with all Ryobi 18V batteries
- LED charge indicators
- Maintenance mode Batteries stored on charger are conditioned for peak performance
- Charges batteries within a temperature range of 0°C to 50°C




5133001127 Article Number EAN Code 4892210117991

BCS618 18V ONE+ 6 Port Charge
18V ONE+ 6 Port Charge

- Multiport charger for efficient battery re-charging
- Dual chemistry charger for use with all Ryobi 18V batteries
- LED charge indicators
- Maintenance mode Batteries stored on charger are conditioned for peak performance
- Charges batteries within a temperature range of 0°C to 50°C



Article Number 5132000042 EAN Code 4892210106346



2V/4V #RyobiToolsUK ryobitools.co.uk


RCD12011L

12V Cordless Drill/Driver (1x1.3Ah)

- 10mm keyless chuck
- 22 torque settings for perfect screwdriving every time
- Light and compact ideal for use throughout the house
- LED to illuminate the work piece
- Fuel gauge to indicate power levels
- Electronic variable speed, reverse and break for total control
- Single sleeve chuck makes it easy to change accessories
- Soft touch trigger and gear switch for user comfort
- Ergonomic GripZone+ with microtexture for a positive grip








Standard equipment (RCD12011L)

1 x double ended bit

RRS12011L

12V Cordless Reciprocating Saw



- Variable speed for optimum control in all applications
- LED to illuminate the work piece
- Fuel gauge to indicate power levels
- Safety lock off switch to avoid accidental starting





Voltage (V)	12
No. of batteries supplied	1
Charger supplied	60 min
No load speed (rpm)	3200
Stroke length (mm)	13
Max. cutting capacity wood (mm)	60
Weight with battery pack (kg)	1.17
Supplied in	Tool bag
Article Number	5133001161
EAN Code	4892210118523

Standard equipment (RRS12011L)

- 1 x wood blade, 1 x metal blade,
- 1 x jigsaw blade

RMT12011L

12V Cordless Multi Tool

- A versatile and compact mulit purpose tool with both sanding and cutting heads
- Quick change attachments for hassle free transition between sanding and sawing
- LED to illuminate the work piece
- Fuel gauge to indicate power levels
- Universal accessory adaptor makes the product compatible with any brand of accessories





Voltage (V)	12
No. of batteries supplied	1
Charger supplied	60 min
Oscillation angle	3°
Oscillation rate (opm)	20,000
Weight with battery pack (kg)	1.07
Supplied in	Tool bag
Article Number	5133001772
EAN Code	4892210121431

Standard equipment (RMT12011L)

1 x flush cutting blade, 1 x wood/metal blade, 1 x sanding pad, 6 x sanding sheets, hex key, universal accessory adaptor

R12PS-L13S

12V Cordless Palm Sander (1x1.3Ah)

- Ideal for light weight applications such as fine finshing and paint preparation
- Integrated flip down sanding finger to access hard to reach places
- Triangular pad design for sanding up to the edge in tight corners
- Quick fit hook and loop sanding sheet attachment
- DustTech™ for efficient dust collection
- Fuel gauge displays remaining battery charge
 Gripzone+™ overmold for added comfort and control





Voltage (V)	12
No. of batteries supplied	1
Charger supplied	60 min
Oscillation diameter (mm)	1.2
Oscillation rate (opm)	22,000
Sanding pad size (mm)	124 CM2
Weight with battery pack (kg)	0.76
Supplied in	Tool bag
Article Number	5133001836
EAN Code	4892210123008

Standard equipment (R12PS-L13S) 6x finger sanding sheets, 3x corner sanding sheets

CSD4030GN

4V Cordless Screwdriver

- 12 Torque settings
- LED light for working in dimly lit areas
- Overmould switch for added comfort
- GripZone[™] overmould technology for improved comfort with a positive grip
- Secure QuickChange™ chuck with automatic spindle lock for one handed bit changing



Voltage (V)	4
No. of batteries supplied	1
Charger supplied	10 hr
Max. torque (Nm)	5
Tool reception	1/ ₄ " Hex
Torque settings	12
Weight with battery pack (kg)	0.47
Supplied in	Kitbox
Article Number	5133000087
EAN Code	4892210104960

Standard equipment (CSD4030GN) Grip case with 30 screwdriver bits

R4SD-L13C

4V Cordless Screwdriver

- Accessories included are ideal for flat pack furniture 1x Hex4,1x PZ2
- Up to 5 Nm Screwdriving force
- Up to 92 Screws Per charge
- Super Bright LED Worklight to illuminate the workpeice
 Quick change hex chuck for easy bit changes



Voltage (V)	4
No. of batteries supplied	1
Charger supplied	10 hr
Max. torque (Nm)	5
No load speed gear 1 (rpm)	180
Tool reception	1/4" Hex
Weight with battery pack (kg)	0.4
Supplied in	Kitbox
Article Number	5133001962
EAN Code	4892210123305

Standard equipment (R4SD-L13C) Accesories included are ideal for flat pack furniture 1xHex4, 1xPZ2

R4SDP-L13C

4V Lithium-Ion QuickTurn Screwdriver



- Pivot screwdriver ideal for all types of screwdriving tasks around the house
- QUICKTURN mechanism allows for quick change between standard driver to stick driver and easy access to confined areas
- 2 speed gearbox (200 / 600 RPM) to match a wide range of applications
- Two finger trigger and ergonomic GRIPZONE handle for added comfort and control
- Inlcudes 5 x 25mm screwdriving bits to start your next DIY project today



Voltage (V)	4
Charger supplied	10 hi
Max. torque (Nm)	5
No load speed gear 1 (rpm)	200
No load speed gear 2 (rpm)	600
Weight with battery pack (kg)	0.67
Supplied in	Recyclable cartor
Article Number	5133002651
EAN Code	4892210143273

Standard equipment (R4SDP-L13C) 5x25mm screwdriver bits ideal for flat pack furniture

DRILLING

39 - 40Percussion Drills **Rotary Hammer Drills**



RPD500-G

500W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
 GripZone™ overmould for positive grip and improved comfort



Power input (W)	500
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	3,000
percussion rate gear 1	0-50,000
Max. drilling wood (mm)	25
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	13
Weight (kg)	1.6
Supplied in	Recyclable
Supplied III	carton
Article Number	5133002244
EAN Code	4892210129284

Standard equipment (RPD500-G) 360° Auxiliary handle, depth stop

RPD800-K

800W Corded Percussion Drill

- Variable speed forward & reverse for total controlCompact & lightweight for easy drilling
- Gripzone™ overmould for positive grip and improved comfort
 Single sleeve (auto spindle lock) chuck
 LED



Power input (W)	800
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-3,000
Max. percussion rate (bpm)	0-51,000
Max. drilling wood (mm)	34
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	16
Weight (kg)	1.8
Supplied in	Kitbox
Article Number	5133002019
EAN Code	4892210125903

Standard equipment (RPD800-K) 360° Auxiliary handle, depth stop

RPD1010-K

1010W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
 GripZone™ overmould for positive grip and improved comfort
- Metal gear housingMetal chuck with auto-spindle lock
- 2-SpeedLED



Power input (W)	1010
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-1,200
No load speed gear 2 (rpm)	0-3,200
percussion rate gear 1	0-19,200
percussion rate gear 2	0-51,200
Max. drilling wood (mm)	25/50
Max. drilling steel (mm)	8/13
Max. drilling masonry (mm)	16/20
Weight (kg)	3.05
Supplied in	Kitbox
Article Number	5133002059
EAN Code	4892210126757

Standard equipment (RPD1010-K) 360° Auxiliary handle, depth stop

Drilling

RPD1200-K

1200W Corded Percussion Drill

- Variable speed forward & reverse for total control
- Compact & lightweight for easy drilling
- GripZone[™] overmould for positive grip and improved comfort
- Metal gear housing
- Metal chuck with auto-spindle lock
- 2-Speed



Power input (W)	1200
Chuck capacity (mm)	13
No load speed gear 1 (rpm)	0-1,200
No load speed gear 2 (rpm)	0-3,200
percussion rate gear 1	0-19,200
percussion rate gear 2	0-51,200
Max. drilling wood (mm)	25/50
Max. drilling steel (mm)	8/16
Max. drilling masonry (mm)	18/22
Weight (kg)	3.15
Supplied in	Kitbox
Article Number	5133002068
EAN Code	4892210126771

Standard equipment (RPD1200-K) 360° Auxiliary handle, depth stop



RSDS680-G 680W Corded SDS+ Rotary Hammer Drill

- Pneumatic hammer mechanism delivers 2.1J EPTA of impact energy
- ideal for drilling holes in stone and concrete.
 680W motor produces 0-2,150 RPM and 0-5,000 BPM delivering best in class drilling performance of 22mm in concrete. SDS+ chuck for fast drilling and easy accessory bit changes
- 4 modes for extra versatility (hammer drill, rotary drill, chisel, chisel
- Compact and Lightweight gives the user maximum comfort and control when drilling.



EPTA RATED

Power input (W)	680
Chuck type	SDS+
No load speed (rpm)	0-2,150
Max. percussion rate (bpm)	0-5,000
Max. drilling wood (mm)	30
Max. drilling steel (mm)	13
Weight (kg)	2.72
Cumplinal in	Recyclable
Supplied in	carton
Article Number	5133002635
EAN Code	4892210141934

Standard equipment (RSDS680-G) 360 Auxiliary Handle, Depth Stop, x1 6mm drill bit, 13mm keyless chuck

Also Available as

680W Corded SDS+ Rotary Hammer Drill			
	Product Code: 5133002445	EAN Code: 4892210139160	



RSDS800-K

800W Corded SDS+ Rotary Hammer Drill

- Pneumatic hammer mechanism delivers 3.0J EPTA of impact energy
- ideal for drilling holes in stone and concrete.

 800W motor produces 0-1,450RPM and 0-5,000BPM delivering best in class drilling performance of 28mm in concrete.

 Compact and Lightweight L-Shape design allows the user to get
- closer to the work piece and provides a better balance.
- 4 modes for extra versatility (hammer drill, rotary drill, chisel, chisel
- Built-in LED light ensures your work piece is always well lit and clearly visible



EPTA RATED

Power input (W)	800
Chuck type	SDS+
No load speed (rpm)	0-1,450
Max. percussion rate (bpm)	0-5,000
Max. drilling wood (mm)	32
Max. drilling steel (mm)	13
Max. drilling masonry (mm)	28
Weight (kg)	3.44
Supplied in	Kitbox
Article Number	5133002464
EAN Code	4892210136541

Standard equipment (RSDS800-K) 360° Auxiliary Handle, Depth Stop, x1

GRINDING Angle Grinders



RAG600-115G

600W Corded Angle Grinder, 115mm disk

- 600W motor with a high torque gear box
- Class leading grinding speed of 13,000 RPM
 Spindle lock and adjustable 115mm guard for easy wheel and accessory changing
- Slim profile and 2 position handle ensures maximum versitility

 New Switch Electronics prevent accidental starting when plugged into power mains by defaulting to off position



Power input (W)	600
Disc diameter (mm)	115
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	13,000
Weight (kg)	2.0
Supplied in	Recyclable
	carton
Article Number	5133002488
EAN Code	4892210142481

Standard equipment (RAG600-115G) Grinding Wheel (x1), Wrench (x1), Wheel Guard, Auxiliary Handle



RAG800-115G 800W Corded Angle Grinder, 115mm Disk

- Powerful 800W motor with a high torque gear box Class leading grinding speed of 12,000 RPM
- Spindle lock for easy wheel and accessory changing
- Tool-less 115mm wheel guard for quick and easy adjustment
 Slim profile and 2 position handle ensures maximum versitility
- New Switch Electronic prevents accidental starting when plugged into power mains by defaulting to off position



Power input (W)	800
Disc diameter (mm)	115
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	12,000
Weight (kg)	2.4
Ourse die et ie	Recyclable
Supplied in	carton
Article Number	5133002644
EAN Code	4892210142474

Standard equipment (RAG800-115G) Grinding Wheel (x1), Wrench (x1), Wheel Guard, Auxilliary Handle

EAG2000RS

2000W Corded Angle Grinder, 230mm Disk

- Full length trigger switch with overmould
- 180° multi-directional rotating back handle for improved comfort and control
- Tool-less wheel guard for quick and easy adjustment Two position Auxiliary Handle with wrench storage
- Spindle Lock for easy wheel changing
- Livetool Indicator™ glows blue when plugged into the power supply



Power input (W)	2000
Disc diameter (mm)	230
Bore size (mm)	22
Spindle size	M14
No load speed (rpm)	6,000
Weight (kg)	6.0
Supplied in	Kitbox
Article Number	5133000551
EAN Code	4892210111814

Standard equipment (EAG2000RS) Wrench (x1), Wheel Guard (x1), Auxiliary Handle, Grinding Wheel (x1)

WOODWORKING

Jigsaws / Circular Saws / Mitre Saws / Table Saw	44-46
Sanders	47-49
Multitool / Rotary Tool	49-50
Heat Gun	50
Planer	50



RJS720-G

500W Corded jigsaw

- Most visible cut line through being compact and slim with forwards dust blower clearing the cut line
- Features such as new flat saw bar, line assist, flush cutting capability increases the accuracy of the cut
- 500W motor with 0-3,000spm produces cut capacities of 72mm in wood and 6mm in steel ensuring no compromise is made in



Power input (W)	500
Stroke length (mm)	19
No load speed (rpm)	0-3,000
Max. cutting capacity wood (mm)	75
Max. cutting capacity steel (mm)	6
Weight (kg)	1.8
Supplied in	_
Article Number	5133002238
EAN Code	4892210129239

Standard equipment (RJS720-G) 1 x Wood Blade, 1 x Hex Key, x 1 Dust

RJS750-G

500W Corded Jigsaw

- Most visible cut line delivered by slim profile and AIRFORWARDS to remove dust
- High accuracy achieved through PRO STROKE mechanisms and LINEASSIST
- Quick Lock one finger blade clamp allows user to change blade
- Most compact and comfortable jigsaw with ergonomic handle and detachable vacuum port



Power input (W)	500
Stroke length (mm)	19
No load speed (rpm)	0-3,000
Max. cutting capacity wood (mm)	75
Max. cutting capacity steel (mm)	6
Weight (kg)	1.8
Supplied in	Recyclable carton
Article Number	5133002216
EAN Code	4892210128300

Standard equipment (RJS750-G) 1 x Wood Blade, 1 x Hex Key,

RJS850-K

600W Corded Jigsaw

- Most visible cut line delivered by slim profile, LED and AIRFORWARDS to remove dust
- High accuracy achieved through PRO STROKE mechanism, 4-stage pendulum action and LINEASSIST
- SPEEDCONTROL thumb activated speed regulation
- SURELOCK blade clamp with colour coding makes it clear when the blade is fitted correctly



Power input (W)	600
Stroke length (mm)	23
No load speed (rpm)	500-3,100
Max. cutting capacity wood (mm)	85
Max. cutting capacity steel (mm)	9
Weight (kg)	2.0
Supplied in	Kitbox
Article Number	5133002218
EAN Code	4892210128331

Standard equipment (RJS850-K)

- 1 x Wood Blade, 1 x Hex Key,
- 1 x Dust Port

RJS1050-K

680W Corded Jigsaw

- Most visible cut line delivered by slim profile, LED and AIRFORWARDS to remove dust
- High accuracy achieved through PRO STROKE mechanism, 4-stage pendulum action and LINEASSIST
- SPEEDCONTROL thumb activated speed regulation SURELOCK blade clamp with colour coding makes it clear when the blade is fitted correctly
- FLUSHCUT blade allows user to cut up to the guard
- Retractable fin helps straight line accuracy



Power input (W)	680
Stroke length (mm)	23
No load speed (rpm)	500-3,100
Max. cutting capacity wood (mm)	105
Max. cutting capacity steel (mm)	12
Weight (kg)	2.2
Supplied in	Kitbox
Article Number	5133002220
EAN Code	4892210128362

Standard equipment (RJS1050-K)

- x1 Wood Blade, x1 Flush Cut Blade,
- x1 Dust Port

RWS1250-G

1250W Corded Circular Saw, 66mm Blade

- · Compact, lightweight and ergonomic design for comfortable, repetitive cutting
- Adjustable base for 0°-45° bevel settings
- Adjustable depth setting for efficient cutting
- Onboard wrench storage
- Livetool Indicator™ glows blue when plugged into power supply



Power input (W)	1250
Blade diameter (mm)	190
Bore size (mm)	16
Max. cutting depth 90° (mm)	66
Max. cutting depth 45° (mm)	50
Bevel capacity (°)	45°
No load speed (rpm)	5,000
Weight (kg)	3.7
Supplied in	Kitbox
Article Number	5133002243
EAN Code	4892210129314

Standard equipment (RWS1250-G) 1 x 20-tooth TCT blade, parallel fence,

EWS1150RS

1150W Corded Circular Saw, 55mm Blade

- Adjustable base allows cutting for 0° to 45° bevel settings
- Spindle lock for easy blade change
- Adjustable depth setting for efficient cutting
- Onboard wrench storage
- Livetool Indicator™ glows blue when plugged into power supply



Power input (W)	1150
Blade diameter (mm)	170
Bore size (mm)	20
Max. cutting depth 90° (mm)	55
Max. cutting depth 45° (mm)	38
Bevel capacity (°)	45
No load speed (rpm)	5,600
Weight (kg)	4.7
Cumplication	Recyclable
Supplied in	cartor
Article Number	5133000553
EAN Code	4892210111470

Standard equipment (EWS1150RS) 12-tooth TCT blade, parallel fence

EMS216L

1500W Corded Mitre Saw, 216m Blade

- Powerful 1500W motor for excellent cutting performance
- Forward sliding bars allows user to work up against the wall
- Extra wide side extensions to support large timber
- 2 LEDs for maximum visibility of cut line
- Exactline Laser Technology for guiding the user and increasing accuracy
- Ergonomic GripZone for comfortable and fast cuts
- 48T TCT blade that delivers a fine cut finish and maximum depth of cut



Power input (W)	1500
Blade diameter (mm)	216
No load speed (rpm)	5000
Mitre capacity left (°)	50
Mitre capacity right (°)	50
Bevel capacity left (°)	47
Bevel capacity right (°)	2
Weight (kg)	13
Cumplical in	Recyclable
Supplied in	carton
Article Number	5133001257
EAN Code	4892210119377

Standard equipment (EMS216L) 48-tooth TCT blade, extensions, 1 x clamp, dust bag, wrench

Dust Tech™ LASER

Dust Tech™ LASER¥

EMS254L

2000W Corded Mitre Saw, 254mm Blade

- Exactline Laser Technology™ for cutting accuracy
- 2 LED's for maximum work area illumination
- Forward sliding bars allow users to work up against a wall
- Easily stored and transported thanks to ultra compact design
- Powerful 2000 Watt motor, producing 4.500rpm
- Extra wide side extensions to support large timber
- 50 degree left and right mitre capacity



2000
254
48-tooth TCT
4,500
50
50
47
2
16.2
Recyclable carton
5133001203
4892210119155

Standard equipment (EMS254L) 24-tooth TCT blade, extensions, 1 x clamp, dust bag, wrench

RTS1800EF-G

1800W Corded Table Saw with Wheeled Stand

- Poweful 1800W motor for easy cutting
- Die cast aluminium table for perfect support and accurate cutting
 Extendable side fence allows increased material support up to
- Front and rear locking side fence for accurate and precise cutting
 Dual purpose handle for quick and easy height and/ or bevel
- Overload protection ensures long term durability and added safety
 Soft start ensures the product is easy to use and protects long term
- durabilityMitre gauge allows precise angle to be cut quickly and easily
- between +60° and -60°

 Built in tool box for additional accessory storage
- Deluxe collapsible stand with wheels for easy storage and transportation



Power input (W)	1800
No load speed (rpm)	4,500
Blade width (mm)	254
Blade type	48-tooth TCT
Bore size (mm)	30
Max. cutting depth 45° (mm)	55
Max. cutting depth 90° (mm)	80
Table dimensions with extensions (mm)	560 x 710
Weight (kg)	26.8
Cumplication	Recyclable
Supplied in	carton
Article Number	5133002026
EAN Code	4892210126009

Standard equipment (RTS1800EF-G) 48-tooth TCT blade, Deluxe collapsible stand

EPS80RS

80W Corded Palm Sander

- Ideal for light weight applications such as fine finshing and paint preparation
- Compact 80W motor for maximum performance
- Integrated flip down sanding finger to access hard to reach places
- Triangular pad design for sanding up to the edge in tight corners
- Quick fit hook and loop sanding sheet attachment
- DustTech™ for efficient dust collection
- Livetool Indicator™ Glows blue when plugged into the power supply



80
12,000
1.6
99 x 149
0.9
Tool bag
5133000529
4892210111678

Standard equipment (EPS80RS) 5 x corner pads, 5 x finger pads

EMS180RV

180W Corded Multi-Pad Sander

- Ideal for light to medium weight applications such as fine finshing and paint removal
- 3 in 1 sander to suit various applications (Corner, 1/3 sheet & flip down finger)
- Powerful 180W motor for maximum performance
- Variable speed (6,000-12,000 rpm) to optimise surface finish
- Cyclonic action dust box for efficient dust collection
 Quick fit hook and loop sanding sheet attachment
- Livetool Indicator $^{\scriptscriptstyle\mathsf{TM}}$ Glows blue when plugged into the power supply



Power input (W)	180
Oscillation rate (opm)	6,000-12,000
Oscillation diameter (mm)	2
Sanding pad size (mm)	-
Weight (kg)	1.4
Supplied in	Tool bag
Article Number	5133000531
EAN Code	4892210111692

Standard equipment (EMS180RV) 5 x corner pads, 5 x third-sheet pads, 5 x finger pads

ESS200RS

200W Corded 1/3 Sheet Sander

- Ideal for light to medium weight applications such as fine finshing and paint removal
- Powerful 200W motor for maximum performance
- 1/3 sheet rectangular base ideal for sanding closer to edges and over larger surfaces
- Sand paper attaches through either quick fit hook and loop system or manual clamps for added versatility
- Cyclonic action dust box for efficient dust collection
- Livetool Indicator $\ \ \$ glows blue when plugged into the power supply



Power input (W)	200
Oscillation rate (opm)	12,000
Oscillation diameter (mm)	2
Sanding pad size (mm)	93 x 185
Weight (kg)	1.5
Supplied in	Recyclable carton
Article Number	5133002245
FAN Code	4892210129277

Standard equipment (ESS200RS) 2 x 60, 1 x 100 and 1 x 150 grit sanding sheets

ESS280RV

280W Corded 1/3 Sheet Sander

- Ideal for light to medium weight applications such as fine finshing and paint removal
- Variable speed (7,000-12,000 rpm) to optimise surface finish
- Powerful 280W motor for maximum performance
- 1/3 sheet rectangular base ideal for sanding closer to edges and over larger surfaces
- Sand paper attaches through either quick fit hook and loop system or manual clamps for added versatility
- Cyclonic action dust box for efficient dust collection
- Livetool Indicator[™] glows blue when plugged into the power supply



Power input (W)	280
Oscillation rate (opm)	7,000-12,000
Diameter of orbit (mm)	2
Sanding pad size (mm)	93×185
Weight (kg)	1.7
Supplied in	Tool bag
Article Number	5133000538
EAN Code	4892210111739

Standard equipment (ESS280RV) 2 x 60, 1 x 100 and 1 x 150 grit sanding sheets

EOS2410NHG

240W Corded 1/4 Sheet Palm Sander

- Powerful 240W motor
- Quick-fix hook and loop sanding sheet attachment with paper clamps
- Die-cast aluminium base for strength and durability
- Overmould ON/OFF switch for durability and ease of use
- Compact palm grip handle for added comfort
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™ glows blue when plugged into power supply



Power input (W)	240
Oscillation rate (opm)	14,000
Diameter of orbit (mm)	1.6
Sanding pad size (mm)	110 x 114
Weight (kg)	1.6
Supplied in	Kitbox
Article Number	5133000348
EAN Code	4892210111074

Standard equipment (E0S2410NHG) 2 x 60, 2 x 100 and 2 x 150 grit sanding sheets, paper punch pad, dust bag

ROS300

300W Corded Random Orbit Sander

- Random orbital sander delivers the perfect combination of quick stock removal and fine surface finish
- Ideal for light to medium weight applications such as fine finshing and paint removal
- Powerful 300W motor for maximum performance
- Variable speed (7,000-12,000 rpm) to optimise surface finish
- Quick fit hook and loop sanding sheet attachment
- Cyclonic action dust box for efficient dust collection
- Livetool Indicator™ glows blue when plugged into the power supply



Power input (W)	300
No load speed (rpm)	7,000-12,000
Diameter of orbit (mm)	2.4
Sanding pad size (mm)	125
Weight (kg)	1.7
Supplied in	Recyclable carton
Article Number	5133001144
EAN Code	4892210118349

Standard equipment (R0S300) 5 x quick fix sanding sheets

EBS800V

800W Corded Belt Sander

- Ideal for heavy duty applications over large areas such as flooring or substantial stock removal
- 76mm (3") belt with a powerful 800W motor for rapid stock removal
- Variable speed (150-320 m/min) for total control during all sanding applications
- Tool free sanding belt change system for ease of use
- Cyclonic action dust box for efficient dust collection
- 4 position adjustable handle for comfort and control
- Automatic tracking to keep the sanding belt centralised, saving time and ensuring a better finish
- Gripzone+[™] overmold for added comfort and control
- Livetool Indicator[™] glows blue when plugged into power supply



800
150-320
76
76 x 150
3.3
Kitbox
5133001147
4892210118295

Standard equipment (EBS800V)

1 x 60 grit sanding sheet, 1 x 100 grit sanding sheet, 1 x 120 grit sanding sheet, 2 x G-clamps, sanding frame

NEW

RMT300-SA

300W Corded Multitool with Softbag

- Most versattile power tool with 300W motor, lets you complete a variety of differernt jobs with the change of the accesory head
- 3.2° oscillation angle optimised for cutting speed and smooth finish.
- 4 Position articulating head offers the user increased versitility of angle for applications in tight to reach areas.
- Tool less blade change.
- Universal accessory adaptor makes the product compatible with any brand of accessories.
- Built-in LED light ensures your work piece is always well lit and clearly visible.
- A must have tool in any DIY'ers toolbox
- Included 30 piece accessory set gives you everything you need straight out of the box



Available Q3 2016









Cut \	Nood It Bla	l x2, l de x1	Fluch	, 120 Cut \ aper I st Por

Power input (W)

Weight (kg)

Supplied in

EAN Code

Article Number

Oscillation rate (opm

Standard equipment (RMT300-SA) x1 9mm Sanding Pad, Sanding Paper 60 grit x8, 80 grit x8, 120 grit x8, Plunge Cut Wood x2, Fluch Cut Wood/Metal, Grout Blade x1, Scraper Blade x1, Depth Gage x1, Dust Port x1

10.000-22.000

5133002447

4892210135285

1 41

Tool bag

EHT150V

150W Corded Rotary Tool with 115 Accessories

- Powerful 150W motor
- Variable speed to maximise control for the widest number of applications
- Spindle lock for fast and easy accessory change
- Livetool Indicator™ glows blue when plugged into power supply



Power input (W)	150
No load speed (rpm)	10,000-35,000
Collet capacity (mm)	3.2 mm and 1.6 mm
Weight (kg)	0.58
Supplied in	Kitbox
Article Number	5133001134
EAN Code	4892210118127

115 accessories including a flex shaft

EHG2000

2000W Corded Heat Gun

- Versatile heat gun creates a jet of very hot air that softens adhesives to remove paint and varnises or dries wet paint
- Removable front heat shield allows easy changes between accessories

- Two air flow settings
 Two heat settings 400°C / 600°C
 Overheat protection sensor
- Convenient hanging hook



Power input (W)	2000
Air flow (I/min)	250/500
Weight (kg)	0.7
Supplied in	Recyclable carton
Article Number	5133001138
EAN Code	4892210118158

Standard equipment (EHG2000) 2 x nozzles

EPN7582NHG

750W Corded Planer

- Ideal for flattening and smooth rough wood surfaces
 3 chamfering grooves (0.5,1,1.5mm) in die-cast front shoe for added
- Double sided fence for precision planing
 Overmould dust extraction switch for left or right port
- Full length trigger with overmould for greater control
- DustTech™ Integrated dust technology system for maximum pick-up
- Livetool Indicator™ glows blue when plugged into power supply




Power input (W)	750
Planing depth (mm)	2
Planing width (mm)	82
Rebate depth (mm)	0-12
No load speed (rpm)	16,000
Weight (kg)	3.2
Supplied in	Kitbox
Article Number	5133000353
EAN Code	4892210111128

Standard equipment (EPN7582NHG) 2 x TCT blades, dust bag, side fence,

ACCESSORIES

Drilling & Driving Accessories	52-55
Cutting Accessories	55-56
Grinding & Polishing Accessories	56-57
Sanding Accessories	57-58
Tiling Accessories	58





RAK15PZ2I

15 PZ2 Impact Rated Bits

• 15 x 25mm PZ2 Impact Rated Screwdriver Bits



RAK16FP

16 Piece 'Flat Pack Furniture' Screwdriver Set

Ideal for "Flat Pack Furniture" applications



RAK17SD

17 Piece Screwdriver Set

• 16x 25mm Screwdriving Bits & 1x 60mm magnetic Bit Holder



RAK17SDI

17 Piece Impact Rated Screwdriver Bits

• Impact hardened bits for longer life



RAK17SCD

17 Piece Screwdriver Kit

 16x 25mm Colour Coded Screwdriver Bits & 1x 60mm Magnetic Bit Holder



RAK28SDI

28 Piece IMPACT Screwdriving Set

Screwdriver Bits: 18x 25mm, 8x 50mm, 1x 89mm. 1x 60mm Magnetic Bit Holder & 2x Socket Adaptors



RAK30MIX

30 Piece Mixed Set

9 x 25mm Screwdriver bits (3 x Philips PH1-PH3, 3 x Pozidrive PZ1-PZ3, 3 x slotted 4-6mm). 1 x 60mm Magnetic Bit Holder. 4 x Non Magnetic Nut Drivers (1 x 6mm, 1 x 8mm, 1 x 10mm, 1 x 12mm). 5 x Wood Boring Brad Point Drill Bits (1 x 3mm, 1 x 4mm, 1 x 5mm, 1 x 6mm, 1 x 8mm). 5 x Masonry Drill Bits (1 x 5mm, 1 x 5.5mm, 1 x 6mm, 1 x 6.5mm, 1 x 7mm). 6 x HSS Drill Bits (1 x 2mm, 1 x 2.5mm, 1 x 3mm, 1 x 4mm, 1 x 5mm, 1 x 6mm).



RAK95DDF

95 Piece drill Driving Foldable Kit

- 95 pcs foldable kit that includes accessories for all screwdriving tasks as well as wood, metal, plastic and masonry drilling
- Includes nut driver set for working with nuts, bolts and hex head



RAK08SDS

8 Piece SDS-Plus Masonry Bit Set

• 1 x 5mm SDS Bit, 2 x 5.5mm SDS Bit, 1 x 6mm SDS Bit, 1 x 7mm SDS Bit, 1 x 8mm SDS Bit, 1 x 10mm SDS Bit, 1 x 12mm SDS Bit



RAK32MSD

32 Piece Screwdriving Set

- Quick lock & release magnetic bit holder for secure grip
- Handy belt clip for each access to screwdriver bits



<mark>52</mark>



RAK40SD

40 Piece Screwdriving Kit

7x 50mm Screwdriver Bits. 2x Philips (PH1-PH2). 2x Pozidrive (PZ1-PZ2). 3x Torx® (TX10-TX20), 1x 60mm Magnetic Bit Holder.



RAK40SDI

40 Piece Impact Resistant Screw Driver Kit

32 X 25mm IMPACT Screwdriver Bits - 1 x PH1 / 2 x PH2 / 1 x PH3 /2 x PZ1 / 2 x PZ2 / 2 x PZ3 / 1 x SL 5 / 2 x SL 6 / 1 x SL 7 / 1 x SL6 / 1 x Hex3 / 1 x Hex 4 / 1 x Hex 5 / 1 x Hex 6 / 1 x TX6 / 1 x TX7 / 1 x TX8 / 1 x TX9 / 2 x TX10 / 2 x TX15 / 2 x TX20 / 2 x TX25 / 1 x TX30 /1 x TX40. 7 X 50mm IMPACT Screwdriver Bits - 1 x PH1 / 1 x PH2 / 1 x PZ1 / 1 x PZ2 / 1 x TX10 / 1 x TX15 / 1 x TX20. 1 X Magnetic



RAK19HSS

19 Piece HSS Drill Bit Set

• 19 x HSS Drill Bits (1 x 2mm, 2 x 2.5mm, 2 x 3mm, 2 x 3.5mm, 2 x 4mm, 2 x 4.5mm, 2 x 5mm, 2 x 6mm, 1 x 7mm, 1 x 8mm, 1 x 9mm, 1 x 10mm)



RAK08BP

8 Piece Brad Point Drill Bit Set

• 8 x Wood-boring brad point drill bits (1–10mm)



RAK40RM

40pcs Roll Matt

· Mixed drilling/driving bit set



RAK22QC

22 Piece Quick-Change Set

 Compact kit that includes accessories for screwdriving as well as metal, plastic and masonry drilling



RAK46MIX

46 Piece Mixed Drill / Driving Application Kit

 Handy fold out kit that inloudes accessories for all screwdriving tasks as well as metal, plastic and masonry drilling



RAK69MIX

69 Piece Mixed Drill / Driving Application Kit

- Handy fold out kit that includes accessories for all screwdriving tasks as well as wood, metal, plastic and masonry drilling
- Includes 3-10 mm brad point drill bits for wood applications





CSB165A1

165mm Cordless Circular Saw Blade

- Tungsten carbide teeth for faster and sharper cuts
- 40 teeth give a smoother finish to the application
- Designed and optimised for Cordless: Ultra Thin Blade with 1.6mm kerf
- Fits model R18CS



CSB150A1

150mm Circular Saw Blade

• Fits Models: LCS180, RWSL1801





CSB190A1

190mm Circular Saw Blade

• Fits RWS1250/1400/1600, EWS1266/1366



SB216T48A1

216mm Mitre saw Blade

- Tungsten carbide teeth for sharper and faster cuts48 teeth give a smoother finish to the application
- Fits model EMS216L and other saws



SB254T48A1 254mm Mitre saw Blade

- Tungsten Carbide teeth for faster & sharper cuts
 48 teeth give a smoother finish to the application
 Fits EMS254L, RTS1800, RTMS1800 and other saws



RAK10JSB

10 piece Mixed Jigsaw Blade Set

- Universal shank fitment make it compatible with any jigsaw
- Ideal for wood, metal and plastic applications
- Includes a variety of blades (6-24 TPI) that give a different finish to suit your application





AGDD230A1

230mm Diamond Cutting Disc

• Fits Model: EAG2000RS



RAK2BB

Buffing and Polishing Bonnet Set

- Ideal set for polishing and removing wax, cleaning and drying
- 1 x Buffing Bonnet, 1 x Polishing Bonnet





SPS20A

20 x Palm Sanding Sheets

Fits Model EPS80RS



SCS10A

10 x Triangular Detail Sanding Sheets

• Fits Models: ECS1214N, CCC1801M, R18PS



Accessories

BSS76A2

2 x 76mm Sanding Belt

• Fits Model EBS800V, EBS800, EBS9576VFHG



BSS100A2

2 x 100mm Sanding Belt

Fits Model EBS1310VFHG



Tiling Accessories



RAK05MT

Universal 5 piece Multi-tool blades set

- 28mm Plunge Cut Blade, 20mm Bi-metal Plunge Cut Blade, Grout Removal Blade, 30G Carbide Rasp, 26mm Scrapper Blade
- Includes bag for storing blades after use









Ryobi Technologies (UK) Limited



Dealer stamp:

Content of the catalogue is correct at time of going to print. Ryobi reserve the right to change images and prices without prior notice. The use of the trademark RYOBI® is pursuant to a license granted by Ryobi Limited.