

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	B542	
Container size	10ml, 25ml, 50ml and 250ml bottles	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Identified uses	Adhesive.	
1.3. Details of the supplier of	the safety data sheet	
Supplier		
	Bondloc UK Ltd	
	Unit 2 Bewdley Business Park	
	Long Bank	
	Bewdley	
	Worcestershire	
	DY12 2TZ	
	+44 (0)1299 269269	
	+44 (0)1299 269210	
	sales@bondloc.co.uk	
1.4. Emergency telephone number		
Emergency telephone	+44 (0)1299 269269	
SECTION 2: Hazards identified	cation	
2.1. Classification of the subs	tance or mixture	
Classification (EC 1272/2008		
Physical hazards	Not Classified	
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335	
Environmental hazards	Not Classified	
2.2. Label elements		
Pictogram		
()		
Signal word	Warning	
Hazard statements	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.	

Precautionary statements	P261 Avoid breathing vapour/ spray.
	P264 Wash contaminated skin thoroughly after handling.
	P271 Use only outdoors or in a well-ventilated area.
	P272 Contaminated work clothing should not be allowed out of the workplace.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P302+P352 IF ON SKIN: Wash with plenty of water.
	P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P312 Call a POISON CENTER/ doctor if you feel unwell.
	P321 Specific treatment (see medical advice on this label).
	P332+P313 If skin irritation occurs: Get medical advice/ attention.
	P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
	P337+P313 If eye irritation persists: Get medical advice/ attention.
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P403+P233 Store in a well-ventilated place. Keep container tightly closed.
	P405 Store locked up.
	P501 Dispose of contents/ container in accordance with national regulations.
Contains	2-hydroxypropyl methacrylate, Ethoxylated Bisphenol A Dimethacrylate, α , α -dimethylbenzyl
	hydroperoxide, maleic acid, 1-Acetyl-2-phenylhydrazine

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Ethoxylated Bisphenol A Dimethacrylate

CAS number: 41637-38-1

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335

2-hydroxypropyl methacrylate

CAS number: 923-26-2

EC number: 213-090-3

10-30%

30-60%

Classification

Eye Irrit. 2 - H319 Skin Sens. 1 - H317

α,α-dimethylbenzyl hydroperoxid	<u>م</u>	1-5%
CAS number: 80-15-9	EC number: 201-254-7	1-070
CAS humber. 60-15-9	EC humber: 201-254-7	
Classification		
Org. Perox. E - H242		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Acute Tox. 3 - H331		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
STOT RE 2 - H373		
Aquatic Chronic 2 - H411		
maleic acid		<1%
CAS number: 110-16-7	EC number: 203-742-5	
Classification		
Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
STOT SE 3 - H335		
1-Acetyl-2-phenylhydrazine		<1%
CAS number: 114-83-0		
Classification		
Acute Tox. 3 - H301		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
STOT SE 3 - H335		
The full text for all hazard stateme	nts is displayed in Section 16.	
SECTION 4: First aid measures		

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if symptoms are severe or persist.
Ingestion	Do not induce vomiting. Give plenty of water to drink. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues. Remove contaminated clothing.
Eye contact	Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention.
	a and effects both south and delayed

4.2. Most important symptoms and effects, both acute and delayed

Skin contact

Prolonged skin contact may cause redness and irritation.

Eye contact	Conjunctivitis, irritation, tearing.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Specific treatments	Treat symptomatically.	
SECTION 5: Firefighting measurements	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising fr	om the substance or mixture	
Specific hazards	In case of fire: Toxic gases or vapours.	
Hazardous combustion products	Toxic gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	Containers close to fire should be removed or cooled with water.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release	se measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Provide adequate ventilation.	
6.2. Environmental precaution	<u>s</u>	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid the spillage or runoff entering drains, sewers or watercourses.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal securely.	
6.4. Reference to other sectio	ns	
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	Use only in well-ventilated areas. Avoid contact with eyes and prolonged skin contact. Do not eat, drink or smoke when using this product. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.	
7.2. Conditions for safe storage	7.2. Conditions for safe storage, including any incompatibilities	
Storage precautions	Store at temperatures not exceeding 38°C. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from sunlight. Do not use containers made of the following materials: Aluminium. Mild steel. Copper. Rusty Steel. Tin.	
	lonowing materials. Automatin wind steel. Copper. Nasty Steel. This	
7.3. Specific end use(s)		

SECTION 8: Exposure Control	Is/personal protection
8.1. Control parameters	
8.2. Exposure controls	
Eye/face protection	Wear eye protection.
Hand protection	Wear protective gloves made of the following material: Polyethylene. Neoprene. Nitrile rubber. Do NOT use Polyvinyl chloride (PVC). Rubber (natural, latex).
Other skin and body protection	Wear apron or protective clothing in case of contact.
Hygiene measures	Provide eyewash station.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.
SECTION 9: Physical and Che	emical Properties
9.1. Information on basic phys	ical and chemical properties
Appearance	Liquid.
Colour	Brown.
Odour	Sweetish.
Odour threshold	No information available.
рН	pH (concentrated solution): 3-6
Melting point	Not applicable.
Initial boiling point and range	Not applicable.
Flash point	> 100°C
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	-0.1 mm Hg @ 20°C
Vapour density	Not applicable.
Solubility(ies)	Miscible with the following materials: Organic solvents. Slightly soluble in water.
Partition coefficient	No information available.
Decomposition Temperature	No information available.
Viscosity	400-800 cps @ °C
Explosive properties	No information available.
Oxidising properties	Not available.
9.2. Other information	
Other information	No information required.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	See the other subsections of this section for further details.
10.2. Chemical stability	

Stability

Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous	
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
10.5. Incompatible materials	
Materials to avoid	Avoid contact with the following materials: Aluminium. Mild Steel Rusty Steel Copper Tin
10.6. Hazardous decompositio	n products
Hazardous decomposition products	In case of fire gases can be released Carbon dioxide (CO2).
SECTION 11: Toxicological inf	formation
11.1. Information on toxicologi	cal effects
Toxicological effects	No information available.
Acute toxicity - oral	
ATE oral (mg/kg)	12,946.03018648
Acute toxicity - dermal	
ATE dermal (mg/kg)	110,000.0
Acute toxicity - inhalation	
ATE inhalation (vapours mg/l)	300.0
Inhalation	Irritating to respiratory system.
Ingestion	Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.
Skin contact	Irritating to skin.
SECTION 12: Ecological Infor	nation
Ecotoxicity	No data on possible environmental effects have been found.
-	
<u>12.1. Toxicity</u> Ecotoxicity	
-	
12.2. Persistence and degrada	
	The product is more than 80% biodegradable.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	Low
Partition coefficient	No information available.
12.4. Mobility in soil	
Mobility	The product has poor water-solubility.
12.5. Results of PBT and vPvB assessment	
	assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects	Not available.
Other adverse effects	Not available.

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Dispose of waste product or used containers in accordance with local regulations		
Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.		
08 04 09 waste adhesives and sealants containing organic solvents or other dangerous substances.		

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the council of 18 December
	2006 concerning the Registration, evaluation, Authorisation and Restriction of Chemicals
	(REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and
	repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94
	as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,
	93/105/EC, including amendments. Regulation (EC) No 1272/2008 of the European
	Parliament and of the Council of 16 December 2008 on classification, labeling and packaging
	of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC,
	and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Revision date	06/10/2014
SDS number	4627
Hazard statements in full	H242 Heating may cause a fire.
	H301 Toxic if swallowed.
	H302 Harmful if swallowed.
	H312 Harmful in contact with skin.
	H314 Causes severe skin burns and eye damage.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H331 Toxic if inhaled.
	H335 May cause respiratory irritation.
	H373 May cause damage to organs through prolonged or repeated exposure.
	H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRANTY: All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is consider accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.