

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of t	SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	B638	
Container size	10ml, 25ml, 50ml and 250ml bottles	
1.2. Relevant identified uses of	1.2. Relevant identified uses of the substance or mixture and uses advised against	
Identified uses	Adhesive.	
1.3. Details of the supplier of t	the safety data sheet	
Supplier	Bondloc UK Ltd Unit 2 Bewdley Business Park Long Bank Bewdley Worcestershire DY12 2TZ +44 (0)1299 269269 +44 (0)1299 269210 sales@bondloc.co.uk	
1.4. Emergency telephone nu	mber	
Emergency telephone	+44 (0)1299 269269	
SECTION 2: Hazards identific	ation	
2.1. Classification of the subst Classification (EC 1272/2008)		
Physical hazards	Not Classified	
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335	
Environmental hazards	Not Classified	
2.2. Label elements Pictogram		
Signal word	Danger	
Hazard statements	H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.	

Precautionary statements	P260 Do not breathe vapour/ spray.
	P261 Avoid breathing vapour/ spray.
	P264 Wash contaminated skin thoroughly after handling.
	P271 Use only outdoors or in a well-ventilated area.
	P272 Contaminated work clothing should not be allowed out of the workplace.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P302+P352 IF ON SKIN: Wash with plenty of water.
	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/ shower.
	P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P310 Immediately call a POISON CENTER/ doctor.
	P312 Call a POISON CENTER/ doctor if you feel unwell.
	P321 Specific treatment (see medical advice on this label).
	P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P363 Wash contaminated clothing before reuse.
	P403+P233 Store in a well-ventilated place. Keep container tightly closed.
	P405 Store locked up.
	P501 Dispose of contents/ container in accordance with national regulations.
Contains	Ethoxylated Bisphenol A Dimethacrylate, 2-hydroxypropyl methacrylate, acrylic acid, $\alpha$ , $\alpha$ -
	dimethylbenzyl hydroperoxide, 1-Acetyl-2-phenylhydrazine, maleic acid

2.3. Other hazards

SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Ethoxylated Bisphenol A Dimethacrylate 30-60%		
Ethoxylated Bisphenol A Dimethacrylate 30-		30-00%
CAS number: 41637-38-1		
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
STOT SE 3 - H335		
2-hydroxypropyl methacrylate		30-60%
CAS number: 923-26-2	EC number: 213-090-3	
Classification		
Classification		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		

acrylic acid		1-5%
CAS number: 79-10-7	EC number: 201-177-9	1-57
M factor (Acute) = 1		
Classification		
Flam. Liq. 3 - H226		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Acute Tox. 4 - H332		
Skin Corr. 1A - H314		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
$\alpha, \alpha$ -dimethylbenzyl hydroperoxide		1-5%
CAS number: 80-15-9	EC number: 201-254-7	
01		
Org. Perox. E - H242		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Acute Tox. 3 - H331 Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
STOT RE 2 - H373		
Aquatic Chronic 2 - H411		
maleic acid		<1%
CAS number: 110-16-7	EC number: 203-742-5	
Classification		
Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
STOT SE 3 - H335		
1-Acetyl-2-phenylhydrazine		<1%
		<1%
CAS number: 114-83-0		
Oleasification		
Classification		
Acute Tox. 3 - H301		
Acute Tox. 3 - H301 Skin Irrit. 2 - H315		
Acute Tox. 3 - H301 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319		
Acute Tox. 3 - H301 Skin Irrit. 2 - H315		

# SECTION 4: First aid measures

4.1. Description of first aid mea	asures	
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.	
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting.	
Skin contact	Wash skin thoroughly with soap and water. Get medical attention.	
Eye contact	Rinse immediately with plenty of water. Get medical attention if symptoms are severe or persist. Continue to rinse for at least 10 minutes.	
4.2. Most important symptoms	and effects, both acute and delayed	
Skin contact	Redness.	
Eye contact	Conjunctivitis, irritation, tearing.	
4.3. Indication of any immediat	te medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with the following media: Carbon dioxide (CO2). Foam. Water spray. Powder.	
Unsuitable extinguishing media	None known.	
5.2. Special hazards arising fro	om the substance or mixture	
Hazardous combustion products	Oxides of carbon. Oxides of nitrogen. Sulphur.	
5.3. Advice for firefighters		
Protective actions during firefighting	Containers close to fire should be removed or cooled with water.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental releas	e measures	
6.1. Personal precautions, pro	6.1. Personal precautions, protective equipment and emergency procedures	
Personal precautions	Avoid contact with skin and eyes. Provide adequate ventilation.	
6.2. Environmental precautions	<u>S</u>	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal securely.	
6.4. Reference to other section		
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.	
SECTION 7: Handling and storage		

# 7.1. Precautions for safe handling

Usage precautions	Use only in well-ventilated areas. Do not eat, drink or smoke when using this product. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Avoid contact with eyes and prolonged skin contact.
7.2. Conditions for safe storage	e, including any incompatibilities
Storage precautions	Store at temperatures between 8°C and 21°C. Store in tightly-closed, original container in a well-ventilated place.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Control	ls/personal protection
8.1. Control parameters	
8.2. Exposure controls	
Eye/face protection	Wear eye protection.
Hand protection	To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Wear apron or protective clothing in case of contact.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.
SECTION 9: Physical and Che	emical Properties
9.1. Information on basic physic	ical and chemical properties
Appearance	Liquid.
Colour	Green.
Odour	Irritating.
Odour threshold	Not available.
рН	pH (concentrated solution): 3-5
Melting point	Not available.
Initial boiling point and range	>100°C @
Flash point	> 93.3°C
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	4,000000 mbar @ °C
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	Miscible with water.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	2500 cps @ °C

Ecotoxicity

Explosive properties	Not available.
Oxidising properties	Not available.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	ctivity
10.1. Reactivity	
Reactivity	Strong acids. Strong oxidants
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	None known.
10.6. Hazardous decompositio	n products
Hazardous decomposition products	In case of fire Other toxic gases and vapours
SECTION 11: Toxicological inf	formation
11.1. Information on toxicologi	cal effects
Acute toxicity - oral	
ATE oral (mg/kg)	7,011.95
Acute toxicity - dermal	
	17 004 44
ATE dermal (mg/kg)	17,994.44
	17,994.44 100.53
ATE dermal (mg/kg) Acute toxicity - inhalation	
ATE dermal (mg/kg) Acute toxicity - inhalation ATE inhalation (vapours mg/l)	100.53
ATE dermal (mg/kg) Acute toxicity - inhalation ATE inhalation (vapours mg/l) Inhalation	100.53 Irritating to respiratory system. May cause irritation. The product is considered to be a low hazard under normal conditions of
ATE dermal (mg/kg) Acute toxicity - inhalation ATE inhalation (vapours mg/l) Inhalation Ingestion	100.53 Irritating to respiratory system. May cause irritation. The product is considered to be a low hazard under normal conditions of use.
ATE dermal (mg/kg) Acute toxicity - inhalation ATE inhalation (vapours mg/l) Inhalation Ingestion Skin contact	100.53 Irritating to respiratory system. May cause irritation. The product is considered to be a low hazard under normal conditions of use. Irritating. Risk of serious damage to eyes.
ATE dermal (mg/kg) <u>Acute toxicity - inhalation</u> ATE inhalation (vapours mg/l) Inhalation Ingestion Skin contact Eye contact	100.53 Irritating to respiratory system. May cause irritation. The product is considered to be a low hazard under normal conditions of use. Irritating. Risk of serious damage to eyes.
ATE dermal (mg/kg) <u>Acute toxicity - inhalation</u> ATE inhalation (vapours mg/l) Inhalation Ingestion Skin contact Eye contact SECTION 12: Ecological Inform	100.53 Irritating to respiratory system. May cause irritation. The product is considered to be a low hazard under normal conditions of use. Irritating. Risk of serious damage to eyes.

Toxicity	Do not empty into drains/surface water/ground water
12.2. Persistence and degrada	ability
Persistence and degradability	There are no data on the degradability of this product.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not available.
12.4. Mobility in soil	
Mobility	Not considered mobile.
12.5. Results of PBT and vPvI	B assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not available.
SECTION 13: Disposal consid	lerations
13.1. Waste treatment method	
General information	Dispose of waste product or used containers in accordance with local regulations
Disposal methods	Dispose of waste product or used containers in accordance with local regulations
Waste class	08 04 09 waste adhesives and sealants containing organic solvents or other dangerous substances.
SECTION 14: Transport inform	nation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
14.2. UN proper shipping nam	
Not applicable.	
14.3. Transport hazard class(e	es)
No transport warning sign requ	uired.
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	
Environmentally hazardous su No.	ibstance/marine pollutant
14.6. Special precautions for u	iser
Not applicable.	
	ing to Annex II of MARPOL and the IBC Code

#### Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the council of 18 December 2006 concerning the Registration, evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### **SECTION 16: Other information**

Revision date	12/01/2016
Revision	2
Supersedes date	27/10/2014
SDS number	4784
Hazard statements in full	<ul> <li>H226 Flammable liquid and vapour.</li> <li>H242 Heating may cause a fire.</li> <li>H301 Toxic if swallowed.</li> <li>H302 Harmful if swallowed.</li> <li>H312 Harmful in contact with skin.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H331 Toxic if inhaled.</li> <li>H332 Harmful if inhaled.</li> <li>H335 May cause camage to organs through prolonged or repeated exposure.</li> <li>H400 Very toxic to aquatic life.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> </ul>

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRANTY: All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is consider accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.