

DFG515

SECTION 1: Identification of the substance/mixture and of the company/undertaking

PRODUCT NAME: 31908 DRAPER FLEXIBLE GASKET D515

APPLICATIONS: SEALANT

SUPPLIER: Draper Tools Ltd
Hursley Road
Chandlers Ford
Eastleigh
Hampshire
SO53 1YF
Draper Helpline +44 (0) 2380 494344

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards

Not Classified

Health hazards

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335

Environmental hazards

Aquatic Chronic 3 - H412

2.2. Label elements

Pictogram



Signal word

Danger

Hazard statements

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

DFG515

- P261 Avoid breathing vapour/spray.
P264 Wash contaminated skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P312 Call a POISON CENTER/doctor if you feel unwell.
P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P501 Dispose of contents/container in accordance with national regulations.

Contains

Aliphatic urethane acrylate, Poly(ethylene glycol) dimethacrylate, acrylic acid, 1-Acetyl-2-phenylhydrazine

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Aliphatic urethane acrylate CAS number: 68987-79-1 EC number: —	60-100%
Classification Skin Irrit. 2 - H315 Skin Sens. 1 - H317	Classification (67/548/EEC or 1999/45/EC)
Poly(ethylene glycol) dimethacrylate CAS number: 25852-47-5 EC number: —	30-60%
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335	Classification (67/548/EEC or 1999/45/EC)

DFG515

<p>acrylic acid 1-5% CAS number: 79-10-7 EC number: 201-177-9 M factor (Acute) = 1</p>		
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none;"> <p>Classification Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 STOT SE 3 - H335 Skin Corr. 1A - H314 Aquatic Acute 1 - H400</p> </td> <td style="width: 50%; border: none; text-align: right;"> <p>Classification (67/548/EEC or 1999/45/EC)</p> </td> </tr> </table>	<p>Classification Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 STOT SE 3 - H335 Skin Corr. 1A - H314 Aquatic Acute 1 - H400</p>	<p>Classification (67/548/EEC or 1999/45/EC)</p>
<p>Classification Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 STOT SE 3 - H335 Skin Corr. 1A - H314 Aquatic Acute 1 - H400</p>	<p>Classification (67/548/EEC or 1999/45/EC)</p>	
<p>α,α-dimethylbenzyl hydroperoxide <1% CAS number: 80-15-9 EC number: 201-254-7</p>		
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none;"> <p>Classification Org. Perox. E - H242 Acute Tox. 4 - H302 Acute Tox. 3 - H331 Skin Corr. 1B - H314 STOT RE 2 - H373 Acute Tox. 4 - H312 STOT SE 3 - H335 Aquatic Chronic 2 - H411</p> </td> <td style="width: 50%; border: none; text-align: right;"> <p>Classification (67/548/EEC or 1999/45/EC)</p> </td> </tr> </table>	<p>Classification Org. Perox. E - H242 Acute Tox. 4 - H302 Acute Tox. 3 - H331 Skin Corr. 1B - H314 STOT RE 2 - H373 Acute Tox. 4 - H312 STOT SE 3 - H335 Aquatic Chronic 2 - H411</p>	<p>Classification (67/548/EEC or 1999/45/EC)</p>
<p>Classification Org. Perox. E - H242 Acute Tox. 4 - H302 Acute Tox. 3 - H331 Skin Corr. 1B - H314 STOT RE 2 - H373 Acute Tox. 4 - H312 STOT SE 3 - H335 Aquatic Chronic 2 - H411</p>	<p>Classification (67/548/EEC or 1999/45/EC)</p>	
<p>1-Acetyl-2-phenylhydrazine <1% CAS number: 114-83-0 EC number: —</p>		
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none;"> <p>Classification Acute Tox. 3 - H301 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335</p> </td> <td style="width: 50%; border: none; text-align: right;"> <p>Classification (67/548/EEC or 1999/45/EC)</p> </td> </tr> </table>	<p>Classification Acute Tox. 3 - H301 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335</p>	<p>Classification (67/548/EEC or 1999/45/EC)</p>
<p>Classification Acute Tox. 3 - H301 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335</p>	<p>Classification (67/548/EEC or 1999/45/EC)</p>	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Inhalation

Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist. If in doubt, get medical attention promptly.

Ingestion

Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Never give anything by mouth to an unconscious person. Get medical attention.

Skin contact

Rinse immediately with plenty of water. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

DFG515

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

General information

The product contains a sensitising substance. Treat symptomatically.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Oxides of carbon. Oxides of nitrogen.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Provide adequate ventilation.

For emergency responders

Wear self-contained breathing apparatus.

6.2. Environmental precautions

Environmental precautions

Do not discharge into drains or watercourses or onto the ground. To prevent release, place container with damaged side up. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb spillage with sand or other inert absorbent. Provide adequate ventilation. Collect and place in suitable waste disposal containers and seal securely. Wash thoroughly after dealing with a spillage.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Provide adequate ventilation. Wear protective clothing, gloves, eye and face protection.

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product.

DFG515

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Store in tightly-closed, original container in a well-ventilated place. Store in a dry place. Do not store near heat sources or expose to high temperatures.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

Eye/face protection

Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

To protect hands from chemicals, gloves should comply with European Standard EN374. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The selected gloves should have a breakthrough time of at least 8 hours. Butyl rubber.

Other skin and body protection

Wear an apron.

Hygiene measures

Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Remove contaminated clothing and protective equipment before entering eating areas. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn.

Environmental exposure controls

Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Liquid.

Colour

Purple.

Odour

Characteristic.

pH

Not determined.

Melting point

Not determined.

DFG515

Initial boiling point and range

Not determined.

Flash point

Not determined.

Upper/lower flammability or explosive limits

Not determined.

Vapour pressure

Not determined.

Vapour density

Not determined.

Viscosity

Not determined.

Explosive properties

Technically not feasible.

Oxidising properties

Not applicable.

9.2. Other information

Other information

None.

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability

Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Light. Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid

Strong acids. Avoid contact with strong oxidising agents. Alkalis.

10.6. Hazardous decomposition products

In case of fire Oxides of carbon. Oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg)

7,142.85714286

Acute toxicity - dermal

ATE dermal (mg/kg)

36666.66666667

Acute toxicity - inhalation

ATE inhalation (vapours mg/l)

185.39325843

DFG515

Toxicokinetics

No information available.

Inhalation

May cause respiratory irritation.

Skin contact

Causes skin irritation. May cause an allergic skin reaction. May cause sensitisation by skin contact. May cause skin sensitisation or allergic reactions in sensitive individuals.

Eye contact

Causes serious eye damage.

Target organs

Respiratory system, lungs

SECTION 12: Ecological Information

Ecotoxicity

Do not discharge into drains or watercourses or onto the ground.

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability

The product contains substances which are not expected to be biodegradable.

12.3. Bioaccumulative potential

The product contains potentially bioaccumulating substances.

12.4. Mobility in soil

Mobility

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information

Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

SECTION 16: Other information

SDS number

4840

Hazard statements in full

- H226 Flammable liquid and vapour.
- H242 Heating may cause a fire.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

DFG515