

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK WATERPROOF TILE ADHESIVE

Supercedes Date: 15-Nov-2018

Revision date 15-Oct-2019 Revision Number 1.03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name Pure substance/mixture EVO-STIK WATERPROOF TILE ADHESIVE Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended useAdhesives.Uses advised againstNone known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Ireland +44 (1785) 272650 +353 (1) 8624900 (Monday- Friday 9am-5pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitisation

Category 1 - (H317)

2.2. Label Elements

Contains: 2-methyl-2H-isothiazol-3-one [MIT]



Signal word WARNING

Hazard statements H317 - May cause an allergic skin reaction

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand

EVO-STIK WATERPROOF TILE ADHESIVE

Supercedes Date: 15-Nov-2018

Revision date 15-Oct-2019 Revision Number 1.03

P102 - Keep out of reach of children

P261 - Avoid breathing vapours

P280 - Wear protective gloves and eye/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

No information available

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2. Mixtures

The product contains no substances which at their given concentration, are considered to be hazardous to health

Chemical name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
2-methyl-2H-isothiazol-3 -one [MIT]	220-239-6	2682-20-4	0.0015 - <0.01	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) (M Factor Acute =1)	Skin Sens. 1 :: C>=0.0015%	No data available

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures	

4.1. Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

EVO-STIK WATERPROOF TILE ADHESIVE Supercedes Date: 15-Nov-2018

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.	
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.	
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Neve give anything by mouth to an unconscious person.	
4.2. Most important symptoms and	d effects, both acute and delayed	
Symptoms	Itching. Rashes. Hives.	
4.3. Indication of any immediate m	edical attention and special treatment needed	
Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.	
SECTION 5: Firefighting me	asures	
5.1. Extinguishing media		
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable extinguishing media	Full water jet. Do not scatter spilled material with high pressure water streams.	
5.2. Special hazards arising from t	he substance or mixture	
Specific hazards arising from the chemical	Product is or contains a sensitiser. May cause sensitisation by skin contact.	
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.	
5.3. Advice for firefighters		
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	Ventilate the area. Prevent further leakage or spillage if safe to do so.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Do not flush into surface water or sanitary sewer system. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.
6.3. Methods and material for cont	ainment and cleaning up
Methods for containment	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.

EVO-STIK WATERPROOF TILE ADHESIVE

Supercedes Date: 15-Nov-2018

6.4. Reference to other sections Reference to other sections See section 8 for more information. See section 13 for more information. SECTION 7: Handling and storage 7.1. Precautions for safe handling Advice on safe handling Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Take off all contaminated clothing and wash it before reuse. 7.2. Conditions for safe storage, including any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. **Storage Conditions** Keep out of the reach of children. 7.3. Specific end use(s) Specific Use(s) Adhesives. Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet. Other information Observe technical data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Ireland	United Kingdom
Limestone	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³
1317-65-3		TWA: 4 mg/m ³	TWA: 4 mg/m ³
		STEL: 30 mg/m ³	STEL: 30 mg/m ³
		STEL: 12 mg/m ³	STEL: 12 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Lye/la	ice protection
Hand	protection

Wear safety glasses with side shields (or goggles). Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the

Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves.

EVO-STIK WATERPROOF TILE ADHESIVE

Supercedes Date: 15-Nov-2018

Revision date 15-Oct-2019 Revision Number 1.03

Skin and body protection Wear suitable protective clothing.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Paste
Colour	No information available
Odour	Characteristic
Odour threshold	No information available
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air	<u>Values</u> No data available No data available No data available No data available No data available Not applicable for liquids .
Upper flammability or explosive limits Lower flammability or explosive limits	
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.61
Water solubility	No data available
Solubility(ies)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
9.2. Other information Solid content (%) Softening Point Molecular weight VOC Content (%) Density Bulk density	No information available No information available No information available No information available No information available No information available

Remarks • Method

SECTION 10: Stability and reactivity

No information available.
Stable under normal conditions.
None. None.

EVO-STIK WATERPROOF TILE ADHESIVE Supercedes Date: 15-Nov-2018

Revision date 15-Oct-2019 Revision Number 1.03

10.3. Possibility of hazardous reactions			
Possibility of hazardous reactions	None under normal processing.		
10.4. Conditions to avoid			
Conditions to avoid	None known based on information supplied.		
10.5. Incompatible materials			
Incompatible materials	None known based on information supplied.		
10.6. Hazardous decomposition products			
Hazardous decomposition products	Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.		

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product I	Information
-----------	-------------

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	Itching. Rashes. Hives.
Numerical measures of toxicity	

Numerical measures of toxicity

Acute Toxicity

Component Information

	Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-meth	hyl-2H-isothiazol-3-one [MIT] 2682-20-4	LD50 =285 mg/Kg (Rattus)	LD50 >2000 mg/Kg (Rattus)	=0.11 mg/L (Rattus) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

EVO-STIK WATERPROOF TILE ADHESIVE

Supercedes Date: 15-Nov-2018

Respiratory or skin sensitisation May cause sensitisation by skin contact.

Component Information			
2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	Sensitizing
Sensitisation			

Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

12.2. Persistence and degradability

Persistence and degradability No information available.

.

Component Information			
2-methyl-2H-isothiazol-3-one [MIT] (2682-20-4)			
Method	Exposure time	Value	Results
OECD Test No. 308: Aerobic and Anaerobic Transformation in Aquatic Sediment Systems		Half-life	1.28-2.1 days
OECD Test No. 309: Aerobic Mineralization in Surface Water - Simulation Biodegradation Test		biodegradation Half-life	Readily biodegradable 4.1 days

12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
2-methyl-2H-isothiazol-3-one [MIT] 2682-20-4	-0.32	3.16

12.4. Mobility in soil

Mobility in soil

No information available.

EVO-STIK WATERPROOF TILE ADHESIVE

Supercedes Date: 15-Nov-2018

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
2-methyl-2H-isothiazol-3-one [MIT]	The substance is not PBT / vPvB
2682-20-4	

12.6. Other adverse effects

Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Do not reuse empty containers. Handle contaminated packages in the same way as the product itself.
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note:	Keep from freezing.	
Land transport (ADR/RID) 14.1 UN Number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing Group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None	
IMDG 14.1 UN number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine Pollutant 14.6 Special Provisions 14.7 Transport in bulk according	Not regulated Not regulated Not regulated Not regulated Np None to Annex II of MARPOL 73/78 and the IBC Code Not applicable	

Air transport (ICAO-TI / IATA-DGR)		
14.1 UN number	Not regulated	
14.2 Proper Shipping Name	Not regulated	
14.3 Transport hazard class(es)	Not regulated	
14.4 Packing group	Not regulated	
14.5 Environmental hazards	Not applicable	
14.6 Special Provisions	None	

Section 15: REGULATORY INFORMATION

EVO-STIK WATERPROOF TILE ADHESIVE Supercedes Date: 15-Nov-2018

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

- H301 Toxic if swallowed
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H400 Very toxic to aquatic life
- H411 Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

LegendSECTION 8: Exposure controls/personal protectionTWATWA (time-weighted average)STELCeilingMaximum limit value*PBTPersistent, Bioaccumulative, and Toxic (PBT) Chemicals

STEL (Short Term Exposure Limit) Skin designation

EVO-STIK WATERPROOF TILE ADHESIVE

Supercedes Date: 15-Nov-2018

Revision date 15-Oct-2019 Revision Number 1.03

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure EWC: European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	15-Oct-2019
Indication of changes	
Revision note	Not applicable.
Training Advice	No information available
Further information	No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet