


open socket shovels



Hardwood ash shaft for maximum strength and comfort in use

Closer view of socket



Handle secured in socket by a steel nickel plated rivet for maximum stability

Clear polyester powder coat varnish to protect against rusting

Made from high quality carbon steel for maximum performance

square mouth

Available in three sizes 2, 4 and 6. Better known as a ballast shovel. Ideal for moving looser materials such as sand, gravel or sawdust



west country round mouth

A long handled shovel for general use in sand, shingle or gravel. Head is hardened and tempered to enable use as digging tool. Originally designed for the West Country and Wales



irish round mouth

A long handled general purpose shovel for loose materials. Head is hardened and tempered to enable use as a digging tool. Originally designed for use in Ireland



handle types

crutch T

Fixed with waterproof adhesive and wooden peg to withstand 47Nm* torque



polypropylene PY

UV stabilised to UK climate conditions



long knob

Contoured shaft available in 48" and 54" lengths. Lacquered for weatherproofing



* Newton meters pressure - The ability to withstand an applied pressure before the seal between two surfaces is broken causing rotation

SHOVELS & FORKS

TOOL GUIDE



SPEAR & JACKSON



SPEAR & JACKSON

fibreglass shovels

PHYSICAL QUALITIES OF FIBREGLASS

- Up to 10 times stronger than timber
- Up to 8 times stronger than steel
- Stiffness falls between timber and steel, giving adequate vibration and shock damping properties
- Water resistant, eliminating loose joints from swelling and shrinking
 - Oil and chemical resistant
- Assists resistance to electrical conduction

Fibreglass Shaft Construction

A fibreglass tube consisting of over 5 million parallel fibreglass strands. Each strand is pre-stressed then coated with a special epoxy resin. Curing is by means of a microwave oven

Extra long sockets to give added strength

Made from carbon /manganese steel for maximum strength

Heat treated and tempered to give quality performance and long life

Epoxy coated heads for reduced soil adhesion

square mouth Available in two sizes 000 and 2. General purpose contractors' shovel. Very popular with the utility sector. Ideal for digging and refilling trenches, shovelling tarmac and mixing concrete	
taper mouth General purpose shovel with tapered blade. Traditionally popular in the Midlands	
round mouth An ideal tool for shovelling loose materials such as gravel. The pointed blade gives easier penetration	
trenching Ideal for narrow trench work like pipe and cable laying. Often used in conjunction with a cable laying shovel	
cable laying Specially designed for digging trenches for cables. Generally used in conjunction with the trenching shovel	
grafting Specifically designed for heavy work (grafting), such as clay digging. With dished blade and rounded point suitable for removal of heavy materials	
newcastle draining Traditionally recognised as the finest draining tool available. The long narrow blade makes it perfect for extending trenches in terms of width and depth. Lugs provide greater foothold	
draining A long narrow blade makes this ideal for digging trenches in terms of width and depth. Useful for digging cable, pipe and drain channels	
general service Traditionally popular in Scotland. A general purpose contractors' shovel	
contractors' fork Extra strong square prongs with the chisel points makes this tool ideal for digging in heavy clay or stony ground	

handle type

metal YD
Heavy duty hilt. Fixed to the shaft by 2 rivets



tubular steel shovels

SPEAR & JACKSON are the brand leader in Tubular Steel Shovels - preferred in all trade sectors

Designed for maximum strength










Our unique method of manufacture ensures a strong, comfortable tool

Unique streamlined shaft contoured to comfortably fit the hand

Automatically rotary welded to ensure perfect alignment of weld for maximum strength

Made from carbon /manganese steel for maximum performance

Epoxy coated heads for reduced soil adhesion

square mouth General purpose contractors' shovel for digging out and refilling trenches, mixing concrete and moving tarmac	
taper mouth General purpose shovel with tapered blade. Traditionally popular in the Midlands	
round mouth Pointed blade gives easier penetration in use. Ideal for shovelling gravel and other loose materials	
trenching A general trench digging shovel, ideal for digging narrow trenches for pipes and cables	
cable laying Specially designed for digging trenches for cables. Generally used in conjunction with a trenching shovel	
grafting Specially designed for clay digging or heavy work (grafting). With dished blade and rounded point suitable for removal of heavy materials	
newcastle draining Available in 14" or 16". Traditionally recognised as the finest draining tool available. The long narrow blade makes it perfect for extending trenches in terms of width and particularly depth. Lugs provide greater foothold	
draining Like the Newcastle but without the lugs. Has a long narrow blade making this ideal for digging trenches in terms of width and depth. Particularly useful for digging cable, pipe and drain channels	
trenching fork Heavy duty clay or trenching fork, extra strong square prongs with chisel points making it ideal for use in heavy clay or stony ground. Lightweight version also available	

handle type


metal YD
Heavy duty hilt



SPEAR & JACKSON fibreglass shafts possess rare physical qualities which make them virtually indestructible. They are therefore suitable for use where particularly arduous and extreme conditions are likely to be encountered.

Why are **SPEAR & JACKSON** the choice of Civil Engineers, Local Authorities and National Utilities? Quite simply because of the gruelling and arduous conditions in which **SPEAR & JACKSON** tools are continually put to the test. They are renowned for their durability, comfort, balance and ease of use.

solid socket shovels



Durable hardwood ash shaft for maximum strength and comfort in use

Trials using this timber produce an average 138kg breaking strain which is over double the requirement of BS3388

(BS3388 - British standard covering the manufacture of Spades, Forks and Shovels)

Extra long sockets give added strength at the tool's potentially weakest point

Made from carbon/manganese steel for maximum strength

Heat treated and tempered to give quality performance and long life

Epoxy coated heads for reduced soil adhesion

square mouth
Available in two sizes 000 and 2. General purpose contractors' shovel designed for shovelling out and refilling trenches, mixing concrete and moving tarmac



taper mouth
General purpose shovel with tapered blade traditionally popular in the Midlands. Designed for shovelling tarmac, mixing concrete and clearing and refilling trenches



trenching
A general trenching shovel ideal for narrow trench work such as pipe and cable laying



cable laying
Specifically designed for digging trenches for cables. Generally used in conjunction with the trenching shovel



handle types

crutch T
Fixed with waterproof adhesive and wooden peg to withstand 47Nm* torque




metal YD
Heavy duty hilt Fixed to the shaft by 2 rivets



* Newton meters pressure - The ability to withstand an applied pressure before the seal between two surfaces is broken causing rotation

SPEAR & JACKSON has been manufacturing superior tools for contractors for over 200 years. Investment in production processes and the use of quality materials ensures reliability, durability and value for money

strapped shovels



Strapped for extra strength and maximum durability

Finished to remove any sharp edges for a comfortable smooth finish

Riveted a minimum 3 times for added strength

Made from carbon/manganese steel for maximum strength

Heat treated and tempered to give quality performance and long life

Epoxy coated heads for reduced soil adhesion

square mouth
General purpose contractors' shovel



general service
Treaded general purpose shovel. traditionally popular in Scotland



handle types

crutch T
Fixed with waterproof adhesive and wooden peg to withstand 47Nm* torque



metal YD
Heavy duty hilt Fixed to the shaft by 2 rivets



* Newton meters pressure - The ability to withstand an applied pressure before the seal between two surfaces is broken causing rotation

CONTROL PROCEDURES & TESTS YOUR ASSURANCE OF QUALITY.

Our products are manufactured and finished to the highest possible standards to ensure a comfortable and durable tool. The company conforms to the major national and international quality standard BS EN ISO 9002: 1994

insulated shovels



Ultimate Strength & Durability:
Oil, chemical and water resistant polyfibre shafts

Safety:
Two layers of insulating material - when yellow material shows through, it warns the user that the tool needs replacing

Safety:
Integrated hand stop to prevent the hand slipping onto the forged head

Comfort:
All shovels are treaded

Safety:
Rounder corners reduce risk of damage to pipes and cables

- Testing Standards**
- Conforms to British standard BS8020:2002 for working on or near conductor railway systems
 - Individually tested to 10,000 volts
 - Guaranteed to 1,000 volts
 - Includes individual Certificate of Conformity
 - Each tool marked with Neill Tools' name and unique traceability number

square mouth
General purpose contractors' shovel. Very popular with the utility sector. Ideal for digging and refilling trenches, shovelling tarmac and mixing concrete



taper mouth
General purpose shovel with tapered blade. Traditionally popular in the Midlands



trenching
Ideal for narrow trench work like pipe and cable laying. Often used in conjunction with a cable laying shovel



cable laying
Specially designed for digging trenches for cables. Generally used in conjunction with the trenching shovel



newcastle draining
Traditionally recognised as the finest draining tool available. The long narrow blade makes it perfect for extending trenches in terms of width and depth. Lugs provide greater foothold




general service
Traditionally popular in Scotland. A general purpose contractors' shovel



contractors' fork
Extra strong square prongs with the chisel points makes this tool ideal for digging in heavy clay or stony ground



Certificate of conformity



handle type

PY
UV stabilised to UK climate conditions



fibrelite shovels



Strong, lightweight & durable:
Oil, chemical and water resistant polyfibre shafts

Safety:
The shaft has insulating properties and the shorter socket makes it easier to avoid touching metal whilst in use, thereby increasing safety

In potentially dangerous applications the shorter socket allows the user to hold the fibreglass shaft to avoid the risk of electric shocks from the steel socket

Increased strength:
One piece manganese steel head

Reduced risk of damage:
To pipe and cables, due to the shovels' rounded corners

A range of lightweight professional shovels designed to reduce the risk of personal injury when working near live cables

square mouth
General purpose contractors' shovel. Very popular with the utility sector. Ideal for digging and refilling trenches, shovelling tarmac and mixing concrete



taper mouth
General purpose shovel with tapered blade. Traditionally popular in the Midlands



trenching
Ideal for narrow trench work like pipe and cable laying. Often used in conjunction with a cable laying shovel



cable laying
Specially designed for digging trenches for cables. Generally used in conjunction with the trenching shovel



newcastle draining
Traditionally recognised as the finest draining tool available. The long narrow blade makes it perfect for extending trenches in terms of width and depth. Lugs provide greater foothold



general service
Traditionally popular in Scotland. A general purpose contractors' shovel



contractors' fork
Extra strong square prongs with the chisel points makes this tool ideal for digging in heavy clay or stony ground



handle type

metal YD
Heavy duty hilt, fixed to the shaft by 2 rivets

