Simply Silent™ DX100 & DX100B

4"/100mm axial extract fans



The Simply Silent™ DX100 intermittent extract fan range is designed for those looking for something conventional, with a modern twist. Just like the entire Simply Silent™ family, these fans control humidity, odours and mould growth effectively in bathrooms, shower rooms, cloakrooms, toilets and kitchens. But the Simply Silent™ DX range features a more conventional grille-style fascia, finished in cool white and available in either round or square. The DX100 range has two speeds, selectable at install, and features a wall-fitting kit.

Wall Kit Includes*



*'With kit' models only.



178.5mm






















	Mode	ils	Design	Standard	Timer (adjustable from 30s – 30mins)	Pullcord	Humidistat (50-90% RH)	PIR	Wall Fitting Kit Supplied
	DX100S	93025AW		1					1
	DX100TS	93026AW			✓				/
	DX100PS	93027AW				1			1
	DX100HTS	93028AW			1		1		1
اير	DX100HPTS	93029AW			1	1	1		1
جَ	DX100PIRS	93030AW						1	/
With Kit	DX100R	93005AW	•	1					1
_	DX100TR	93006AW	•		1				1
	DX100PR	93007AW	•			1			/
	DX100HTR	93008AW	•		1		1		1
	DX100HPTR	93009AW	•		1	1	1		1
	DX100PIRR	93010AW	•					1	/
[DX100BS	93017AW		1					
Ì	DX100BTS	93018AW			1				
İ	DX100BPS	93002AW				1			
Ì	DX100BHTS	93019AW			1		1		
Ì	DX100BHPTS	93020AW			1	1	1		
	DX100BR	92997AW	•	1					
	DX100BTR	92998AW	•		1				
Ì	DX100BPR	93001AW	•			1			
	DX100BHTR	92999AW	•		1		1		
	DX100BHPTR	93000AW	•		1	1	1		

Product Selector	DX100	DX100B	
Speeds	2	2	
Extract Performance (I/s)	15/21	15/21	
Extract Performance (m3/h)	53/74	53/74	
Electrical Power Rating (W)	6/6.7	6/6.7	
Specific Fan Power (W/I/s)	0.41/0.33	0.41/0.33	
Sound Pressure Level (dBA@3m)	22/34	22/34	
IP Rating	IPX4	IPX4	
Motor Type	AC	AC	

Low Speed				
Static Pressure (Pa)	Flow rate in m ³ /h			
0	52.31			
1.5	49.51			
3.2	46.69			
4.8	43.69			
7.2	40.46			
8.9	37.15			
10.4	33.51			
11.7	28.92			
12.4	24.05			
13.4	17.06			
17.8	0.00			

High Speed			
Static Pressure (Pa)	Flow rate in m ³ /h		
0	73.77		
4.6	69.33		
8.2	65.14		
11.6	60.88		
14.6	55.81		
16.4	50.08		
16.8	44.24		
16.7	38.43		
16.8	31.79		
17.8	22.38		
30	0.00		





ANCILLARIES We recommend the Simply Silent™ 100mm Easy Fit Wall Kit to allow fuss-free fitting from the inside.



Fold the outer grille.



Push through the wall tube.



Open up the outer grille.



Pull back on the string to secure to the outside wall.

www.xpelair.co.uk

Check out our full range of Bathroom Accessories

Heated Towel Rails
Bathroom Extractor Fans
Bathroom Lighting

Bathroom Accessory Sets

Shower Seats

Grab Rails

Shower Curtains

Toilet Brushes

Bathroom Cleaning Products

Wall Mounted Bathroom Accessories

Robe Hooks

Bathroom Tumblers

Toilet Roll Holders

Soap Dishes

Towel Rings

Shower Caddies

Bathroom Mirrors

Standard Bathroom Mirrors

LED Bathroom Mirrors

Shaving Mirrors

