

**BUTTON POLISH** 

Page: 1

Compilation date: 04/09/2012

**Revision date:** 03/01/2020

Revision No: 7

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: BUTTON POLISH

Product code: BUTP

Synonyms: BUTTON POLISH

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# 1.3. Details of the supplier of the safety data sheet

Company name: Rustins Ltd

Waterloo Road Cricklewood London NW2 7TX

United Kingdom

Tel: +44 (0)208 450 4666

Fax: +44 (0)208 452 2008

Email: rustins@rustins.co.uk

# 1.4. Emergency telephone number

Emergency tel: .+44(0)2084504666 (Office hours only)

# **Section 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification under CLP: Flam. Liq. 1: H224

Most important adverse effects: Extremely flammable liquid and vapour.

# 2.2. Label elements

Label elements:

Hazard statements: H224: Extremely flammable liquid and vapour.

Hazard pictograms: GHS02: Flame



Signal words: Danger

Precautionary statements: P243: Take action to prevent static discharges.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

#### **BUTTON POLISH**

Page: 2

P280: Wear eye protection.

P370+P378: In case of fire: Use media other than water to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to hazardous or special waste collection point.

#### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

# **Hazardous ingredients:**

#### **ETHANOL**

EINECS	CAS	PBT / WEL	CLP Classification	Percent		
200-578-6	64-17-5	Substance with a Community workplace exposure limit.	Flam. Liq. 2: H225	71.565%		
METHANOL						
200-659-6	67-56-1	-	Flam. Liq. 2: H225; Acute Tox. 3: H331;	2.982%		

# Section 4: First aid measures

# 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water. Consult a doctor.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Do not induce vomiting. Wash out mouth with water. Transfer to hospital as soon as

possible.

Inhalation: If unconscious and breathing is OK, place in the recovery position. Transfer to hospital

as soon as possible. Remove casualty from exposure ensuring one's own safety whilst

Acute Tox. 3: H311; Acute Tox. 3: H301;

STOT SE 1: H370

doing so.

# 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact. Progressive ulceration will

occur if treatment is not immediate.

Eye contact: There may be irritation and redness. The fumes may cause temporary loss of vision for

up to 24 hours.

Ingestion: Severe poisoning can cause vision to be blurred or blindness, severe headache and

rapid gasping breathing.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Nausea and

stomach pain may occur.

#### **BUTTON POLISH**

Page: 3

# 4.3. Indication of any immediate medical attention and special treatment needed

### Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Dry chemical powder. Alcohol resistant foam. Carbon dioxide. Water spray. Water fog.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Highly flammable. Harmful. Vapour may travel considerable distance to source of

ignition and flash back. Forms explosive air-vapour mixture. In combustion emits toxic

fumes of carbon dioxide / carbon monoxide.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear protective clothing to prevent contact with skin and eyes. Wear self-contained

breathing apparatus.

#### Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition. Mechanically ventilate the spillage area whilst avoiding the formation of explosive concentrations - see section 9 of SDS. Mark out the contaminated area with

signs and prevent access to unauthorised personnel.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks. Wash the ground with an appropriate self-emulsifying solvent.

# 6.4. Reference to other sections

#### Section 7: Handling and storage

# 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

Earth any equipment used in handling. Use non-sparking tools. Smoking is forbidden.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition. Keep container

tightly closed. Keep away from direct sunlight. The floor of the storage room must be

impermeable to prevent the escape of liquids.

Suitable packaging: Glass. Coated steel.

# **BUTTON POLISH**

Page: 4

# 7.3. Specific end use(s)

#### Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### **Hazardous ingredients:**

#### **ETHANOL**

#### Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1920 mg/m3	-	-	-

### **METHANOL**

UK	266 mg/m3	333 mg/m3	-	-

#### **DNEL/PNEC Values**

## **DNEL / PNEC** No data available.

#### 8.2. Exposure controls

Engineering measures: Ensure there is exhaust ventilation of the area. Ensure all engineering measures

mentioned in section 7 of SDS are in place.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Nitrile gloves.

**Eye protection:** Ensure eye bath is to hand. Safety glasses with side-shields.

**Skin protection:** Protective clothing. PVC apron.

### Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Brown

Odour: Alcoholic

Evaporation rate: No data available.

Oxidising: No data available.

Solubility in water: Partially miscible.

Also soluble in: Ethanol. Methanol.

Viscosity: Viscous

Boiling point/range°C: No data available. Melting point/range°C: No data available.

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: 12 Part.coeff. n-octanol/water: No data available.

**Autoflammability°C:** No data available. **Vapour pressure:** No data available.

**Relative density:** 0.875 @ 20 C **pH:** No data available.

VOC g/I: No data available.

# **BUTTON POLISH**

Page: 5

#### 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

## 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

#### 10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Sources of ignition.

## 10.5. Incompatible materials

Materials to avoid: Strong acids. Strong oxidising agents.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

# **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

# **Hazardous ingredients:**

## **ETHANOL**

IVN	RAT	LD50	1440	mg/kg
ORL	MUS	LD50	3450	mg/kg
ORL	RAT	LD50	7060	mg/kg

# **METHANOL**

IVN	RAT	LD50	2131	mg/kg
ORL	MUS	LD50	7300	mg/kg
ORL	RAT	LD50	5628	mg/kg

Toxicity values: No data available.

# Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact. Progressive ulceration will

occur if treatment is not immediate.

Eye contact: There may be irritation and redness. The fumes may cause temporary loss of vision for

up to 24 hours.

Ingestion: Severe poisoning can cause vision to be blurred or blindness, severe headache and

rapid gasping breathing.

[cont...]

# **BUTTON POLISH**

Page: 6

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Nausea and

stomach pain may occur.

# Section 12: Ecological information

#### 12.1. Toxicity

Ecotoxicity values: No data available.

# 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

# 12.4. Mobility in soil

Mobility: Soluble in water. Volatile. Absorbed only slowly into soil.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

#### Section 13: Disposal considerations

# 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

## 14.1. UN number

UN number: UN1263

# 14.2. UN proper shipping name

Shipping name: PAINT

including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid

lacquer base

### 14.3. Transport hazard class(es)

Transport class: 3

# 14.4. Packing group

Packing group: |

# **BUTTON POLISH**

Page: 7

### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

#### 14.6. Special precautions for user

Tunnel code: D/E
Transport category: 1

## **Section 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

Chemical safety assessment: Saftey Data Sheet complies with UK regulatory references in accordance with CHIP 3.1.

#### **Section 16: Other information**

#### Other information

Other information: The product complies with the requirements of the Toy Safety Regulations, BS EN 71

Part 3 1995. A certificate of conformity can be supplied upon request.

Phrases used in s.2 and s.3: H224: Extremely flammable liquid and vapour.

H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H331: Toxic if inhaled.

H370: Causes damage to organs.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product. As the specific

conditions of use of the product are outside the supplier's control, the user is

responsible for ensuring that the requirements of relevant legislation are complied with.