AQUALISA

AQUAVALVE 700 THERMO CONCEALED MIXER SHOWER




CHROME


DIMENSIONAL DRAWINGS

(The above SKU doesn't come with the heads shown as standard)

ADJUSTABLE HEAD




FIXED HEAD



99.50.01 (VARISPRAY) 99.30.01 (TURBOSTREAM)

99.40.01 (VARISPRAY) 99.20.01 (TURBOSTREAM)



AQUALISA AQUAVALVE 700 THERMO CONCEALED MIXER SHOWER



CHROME

TECHNICAL SPECIFICATIONS

	041
Minimum pressure requirements	0.1 bar
Maximum pressure requirements	10 bar
Inlet fitting connections	3/4" BSP inlet threads
Inlet supply positions	Hot/left, cold/right
Outlet connections	3/4" BSP outlet thread
Supply temperature	5 - 20°C Cold Supply 55 - 65°C Hot Supply
Water system	Gravity, Boosted Gravity, Combi and Balanced High Pressure
Features	Quality, solid brass shower valve
	Choice of varispray or turbostream height adjustable or fixed shower head with multiple spray patterns
	Accessorise by adding body-jets
	Maximum temperature can be set at installation
Colour	Chrome
Guarantee period	3-year guarantee (valve)
	2-year guarantee (head and kit)

Check out our full range of Showers

Digital Showers
Mixer Showers
Power Showers
Smart Showers

Shower Towers

Electric Showers

From Top Shower Brands

Mira Showers

Aqualisa Showers

Triton Showers

Gainsborough Showers

Shower Pumps can upgrade your showering experience even more

Stuart Turner Shower Pumps

Salamander Shower Pumps

Grundfos Shower Pumps

