



Symbol Guide

indicated.





Water Resistance Garment is waterproof Fabric is waterproof to the measurement to the measurement

indicated.

Fabric is breathable to Trousers which are measurement.

knee pads.


Breathability Knee Pads

Limited stocks. Check the indictaed pressure compatible with Dickies online or call customer services on 01761 419 419.

Contract Limited Availability

Williamson-Dickie Europe would like to thank the following for their assistance and site access for this years' location photography: Viewpoint Photography, Bath. Crest Nicholson, Bath and Wells. North Yorkshire Moors Railway, Pickering, Wild Futures Monkey Sanctuary, Looe. Rocky Mountain Nurseries, Wells. Hanson, Bath and Portland Stone, Keynsham. Kelston Forge, Kelston.

01	Dickies PRO	006
02	Eisenhower	012
03	Lakemont	022
04	Redhawk	026
05	Coveralls	036
06	Painters	042
01	Farm and Country	044
08	Jeans	052
09	Women's	058
10	Outerwear	064
11	Tops	080
12	Industry	096
13	GDT	102
14	Two Tone	108
15	ED24/7	114
16	High Visibility	120
]]	Flame Retardant	138
18	Footwear	148
19	PPE	194
20	Accessories	210
21	Size Guide/Directory	216





Modern America was built with Dickies[®]. Since 1922, America's hardest working men and women have chosen our hard-wearing workwear to build, maintain, and cultivate a continent. Their Dickies[®] workwear helped them do a better job. When their work took them down to their hands and knees or the weather turned against them, their workwear flexed with them. It protected them from knocks and abrasion, and kept them warm, dry, or cool according to their needs.

After almost a century of hard work, we know what makes a comfortable fit. We're now a global brand with regional styles to suit the tastes, tasks, and climates of a hard-working world. We're the world's trusted leader in workwear. Although Dickies[®] is proud of its long and illustrious history, it is unmistakably a company of the 21st Century.

Not only has Dickies® adopted the latest manufacturing processes and performance materials to improve its product range; they continue to display innovation in workwear design to meet the changing demands of its customers. Recognising the growing demand for workwear with a more contemporary styling, Dickies[®] has responded by adapting modern hiker boots and training shoe designs into regulation safety footwear. All the new styles are fitted with either steel toe-caps or a composite casing, both of which meet current European standards. Dickies[®] is committed to maintaining its position in the industry by producing hardwearing functional workwear that combines quality and value for money: the philosophy that has seen it become an instantly recognisable brand with a proven reputation.

Over 18 months of meticulous product development has gone into this most advanced range of products to date

DP1000 Dickies Pro Trouser P.9



DICKIES PEO

New to our range this year, these premium garments offer a superb ergonomic fit along with exceptional comfort and breathability.



Symbol Guide



1 Outer Layer

Outer layer is waterproof, hard wearing and breathable. This layer is great for for weather protection and moisture is able to "breathe" out whilst stopping rain and wind from getting in.

2 Middle Layer

Middle layer is for warmth and insulation, also helping to transport moisture away to the outer layer.

3 Inner Layer

Inner layer transports away moisture built up to ensure you are kept dry. This layer is breathable, comfortable and keeps you at a desirable temperature.

Fabric Guide



As long as Coolcore is wet or you are sweating, it will keep on cooling.

Our chemical-free fibers deliver three distinct functions - wicking, moisture circulation and regulated evaporation - to reduce the fabric's surface temperature and maximum cooling. And, because it's chemical free, the cooling benefit never washes out



A high performance fabric extremely resistant to tearing, scuffing and abrasion.

CORDURA® is a registered trademark of INVISTA for durable fabrics.



High-comfort stretch fabric with long-lasting shape recovery, even after repeated industrial laundering

This fabric has been developed using a TenCate Stretch Recovery™ technology. This gives the fabric excellent stretch and recovery properties, as well as superb performance in industrial laundering.



High quality zippers and fasteners made by the most modern equipment and are mass produced under extreme quality control.



DP1001 Dickies Pro Jacket Features Chest pocket with CORDURA® flap CORDURA® elbow panels 3 Elasticated cuffs 4 Reflective heat seal 5 Internal mobile phone pocket to fit A5 notebook 🖪 Two hip pockets CORDURA® hem I Internal hem adjusters Fabric 94% 🔲 polyester with micro fleece 6% Wash Care Sizes XS S M L XL 2XL 3XL 4XL



4

1-



DP1000 Dickies Pro Trouser Features

TENCATE materials that make a difference

■ Ergonomic fit ≥ YKK[™] zip fly ≤ TenCate[®] european fabric stretch back waistband < CORDURA[®] reinforced pockets **5** CORDURA[®] knee pad pockets **6** CORDURA[®] hemguards **7** Reflective detailing When used in combination with Dickies SA70 Kneepad, this trouser conforms to EN ISO 13688 : 2013 and EN 14404 : 2004 + A1 : 2010 Fahric

65%	polyester cotton ripstop
Wash Care	• • 🖄 🔿 🔯
Sizes Waist Short	20 21 22 23 24 25 26 27 28 29 30 31 32 33
Waist Regular	40 42 44 46 48 50 52 54 56 58 60 62 64 66
Waist Tall	90 92 94 96 98 100 102 104 106 108 110 112 114 116

See size guide on page 101







01

Dickies

Pro





W DICKIES FIU DEIL	N E W	DP1004 Dickies Pro Belt	
--------------------	-------------	----------------------------	--







YKK

		s Pr	0			X materi
back wa reinforc hem gu Dickies	nomic fit l aistband k ed pocket ards s Re	Hip pock 7 CORD flective de pad, this	ets 互 Hol URA® kne tailing 🛄	ster pock e pad pocl When use	ropean fabric stre ets CORDURA® kets CORDURA® ed in combination EN ISO 13688:201	® with
Fabric 65% ■ 35% ■				⊐polyeste ⊐cotton	er 270 gsm	
Wash	Care		\bigcirc	\boxtimes		

28 30 32 33 34 36 38 40 42 44 46 48 50 52

28 30 32 33 34 36 38 40 42 44 46 48 50 52

28 30 32 33 34 36 38 40 42 44 46 48 50 52

N E W

Sizes

Waist Short

Waist Regular Waist

Tall

Combines well with our new SA70 Knee Pads

materials that make a difference







EH36000 Loudon Jacket P.18

Heavy duty products made to withstand demanding work days



EISENHOWER

The workwear of professionals. When worn together, this range really comes into its own - marking you out as the specialist who takes pride in their work.

Eisenhower trousers feature multiple pockets, including those for knee pads, tool tabs and hem guards



Fabric Guide

CORDURA

A high performance fabric extremely resistant to tearing, scuffing and abrasion.



Teflon[™] is a trademark of The Chemours Company FC, LLC used under license by Williamson-Dickie Europe Limited.

YKK Little Parts. Big Difference.e

High quality zippers and fasteners made by the most modern equipment and are mass produced under extreme quality control.

Symbol Guide



Materproof A garment is waterproof to the measurement indicated.



Breathability A garment is breathable to the pressure measurement as indicated



Knee Pads (SA66) Trousers compatible with Dickies knee pads. Page 151



Premium Trouser Features	s Teflon	
YKK [™] zip fly 2 D-ring 3 H CORDURA [®] hammer loop back pockets 5 CORDURA [®] r Rule pocket 5 CORDURA [®] CORDURA [®] hem guards 10 with SA70 Knee Pads this trou EN ISO 13688:2013 and EN 144	CORDURA® reinforced einforced cargo pocket ? knee pad pockets When used in combination ser conforms to	CORDUR YKK Little Furth. Big Difference.
Fabric 65% 35%	polyester cotton ripstop with Teflon [™] coating	0 270 gsm
Wash Care		
	4 36 38 40 42 44 46 48 50 9	
1	0	
	\rightarrow 8	5
3		
	1	V
		X
		-
		-
R.		
		1
		↓ I
	eaturing rips	

EH34001 Eisenhower Premium Shorts	Teflon Fabric protector
Features I Zip off angled holster pockets I Two back pockets reinforced with CORDURA® I CORDURA® hammer loop I Rule pocket on right leg I Contrast colour CORDURA® panels I YKK [®] Zips	COR
Fabric 65% polyester 270 35% cotton cotton ripstop with Teflon™ coating	Little Pa
Wash Care	
Sizes Waist 28 30 32 33 34 36 38 40 42 44 46 48 50 52	
















65% 35%		□ polyester □ cotton canvas	300 gsm
Wash Care	; õf 🖄 🔿	\boxtimes	
Sizes Leg / Waist Short 29'' Regular 31'' Tall 33''	28 30 32 33 34 36 3	8 40 42 44 46 4	B 50 52








Features

Waterproof to 8000mm and breathable to 5000mvp
 Adjustable hood Chest pocket with waterproof zip
 Adjustable hem Reflective detail Internal pocket
 Fabric











A lightly padded body, with contrast fabric sleeves

02

Eisenhower



EH89001 Eisenhower Fleece

3

2 -



EH89000 Eisenhower Fleece Pullover

Features ■ Non-pilling outer fleece fabric ■ YKK[™] zip ■ Knitted cuffs and hem ■ Side handwarmer pockets ■ Contrast fabric panels on each sleeve

Fabric 100% 100%	polyester fleece bonded with sherpa lining nylon taslan contrast panels
Wash Care	
Size XS S M L XL 2XL 3XL 4XL 5XL	0-













CVC fabric strikes the perfect balance between comfort and durability


≰ CV1000 Lakemont Trousers P.25 👌



LAKEMONT

Breathable but tough and enduring, Lakemont garments combine detailed style features with practical usability that lasts.





REINFORCE"





Includes an internal mobile phone pocket to fit an iPhone 7 sized device



DT1003 Camden Trousers	
Features	







Fabric 60% 40%					otton olyeste	r 28	
Wash Care	~		С) [\boxtimes		
Sizes Leg / Waist Short 29'' Regular 31'' Tall 33''	28 30	32 33	34 36	38 40	42 44	46 48	50 52





- 5

Double layered hems to provide extra durability

Redhawk gives you a style and colour for just about every task

ALC: NOCC



REDHAWK

For simple, practical and everyday use choose Redhawk. A range of comfortable and durable polycotton jackets, trousers, shorts and coveralls.





WD884* Redhawk Super Work Trousers

Features Two front pockets II Two rear pockets with buttoned flap closure ■ Button and YKK[™] zip fastening ■ Key fob on waistband ■ Triple stitched seam detailing ■ Hammer loop on right leg ■ External knee pad pockets ■ Rule pocket on left leg Cargo style pocket with button fastening Fabric 65% polyester 260 cotton gsm 35% Wash Care Sizes Leg / Waist 28 30 32 33 34 36 38 40 42 44 46 48 50 52 Short 29" Black, Grey and Navy - Short 29", Reg 31", Tall 33" Only Waist Black and Navy - Short 29", Reg 31", Tall 33" Only Waist *Code WD884, WD88428** for 28" waist, WD8840S** for 50" waist (**EDI codes) 🗖 Black 📕 Grey 📕 Khaki 📕 Olive

3

7

5

WD814* Redhawk **Men's Action Trousers** Features Button and zip fastening II Two zipped back pockets Zipped hand pockets II One zipped thigh pocket External knee pad pockets Fabric polyester 260 cotton gsm 65% 35% Wash Care Sizes Sizes Leg / Waist 28 30 32 33 34 36 38 40 42 44 46 48 50 52 Short 29" Reg 31" Tall 33" Black and Navy - Reg 31" Only Waist Black and Navy - Reg 31", Tall 33" Only Waist *Code

WD814, WD8140S** for 28", 33" & 50" waists (**EDI code)








WD954 **Redhawk Jacket**

Features
Two studded chest pockets, one with inside mobile phone
pocket I YKK" zip front with over placket, studded top and
bottom I One sleeve pocket I Two hand warmer pockets
Side elastication I Action back





1

2

4

1

Navv 🖿

Leg / Waist 28 30 32 33 34 36 38 40 42 44 46 48 50 52 Regular 31" Tall 33" *Code

WD864R, WD864T

📕 Black




30

📕 Black 📃 Navy









WD600 **Redhawk Bib and Brace**

■ Bib pocket with zip fastening ■ Two front opening hip pockets with side access ■ YKK[™] zip fly front ■ Back pocket ■ Rule pocket

Fabric 65%			polyester cotton
Wash Care	\otimes	\bigcirc	\boxtimes
Sizes Leg Regular 31''	XS S M	L XL 2	XL 3XL 4XL



WD802 Redhawk Pro Shorts

REMOVER AND



















simple, practical everyday use

KNEE





🗆 cotton

WD4839J **Redhawk Junior Zip Front Coverall**

Features

Two zipped chest pockets 2 Pencil pocket on left sleeve Two way metal zip front with studded over placket I Tunnel waistband Two swing pockets with side access Two large back pockets, one zipped Rule pocket on right leg B Full back elastication Action back

6	abric 5%]	polyeste cotton
V	Vash C	are		\bigcirc	\boxtimes
	izes hest	24 2	6 28 30 3	2 34	



WD4829 Redhawk Stud Front Coverall

Black White

Lincol











A collection of coveralls designed to protect your day to day wear



COVERALLS

Our collection of coveralls include 100% cotton examples, ideal for working in hot climates.

Reflective tape elements are also a feature for some long sleeved cotton overalls to add visibility on the job



A high quality garment ideal for rugged work, *Teflon™ fabric* protector provides maximum stain repellency

Fabric Guide

YKK

High quality zippers and fasteners made by the most modern equipment and and are mass produced under extreme quality control.



Teflon[™] is a trademark of The Chemours Company FC, LLC used under license by Williamson-Dickie Europe Limited.



WD2360R Dickies Lined Coverall


Features Reinforced stress points Concealed heavy duty two way YKK[™] brass zip Stud adjustment cuffs Hammer loop Action back allowing easy body movement Side elastication with tunnel waistband Side pockets and side access 🛽 Warm quilted lining for cold weather comfort Two back pockets, one zipped Fabric

Outer fabric 65% polyester 35% cotton	8
Lining: 80% polyester, 20% cotton	
Padding: 100% polyester, 140gsm	
Wash Care	
Sizes	
XS S M L XL 2XL 3XL 4XL Leg 32"	



WD4879R* Dickies Deluxe Coverall

Features ■ Reinforced stress points ■ Concealed heavy duty two way YKK[™] brass zip ■ Reinforced turnback cuffs with stud closure ■ Hammer loop on left leg ■ Action back ■ Side elastication with tunnel waistband studded neck closure 7 Two zipped chest pockets 🖪 Two mitred back pockets, one zipped Pencil pocket Side pockets and side access



*Code WD4879R (Reg) WD4879T (Tall)









WD2279 Cotton Coverall

Features
Reflective tape II Two slanted chest pockets with nylon
zips on front, two back pockets II Tool pocket, rule pocket and hammer loop 4 Action back Fabric

100	%				
Wa	sh Ca	are			
_	Ξ	40°	\boxtimes	\otimes	\otimes
Siz	es				
XS	S M	L XL 2)	(<u>L 3XL 4XL</u>		



WD2279LW Lightweight Cotton Coverall

Features

Lightweight fabric Reflective tape Two slanted chest pockets with nylon zips on front, two back pockets 4 Tool pocket, rule pocket and hammer loop

Fabric 100% ■				C
Wash (Care		\bigotimes	\boxtimes
Sizes XS S M	1 L XL 2	KL 3XL 4XL		













Icotton / 170 gsm









DECORATORS

A range of products that cater for all things painting, decorating and DIY based, for both amateurs and professionals alike.

Alongside our benchmark Bib and Brace you will find styles that fit within our Industry, GDT and Redhawk collections.



Robust construction, detail and features normally associated with a much heftier price tag



FARM & COUNTRY

When you step outside to start your day, it's essential that you have clothing that can stand up to all that mother nature can throw at you.

This range offers a choice of robust and fit for purpose garments that can be worn both on and off the job.



Perfect to combat showers in the spring and autumn months

and the second

Features I Funnel neck 2 Diamond quilted shoulder pads 2 Zip pockets 4 Adjustable hem Fabric 100% polyester microfleece Wash Care Sizes XS S M L XL 201 301 401



AG3500 Hartville Waterproof Jacket

Features Waterproof to 3,000mm El Lightly padded Full length zip with zip guard El Velcro adjustable cuffs Fabric 100% polyester with PVC coating 190T Lining: 100% polyester Wash Care Sizes XS S M L XL 2XL 3XL 4XL

AG3000 Combrook Softshell Jacket

Features

Dark

Fabric waterproof to 8,000mm and breathable to 1000mvp
 Full length zip with zip guard Velcro adjustable cuffs Adjustable hem

 Fabric
 94%
 polyester
 320

 6%
 elastane bonded with fleece
 320

 Wash Care
 III
 Sizes

 XS S M L XL 2XL 3XL 4XL
 III




AG3500 Hartville Waterproof Jacket













AG4000 Winterbourne Lined Jacket Features I Full length zip with zip guard Inner fleece lining for warmth Fabric brushed polyester gsm 100% Wash Care

Sizes XS S M L XL 2XL 3XL 4XL





п-

3 –

2


61-

5—

3 —

2—

4 -



Red/ Black Green/ Black Blue/ Black



.



Fabric 100% polyester microfleece Wash Care









2____




Khaki/ Black

Royal/ Black



2 -





Wash Care Sizes Leg / Waist 28 30 32 33 34 36 38 40 42 44 46 48 50 52 Short 29" Reg 31"

***Code** AG5000S (Short) AG5000 (Reg) AG5000T (Tall)





WX11102 Westfield Wax Jacket

Features

Two way zip with brass puller E Five stud storm flap Two large external patch pockets with dual studded flaps Internal pocket External hand warmer pockets Detachable hood with studs
 Internal corduroy collar Fabric

Heavyweight 100% cotton with Lining: 100% brushed cotton

Sizes XS S M L XL 2XL 3XL 4XL



WX15100 Westfield Wax Trousers

Features Nylon web side adjusters with me Elasticated waist	tal slide buck
Fabric Heavyweight 100%	cotton wi wax treat
Lining: 100% polyester Sizes	Wax ucat
YS S M I YI 2YI 2YI /YI	

XS S M L XL 2XL 3XL 4XL

WX14100 Westfield Wax Leggings Features

Weatherproof adjustable stud leggings 2 Four brass studs to external seams 2 Nylon taped edges 2 Brass stud fastened nylon web loops to fix leggings over trouser belts Fabric

Heavyweight 100% cotton with Lining: 100% polyester

Sizes One size





0 wax treatment



A range of men's jeans to suit your preferred style & fit



JEANS

A long-standing hit in the USA, our Jeans and Denim range is now growing in popularity here in Europe.

Offering a durable alternative to our workwear trousers, this range is as suitable to wear whilst doing home improvements as it is for relaxing at home.





DP800
Dickies
Comfort Jean





Features

Sits slightly below waist, traditional fit in seat and thigh, straight leg Provides the comfort and freedom of movement on the job Stronger and longer-wearing than standard denim Superior comfort and exceptional abrasion resistance Straight leg with 20" opening Classic 5-pocket styling

Fabric 63% 15%	cotton polyester 11% oz Lycra® Denim
Wash Care	ð O
Sizes Leg / Waist 28 30 32 33 34 36 Regular 32''	38 40 42 44







NEW

Dickies X Series Regular Fit Jeans

Features

Features Sits slightly below waist, straight through seat and thigh, straight leg Workwear or casualwear, wear these jeans everywhere Authentic Dickies X-Series branding inside and out Vintage leather back patch Extra-durable flat-felled inseam Classic 5-pocket styling 200% ringspun cotton that's soft yet durable 100% ringspun cotton that's soft yet durable Brass zipper, keystone belt loops, brass rivets for long-lasting wear



WD1000 Boston

Jean

Features **1**5 Pocket jean **2** YKK zip fly with metal button closure

Fabric 100%				cotton	
Wash Care	<u>io</u>		\otimes	\boxtimes	Denim
Sizes Leg / Waist Short 29'' Regular 31'' Tall 33''	28 30 3	32 33 34	36 38 40	42 44	



YKK

N XD710 Dickies X Series Slim Fit Jeans

Features Sits below waist, slim in seat and thigh, straight leg 2 Dependable and comfortable jeans for a variety of jobs 2 Authentic Dickies X-Series branding inside and out 4 Vintage leather back patch 5 Extra-durable flat-felled inseam Classic 5-pocket styling 2 100% ringspun cotton that's soft yet durable

SLIM

Brass zipper, keystone belt loops, brass rivets for long-lasting wear Fabric cotton $\sqrt{11^{\frac{1}{2}} \text{oz}}$ 100% Wash Care Sizes Leg / Waist 28 30 32 33 34 36 38 40 42 44 Regular 32" NEW

WD1693 Stonewashed Work Jeans

Features

 Metal zip fly front with metal button closure
 Riveted at stress points . . .

Fabric 100%		cotton 13% oz
Wash Care	; 407/X/	Denim
Sizes Leg / Waist Short 29''	28 30 32 33 34 36 3	8 40 42 44

Regular 31"



Denim Blue

DT1007 Stanmore Jean ARCO THE

DT1007 Stanmore Jean



cotton /11^{1/2} oz.





Features

Wide belt loops with an extra wide belt loop at the back 2 Top loading knee pad pockets 3 5 pocket rinsed wash jean 4 Rule pocket on right leg 5 YKK zip Fabric

100%				CO
Wash (Care	\sim	\sim	
-	40°	\bowtie	X	\odot

Sizes	
Leg / Waist	28 30 32 33 34 36 38 40 42 44
Short 29"	
Regular 31"	
Tall 33''	






DU336 Carpenter

Jean

Features Relaxed fit 2 Utility loop and dual tool pockets Heavy duty brass zipper

cotton

Fabric 100%













Practical and rugged workwear combined with faultless comfort and fit




WOMEN'S WORKWEAR

Featuring the technology and performance of our best-selling Eisenhower and Redhawk ranges with a cut that creates practical and rugged workwear combined with faultless comfort and fit.





Foxton Women's Jacket



SH64300/SH64350 Women's Oxford Weave Shirt

 OXIOTU Weave Shirt
 SH64350

 Features
 Inverted pleat in back for ease of movement

 I Inverted pleat in back for ease of movement
 Rounded hem

 Fabric
 Cotton

 00%
 cotton

 00%
 cotton

 00%
 Description

 <t

SH21600 Women's Fitted Polo Shirt Features Three button front placket detail El Short sleeves El Women's fit Fabric 65% polyester 35% cotton Wash Care Construction Sizes 8-10 12-14 16-18 20-22 24-26

2













🗖 Safety	23 bett Women's 7 Boot 345:2011 S3 SRC	
penetratio	osite toe cap 2 Non-metallic anti- on underfoot protection tatic 4 Padded collar and tongue	2.
Upper Dubuc Weight Based on	k a size UK 5 \int_{570g}^{\odot}	EW
Sizes	55 6 7 8	
Honey	Black	

FD13905 Ohio Women's Safety Trainer

EN ISO 20345:2011 SB FO SRA Features Steel toe-cap 2 Padded collar and tongue Breathable textile lining A Energy absorbing sole

Upper Mesh and microfiber Weight Based on a size UK 5 $\sqrt{415g}$ Sizes 3 4 5 55 6 7 8





FD13910 **Ottawa Women's** Safety Trainer EN ISO 20345:2011 SB FO SRA


Features Steel toe-cap 2 Padded collar and tongue
 Breathable textile lining 4 Energy absorbing sole

Upper Suede and mesh

Weight Based on a size UK 5 $\sqrt{407g}$

Sizes 3 4 5 55 6 7 8





Technical and basic garments to combat all European climates

100



OUTERWEAR

Technical and basic 'work inspired' outdoor workwear built for all European climates.

The great outdoors is unpredictable but you can be sure that there's a fit for purpose Dickies outdoor garment in amongst this range.







JW7050 Harlington Jacket

Feature

Feature Fabric waterproof to 8000mm and breathable to 1000mvp Adjustable hood S Waterproof zips throughout Velcro adjustable cuffs S Tail back hem Reflective piping Z Contrast textured durable fabric panels

Fabric 100%

bonded with fleece Wash Care

Sizes XS S M L XL 2XL 3XL 4XL



JW7009 Glenwood Softshell Jacket
Features
Fabric waterproof to 8000mm and breathable to 1000mvp
2 7in quards 3 Hom adjustors 4 Reflective nining

Zip guards Hem adjusters 4 Reflective piping					
Fabric 94%				polyester elastane	() 320 gsm
Wash Ca	ire	30°	\otimes	\boxtimes	
Sizes XS S M	L XL 2)	IL 3XL 4XL			



3,000mm



1,000mvp tt.

> Features • Waterproof to 3000mm • Seams stitched and taped • Zip front with inner storm flap • Two welt pockets • One zip chest pocket • Zip embroidery access • Cuff adjusters Fabric polyester with PU transparent coating, 100% Lining: 100% polyester, lightly padded

Wash Care Sizes

XS S M L XL 2XL 3XL 4XL

Black







^{JW23700} Cambridge Jacket



Fabric

Navy

Black

100% polyester with PU milky coating Lining: 100% polyester microfleece.

Wash Care

 Sizes
 Black
 XS
 S
 M
 L
 XL
 2XL
 3XL
 4XL

 Navy
 XS
 S
 M
 L
 XL
 2XL
 3XL
 4XL



3,000mvp

JW10500 Abbot 3 in 1 Jacket

Features Waterproof to 2,000mm Zip guard Concealed hood Adjustable hood Reflective piping and print Adjustable hem Piecec inner jacket Embroidery access pocket Outer and inner jackets can be worn separately Fabric 100% polyester outer jacket, 190T


with clear PU coating 100% polyester micro fleece inner jacket **Wash Care**

XS S M L XL 2XL 3XL 4XL











JW84400 Microfleece Jacket Features Fully lined 2 Drawcord adjustable hem 3 Zipped front
 Two zipped hand warmer pockets 5 Internal chest pockets Fabric polyester anti-pill 100% microfleece Lining: 100% polyester peached microfibre Wash Care Size XS S M L XL 2XL 3XL 4XL 5XL

JW82015 Seville Fleece

 IZipped front
 IZipped hand warmer pockets
 IElasticated cuffs
 Drawcord adjustable hem








Fabric

Black

Navy








19



Navy





BW11025 Professional **Combat Bodywarmer**

Features

 I Zip front with velcro fastened storm flap
 Mobile phone pocket with velcro fastening

 Zipped chest pocket
 Two zipped pockets

 Tail hem
 Yarn dyed check lining

 Internal chest pocket with velcro fastening

bric
vater
/150
gsm
-

BW11800 Townsend Bodywarmer

Features Two lower zipped pockets
One left breast pocket Reinforced Poly Oxford shoulders
Dickies branded taped internal collar Fabric 100% polyester microfleece Wash Care Size XS S M L XL 2XL 3XL 4XL 5XL




Black

BW7004 Crayford Gilet

100%

Features Detachable hood 2 Adjustable hem 3 Internal pocket 4 Zipped side pockets Fabric







BW7001 Kenton Softshell Gilet



Fabric









WP7004 Dartmouth Coverall

Features Waterproof to 1,000mm Velcro adjustable cuffs Drawcord adjustable hood A Back elasticated waist • Heavy duty zip front under velcro fastened storm flap Multi-detailed chest pockets 7 Two back pockets including rule pocket I Velcro adjustable hems Reflective tape trim detail II Zipped leg storm flap Tape welded seams

Fabric Outer 100% Polyester oxford with clear PU coating 210D Lining: 100% Polyester taffeta 190T, 55gsm

Size XS S M L XL 2XL 3XL 4XL 5XL

📕 Black



WP15000 Waterproof Padded Coverall

Features
 Waterproof to 1,000mm
 Velcro adjustable cuffs

 Drawcord adjustable hood
 Back elasticated waist
 • Heavy duty zip front under velcro fastened storm flap Multi-detailed chest pockets
 Two back pockets including rule pocket
 Velcro adjustable hems
 Reflective tape trim detail
 Zipped leg storm flap
 Tape welded seams

Fabric clear PU coating, 210D Outer 100% Polyester oxford with Lining: 100% Polyester taffeta, 55gsm

Size XS S M L XL 2XL 3XL 4XL 5XL





WP10050 Vermont Waterproof Suit

Features
Self fabric bag

Jacket

Waterproof to 3,000mm 3 Zip fastened front with studded stormflap Elasticated cuffs
 Tail hem with drawcord adjustment
 Two jet pockets
 Back vent
 Raglan sleeves
 Concealed hood in collar
 Taped seams

Trousers Waterproof to 3,000mm 🗉 Full elasticated waist Side access to undergarments III Stud adjustable ankle width 15 Taped seams

Fabric 100% Polyester with PVC coating Wash Care Size XS S M L XL 2XL 3XL 4XL 5XL



Somerton Waterproof Suit

Jacket

 Waterproof to 5,000mm and breathable to 5,000mvp
 Adjustable hood Waterproof zips Adjustable hem 5 Internal pocket

Trousers

 Waterproof to 5000mm and breathable to 5000mvp 7 Elasticated waistband **Fabric**

100%		Polyester	ripstop wit
Wash Car Z	e K 1307	\otimes	\boxtimes
Size XS S M L	. XL 2XL 3XL 4X	L 5XL	


📕 Black





th a PU milky coating















5,000mm



practical everyday use

WP7003 Mission

 Back elasticated waist 4 Front zip with storm flap Reflective tape trim detail 6 Tape welded seams 									
Fabric 210D 100%	polyester oxford with PU transparent coating								
Lining 100%	polyester taffeta 55g								
Wash Care									
Sizes Age 3 - 4 5 - 6 7 - 8	9 -10 11-12 13-14								

Kids Coverall

Features



WP11000 Childrens' Vermont Waterproof Suit

Features
Self fabric bag

Jacket Waterproof to 3,000mm II Zip fastened front with studded stormflap I Elasticated cuffs II Tail hem with drawcord adjustment I Two jet pockets II Reflective tape detailing II Raglan sleeves I Concealed hood in collar III Taped seams

Trousers Waterproof to 3,000mm III Full elasticated waist III Side pocket access to undergarments III Taped seams Fabric 100%

					i	P١
Wasl	h Care					
\bowtie	\otimes	í D	\triangleleft	\bigotimes	\boxtimes	
Sizes	-	F (7 0	0 10	11 19	,
Age	5 - 4	5 - 0	/ - 0	9 - 10	11-12	[

П 🔳 Navy

WP7003 Mission Kids Coverall





■ Waterproof to 1,000mm ■ Velcro adjustable cuffs

arent O ta 55gsm

13-14





polyester with PVC coating

13-14





Plain, printed or embroidered, there's a Dickies top to suit your needs

SH11126 Jansen Printed Sweatshirt P.91

DICKIES



SAFETY

Dickies provide an extensive range of men's workwear tops, including printed and plain t-shirts, polos, sweatshirts & more. Our plain work tops are suitable for employee uniforms, with the addition of an embroidered company logo, or a choice of fashionable designs.



Numerous colours & prints to look good on & off the job



Royal Blue



SH5020 Hampstead T-Shirt

N E W	SH5022 Castleton T-shirt
w	Features Printed Dickies logo Crew neck Short sleeves
	Fabric Oliver Control
	Wash Care
	Sizes All Colours XS S M L XL 2XL 3XL 4XL







Sizes

Black

Grey Melange





Printed Dickies logo
 Crew neck
 Short sleeves

Fabric cotton 180 gsm 100% Wash Care

Sizes XS S M L XL 2XL 3XL 4XL





SH5012 5 Pack T-shirt

Features Sold as pack of five with individual polybags for option of singular sale Fabric Solid Colours 100% cotton Grey Marl 85% cotton 15% polyester Wash Care Sizes AllColours XS S M L XL 2XL 3XL 4XL Black Grey Mari

SH2006 Atwood Long Sleeve T-shirt Features Designed for a close fit 2 Ideal for layering Fabric Black 95% cotton 5% spandex 5% Wash Care Sizes Black XS S M L XL 2XL 3XL 4XL



Features 1 Crew neck Fabric Wash Care






🐌 🎞 T-shirts - Printed & Plain













SH21100 Local Sleeve Polo Shirt Features Three button front placket detail Fabric Black, Navy 65% 35% Wash Care Wash Care

Sizes Black, Navv	XS	ς	м	I	XI	2XI	3XI	/XI
Diach, navy								
	_	_	_		_	_		_





A premium quality work polo with contrast colour tipping on collar and cuffs



Black Navy Grey

SH2001 Riverton Polo







ocket

SH11900 Elmwood Hoodie


Features
Internal collar for added comfort 2 Adjustable hood Side access pockets
Ribbed cuffs and hem





SH11800 Laton Zip Through

Features Four way stretch fabric Contrast colour coverstitch Two hip pockets Dickies branded embroidery on back of collar











🖗 🎞 Zipped

Printed sweatshirts & hoodies include original & cutting edge designs

SH3005 Hamilton Hoodie Features

Printed Di	ickies l	logo 🛛 Ad	justable h	ood with li	ghtly padded ed	lge for comfor
Fabric All Colours	65% 35%				polyester	280 gsm
Wash Care	<u>×</u>	40°	\otimes	\boxtimes		
Sizes All Colours	XS S	MLX	L 2XL 3XL 4	XL		



SH11126 Jansen Printed Sweatshirt Features Ribbed cuffs and hem Printed Dickies logo Fabric All Colours 85% 15% Wash Care Sizes All Colours XS S M L XL 2XL 3XL 4XL



Royal Blue

Black



(int)))))))



SH3004 Sandford Hoodie

Features 1 Embroidered Dickies logo Fabric Black 65% polyeste 35% □ cotton Grey Marl 85% cotton 280 gsm 15% 🔲 polyester Wash Care -× 107 × × Sizes All Colours XS S M L XL 2XL 3XL 4XL DICKIES
























SH64200 Men's Oxford Weave Long Sleeve Shirt Features 1 One chest pocket 2 Button down colla Fabric All Colours 135 gsm Wash Care \mathbf{P} --- \times 40° Sizes 15 15.5 16 16.5 17 17.5 18 18.5 19 19.5 20 Blue & White 15 15.5 16 16.5 17 17.5 18 18.5 19 19.5 20 Navy & Silver Grey





EMBROIDERY PRINTING SERVICES

Dickies embroidery and printing service can add logos or specified text to the vast majority of our product range. All you need to do is to contact us with your details and allow us to do the rest. We will require the following:



Your company name and/or account number and contact details.

The logo details with preferably a JPG or BMP image file if possible.

Any specific pantone colours that you wish us to adhere to.

Our direct contact details are: Tel: 01761 419 419 Email: ukquotes@dickies.com

CRALE CONTRACTOR STORE

For more information visit www.dickiesworkwear.com/en/corporate



Dickies

The products and colours that you would like to embellish.

The position of the logo(s) e.g. Left breast area, back etc.

The number of embellishments you require. Unbeatable professionalism from smart two-tone styling and the state of the

-



INDUSTRY

Smart two-tone styling, heavyweight 300gsm and lighter-weight 260gsm fabric give our Industry 300 and 260 range the look and feel of unbeatable professionalism.





YKK KNEE **Industry 300** + Trousers Features Side elasticated waist Hammer loop External kneepad pockets Two side pockets Two back pockets with bellow Two cargo pockets, with mobile phone pocket to the right Double rule pocket ■ YKK[™] branded zipper ■ 80 bartacks Fabric polyester 300 cotton gsm 65% 35% cotton Wash Care ---Sizes 20 21 22 23 24 25 26 27 28 29 30 31 32 Short 40*42*44 46 48 50 52 54 56 58 60 62 64 Regular Tall 90 92 94 96 98 100 102 104 106 108 110 112 114 *Black, Grey/Black only 4 2 6 _____ 6 - 3 3 -

IN30030

IN30050 **Industry 300 YKK** Shorts Features 1 Side elasticated waist 2 Two side pockets 3 Two back pockets with flaps ▲ Two cargo pockets with mobile phone pocket on right **5** YKK[™] branded zip **5** 68 bartacks Fabric 65% 🗆 polyester / 300 \ gsm \ 35% 🗆 cotton Wash Care ... Sizes 30 32 33 34 36 38 40 42 44 46 48 Waist Reg 44-64 Grey/ Black Green/

And And

IN30040 Industry 300 Bib & Brace

Features

REGULAR







Dickies

■ Elasticated waist at back II Hammer loop II External kneepad pocket ■ Two side pockets II Two back pockets with bellow II Two cargo pockets, with mobile phone pocket to the right II Button adjustable waist II Double rule pocket II YKK" branded zip III 86 bartacks

Fabric 65% 35%	polyester 300 gsm
Wash Ca	
<u> </u>	
Sizes	
Short	20 21 22 23 24 25 26 27 28 29 30 31 32
Regular	40*42*44 46 48 50 52 54 56 58 60 62 64
Tall	90 92 94 96 98 100 102 104 106 108 110 112 114
*Black, G	rey/Black only



🔳 Black








Features

Two side pockets II One chest pocket with flap and side entry zip II Waist adjusters II Reflective piping II Cuff adjusters II Nylon zips with velcro fastened storm flap







Grey/ Black White/ Grey

IN1001 Industry 260 Trousers

Features

 Side elasticated waistband 2 External knee pad pockets
 Reflective piping 4 Two side pockets 5 Two back pockets Cargo and mobile phone pocket 7 Nylon zips







KNEE



IN4001 Industry 260 Bib and Brace

Features Side elasticated waistband II External knee pad pockets Reflective piping II Two side pockets Two back pockets II Cargo and mobile phone pocket Fabric 65% polyester 260 cotton gsm 35% Wash Care Sizes 20 21 22 23 24 25 26 27 28 29 30 Short 44 46 48 50 52 54 56 58 60 62 64 Regular 90 92 94 96 98 100 102 104 106 108 110 Tall





Regular Fit-	45	42	- 64	41	- 44	50	12	H	51	н	60	- 41	H
Weist Measure	28	28	37	32	0.3.	34*	35.	38	47	47	447	44"	15
facilità Log (emi)	76	78	17	77	80.	N.	#2	82	Pi -	16	15.	.68	M
Tall Fit	-	ы		.14		-		142		165	-	- 11	0
Waise Measure	- W		- A			11		38		Ali		38	
Inside Log (emi)		0		*		80				-10			
Short Fit	-	24		4		25		8	-	28	-	2	
While's Silvanory	- 1	W. W.		M^{\prime}		- M			10				
Inside Log (nos)		11.		TT		19	-	77		- 60			


Negalas Fig-	45	42	-64	- 46	- 44	50	12	14	2	м	80	- 61	H
Welst Measure	28	28	37	32	13.	34*	35.	38	-927	47	447	44"	15
facible Log (cm)	75	78	17	77	83	N.	#2	41	PL .	16	15	19	M
Tell Fit	-	ю		.14				142		(dd	Acres 1	33	0
Waist Measure	1	w		10		10		38		105			6
Inside Log (emi)		0		*		10				-10			
Short Fit.	-	24		4		3		D.	-	20	and the second	2	
Waisi Measure	- 1	u	-	M^{\prime}		35	-			10		34	
Inside Log (non)		18.		TT		19	-	77		- 0			



















A comfortable fit combined with a majority cotton fabric makes for smart and functional workwear suitable for all environments.

210 and 290gsm weighted fabrics are used throughout with features such as CORDURA® knee pad pockets and full-length zips on the coverall.







104

N E W	WD490 GDT Jacket		emi	um	I
	Features 1 YKK [™] zip u 3 Reflective 6 Tail back h for ultimate c	heat s iem wi	eal chevro th Velcro a	on 4 Two	lower pock
	Fabric 98%			cott	/ 275 \
	Wash Care	¥	40°	P	\odot
	Sizes All Colours XS S M L	XL 2XL	. 3XL 4XL		

With a chest pocket to fit an iPhone



GDT Premium

Features

YKK[™] zip front 2 Two hip pockets 3 Gusset at crotch 4 Two back pockets Cargo pocket reinforced with CORDURA[®] 3 Ruler pocket 2 CORDURA[®] top loading knee pad pockets 3 Side elasticated adjustable waistband 3 Reflective heat seal chevron 10 CORDURA[®] hemguard 11 When used in combination with Dickies SA70 knee pad, this trouser conforms to EN ISO 13688:2013 and EN 14404:2004 +A1:2010

Fabric 98% 2%			cott	on a
Wash Card	, X	40°	P	\odot
Sizes All Colours Leg / Waist Reg 31''	26 28	3 30 32 3	3 34 36	38 40 42 4

SA70 CORDURA®Knee Pads add extra protection



SA70 CORDURA® Knee Pads P.199

WD4901 GDT Premium Trouser





/elcro fastened chest pocket to fit an iPhone kets 🖬 Velcro adjustable cuffs otton 2% stretch blend with a soft touch finish



CORDURA







44 46



WD4910 GDT 290 Jacket

Features

■ YKK" zip front under velcro fastened storm flap ■ Triple stitch detail using Coats® thread throughout ■ Two chest pockets with velcro fastened flaps ■ Action back ■ Mobile phone pocket on sleeve Velcro adjustable waistband





WD4930 **GDT 290 Trousers**

Features

 YKK[™] zip front 2 Triple stitch detail using Coats[®] thread throughout
 Cargo pocket with mobile phone pocket ▲ Hammer loop 5 Rule pocket CORDURA® knee pad pockets 7 Side elastication

Fabric 100%

cotton 290 nylon 100% CORDURA® 500D x 1000D

Wash Care

Sizes

Grey/Black, White/Grey, Khaki/Black, Olive/Black, Navy/Black & Black Leg / Waist 26 28 30 32 33 34 36 38 40 42 44 46 Short 29'' Black, Grey/Black, Khaki/Black & Navy/Black

Reg 31" Brown/Black, Olive/Black, White/Grey & Royal/Black Reg 31" Black, Grey/Black, Khaki/Black, Navy/Black, White/Grey & Olive/Black Tall 33"





WD4940 **GDT 210 Coverall**

Features Two full length YKK[™] zips 2 One chest pocket and one mobile phone pocket 3 Rule and cargo pocket 4 Two lower double pockets with access to undergarments 🗈 Elasticated waistband at back **Fabria**


100%			cotton \int_{gsn}^{tO}					
Wash Ca	ire							
	\boxtimes	60°	P	\odot				
Sizes XS S M	L XL 2X	L 3XL 4XL						





WD4979 GDT 210 Shorts

Features ∎ Lightweight super durable fabric ∎ YKK[™] zip front Triple stitch detail using Coats® thread 4 Hammer loop 5 Rule pocket 6 Cargo pocket with mobile phone pocket 🛛 Side elastication







YKK








Multiple colour variations & style features really stand this range out from the competition


TWO TONE

Stylish, smart and rugged workwear designed to help you look smart and professional on the job.

With everything from T-shirts and Hoodies to Jackets and Softshells, you'll look and feel great at all times.







Excellent levels of breathability & waterproof fabric



JW7011 **Two Tone Micro Fleece**

Features Micro fleece fabric for warmth Thumb hole on cuff Close fit ideal for layering Fabric micro descerta de la componsiona de la compons Componsiona de la c 100% Wash Care Sizes XS S M L XL 2XL 3XL 4XL

 Maki/
 Black
 <td





N E W	Feature			F-Sh Raglan slev	
	Fabric 100%		_	cotton	0 180 gsm
	Wash C	are	40°	\bigotimes	\boxtimes
	Sizes XS S M	L XL 2X	1L 3XL 4XL		











Choice, style, comfort and durability are all hallmarks of ED24/7 workwear




ED24/7

The ED24/7 Everyday Range has expanded this year with new styles and fabrics, including jackets, bodywarmers, trousers and footwear.

These add a wealth of new options for colour matching within this and other Dickies ranges, synchronising comfort, style and toughness together.












cotton



A L S

2

Everyday Footwear P.158-159 ► WORKWEAR

There are more examples of Everyday workwear, covering footwear & Flame Retardant coveralls, offering value for money across the range

118



FR Everyday Coveralls P.140







Available in multiple styles & fabrics to tackle all manner of events & conditions



Garments designed for roadside working meet the current standards laid down in the safety at street and road works code of practice.

(EN ISO 20471 Class 1, 2 or 3) or (EN471 Class 1, 2 or 3)



The Railway Group Standard GO/RT 3279 has been updated, and replaced by The Rail Industry Standard: RIS-3279-TOM. As there are no technical changes to the standard, all Dickies garments that are certified to GO/RT 3279 will be automatically compliant to the new RIS-3279-TOM standard SA22092 Hi-Vis Quarter Zip Sweatshirt P.134

the second



HIGH VISIBILITY


Dickies provide an extensive range of High Visibility Clothing available in multiple styles and fabrics to tackle all manner of events & conditions.

All available in class 1 to 3 of flourescent and retroreflective surface visibility, you can be sure to always be seen in these garments!





SA7000 Hi-Vis Waterproof Safety Coverall EN471: 2003+A1:2007 Class 3 Level 2





Features

■ Waterproof with stitched and tape welded seams ■ Back elasticated waist ■ Zips to outer leg seams with covering storm placket I Two-way main zip with covering storm placket I Internal knitted storm cuffs to the sleeves Drawcord adjustable, zip off hood

Fabric

100% 🗖 polyester 300D with milky coating. Contrast panels: 100% Nylon 210D with PU coating. Lining: 100% polyester. Padding: 100% polyester,160gsm.

4

5 -

Wash Care

Sizes XS S M L XL 2XL 3XL 4XL







3

Symbol Guide



EN 471:2003+A1:2007 Now superseded by EN ISO 20471:2013

his International Standard specifies requirements and test methods for protective clothing capable of signalling the user's presence visually. This clothing is intended to provide conspicuity in hazardous situations under any light conditions by day and under illumination by vehicle headlights in the dark

rformance requirements include colour and troreflection properties. Further, minimum eas and the configuration of the visible area are

- X Classification of the applied area of fluorescent and retro reflective material Classes 1 to 3 (of which class 3 is the highest achievable class)
- Y Classification of the quality of the applied retroreflective material Level 1 and 2 (of which 2 is the best)

*While we upgrade our stock to EN ISO 20471:2013, customers may receive an EN 471:2003+A1:2007 garment. Please contact your sales representative if you specifically require an EN ISO 20471:2013



EN ISO 20471:2013

The following pictogram placed on a garment indicates adherence to the EN ISO 20471 standard.

X Classification of the applied surface of fluorescent and retro reflective material Classes 1 to 3 (of which class 3 is the highest achievable class)



EN1150



EN 343

Resistance to water penetration and water vapour resistance are the two main properties which are tested in EN 343.

The following parameters are used: X Resistance to water penetration (3 levels of which 3 is the highest achievable class).

Y Water vapour resistance - Breathing properties (3 levels of which 3 is the highest achievable class).

EN ISO 20471 AND EN 471 Classification of fluorescent and retroreflective surface (X)

	CLASS 1	CLASS 2	CLASS 3
Fluorescent material	0,14m²	0,50m²	0,80m²
Reflective tape	0,10m²	0,13m²	0,20m²



Bringing our PPE expertise to the rail industry by conforming to GO/RT 3279 & BS EN standards




SA22050 Hi-Vis Bomber Jacket *EN ISO 20471:2013 Class 3

Orange - GO/RT 3279 Issue 8:2013 EN343: 2003 + A1:2007 Class 3 Level 1

Features

■ Waterproof with stitched and tape welded seams ■ Concealed hood with drawcord Two 5cm high visibility strips around the body, two on each arm and one over each shoulder 4 Two jetted outside pockets 5 External mobile phone pocket 6 Two internal pockets, one with pen divisions 7 Two way zip 8 Studded storm placket Fabric





sa22045 Hi-Vis Motorway Jacket

*EN ISO 20471:2013 Class 3 Orange - GO/RT 3279 Issue 8:2013 EN343: 2003 + A1:2007 Class 3 Level 1

Features


 Waterproof with stitched and tape welded seams
 Waterproof with stitched and tape welded seams
 Two outer inset pockets with flaps © One internal pocket
 Concealed knitted cuffs © Hood with draw cord concealed under collar © One zipped map pocket concealed behind storm placket Heavy duty two-way plastic zip E Full length storm placket External mobile phone pocket III Two 5cm high visibility strips around the body, two on each arm and one over each shoulder

polyester

Fabric 100%

300D with milky coating

Lining: polyester quilted with 180gsm polyester filling







2,000mm





SA22042 Hi-Vis Waterproof Lightweight Jacket EN471: 2003 + A1:2007 Class 3 Level 2


EN343: 2003 + A1:2007 Class 3 Level 1

Features

Two 5cm high visibility strips around the body, two on each arm and one over each shoulder Zip fastened front with studded storm placket Clasticated cuffs Claster store 5 Tail hem with drawcord adjustment 6 Two jet pockets 7 Concealed hood











A functional & practical garment with design features akin to the rest of the Two-Tone range



SA7004 Hi-Vis Two Tone Parka

EN ISO 20471:2013 Class 3 Orange - GO/RT 3279 Issue 8:2013 EN343:2003+A1:2007 Class 3 Level 1

Features Waterproof with stitched and welded seams Internal chest pocket Concealed knitted cuffs Concealed hood Full length storm placket

 Fabric

 Saturn Yellow & Orange

 100%
 polyester 300D with milky coating

 Navy

 100%
 polyester 210D

 Wash Care

 Image: Sizes

 XS S M L XL ZXL 3XL 4XL



SA7005 Hi-Vis Two Tone **Pilot Jacket** *EN ISO 20471:2013 Class 2 (Size M) Class 3 (Sizes L-4XL) Orange - GO/RT 3279 Issue 8:2013 EN343:2003+A1:2007 Class 3 Level 1 Features Waterproof with stitched and welded seams Two jetted outside pockets Concealed hood with drawcord 🖪 Heavy duty two way zip 🗉 Full length storm placket **Fabric** Saturn Yellow & Orange polyester 300D with milky coating 100% Navy 100% polyester 210D Wash Care Sizes XS S M L XL 2XL 3XL 4XL






SA2007 - Yellow SA4006 - Orange

Hi-Vis Two Tone Soft Shell Jacket EN471: 2003+A1:2007 Class 3 Level 2

Features

Two 5cm high visibility strips around the body, two on each arm and one over each shoulder Waterproof fabric to 3000mm and breathable to 800mvp Fully waterproof zips II Internal hem adjusters II Adjustable hem





3—

2

3 3,000mm 800mvp



SA1003 Hi-Vis Two Tone Trousers *EN ISO 20471:2013 Class 1 Orange - GO/RT 3279 Issue 8:2013 EN343:2003+A1:2007 Class 3 Level1

Features Waterproof with stitched and welded seams Elasticated waistband Stud adjustment on leg hem

Fabric Saturn Yellow & Orange 100%

Navy 100% 🔳

polyester 300D with milky coating

polyester 210D

Wash Care \bowtie $\cancel{40}$ $\cancel{10}$ Sizes XS S M L XL 2XL 3XL 4XL





5



Hi-Vis 3 in 1 Two Tone

Jacket Jacket - EN ISO 20471:2013 Class 3 Bodywarmer - EN ISO 20471:2013 Class 1 EN343:2003+A1:2007 Class 3 Level 1

Features - Jacket
Interactive bodywarmer with waterproof jacket
Waterproof with stitched
and welded seams Internal chest pocket Concealed hood Concealed knitted cuffs E Full length storm placket

Features - Bodywarmer

7 Two front zip pockets B Interactive	zip	
Fabric Jacket 100% Bodywarmer 100%	polyester 300D/210D with PU coating	G D
Wash Care	\boxtimes	
Sizes XS S M L XL 2XL 3XL 4XL		5





130










SA30035 Hi-Vis Industry Trousers

Orange - GO/RT 3279 Issue 8:2013

Features

Side elasticated waistband
Hammer loop
Bottom loading knee pad pockets
2 side pockets
2 back pockets
2 cargo pockets
2 Mobile phone pocket
Rule pocket
9 KK" zip
10 Extra bar tacks for added strength
11 When used in combination with Dickies SA70 knee pad, this
trouser conforms to EN ISO 13688:2013 and EN 14404:2004 +A1:2010
Fabric





<image>

REGULAR

YKK

See page 96 for the full Industry range

SA30045 Hi-Vis Industry Bib and Brace

EN ISO 20471:2013 Class 2 Orange - GO/RT 3279 Issue 8:2013

Features

Elasticated back waistband 2 Hammer loop
 Bottom loading knee pad pockets 2 side pockets
 Z back pockets 2 cargo pockets 2 Mobile phone pocket
 Adjustable waist 2 Rule pocket 1 YKK" zip
 Extra bar tacks for added strength

Fabr	ic											
65%												⊐p
35%												⊐ c
Was	h C	are										
-		Ž	R		6	õ		($\overline{)}$	(\bigcirc	
Sizes	s											
Waist			30	32	33	34	36	38	40	42	44	46
Short	24-	29										
Reg	44-	64										
Tall	90-	110										



N E W	SA30065 Hi-Vis Industry SP EN ISO 20471:2013 Class 1 Orange - GO/RT 3279 Issue 8:2013 Features
	Side elasticated waistband 2 YKK" zip 3 Extr added strength 4 Two side pockets 5 Two back
	65% polyester O 245 35% cotton
	Wash Care
	Sizes Waist 30 32 33 34 36 38 40 42 44 46 4 Reg 44-64

Q: IN	D	U	57	R	1
Regular Fit	40	42	44	46	4

Regular Fit	40	42	44	46	48	50	52	54	56	58	60	62	64																												
Waist Measure	26"	28"	30"	32"	33"	34"	36"	38"	40"	42"	44"	46"	48"																												
Inside Leg	30"	30"	30"	31"	31"	31"	32"	32"	33"	33"	33"	34"	34"																												
Tall Fit		90 94			98		102		106		110																														
Waist Measure	3	0"		32"		33"		34"		36"		38"																													
Inside Leg	3	2"		33"		34"		34"		35"		35"																													
Short Fit	2	24		25		26		27		28		29	9																												
Waist Measure	3	4"		36"		38"		38"		38"		38"		38"		38"		38"		38"		38"		38"		38"		38"		38"		38"		38"		40"		42"		44	
Inside Leg	2	9"		30"		30"		31"		31"		31	,,																												






Y SIZING GUIDE





SA22095 Hi-Vis Two Tone Hoodie EN ISO 20471:2013 Class 2 Orange - GO/RT 3279 Issue 8:2013 Features
Adjustable hood Knitted cuff and hem Kangaroo pocket
Fabric 100% polyester 280 (280)
Wash Care
Sizes XS S M L XL 2XL3XL4XL
Orange/ Navy Saturn Yellow/ Navy
SA22081 Hi-Vis Two Tone



SA22021 Hi-Vis Two Tone Waistcoat EN ISO 20471:2013 Class 1 Orange - GO/RT 3279 Issue 8:2013
Features Pen pocket 2 2 front pockets 3 Plastic card pocket
Fabric 100% polyester (120 gsm)
Wash Care
Sizes XS S M L XL 2XL 3XL 4XL
Orange/ Saturn Navy Yellow/ Navy

Dickies



3



Two 5cm high visibility strips around the body and one over each shoulder
Ribbed cuff on sleeve
Rib polo collar with three button placket

Fabric 100% polyester Wash Care Xuan Care







SA22077 Hi-Vis Long Sleeve Polo Shirt



Polo Shirt *EN ISO 20471:2013 Class 3 Orange - GO/RT 3279 Issue 8:2013 Features

Ribbed sleeve cuff I Three button placket
 Two 5cm high visibility strips around the body, two on each arm and one
over each shoulder
 Fabric

100% polyester

Sizes

XS S M L XL 2XL 3XL 4XL

Saturn Yellow



170 gsm



SA22010 - Yellow SA30310 - Orange Hi-Vis Highvvay Safety Waistcoat EN ISO 20471:2013 Class 2 Features Two 5cm high visibility strips around the body and one over each shoulder EVelcro fastening Fabric 100% Nush Care Wash Care Sizes XS S M L XL 20L 30L 40L





SA22080 **Hi-Vis Safety T-Shirt** *EN ISO 20471:2013 Class 2 Orange - GO/RT 3279 Issue 8:2013 Features Two 5cm high visibility strips around the body and one over each shoulder Fabric polyester / 170 100% Wash Care \bowtie \boxtimes 40 🛛 🖾 Sizes XS S M L XL 2XL 3XL 4XL





Saturn Orange Yellow

SA22020 Hi-Vis Technical Safety Waistcoat

*EN ISO 20471:2013 Class 2

Features

■ Two 5cm high visibility strips around the body and one over each shoulder ■ Zip fastening ■ Left chest pen pocket with plastic D ring ■ Two lower front pockets complete with velcro fastened flaps ■ Left hand lower pocket, complete with top loading security pocket

Fabric









EN1150: 1999

Features
Two 5cm high visibility strips around the body and one
over each shoulder Velcro fastening

Fabric











Dickier



Incorporating industry standard fabric technologies



FLAME RETARDANT

Designed primarily for the oil and gas industry, which demands the highest level of comfort and durability, plus minimal shrinkage for laundary care, our Flame Retardant workwear includes Proban® & Pyrovatex® technologies.



HEAT AND FLAME PROTECTION GUIDE

SYMBOL GUIDE



Made to Order (MTO)

Our Made to Order (MTO) products are available for quantities greater than 500 pieces. In addition to our catalogue MTO's customer bespoke products can also be designed and produced for corporate clients.



EN ISO 11612 Protective clothing for workers exposed to heat and flames (not including Welders and

The standard specifies the performance requirements for garments which protect the body from heat and

EN ISO 11611 Æ

Protective clothing for use in welding and allied processe The standard specifies 2 classes with specific performance requirements:

lower level: less hazardous welding situations. Class 1 Class 2 higher level: more hazardous welding situations.

(A)**IEC 61482-2**

Protective clothing against the thermal hazards of an electric arc. This performance standard specifies requirements and test methods applicable to materials and garments used by electrical workers to protect

against the thermal hazards of an electric arc. Requirements address to the relevant general properties of the textiles and the arc thermal resistance properties. The arc thermal performance can be tested against the (European) Box test (representing a constrained and directed arc), which is carried out at a current of either 4kA (class1) or 7kA (class 2).

4 EN 1149-5

Protective clothing - electrostatic properties.

Antistatic PPE are certified to EN 1149-5:2008 as this standard covers the performance requirements and refers to the choice of 2 different test methods (EN 1149-1 or EN 1149-3).

EN 471

Specifies the requirements for high visibility clothing capable of visually signalling the user's presence he high visibility clothing is intended to provide conspicuity of the wearer in any light condition when viewed byoperators of vehicles or other mechanized equipment during daylight conditions and under illumination of headlights in the dark. Performance requirements are colour and retroreflection as well as minimum areas and placement of the materials in protective clothing.

* EN 342

This symbol placed on a garment indicates adherence to the EN 342 Standard for protective garments against cold environments. Thermal insulation and air permeability are essential elements in cold protection and thus marked on the label.

Explanation of the classification:

Y1 Icler : Resultant effective thermal insulation value (in mC.K/W) of the ensemble with standard reference underwear - tested with a moving manikin.

Y2 Icle : Effective thermal insulation value (in mÇ.K/W) of the ensemble with standard reference underwear - tested with a stationary manikin

Y3 Classification of the air permeability (3 levels, of which 3 is the highest).

Y4 Optional classification of resistance to water penetration (2 levels, of which 2 is the highest). Note "X" marked next to the symbol indicates that the garment was not tested against this property. Williamson-Dickie is using the moving manikin test to measure thermal insulation (Icler). Standard underwear, type B for ensembles is used, consisting of: Undershirt with long sleeves Long underpants



Suitable for industrial laundery at 75°C



Suitable for domestic laundr

GENERAL

A user guide is included with all our garments. We recommend that this be read carefully as the guide gives important information about the protection the garment provides along with wash care instructions and important information that contributes to optimal protection for the wearer. Jacket and Trousers should always be worn together as an ensemble to ensure maximum protection.

ISO standards are under constant revision and our designs are regularly revised and updated to ensure compliance to the latest standards. Dickies also manufacture garments to comply with many different International Safety Standard requirements such as NFPA and others upon request.

Most of our garments can be customised with your corporate badges and logo's. We can also accommodate requirements for bespoke customised garment design requests from our larger customers ensuring a unique corporate identity. Please contact us for more details

PYROVATEX[®]

Cotton fibres treated with a crosslink resin utilising the heat-cured dialkylphosphonamide process that forms a bond on the molecular level to the cellulose in the cotton fibres. This creates a very strong, durable and protective link that makes the fabric resistant to shrinking or melting when exposed to heat and flame. Our Pyrovatex[®] fabrics are made from high quality cotton fibres, consequently they are lightweight and comfortable with excellent durability to wash and wear, ensuring Dickies Workwear a long lifetime.

MODACRYLIC

The permanently flame retardant Modacrylic fibre has been blended with cotton for a natural feel and maximum comfort. The flame retardant properties of Modacrylic are a part of the fibre resin of the Modacrylic fibre and as a consequence cannot be removed. There is no deterioration in flame retardancy after either repeated washing or normal use over time.

LAUNDRY CARE

Flame retardant clothing should be laundered strictly in adherence with the instructions on the care label in every garment, if in any doubt please consult with Dickies as to how to best care for your workwear. Poor laundry care can have a serious adverse effect on a safety garment. For example water which is too hard affects the cleaning process and may contain mineral salts to build up on the fabric, deposits of this type can adversely affect the FR properties of the clothing and in extreme cases of build-up can actually exacerbate the flammability of the clothing and act as an accelerant if exposed to an ignition source.

Cotton, Aramid and Modacrylic garments can be laundered using the recommended temperatures and wash cycles. Some 3% minimal shrinkage can be expected and is a natural reaction from both the fibres and the weave construction, most noticeable during the first 3 to 5 washes. Please be careful not to "over dry" garments. Dickies recommend that this is taken into consideration when selecting your preferred garment. Exposure to excessive drying temperatures will result in higher than normal shrinkage. Starches, fabric softeners, and other laundry additives should be avoided.

DO NOT USE CHLORINE BLEACH OR OTHER DETERGENTS OR CHEMICALS CONTAINING HYDROGEN PEROXIDE

PROBAN[®]

Cotton fibres treated with a phosphonium salt precondensate, polymerized with a gaseous ammonia (THPOH-NH3) process. During the Proban® process, an inert cross-linked polymer is formed.

This polymer is embedded within the individual fibres and is insoluble. It cannot be removed by washing and can only be removed by mechanical abrasion or rendered ineffective through incorrect laundering (see below).

Proban® fabrics comfortably meet the minimum standards required of 50 washes at 75°C. Each batch of Proban® treated fabrics are independently tested to this standard and are certified by Solvay, producers of the Proban® chemical, to maintain its flame retardant characteristics for 50 washes providing the correct laundering instructions are followed.



FR24/7TP Coverall With Tape



EN ISO 1162 : 2015 A1, A2, B1, C1, E3, F1, EN ISO 1161 : 2015 Class 1 - A1, A2 EN ISO 1149 - 5 : 2008, ISO 15797 : 2002

Features 1 One chest pocket 2 Full length storm flap with internal studs Side access pockets allowing entry to undergarments 4 Half elasticated back waistband 5 Ruler pocket Internal mobile phone pocket
 Action back pleats Stud fastening cuffs Detector loop



99% treated FR 320 gsm cotton 1% antistatic fihre Wash Care 60° 🖄 🕑 🕅 ---Sizes 36 38 40 42 44 46 48 50 52 54 56 58 60 Chest Size Regular Tall









EN471:2003 A1:2007 Class 3, Level 2, EN ISO 11612:2008 Class A1, A2, B1, C1, F1 EN ISO 11611:2007 Class 2, A1+A2

5

3

2

6

Features
Concealed stud front 2 Side swing pockets in self fabric, side access
Reinforced stress points 1 Back pocket and rule pocket Two chest pockets with concealed single stud flap
 Domestic laundry 60°C - Max 50x 🛛 Performance guaranteed up to 50 washes

Fabric 100%

Wash Care

cotton twill with Proban® flame retardant finish

... 60° $\times \bigcirc \boxtimes$ Sizes Chest Size 36 38 40 42 44 46 48 50 52 54 56 58 60 Leg 31.5"



FR4869 Dickies Proban[®] Coverall EN ISO 11612:2008 A1, A2, B1, C1, F1, EN ISO 11611:2007 Class 1, A1, A2

Features
Concealed stud front 2 Two chest patch pockets with concealed single stud
flap 2 Back pocket and rule pocket 4 Reinforced stress points 3 Side swing pockets in self fabric, side access 🖪 Stud adjuster to sleeve cuffs 🗾 Studded neck closure II Industrial Laundry 75°C - Max 50x II Performance guaranteed up to 50 washes

Fabric

100% cotton twill with Proban® flame Wash Care ---70° Sizes Red, Orange, VAT Green & Royal Chest Size 36 38 40 42 44 46 48 50 52 54 56 58 60 Leg 31.5"





FR4870 Proban[®] Safety Coverall 142







- 7





E) 4 YKK Ittle Parts Big Difference

EN ISO 11612:2008 (A1 B1 C1 F1), EN ISO 11611:2007 Class 1 A1, EN 1149-5:2008 $Pyrovatex^{\odot}$ treated antistatic 320gsm coverall; offering maximum protection against heat and flame with antistatic fibre for protection against electrostatic discharge.

Features Antistatic protection 2 Flame-retardant Nordic style reflective tape for enhanced visibility Extended collar for additional vulnerable neck/throat protection Generous action back for ease of movement E Reinforced construction with feldlock triple stitching to major seams and bar-tacks to stress points 🖪 Side access pockets allowing entry to undergarments **Z** Two back pockets flexible rule pocket with safety gusset feature ∎ High quality and long lasting, two way YKK[™] zips

Fabric cotton with Pyrovatex® FR treatment 98% 2% 🗖 □ antistatic fibre

Wash Care

Trash out	•				
	60°	\boxtimes	P	\boxtimes	
Sizes Chest Size Leg R 31" Leg T 33"	36 38	40 42 4	4 46 48 5	0 52 54 56	58 60

Protects against electrostatic discharge





FR5402 Pyrovatex[®] Coverall

EN ISO 11612:2015 (A1 B1 C1), EN ISO 11611:2015 Class 1 A1 Pyrovatex® treated 350gsm coverall; offering maximum protection against heat and flame.

Features

 Flame-retardant Nordic style reflective tape for enhanced visibility Extended collar for additional vulnerable neck/throat protection Generous action back for ease of movement Reinforced construction with feldlock triple stitching to major seams and bar-tacks to stress points Side access pockets allowing entry to undergarments Two back pockets flexible rule pocket with safety gusset feature High quality and long lasting, two way YKK[™] zips

Fabric 100%	_	-	-	co wit FR
Wash Ca	re		P	\odot
Sizes Chest Size Leg R 31" Leg T 33"	36 3	8 40 42	44 46 48	50 52 54 5




FR5401 Lightweight Pyrovatex[®] Coverall

Pyrovatex® treated Lightweight 220gsm coverall; offering maximum protection against heat and flame.

Features

 Flame-retardant Nordic style reflective tape for enhanced visibility Extended collar for additional vulnerable neck/throat protection 3 Generous action back for ease of movement 4 Reinforced construction with feldlock triple stitching to major seams and bar-tacks to stress points Side access pockets allowing entry to undergarments I Two back pockets and rule pocket with safety gusset feature 7 High quality and long lasting, two way YKK™ zips







FR5402 **Pyrovatex**[®] Coverall













cotton with Pyrovatex® FR treatment 220

















FR6401 Modacrylic Coverall EN ISO 11612:2008 (A1 B1 C1 F1), EN 1149-5:2008, IEC 61482-2:2009 Class 1

Modacrylic 250gsm coverall; offering maximum protection against heat and flame with antistatic fibre for protection against electrostatic discharge

Features

Antistatic protection 2 Inherent flame retardant protection 3 Wickability comfort and soft handle 4 Multi fibre blend 5 Flame-retardant Nordic style reflective tape for enhanced visibility 🗈 Extended collar for additional vulnerable neck/throat protection Generous action back for ease of movement Reinforced construction with feldlock triple stitching to major seams and bar-tacks to stress points Side access pockets allowing entry to undergarments III Two back pockets and rule pocket with safety gusset feature ⅢHigh quality and long lasting, two way YKK[™] zips

antistatic

fibre

Fabric	
55%	modacrylic
43%	cotton /
2%	antistatic (

Wash Care

Sizes Chest Size 36 38 40 42 44 46 48 50 52 54 56 58 60 Leg R 31" Leg T 33"





FR5003 Modacrylic Polo Shirt

EN ISO 11612:2015 (A1 B1 C1 F1), EN 1149-5:2008

Flame retardant Modacrylic 210gsm polo shirt offering maximum protection against heat and flame with antistatic fibre for protection against electrostatic discharge.

Features

Antistatic protection I Inherent flame retardant protection I Wickability comfort and soft handle I Multi fibre blend I Three button placket detail I Long inset sleeves for extra coverage and protection **Z** Ribbed collar

Fabric 60% 1 modacrylic 38% ⊐ cotton 210 gsm 2% 🗆 antistatic fibre

Wash Care

Sizes

XS S M L XL 2XL 3XL 4XL 5XL





FR6103 Modacrylic Heavyweight Shirt EN ISO 11612:2008 (A1 B1 C1 F1), EN 1149-5:2008

Flame retardant Modacrylic shirt offering maximum protection against heat and flame with antistatic fibre for protection against electrostatic discharge.

Features

Antistatic protection Inherent flame retardant protection Wickability comfort and soft handle Multi fibre blend Concealed studs on front placket and pocket flaps Long inset sleeves for extra coverage and protection










FR6102 Modacrylic Lightweight Shirt

EN ISO 11612:2008 (A1 B1 C1 F1), EN 1149-5:2008

Flame retardant lightweight Modacrylic shirt offering maximum protection against heat and flame with antistatic fibre for protection against electrostatic discharge.

Features

Antistatic protection Inherent flame retardant protection Wickability comfort and soft handle Multi fibre blend Concealed fastening on front placket and pocket flaps Long inset sleeves for extra coverage and protection















Providing comfort and durability for optimum performance

CITEFI MANS



FOOTWEAR

When you step into your workplace you need the right footwear: safety toe caps and midsoles, heat-resistant outsoles, superb grip and supreme comfort.

This is footwear for people who are on their feet, on the move and on top of their job.



Safety Classifications

Safety footwear standard EN345 is being superseded by EN ISO 20345. Any footwear that has been tested to EN345 can continue to be sold, however any new designs will have to be tested to the new standard.

Which standard your footwear is tested to is identified on the product information label, this is found within the boot or shoe.

SB Toe protection tested with 200 joules impact and 15kN compression force.


As SB, plus:
Closed seat region (fully enclosed heel).
Antistatic properties.
Energy absorption of seat region.
Resistance to fuel oil.

S2 As S1, plus: Water penetration and water absorption, resistance

As S2, plus: Penetration resistance. Cleated outsole.

S4 Upper from all rubber or all polymeric with:
SB toe protection.
Closed seat region.
Antistatic properties.
Energy absorption of seat region.
Resistance to fuel oil.

As S4, plus: Penetration resistance. Cleated outsole.





FD9209 Canton Safety Boot EN ISO 20345:2011 SB P HRO SRA

Protection

Steel toe cap
 Z Steel anti-penetration for underfoot protection

Upper Nubuck 4 Breathable textile lining Padded collar & tongue 1 Heel puller

Sole 7 Goodyear welted construction 9 Dual density EVA/ Rubber 9 SRA slip resistant 10 Heat resistant up to 300°C 111 Energy absorbing sole

Additional Features

Weight Based on a size UK 8 823g





fd9207 **Graton**

Safety Boot EN ISO 20345:2011 SB P HRO SRA

Protection
Steel toe cap
Non-metallic anti-penetration underfoot protection

Upper 3 Nubuck 4 Breathable textile lining 5 Padded collar & tongue

Sole Sole © Cemented construction © Dual density EVA/ Rubber © SRA slip resistant © Heat resistant up to 300°c ™ Energy absorbing sole

Additional Features

Weight Based on a size UK 8 638g

Sizes 3 4 5 55 6 7 8 9 10 11 11.5 12 13 14







a SB-P Footwear







Safety Boot EN ISO 20345:2011 SB P HRO SRA

Protection
Steel toe cap I Steel anti-penetration underfoot
protection

Upper Ubuck (Honey), Full grain leather (Black, Dark Brown & Chestnut) Cambrelle[®] lining Padded collar & tongue

Sole Goodyear welted construction Nitrile rubber Heat resistant up to 300°c

Additional Features
Cushioned insole
Weight


Based on a size UK 8 Sizes

Honey, Dark Brown & Chestnut 3 4 5 55 6 7 8 9 10 11 11.5 12 13 14 Black 3 4 5 55 6 7 8 9 10 11 11.5 12 13 14





Based on a size UK 8 Sizes 3 4 5 55 6 7 8 9 10 11 115 12







NEW

Y108

FD9214A Fife II Safety Boot EN ISO 20345:2011 SB P HRO SRA

ProtectionSteel toe capSteel anti-penetration underfoot protection

Upper 3 Full grain leather 4 Cambrelle® lining 5 Leather heel puller 6 Elasticated gusset

Sole 7 Goodyear welted construction ® Nitrile rubber 9 SRA slip resistant 10 Heat resistant up to 300°C

Additional Features

Weight Based on a size UK 8 875g Sizes

 3
 4
 5
 5.5
 6
 7
 8
 9
 10
 11
 11.5
 12
 13
 14





FD25000 Industrial

Safety Rigger EN ISO 20345:2011 SB P FO HRO SRA Protection

Steel toe cap
 Steel anti-penetration underfoot protection

Upper
Full grain leather I Pull up loops
Sole

Sole Goodyear welted construction Nitrile rubber SRA slip resistant Fuel & Oil resistant Heat resistant up to 300°c

Additional Features

Weight Based on a size UK 8 998g

Sizes 3 4 5 55 6 65 7 75 8 85 9 95 10 11 11.5 12 13





















EN ISO 20345:2011 S1-P SRC

Protection Steel toe cap
 Steel anti-penetration underfoot protection 3 Anti-static

Upper Suede & mesh 5 Breathable textile lining 6 Padded collar & tongue 7 Heel puller

Sole Direct injection construction Dual density polyurethane SRC slip resistant Fuel & Oil resistant Non-marking Energy absorbing sole

Additional Features MAnti-scuff toe & heel II Dual density insock

Weight Based on a size UK 8 733g Sizes 3 4 5 55 6 7 8 9 10 11 115 12 13 14





FA24/7B Everyday Boot

EN ISO 20345:2011 S1-P SRC

Protection Steel toe cap 2 Steel anti-penetration
 underfoot protection 3 Anti-static

Upper Suede & mesh Breathable textile lining Padded collar & tongue R Heel puller

Sole Direct injection construction Dual density polyurethane SRC slip resistant Fuel & Oil resistant Non-marking Energy absorbing sole

Additional Features MAnti-scuff toe & heel II Dual density insock

Weight Based on a size UK 8 751g

 Sizes
 3
 4
 5
 5.5
 6
 7
 8
 9
 10
 11
 11.5
 12
 13
 14









18 S1-P Footwear













¥ŪŸ≶⊗₽

NEW

Marker



EN ISO 20345:2011 S1-P SRC

Protection Steel toe cap Steel anti-penetration underfoot protection 3 Anti-static

Upper Leather 5 Breathable textile lining 6 Padded collar & tongue Sole

Direct injection construction Dual density polyurethane CSRC slip resistant Del & Oil resistant Don-marking Energy absorbing

Additional Features MAnti-scuff toe & heel II Dual density insock Weight

Based on a size UK 8 660g Sizes

 3
 4
 5
 5.5
 6
 7
 8
 9
 10
 11
 11.5
 12
 13
 14



FA9007 Boot

EN ISO 20345:2011 S1-P SRC

Protection Steel toe cap 2 Steel anti-penetration
 underfoot protection 3 Anti-static

Upper Leather 5 Breathable textile lining Padded collar & tongue 2 Leather heel puller

Sole

Direct injection construction Dual density polyurethane OSRC slip resistant Energy absorbing

Additional Features MAnti-scuff toe & heel II Dual density insock

Weight Based on a size UK 8 748g

Sizes 3 4 5 55 6 7 8 9 10 11 11.5 12 13 14





18

S1-P Footwear







FA13335 Stockton Safety Trainer

EN ISO 20345:2011 S1-P SRA Protection

Steel toe cap 2 Steel anti-penetration underfoot protection **3** Anti-static

Upper Leather & mesh 5 Breathable textile lining Padded collar & tongue 7 Heel puller

Sole Direct injection construction Dual density polyurethane III SRA slip resistant Energy absorbing sole

Additional Features Removable EVA insole Weight

Based on a size UK 8 682gSizes 3 4 5 5.5 6 7 8 9 10 11 11.5 12 13 14



SOP &

SOP S S





Safety Shoe EN ISO 20345:2011 S1-P SRC

Protection Steel toe cap 2 Steel anti-penetration underfoot protection **3** Anti-static

Upper 4 Leather 5 Breathable textile lining Padded collar

Sole Direct injection construction
 Dual density polyurethane SRC slip resistant Energy absorbing sole

Additional Features Removable EVA insole

Weight Based on a size UK 8 650g

Sizes 3 4 5 5.5 6 7 8 9 10 11 11.5 12 13 14





Black



EN ISO 20345:2011 S1-P SRA Protection

Steel toe cap Steel anti-penetration underfoot protection 3 Anti-static

Upper 4 Leather 5 Breathable textile lining Padded collar & tongue Z Heel puller

Sole Direct injection construction
 Dual density polyurethane SRA slip resistant Energy absorbing sole

Additional Features Removable EVA insole

Weight Based on a size UK 8 $\sqrt{708g}$

Sizes 3 4 5 55 6 7 8 9 10 11 11.5 12 13 14





FA23330A Redland II

Safety Boot EN ISO ISO 20345:2011 S1-P SRC

Protection
Steel toe cap 2 Steel anti-penetration underfoot protection **3** Anti-static

Upper 4 Leather 5 Breathable textile lining Padded collar & tongue

Sole

Direct injection construction B Dual density polyurethane B SRC slip resistant Energy absorbing sole

Additional Features Removable EVA insole

Weight Based on a size UK 8 $\sqrt{700g}$

Sizes 3 4 5 55 6 7 8 9 10 11 115 12 13 14



📕 Black







¹⁸ S1-P Footwear





FC9520 Ector

Safety Trainer EN ISO 20345:2011 S1-P SRA

Protection Composite toe cap
Non-metallic anti-penetration underfoot protection Anti-static

Upper Canvas 5 Breathable textile lining

Sole Direct injection construction
 Direct injection construction
 Dual density polyurethane
 SRA slip resistant

Additional Features Anti-scuff toe Cushioned insole

Weight Based on a size UK 8 560g Sizes
 3
 4
 5
 5.5
 6
 7
 8
 9
 10
 11
 11.5
 12
 13
 14



SOP S



fc9521 Anvik **Safety Trainer** EN ISO 20345:2011 S1-P SRA

Protection Composite toe cap 2 Non-metallic anti-penetration underfoot protection **3** Anti-static

Upper Suede 5 Breathable textile lining Padded collar & tongue

Sole Direct injection construction
 Dual density polyurethane
 SRA slip resistant

Additional Features Cushioned insole


Weight Based on a size UK 8 545g Sizes







Brown





FA12350A Oxford

Safety Shoe EN ISO 20345:2011 S1-P SRA

protection **3** Anti-static

Steel toe cap Steel anti-penetration underfoot

Upper 4 Full grain leather 5 Breathable textile lining

Sole
Direct injection construction Polyurethane

Protection

Padded collar

SRA slip resistant

Weight

Sizes

Additional Features

10 Removable EVA insole

FA12365A Executive Safety Shoe EN ISO 20345:2011 S1-P SRA

Protection
Steel toe cap
Steel anti-penetration underfoot protection 🖪 Anti-static

Upper I Full grain leather I Breathable textile lining I Padded collar

Sole Direct injection construction Polyurethane

SRA slip resistant **Additional Features**

Removable EVA insole Weight Based on a size UK 8 614g

Sizes
 3
 4
 5
 5.5
 6
 7
 8
 9
 10
 11
 11.5
 12
 13
 14















FA9001 Donegal Safety Boot EN ISO 20345:2011 S1-P SRA

Protection

Steel toe cap Steel anti-penetration underfoot protection 3 Anti-static

Upper A Nubuck 5 Breathable textile lining Padded collar & tongue

Sole Direct injection construction Dual density polyurethane SRA slip resistant Energy absorbing sole

Additional Features

Weight Based on a size UK 8 695g Sizes 3 4 5 55 6 7 8 9 10 11 11.5 12 13 14





Honey



FA23333 Antrim Safety Boot EN ISO 20345:2011 S1-P SRA

Protection Steel toe cap Steel anti-penetration underfoot protection 3 Anti-static

Upper 4 Leather 5 Breathable textile lining 5 Padded collar & tongue

Sole Direct injection construction
Dual density polyurethane I SRA slip resistant
Energy absorbing sole

Additional Features Removable EVA insole

Weight Based on a size UK 8 652g

Sizes Black 3 4 5 5.5 6 7 8 9 10 11 11.5 12 13 14









FD9200 Dalton

Safety Trainer EN ISO 20345:2011 S1P SRA Protection

Steel toe cap 2 Non-metallic anti-penetration underfoot protection **Anti-static**

Upper 4 Suede & mesh 5 Breathable textile lining 6 Padded collar & tongue 12 Heel puller

Sole
Cemented construction Dual density EVA/ Rubber
SRA slip resistant Denergy absorbing sole

Additional Features 12 Cushioned insole

Weight Based on a size UK 8 $\sqrt{605g}$ Sizes
 3
 4
 5
 5.5
 6
 7
 8
 9
 10
 11
 11.5
 12
 13
 14





STO S > S



Protection 1 Steel toe cap 2 Non-metallic anti-penetration underfoot protection 🖪 Anti-static

Upper Suede & mesh Breathable textile lining Padded collar & tongue P Heel puller

Sole Cemented construction Dual density EVA/ Rubber SRA slip resistant Energy absorbing sole

Additional Features 12 Cushioned insole

Weight Based on a size UK 8 642gSizes

3 4 5 5.5 6 7 8 9 10 11 11.5 12 13 14





FD23375 Quebec Lined Safety Boot

EN ISO 20345:2011 S1P SRA Protection

Steel toe cap Steel anti-penetration underfoot protection 3 Anti-static

Upper 4 Full grain leather **5** Mock fur lining ■ YKK[™] zip fastening **Z** Padded collar & tongue

Sole Direct injection construction Dual density polyurethane/ Thermoplastic polyurethane
 TPU heel stabiliser III SRA slip resistant E Fuel & Oil resistant

Additional Features 15 Removable EVA insole

Weight Based on a size UK 8 $\sqrt{943g}$ Sizes

3 4 5 5.5 6 7 8 9 10 11 11.5 12 13 14



FD23376 Quebec Unlined

Safety Boot EN ISO 20345:2011 S1P SRA

Protection
D Steel toe cap 2 Steel anti-penetration underfoot protection 🖪 Anti-static

Upper Full grain leather S Breathable textile lining G YKK[®] zip fastening **D** Padded collar & tongue

Sole


 Direct injection construction
 Dual density polyurethane/ Thermoplastic polyurethane
 TPU heel stabiliser III SRA slip resistant 📧 Fuel & Oil resistant

Additional Features 13 Removable EVA insole

Weight Based on a size UK 8 $\sqrt{940g}$ Sizes

3 4 5 5.5 6 7 8 9 10 11 11.5 12 13 14











Protection
Steel toe cap Steel anti-penetration underfoot protection Anti-static

Upper Leather 5 Breathable textile lining 6 Padded collar & tongue 7 Leather heel puller

Sole
Direct injection construction Dual density polyurethane/ Rubber
SRA slip resistant Denergy absorbing sole

Additional Features

Weight Based on a size UK 8 788g

Sizes 3 4 5 55 6 7 8 9 10 11 11.5 12 13 14











STO S SO S





FA23500 Safety Boot

Upper Leather & mesh I Breathable textile lining Padded collar & tongue I Heel puller

Sole Direct injection construction
 Dual density polyurethane
 SRA slip resistant III Energy absorbing sole

Additional Features 2 Water resistant 13 Removable EVA insole

Weight
 Weight

 Based on a size UK 8

 $\overline{751g}$

 Sizes

 3
 4
 5
 5.5
 6
 7
 8
 9
 10
 11
 11.5
 12
 13
 14





FA9006S Norden II Safety Shoe

EN ISO 20345:2011 S3 SRC

Protection Steel toe cap 2 Steel anti-penetration underfoot protection Anti-static

Upper Crazy horse leather Breathable textile lining Padded collar & tongue 7 Reflective trim

Sole Direct injection construction
Dual density polyurethane
SRC slip resistant
Energy absorbing sole

Additional Features 12 Water resistant 13 Anti-scuff toe 14 Removable EVA insole

Weight Based on a size UK 8 $\sqrt{668g}$



FA9005S Davant II Safety Boot EN ISO 20345:2011 S3 SRC

Protection

Steel toe cap 2 Steel anti-penetration
 underfoot protection 3 Anti-static

Upper Crazy horse leather Breathable textile Lining D Padded collar & tongue 7 Reflective trim

Sole

Direct injection construction
 Dual density polyurethane III SRC slip resistant III Energy absorbing sole

Additional Features 14 Removable EVA insole

Weight Based on a size UK 8 716g Sizes

3 4 5 5.5 6 7 8 9 10 11 11.5 12 13 14

















FC23344 Alto

Safety Shoe EN ISO 20345:2011 S3 SRA

Protection Composite toe cap
Non-metallic anti-penetration underfoot protection **a** Anti-static

Upper Leather **5** Breathable textile lining Padded collar & tongue

Sole
Direct injection construction Dual density polyurethane
 SRA slip resistant ID Energy absorbing sole

Additional Features 13 Removable EVA insole

Weight Weight Based on a size UK 8 633_{g} Sizes
 Sizes
 3
 4
 5
 5.5
 6
 7
 8
 9
 10
 11
 11.5
 12
 13
 14





FC23340 Fractus **Safety Boot**

EN ISO 20345:2011 S3 SRA Protection Composite toe cap 2 Non-metallic anti-penetration underfoot protection **3** Anti-static

Upper 4 Leather 5 Breathable textile lining 5 Padded collar & tongue

Sole
 Sole

 Direct injection construction

 Dual density polyurethane

 SRA slip resistant

 Energy absorbing sole

Additional Features 11 Water resistant 12 Metal free 13 Removable EVA insole

Weight Based on a size UK 8 666g

 Sizes

 3
 4
 5
 5.5
 6
 7
 8
 9
 10
 11
 11.5
 12
 13
 14







¥ŪŸ≶Ŏ⊗

FC9514 Armona Safety Shoe

EN ISO 20345:2011 S3 SRC Protection

Composite toe cap 🛽 Non-metallic anti-penetration underfoot protection **3** Anti-static

Upper 4 Leather 5 Breathable textile lining Padded collar & tongue

Sole Direct injection construction Dual density polyurethane/ Rubber SRC slip resistant

Additional Features Water resistant Removable PU insole

Weight Based on a size UK 8 684g





FC9515 **Deltona** Safety Boot EN ISO 20345:2011 S3 SRC

Protection Composite toe cap 2 Non-metallic anti-penetration underfoot protection **3** Anti-static

Upper 4 Leather 5 Breathable textile lining 6 Padded collar & tongue

Sole Direct injection construction Dual density polyurethane/ Rubber SRC slip resistant

Additional Features Water resistant Removable PU insole

Weight Based on a size UK 8 $\sqrt{746g}$













^{FC9518} Haxtun

ESD Trainer EN ISO 20345:2011 S3 SRA ESD

Protection Composite toe cap ² Non-metallic anti-penetration underfoot protection ³ Anti-static & ESD

Upper Suede & mesh 5 Breathable mesh lining Full padded lining 7 Heel puller Reflective trim

Sole
Cemented construction III Dual density EVA/ Rubber III TPU heel stabiliser III SRA slip resistant Energy absorbing sole

Additional Features 17 Removable EVA insole

Weight Based on a size UK 8 559g







STO S SO S



FC23530 **Tiber Safety Trainer**

EN ISO 20345:2011 S3 SRC

Protection Composite toe cap 2 Non-metallic anti-penetration underfoot protection **3** Anti-static

Upper Mesh & microfibre Breathable mesh lining Padded collar & tongue 7 Heel puller

Sole Cemented construction Dual density EVA/ Rubber SRC slip resistant Denergy absorbing sole

Additional Features 12 Water resistant 13 Metal free Anti-scuff toe 15 Non-removable foam insole

Weight Based on a size UK 8 515g

Sizes 3 4 5 55 6 7 8 9 10 11 11.5 12 13 14





fc9513 Faxon

Safety Trainer EN ISO 20345:2011 S3 HRO Protection

Composite toe cap 2 Non-metallic anti-penetration underfoot protection **3** Anti-static

Upper Nubuck I Breathable textile lining Padded collar & tongue

Sole 7 Cemented construction B Rubber 9 SRA slip resistant 10 Heat resistant up to 300°c

Additional Features Water resistant III Anti-scuff toe 13 Removable dual density insole

Weight Based on a size UK 8/580g Sizes

3 4 5 5.5 6 7 8 9 10 11 11.5 12 13 14







18

S3 Footwear











fc9508 **Gironde** Safety Trainer EN ISO 20345:2011 S3 SRC

Protection Composite toe cap 2 Non-metallic anti-penetration underfoot protection 3 Anti-static

Upper Nubuck & mesh I Breathable textile lining Full padded lining I Heel puller

Sole Cemented construction Dual density EVA/ Rubber SRC slip resistant Energy absorbing sole

Additional Features 14 Non-removable foam insole

Weight Based on a size UK 8 599g







^{FC9516} Gironde Safety Boot EN ISO 20345:2011 S3 SRC

Protection

Composite toe cap 2 Non-metallic anti-penetration underfoot protection 3 Anti-static

Upper Ubuck & mesh IB Breathable textile lining Full padded lining IP Heel puller

Sole

Cemented construction Dual density EVA/ Rubber SRC slip resistant Energy absorbing sole

Additional Features 14 Removable EVA insole

Weight Based on a size UK 8 651g

 Sizes
 9
 10
 11
 11.5
 12
 13
 14



Grey Brown





FD23310 Medway Safety Hiker

EN ISO 20345:2011 S3 WR HRO SRA

Protection 1 Steel toe cap 2 Steel anti-penetration underfoot protection **a** Anti-static

Upper ■ Full grain leather ■ 3M Thinsulate[™] lining ■ Padded collar & tongue

Sole Cemented construction Dual density EVA/ Rubber SRA slip resistant Pruel & Oil resistant III Heat resistant up to 300°C Energy absorbing sole

Additional Features Waterproof membrane Anti-scuff toe & heel ID Removable PU insole

Weight Based on a size UK 8 $\sqrt{847g}$





Thinsulate





FC9522 Detroit

FD9217 Preston **Safety Boot** EN ISO 20345:2011 S3 SRA

Protection

protection **3** Anti-static

Additional Features

Based on a size UK 8 $\sqrt{753g}$

Weight

Sizes

Steel toe cap Steel anti-penetration underfoot

Sole Cemented construction Dual density EVA/ Rubber SRA slip resistant Denergy absorbing sole

Water resistant **13** Non-removable foam insole

3 4 5 5.5 6 7 8 9 10 11 11.5 12 13 14

Upper 4 Full grain leather 5 Breathable mesh lining E Full padded lining 7 Heel puller

Safety Boot EN ISO 20345:2011 S3 CI WR HRO SRA

Protection Composite toe cap 🛛 Non-metallic anti-penetration underfoot protection **a** Anti-static

Upper ■ Full grain leather 5 3M Thinsulate™ lining ■ YKK[™] zip fastening 7 Padded collar & tongue

Sole Direct injection construction
 Dual density polyurethane/ Rubber
 Drad density polyurethane/ Rubber
 Drad sip resistant Heat resistant up to 300°c Benergy absorbing sole

Additional Features Waterproof membrane II: Anti-scuff toe & heel II Insulation against cold II: Removable PU insole

Weight Based on a size UK 8 $\sqrt{902g}$ Sizes

3 4 5 5.5 6 7 8 9 10 11 11.5 12 13 14



Black





EN ISO 20345:2011 S3 SRC Protection

Steel toe cap 2 Steel anti-penetration
 underfoot protection 3 Anti-static

Upper Leather 5 Mock fur lining 6 Pull up loops Sole

Direct injection construction Dual density polyurethane SRC slip resistant Energy absorbing sole

Additional Features

 Weight
 Image: Weight Based on a size UK 8 2844g

 Sizes
 3
 4
 5
 5.5
 6
 7
 8
 9
 10
 11
 11.5
 12
 13
 14



¥UV∕∕⊗

NEW

YUY/08

FA23355S Dixon Unlined EN ISO 20345:2011 S3 SRC

Protection
Steel toe cap 2 Steel anti-penetration underfoot
protection Anti-static

Upper 4 Leather 5 Breathable textile lining 5 Pull up loops

Sole Direct injection construction Dual density polyurethane DSRA slip resistant Denergy absorbing sole

Additional Features Water resistant ¹² Removable EVA insole

Weight Based on a size UK 8 800g









WOMEN'S FOGTWEAR

FD13910 Ottawa Women's Safety Trainer

EN ISO 20345:2011 SB FO SRA Protection

Steel toe cap

Upper Suede and mesh Breathable textile lining Padded collar and tongue

Sole **Cemented construction Dual density EVA/Rubber** SRA slip resistant B Fuel and oil resistant Energy absorbing

Additional Features Removable EVA insole

Weight Based on a size UK 5 $\sqrt{407g}$

Sizes 3 4 5 55 6 7 8



¥ 🛛 🗢

The product of choice for a stylish & on trend safety shoe





EN ISO 20345:2011 S3 SRC Protection

Composite toe cap Non-metallic anti-penetration underfoot protection **3** Anti-static

Upper A Nubuck 5 Breathable mesh lining 6 Padded collar and tongue **7** Leather heel puller

Sole Cemented construction Rubber SRC slip resistant

Additional Features Water resistant 12 Removable EVA insole

Weight Based on a size UK 5 $\sqrt{570g}$ Sizes 3 4 5 55 6 7 8

NEW



FD13905 Ohio Women's Safety Trainer EN ISO 20345:2011 SB FO SRA Protection Steel toe cap
 Upper

 Image: Mesh and microfiber
 Image: Breathable textile lining

 Image: Mesh and microfiber
 Image: Breathable textile lining
 Sole E Cemented construction Dual density EVA/Rubber SRA slip resistant Fuel and oil resistant Energy absorbing Additional Features Removable EVA insole Weight Based on a size UK 5 415gSizes 3 4 5 55 6 7 8













FN23700 Trinity Non-Safety Boot

Upper Uffull grain leather 2 Breathable textile lining Leather heel puller 4 Elasticated gusset

Sole Goodyear welted construction Dual density EVA/ Rubber Additional Features Cushioned insole

Weight Based on a size UK 8 735g

 Sizes
 3
 4
 5
 5.5
 6
 7
 8
 9
 10
 11
 11.5
 12
 13
 14

Brown

FN23600 Welton Non-Safety Boot

Upper Upper Ultiput grain leather Dadded collar & tongue Sole Goodyear welted construction Dual density EVA/ Rubber

Dual density EVA/ Rubber
 Additional Features
 Cushioned insole

Weight Based on a size UK 8 760g





Brown



INTRODUCING THE NE Dickies®

PRO + PRO SAFETY

FW9901 Landmaster Pro Non-Safety Wellington Boot

Upper Rubber & Neoprene Breathable mesh lining 3 Reflective trim

Sole
Z Vulcanised construction Rubber SRA slip resistant

Additional Features Waterproof Insulation against cold
 Heel kick-off spur I Removable PU insole

Weight Based on a size UK 8 1506g



FW9902 Landmaster Pro Safety Wellington Boot EN ISO 20345:2011 S5 HRO CI SRA

Protection
Steel toe cap Steel anti-penetration underfoot protection Anti-static

Upper Ubber & Neoprene Breathable mesh lining

Sole 7 Vulcanised construction B Rubber 9 SRA slip resistant

Additional Features Waterproof
 Insulation against cold 12 Heel kick-off spur 13 Removable PU insole

Weight Based on a size UK 8 /1643g

 Sizes
 9
 10
 11
 11.5
 12
 13
 14



Black/Red

Black/Grey







187

18

Wellington Boots



The three big
advantages of
polyurethane!



Lightweight

PU is much lighter than rubber or PVC thus offering increased comfort. The flexible material also feels really soft to the touch, which makes polyurethane boots extra comfortable to wear.



Thermal Insulation

Thanks to the thermal-insulating effect of polyurethane, your feet will feel warm in winter and cool in summer. Even at extreme temperatures to as low as -50°C, polyurethane boots will stay supple and keep your feet warm.



Durable

Tests have shown that polyurethane boots can last up to three times longer than boots made from rubber or PVC when properly cleaned and used in the same conditions. PU boots are also resistant to oil, fats, manure, acid and chemicals.

FW91105 Landmaster

Wellington Boot EN ISO 20347:2012 Category 04 SRA CI

Upper Delyurethane Sole
Direct injection construction

Polyurethane Additional Features Waterproof I Metal free
 Heel kick-off spur 2 Removable dual density insole Weight Based on a size UK 8 $\sqrt{853g}$



FW94105 Landmaster Safety Wellington Boot EN ISO 20344:2011 / EN ISO 20345:2011: Category S5 SRA CI

Protection
Steel toe cap 2 Steel anti-penetration underfoot protection

3 Anti-static

Upper Polyurethane

Sole **Direct injection construction Polyurethane** SRA slip resistant

Additional Features
Waterproof Heel kick-off spur III Removable dual density insole

Weight Based on a size UK 8 956g Sizes

3 4 5 55 6 65 7 8 9 10 105 11 115 12 13 14







SIZE GU	JIDE	Style	s FW9	1105 a	nd FW	94105								
UK	3	4	5	6	<mark>6.</mark> 5	7	8	9	10	10.5	11	12	13	1
EU	36	37	38	39	40	41	42	43	44	45	46	47	48	4

















Wellington Boot Non Safety

Upper PVC Lining

65% Spandex and 35% Polyester Sole Direct injection construction 3 PVC
 SRA slip resistant

Additional Features 5 Waterproof 6 Metal free 7 Heel kick-off spur

Weight Based on a size UK 8 $\sqrt{858g}$ Sizes 3 4 5 5.5 6 7 8 9 10 11 11.5 12 13 14









Protection Steel toe cap 2 Steel anti-penetration underfoot protection **3** Anti-static

Upper 4 PVC 5 Mock fur lining 6 Pull up loops Sole

7 Direct injection construction 8 PVC 9 SRA slip resistant

Additional Features Waterproof Heel kick-off spur

Weight Based on a size UK 8 /1208g Sizes







FW13105 Dickies Safety Wellington EN ISO 20345:2011 S5 SRA Protection Steel toe cap I Steel anti-penetration underfoot protection Anti-static Upper 4 PVC

Sole SRA slip resistant **Additional Features** 7 Waterproof 8 Heel kick-off spur

Weight Based on a size UK 8 1056g

Sizes 3 4 5 55 6 7 8 9 10 11 11.5 12 13 14



FZ7000 Boot Insoles **Additional Features** Replacement inner soles for styles FW91105 and . FW94105 ² Machine washable ³ Non-slip Material Foam Sizes

3 4 5 6 65 7 8 9 10 105 11 115 12 13 14

FZ5000 Boot Sockette **Additional Features** Ildeal for keeping feet warm and dry inside wellington boots 2 Unisex Sizes 3-4 5-6 7-8 9-10 10-11 12-13



Green





Black









18 Wellington Boots



Additional Features Warm, washable insoles, compatible with all Dickies wellington boots













DCK-00010 Industrial Work Sock (2 Pairs)

Additional Features Extra high comfort top Extra support in sole with reinforced heel and toe Soft Lycra[®] used in leg for comfortable wearing Super thick combed cotton for perfect humidity control SVery heavy socks perfect to wear in Industrial workwear boots Two pairs of socks per pack Fabric 76% Cotton, 22% Polyester, 2% Elastane

Sizes One Size



DCK-00011 Thermo Sock (2 Pairs Assorted Colours)

Additional Features Two pairs of socks per pack Special twisted yarn of acrylic with cotton to ensure warm feet Thermal socks 4 Very soft and comfortable to wear

Fabric

41% Cotton, 41% Acrylic, 15% Polyester, 3% Elastane, Sizes One Size



DCK-00012 Arctic Sock (1 Pair)
Additional Features One pair of socks per pack 🖬 1.5 Tog rating 🖪 Thermal winter sock
Fabric 90% Acrylic, 8% Polyester, 2% Elastane
Sizes One Size

DCK-00049 Merino Sock (2 Pairs) Additional Features Two pairs of socks per pack I Thermal winter long sock
Fabric 53% Polyester, 30% Wool, 6% Polyamide 6% Viscose, 4% Acrylic, 1% Elastane
Sizes One Size Brown Moss

DCK-28AMX Utility Sock (3 Pairs) Additional Features
3 pairs of socks per pack 2 15 packs of Black, 5 packs of assorted colours (Grey, Light Grey and Colours)
Fabric 70% Combed Cotton, 29% Polyester, 1% Elastane Light Grey Only Polyester, 1% 65% Combed Cotton, 34%
Sizes One Size

Black Grey Light Navy Grey

Fabric

Sizes

One Size

Black

📕 Black



SA8400 Safety Helmet Kit P.196

Our range of heavy duty impact gloves provides the ultimate back of hand protection

0/10

PPE

Personal Protective Equipment and safety accessories are vital for professional trades and DIY enthusiasts alike.

We provide an extensive range of head, eye and knee protection as well as ear defenders, dust masks and gloves.








 $\begin{array}{|c|c|}\hline x1 \\ \hline x1 \\ \hline Pack \\ \hline Pairs \\ \hline \end{array}$

📕 Orange



Banded Earplugs EN352-2:2002

Features Soft foam earplugs attached to adjustable neckband Comes packed with 4 replacement earplugs Comfortable and lightweight 4 SNR : 26db Material Polyurethane foam ear plugs Polypropylene neck band

Size One size



📕 Black





 \odot

Polycarbonate

Size

One size

🗌 Clear

Face Protection Kit

Features Brow quard with ratchet adiuster Ear Defenders to EN352-1, SNR:25db Wire mesh face shield to EN1731 Internal sweat pad to the browguard Material Browquard: Polypropylene/nylon Face shield: Steel Sizes One size





 $\mathbf{x1} = \mathbf{x2}$

Visors

Pack

SA8402 Safety Helmet EN397:2012 + A1:2012

Features Six point suspension harness Ratchet design for quick size adjustment Internal sweat pad to the brow

Material Shell: Polypropylene/ABS Internal: Nylon harness Size One size







Ear Defenders 25db EN352-1:2002

Features Lightweight ear defenders with adjustable headband Headband with soft foampad for comfort **3** Domed cups with soft porous foam filled cushions 4 SNR : 25db Material ABS ear cups, PVC cushion to cups,

POM headband Size





SA8403 Bump Cap EN812:2012



Features

Baseball cap with internal bump guard Internal foam pad for comfort Velcro adjuster to rear of baseball cap 4 Can be embroidered Short peak for improved upward vision Metal mesh eye for improved airflow and cooling

Material

Inner shell: ABS Outer baseball cap 100% cotton

Size One size





Ear Defenders 28.5db EN352-1:2002


Features Foldaway ear defenders with adjustable headband ² SNR : 28.5db

Material HIPS ear cups, PVC cushion to cups, POM headband Size One size





Rod




Zip fastening at the front Material





🗌 White



SA8902 **Back Support Belt**

Features Belt provides support to lower back area during lifting Adjustable elasticated braces and side panels Inner ribs to rear panel provide additional support to the lower back during lifting Velcro closure

Material Back belt 100% Polyester Braces 100% Nylon Size



📕 Black

FFP1D Dust Mask EN149:2001+A1:2009



x1 = x3

Pack

Masks


x2

Masks

x1

Pack

Features Single use dust mask Sold as a pack containing 5 masks Protects against non-toxic solid and liquid aerosols <a>Pre-shaped nose cushion 5 Metal free Material Polypropylene outer material Polypropylene inner filter Size One size



White

SA8007 **FFP2D Dust Mask** EN149:2001+A1:2009

Features Single use dust mask with valve Sold as a pack containing 3 masks Protects against non-toxic and low to average solid and liquid aerosols

4 Pre-shaped nose cushion 5 Metal free Material Polypropylene outer material Polypropylene inner filter Size

One size

 \bigcirc



FFP3 Dust Mask EN149:2001+A1:2009

Features

 Single use dust mask with valve
 Sold as a pack containing 2 masks Protects against non-toxic, low to average toxicity and high toxicity solid and liquid aerosols 4 Pre-shaped nose cushion 5 Metal free Material Polypropylene outer material Polypropylene inner filter Size

One size

 $\widehat{}$



Gel Kneepads EN14404:2004 + A1 Features Designed to be worn externally Fixed in place with velcro fastened strap Material Outer fabric: 100% Polyester 600D Securing strap 100%

Outer shell: 100% PVC Size




N SA70 EN ISO 13688:2013 and EN 14404:2004 +A1:2010 Type 2, Level 1 when used with

the following trousers: WD4901, DP1000, DP1005, EH34000, SA30035, EH30050 Features

Internal knee pad I Lightweight and comfortable I Flexible and designed to last with CORDURA® outer surface 4 Can be left inside the trouser during washing

Material Cellular rubber foam, Cordura 1000D outer surface






Black



Symbol Guide



Dual Pane Lenses For Extreme Cold Conditions



Dual pane lens provides the ultimate anti-fog performance by isolating the temperature difference inside and outside of the eyewear.

The outer polycarbonate lens protects against the environment and provides 99% protection against harmful UV rays. While the inner acetate lens is coated with H2X™ Anti-fog Technology for even more resistance to fogging.



SP1050 Dickies Lightweight Fogbuster Goggle Features

Exceeds ANSI Z87.1 High Impact Requirements; CE EN 166 Certified; CAN/CSA Z94.3-07 Certified; AS/NZS 1337; MIL-PRF 22/22 I Sporty, lightweight design eliminates the bulkiness and weight of a goggle
 Quick Release Interchangeable Temples and Strap I Vented foam carriage provides maximum dust protection, as well as sufficient airflow outlet for heat 🗉 Dual pane lens provides the ultimate anti-fog performance by isolating the temperature difference inside and outside of the eyewear, provides 99.9% protection against harmful UV rays
Outer polycarbonate lens protects against the environment, while inner acetate lens is designed to prevent fogging. The thermal system provides anti-fog protection in the worst weather conditions or extreme-temperature working environments 2 Outside lens is coated with anti-fog technology for even more resistance to fogging, due to extreme temperatures Material

Polycarbonate outer lens. Acetate inner lens

Sizes One size





5-2.5 WDE 1 F N CE EN 166:2001 EN 172:1994 🗌 Clear

2C-1.2 WDE 1 F N CE EN 166:2001 EN 170:1992

2-1.2 WDE 1 F N CE EN 166:2001 EN 170:1992 Amber



SP1035 Dickies Basic Goggle Safety Glasses

Features

Exceeds ANSI 287.1 High Impact Requirements; CE EN 166 Certified; CAN/CSA 294.3-07 Certified
 Lens is coated with anti-fog technology Top shelf chemical splash goggle features generously sized heavy duty body and lens Special one-way vent allows air to enter while keeping liquids out
 Body tinted to reduce glare Schemes provides 99.9% protection against harmful UV rays

Material Polycarbonate lens. Neoprene elastic band

Sizes One size



2C-1.2 WDE 1 B N CE EN 166:2001 EN 170:1992 Clear



Features

Exceeds ANSI Z87.1 High Impact Requirements; CE EN 166 Certified; CAN/CSA Z94.3-07 Certified
 Lens is coated with anti-fog technology I Designed to better fit today's prescription eyewear
 Lightweight nylon temple adjusts for length and pitch I Single lens encapsulates the eye for superb protection I Lenses coated for superior scratch resistance, provides 99.9% protection against UV rays

Material Polycarbonate lens. Nylon frame Sizes One size



SP1065 Dickies Coverspecs

Features
Lightweight and economical
Lightweight and economical
Lenses provide 99.9% protection against harmful UV rays
Temples are vented to reduce fogging

Material Polycarbonate Lens Sizes One size



2C-1.2 WDE 1 F CE EN 166:2001 EN 170:1992 Clear







SP1060 Dickies Visitors Safety Glasses

Features

Exceeds ANSI Z87.1 High Impact Requirements; CE EN 166 Certified Single lens and adjustable temples ensure reliable performance Lenses are coated for superior scratch resistance, provides 99.9% protection against harmful UV rays

Lens is coated with anti-fog technology Material Polycarbonate lens. Nylon frame Sizes One size



2C-1.2 WDE 1 F CE EN 166:2001 + EN 170:1992 Clear

SP1010 Dickies Lightweight Safety Glasses

Features

Lenses are coated with anti-fog technology
 Economical wrap-around single lens provides full panoramic view Integrated nose piece
 Soft, non-slip rubber temple tips provide non-binding fit I Lenses are coated for superior scratch resistance, provides 99.9% protection against harmful UV rays

Material Polycarbonate lens

Sizes One size





Amber

EN 166:2001 EN 172:1994 EN 166:201
Grey Clear

SP1006 Dickies Economical Safety Glasses

Features

Exceeds ANSI 287.1 High Impact Requirements 2 CE EN 166 Certified Lens is coated with anti-fog technology 2 Polycarbonate frame and lens combination are coated for superior scratch resistance 3 Straight temples and integrated nose piece fits all facial sizes

E Lenses provide 99.9% protection against harmful UV rays

Material Polycarbonate lens

Sizes One size



 5-2.5 WDE 1F N CE
 2C-1.2 WDE 1 B N CE

 EN 166:2001 EN 172:1994
 EN 166:2001 EN 170:1992

 Grey
 Clear

2-1.2 WDE 1 B N CE EN 166:2001 EN 170:1992 Amber











SP1020 **Dickies Enhanced Contrast Safety Glasses**

Features

Exceeds ANSI Z87.1 High Impact Requirements; CE EN 166 Certified; CAN/CSA Z94.3-07 Certified; AS/ NZS 1337;MIL-PRF 32432 Perfectly balanced from temple tips to the bridge of the nose, providing the best fit possible 🖪 High quality optics offer extreme clarity and no distortion

9.5 base curve lens provides excellent side protection against wind 🗉 Ventilated nose piece is soft and adjustable, allowing heat to dissipate 🖪 Top of frame is ventilated allowing air to circulate and prevent fogging Soft dual-injected rubber temple tips combined with fully adjustable straight back temples reinforce the highest level of comfort and fit Lens is coated with anti-fog technology

Material

Polycarbonate lens

Sizes One size



5-2.5 WDE 1 F N CE EN 166:2001 EN172-1994 EN 166:2001 EN 170-1992 Grev Clear

5 P 1 F N CE EN 166:2001 EN170-1992 EN 166:2001 EN 169-1992 5.0 IR Filter Amber Welders Len

SP1015 **Dickies Ergonomic Safety Glasses**

Features

Exceeds ANSI Z87.1 High Impact Requirements; CE EN 166 Certified; CAN/CSA Z94.3-07 Certified; AS/NZS 1337; MIL-PRF 32432 Lenses are coated with anti-fog technology Soft integrated nose piece Lightweight, frameless protection is ideal for all-day wear Soft dual-injected rubber temple tips provide non-slip comfort 9.5 base curve lens provides excellent side protection against wind and airborne particles, provides 99.9% protection against harmful UV rays

Material

Polycarbonate lens

Sizes One size



2C-1.2 WDE 1 B N CE EN 166:2001 EN 170:1992

EN 166:2001 EN 172:1994 Grey Clear







Features

Exceeds ANSI Z87.1 High Impact Requirements; CE EN 166 Certified; CAN/CSA Z94.3-07 Certified; AS/NZS 1337

Lenses are coated with anti-fog technology

Comfort-fit, rubber temples prevent eyewear from slipping to provide maximum performance Sporty dual lens style with wide temples provides full eye protection and is suitable for both working environments and sports activities

 Polycarbonate lens provides unrestricted vision, provides protection against 99.9% of harmful UV rays Material

Polycarbonate anti-fog lens

Sizes

One size



Clear

EN 166:2001 EN 172:1994 Grey





SP1030 Dickies Unrestricted Vision Safety Glasses

Features

х

 \mathcal{N}

Exceeds ANSI Z87.1 High Impact Requirements; CE EN 166 Certified; AS/NZS 1337 Lightweight frame is vented at the top of the lens, allowing air to circulate away Clean, bold lines and ultra-light frames provide all-day versatility Adjustable rubber nose piece Dual-injected rubber temple tips generate a soft cushion for comfort behind the ear

Lenses provides 99.9% protection against harmful UV rays Material

Polycarbonate lens. Nylon frame

Sizes One size



2-1.2 WDE 1 F CE 2C-1.2 WDE 1 F CE EN 166:2001 EN 170:1992 EN 166-2001 EN 170-1992 Amher

SP1040 **Dickies Interchangeable Frame** Safety Goggle

Features IN Exceeds ANSI Z87.1 High Impact Requirements; CE EN 166 Certified; CAN/CSA Z94.3-07 AS/NZS1337 Improved flame resistant foam padding forms perfect seal to keep out dust and airborne particles I Headband and temples feature ratchet adjustment for perfect fit, features quick fit retainer Improved interchangeable temples and headband included with each pair of V3G. In Lens and frame vented to increase air flow 🖪 9 base curved lens provides full side protection, treated to prevent fogging and self seal small scratches, provides 99.9% protection against harmful UV rays ILens is coated with anti-fog technology

Material Polycarbonate anti-fog lens

Sizes

One size



2C-1.2 WDE 1 B N CE EN 166:2001 EN 170:1992

Grey Clear 2-1.2 WDE 1 B N CE EN 166:2001 EN 170:1992 Amber

SP1045 Dickies Facial Seal Fogbuster Goggle Features

Exceeds ANSI Z87.1 High Impact Requirements; CE EN 166 Certified; CAN/CSA Z94.3-07 Certified; AS/NZS 1337; MIL-PRF 32432 Multi-functional with 180 degree vision, protects against chemical splash, sun glare, dust, flying particles, wind, and 99.9% of harmful UV rays
Special indirect ventilation system located at the top and bottom of frame allows air flow and heat release 🗉 Outer polycarbonate lens coated with anti-fog technology protects against the environment, while an inner lens prevents fogging. Inner lens is made from acetate, separated by a thin spacer of air, sealed together with foam Thermo Lens System provides excellent resistance to fogging caused by temperature difference between indoor and outdoor or between on-site and ambient environment I TPU frame features excellent resistance to cold and heat and provides perfect facial seal IV Wide adjustable elastic strap with quick release system for secure fit.

Material Polycarbonate outer lens. Acetate inner lens Sizes

One size





5-2.5 WDE 1 BT N CE 2C-1.2 WDE 1 B N CE EN 166:2001 EN 172:1994 EN 166:2001 EN 170:1992 Grey Clear

2-1.2 WDE 1 B N CE EN 166:2001 EN 170:1992 Amber



















Features Pinch and box tip construction Split fourchettes with suede reinforced tips One piece back of hand and finger protectors TPR thumb protector **5** Suede inner palm layer **6** Duraclad[®] base palm layer Duraclad® saddle reinforcement Reinforced stitching TPR cuff puller

Material 93% Nylon 7% Spandex Palm/Fourchette 60% Nylon 40% PU Size









Red 📕

GL01WP **Dickies HD** Waterproof Impact Gloves EN 388 3.2.2.2.

Features

Pinch and box tip construction Split fourchettes with suede reinforced tips One piece back of hand and finger protectors TPR thumb protector 5 Suede inner palm layer 6 Duraclad® base palm layer Duraclad[®] saddle reinforcement Reinforced stitching Waterproof insert 140gsm insulation

Material 93% Nylon 7% Spandex Palm/Fourchette 60% Nylon 40% PU

Size XS S M L XL 2XL 3XL 4XL 5XL

Blue

GL01C5 Dickies HD Cut 5 EN 388 3.5.4.1.

Features

Pinch and box tip construction 2 Split fourchettes with suede reinforced tips **3** One piece back of hand and finger protectors **I** TPR thumb protector **Suede palm with Duraclad® reinforcements** Duraclad[®] finger reinforcements **7** Reinforced stitching TPR cuff puller Kevlar thumb reinforcements III Cut resistant liner with tricot

Material 93% Nylon 7% Spandex Palm/Fourchette 60% _____Nylon 40% _____PU Size

XS S M L XL 2XL 3XL 4XL 5XL

📕 Black











GL01HDC5 **Dickies HD Cut Level 5 Knit**

EN 388 4.5.4.1. Features Cut resistant ² Foam nitrile coated palm Impact protection TPR on knuckle and finger 3 piece padded foam palm

Material 100% Thermoplastic Ruhher Palm 100% Nitrile Knit liner 40% HPPE 25% Aramid 35% Nylon/Spandex Size XS S M L XL 2XL 3XL 4XL 5XL

🗌 Grey

GL01SG **Dickies HD** Super Grip EN 388 3.1.2.1.

Features

Pinch and box tip construction Split fourchettes with suede reinforced tips One piece back of hand and finger protectors 4 TPR thumb protector 5 Suede palm with silicone surface 🖪 Duraclad® saddle reinforcement **Z** TPR cuff puller

Material 93% Nylon 7% Spandex Palm/Fourchette

60% Nylon 40% PU Size XS S M L XL 2XL 3XL 4XL 5XL

Green

GL01DH **Dickies HD Deck Hand** EN 388 4.5.4.3.

Features

Pinch and box tip construction Teflon treated synthetic suede forchettes One piece back of hand and finger protectors I TPR thumb protector • High durability PU coated palm fabric ■ Reinforced stitching **Z** Teflon[™] treated neoprene cuff
TPR cuff puller ■ Teflon[™] treated nylon lycra gusset

Material

93% Nylon 7% Spandex Palm/Fourchette 60% Nylon 40% PU

Size XS S M L XL 2XL 3XL 4XL 5XL

📕 Orange














GL8002 Argon Skytec

EN388:1994 EN511 Features Unique HPT foam 3/4 coating remains flexible to temperatures as low as -50°C Breathable two-layer insulated liner Excellent grip in both the wet and the dry Anatomically designed for comfort and fit

Material 3/4 coating of HPT Foam Twin seamless insulated nylon Size

Nitrile Gloves



GL8004

Features

EN420 EN388 EN374

Textured to improve grip

and anti-odour treatment

3 Beaded cuff Antibacterial

Cotton flockline





Polyester fabric, with latex palm Knitted glove construction Latex to palm and fingers for superior grip Material

Polyester fabric, latex palm Size One size





GL8005 Half Fingers Gloves

Thinsulate

Features ■ Thinsulate[™] for extra warmth Removable pouch Material 100%

Polyester fleece 260 gsm Size One size



Sold by Box Only x1 = x10 Cartons Box

x100

Carton Gloves

Black

Half finger gloves include a removable pouch, which allows for close & precise work when required GL55030 Thermal Gloves Features 1 Thermal insulated 2 Knitted Material 100% Acrvlic Thinsulate™ lining Size One size

Black



GL8001 **Gripper Gloves** Features Knitted glove with PVC criss-cross pattern for extra grip Material 70% Acrylic, 30% □ Polyester Size One size Crange



5 Anatomical shape Seamless knit Material Nitrile Butadiene Size













Features

Stretch nylon fabric back Coat grain leather reinforced palm 3 Goat grain leather on knuckle area Neoprene wrist with velcro fastening

Material

Leather Size







GL0300 Leather Gloves (Unlined)

Features Keystone thumb for mobility Elasticated wristband

Material Premium goatskin Size XS S M L XL 2XL 3XL 4XL 5XL







Provides the highest levels of comfort as well as maximum functionality in all conditions

Tencel®

Tencel[®] is an all-natural fibre. Its controlled nano-fibre structure moves moisture away from the body, keeping you cool when the temperature is hot and warm when it is cold.

Bamboo Fibre

Bamboo Fibre with wicking and natural antibacterial properties, making the thermals the ultimate in comfort.



ACCESSORIES

Workwear accessories including Thermal clothing and under garments, hats, caps, belts and backpacks.

Thermal clothing and under garments provide exceptional warmth for outdoor workers or any work or DIY task in cold conditions.







Description Breathable and extremely soft, the base layer vest has eco-friendly fibres incorporated in the structure of the fabric.

 Features

 Long sleeve vest
 2 Crew neck
 3 Ribbed cuffs
 4 Contrast stitching

 Fabric
 65%
 Bamboo,
 180 gene

 30%
 Tencel, 5%
 Spandex
 180 gene

Size XS S M L XL 2XL 3XL 4XL 5XL

Black





Creston Backpack

Features
Padded straps 2 Side pocket
Fabric
100%
Polyester ripstop with PVC backing

Includes internal zipped compartments





<complex-block><complex-block>

Fabric Split leather Size SMLXL2XL

feather end



Black



Black







BE103 Ruston Reversible Belt

Features

Features
Reversible black/brown leather belt
Cut to size, up to 44" waist

Fabric Leather **Sizes** One size







HA8015 Reversible Printed Beanie

Features
Reversible to a Dickies branded print
Fabric
100%
Knitted Acrylic
Sizes
One size



📕 Grey / 📕 Black


HA100 Docker Hat Features

Anti-pilling fleece hat
Fabric
100%
Polyester fleece

Sizes One size

Black





Orange Yellow

TH8000 Winten

Neck Gaiter Features Polyester fleece neck gaiter Toggle adjuster Fabric 100% Polyester fleece Sizes One size





HA8001 Trapper Hat

Features Warm fleece and fur lined hat Adjustable ear warmers Fabric 100% Acrylic Sizes One size




DP1003 Dickies Pro Cap Features Mid crown profile Dickies branded adjustable clasp back Dickies branded adjustable clasp back Six panels Rounded brim Six re-inforced stitched eyeholes Fabric 100% polyester Sizes

One size

Available in 5 varieties of coloured stitching. See page 6 for more Dickies Pro workwear & accessories






Size Guide

Men Tops

	Chest (inches)	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62
В	Chest (cm)	81	86	91	97	102	107	112	117	122	127	132	137	142	147	152	157
	Size	х	s	9	5	1	1	I	_	х	L	2)	KL	3)	(L	4)	٢L



Shirts

٨	Collar (cm)	38	39	40	42	43	44	46	47	48	50	51
A	Collar (inches)	15	15.5	16	16.5	17	17.5	18	18.5	19	19.5	20
В	Chest (inches)	32	34	36	38	40	42	44	46	48	50	52
D	Chest (cm)	81	86	91	97	102	107	112	117	122	127	132

Trousers

C	Waist (UK)	26	28	30	32	33	34	36	38	40	42	44	46	48	50	52	54	56
	Size	x	s		s		N	1	I	-	х	L	2)	(L	3)	(L	43	KL
	Waist (FR)	36	38	40	42	43	44	46	48	50	52	54	56	58	60	62	64	66
	Waist (cm)	68 ↓ 72	72 ↓ 76	76 ↓ 80	8	L	84 ↓ 88	88 ↓ 92	92 ↓ 96	96 ↓ 100	100 ↓ 104	104 ↓ 108	108 ↓ 112	112 ↓ 116	116 ↓ 120	120 ↓ 124	124 ↓ 128	128 ↓ 132

Coveralls

C	Waist (UK)	36	38	40	42	44	46	48	50	52	54	56	58	60
	Waist	s	м	I	L	x	L	2)	(L	3XL	43	KL	5)	(L
	(FR)	40	42	44	46	48	50	52	54	56	58	60	62	64
	Chest (cm)	92	97	102	107	112	117	122	127	132	138	142	147	152

Footwear

UK	3	4	5	5.5	6	7	8	9	10	11	11.5	12	13	14
EU	36	37	38	39	40	41	42	43	44	45	46	47	48	49

Industry

Shor	t Fit	


C	Waist (UK)	34	36	38	40	42	44
D	Leg	30	30	31	31	32	32
	Size (DE)	24	25	26	27	28	29

Regular Fit

C	Waist (UK)	26	28	30	32	33	34	36	38	40	42	44	46	48	50
D	Leg	30	30	30	31	31	31	32	32	33	33	33	34	34	34
	Size (DE)	40	42	44	46	48	50	52	54	56	58	60	62	64	66

Tall Fit (inches)

С	Waist (UK)	30	32	33	34	36	38
D	Leg	32	33	34	34	35	35
	Size (DE)	90	94	98	102	106	110



Women

Metric (cm)

A	Bust	79	84
В	Waist	59	64
С	Hip	84	89
	Size	9	5

Imperial (inches)

	Size	S			
С	Hip	33	35		
В	Waist	23	25		
A	Bust	31	33		

Coveralls and Trousers

Coveralls - sufficient room for comfort during action has been accounted for in the measurements.

Note

Our policy is one of continuous improvement and we reserve the right to change product specifications without notice.



м		L		х	L	2XL		
94	99	104	109	114	119	124	129	
69	74	79	84	89	94	99	104	
89	94	99	104	109	114	119	124	

м		1		х	L	2)	a
37	39	41	43	45	47	49	51
27	29	31	33	35	37	39	41
35	37	39	41	43	45	47	49

Directory

	Code	Product	Page		Code	Product	Page		Code	Product	Page
	AG1100	Orland Bodywarmer	49		EH89001	Eisenhower Fleece	21		FR6102	Modacrylic Lightweight Shirt	147
	AG1500	Adalson Softshell Bodywarmer	49	NEW	FA24/7S	Everyday Shoe	157		FR6103	Modacrylic Heavyweight Shirt	147
	AG2000	Hereford Fleece	47	NEW	FA24/7B	Everyday Boot	157		FR6401	Modacrylic Coverall	146
	AG3000	Combrook Softshell Jacket	47		FA9001	Donegal Safety Boot	164	NEW	FW9901	Landmaster Pro Non-Safety Wellington	ı 187
	AG3500	Hartville Waterproof Jacket	47		FA9003	Newark Boot	169	NEW	FW9902	Landmaster Pro Safety Wellington	187
	AG4000	Winterbourne Lined Jacket	48	NEW	FA9005S	Davant II Safety Boot	171		FW11100	Pennine Wellington Boot	190
	AG5000	Marston Lined Trousers	50	NEW	FA9006S	Norden II Safety Shoe	171		FW13105	Dickies Safety Wellington	191
	AG5000S	Marston Lined Trousers	50	NEW	FA9007	Trenton Boot	159		FW13200	Groundwater Safety Wellington Boot	190
	AG5000T	Marston Lined Trousers	50	NEW	FA9008	Trenton Shoe	159		FW91105	Landmaster Wellington Boot	189
	AG7510	Tattersal Shirt	49		FA12350A	Oxford Safety Shoe	163		FW94105	Landmaster Safety Wellington Boot	189
	AG8500	Kendrick Zip Through Sweatshirt	48		FA12365A	Executive Safety Shoe	163		FZ4000	Boot Insoles	191
	BE100	Dickies Leather Belt	213	NEW	FA13310A	Clifton II Safety Shoe	160		FZ5000	Boot Sockette	191
	BE101	Rockland Belt	213		FA13335	Stockton Safety Trainer	160		FZ7000	Boot Insoles	191
	BE102	Silverton Reversible Belt	213		FA23200	Cleveland Safety Boot	154		GL01C5	Dickies HD Cut 5	206
	BE103	Ruston Reversible Belt	213	NEW	FA23330A	Redland II Safety Boot	161		GL01DH	Dickies HD Deck Hand	207
	BE500	Dickies Canvas Belt	213		FA23333	Antrim Safety Boot	164		GL01HD	Dickies HD Impact Gloves	206
	BG0001	Creston Backpack	212		FA23345	Dealer Safety Boot	165		GL01HDC5	Dickies HD Cut Level 5 Knit	207
NEW	BW24/7	Everyday Bodywarmer	118	NEW	FA23350S	Dixon Lined	180		GL01SG	Dickies HD Super Grip	207
	BW7001	Kenton Softshell Gilet	75	NEW	FA23355S	Dixon Unlined	180		GL01WP	Dickies HD Waterproof Impact Gloves	206
	BW7004	Crayford Gilet	75	NEW	FA23385S	Storm II Safety Boot	158		GL0200	Leather Gloves (Lined)	209
	BW11025	Professional Combat Bodywarmer	75		FA23500	Severn Safety Boot	170		GL0300	Leather Gloves (Unlined)	209
	BW11800	Townsend Bodywarmer	75		FC9508	Gironde Safety Trainer	176		GL0400	Performance Gloves	209
NEW	CV1000R	Lakemont Trousers	25		FC9513	Faxon Safety Trainer	175		GL0800	Super Grip Gloves	208
NEW	CV1001	Lakemont Jacket	24		FC9514	Armona Safety Shoe	173		GL8000S	Fleece Glove	209
	DCK-28AMX	Utility Sock	193		FC9515	Deltona Boot	173		GL8001	Gripper Gloves	209
	DCK-00007	Cushion Crew Sock (5 Pairs Assorted)	192		FC9516	Gironde Safety Boot	177		GL8002	Argon Skytec Gloves	208
	DCK-00008	Cushion Crew Sock (5 Pairs)	192		FC9518	Haxtun ESD Trainer	174		GL8003	Nitrile Disposable Gloves	208
	DCK-00009	Strong Work Sock (3 Pairs)	192		FC9520	Ector Safety Trainer	162		GL8004	Nitrile Gloves	208
	DCK-00010	Industrial Work Sock (2 Pairs)	192		FC9521	Anvik Safety Trainer	162		GL8005	Half Finger Gloves	208
	DCK-00011	Thermo Sock (2 Pairs Assorted)	193		FC9522	Detroit Safety Boot	179		GL55030	Thermal Gloves	209
	DCK-00012	Arctic Sock (1 Pair)	193	NEW	FC9523	Corbett Women's Safety Boot	183		HA100	Docker Hat	214
	DCK-00049	Merino Sock (2 Pairs)	193		FC23340	Fractus Safety Boot	172		HA180	Thinsulate™ Watch Cap	214
NEW	DP800	Dickies Comfort Jean	55		FC23344	Alto Safety Shoe	172		HA8001	Trapper Hat	215
NEW	DP1000	Dickies Pro Trouser	9		FC23530	Tiber Safety Trainer	175		HA8009	Hi Vis Beanie	214
NEW	DP1001	Dickies Pro Jacket	9		FD9200	Dalton Safety Trainer	166		HA8010	Harrison Cap	215
NEW	DP1002	Dickies Pro T-Shirt	10		FD9201	Dalton Safety Boot	166		HA8015	Reversible Printed Beanie	214
	DP1003	Dickies Pro Cap	10		FD9207	Graton Safety Boot	153		IN1001	Industry 260 Trousers	100
NEW	DP1004	Dickies Pro Belt	10		FD9209	Canton Safety Boot	153		IN4001	Industry 260 Bib and Brace	101
NEW	DP1005	Dickies Pro Holster Trouser	11	NEW	FD9210	Crawford Safety Boot	154		IN7001	Industry 260 Jacket	100
	DT1003	Camden Trousers	25		FD9214A	Fife II Safety Boot	155		IN30010	Industry 300 Jacket	98
	DT1007	Stanmore Jean	57		FD9217	Preston Safety Boot	179		IN30030	Industry 300 Trousers	99
	DT2000	Anvil Polo Shirt	86		FD13905	Ohio Women's Safety Trainer	183		IN30040	Industry 300 Bib & Brace	99
	DU336	Carpenter Jean	57		FD13910	Ottawa Women's Safety Trainer	182		IN30050	Industry 300 Shorts	99
		CVC Jacket	117		FD23310	Medway Safety Hiker	178		IN30060	Industry 300 Winter Jacket	98
NEW			117		FD23375	Quebec Lined Safety Boot	167		IN30070	Industry 300 3/4 Length Trouser	99
	ED24/7	Everyday Trousers	116		FD23376	Quebec Unlined Safety Boot	167		JW7006	Fulton Contract Jacket	68
	ED24/7JK	Everyday Jacket	116		FD25000	Industrial Safety Rigger	155		JW7007	Thornley Jacket	71
	ED24/7SH	Everyday Shorts	118		FN23600	Welton Non-Safety Boot	185		JW7009	Glenwood Soft Shell Jacket	68
	EH26000	Eisenhower Womens Multi-pocket Trs.			FN23700	Trinity Non-Safety Boot	185		JW7010	Two Tone Soft Shell Jacket	110
	EH26800	Eisenhower Multi-pocket Trousers	17		FR24/7	FR Everyday Coverall	141		JW7011	Two Tone Micro Fleece	113
	EH26801	Eisenhower Extreme Trouser	16	NEW	FR24/7TP	FR Everyday Coverall With Tape	141		JW7012	Brookton Fleece	73
	EH30050	Eisenhower Max Trousers	17		FR4869	Dickies Proban® Coverall	143		JW7014	Lewiston Jacket	68
	EH34000	Eisenhower Premium Trousers	15		FR4870	Proban® Safety Coverall	143	NEW	JW7017	Wakefield Jacket	67
	EH34001	Eisenhower Premium Shorts	15		FR5003	Modacrylic Polo Shirt	146		JW7050	Harlington Jacket	68
	EH35000	Eisenhower Atherton Jacket	18		FR5401	Lightweight Pyrovatex® Coverall	145		JW10500	Abbot 3 in 1 Jacket	71
NEW	EH36000	Loudon Jacket	18		FR5402	Pyrovatex [®] Coverall	145		JW23700	Cambridge Jacket	71
	EH89000	Eisenhower Fleece Pullover	21		FR5404	Pyrovatex [®] Antistatic Coverall	144		JW80000	Foxton Women's Jacket	61

	Code	Product	Page		Code	Product
	JW81700	Padded Fleece Jacket	72		SH2001	Riverton Polo
	JW82015	Seville Fleece	72		SH2004	Two Tone Polo
	JW83015	Oakfield Fleece	72		SH2006	Atwood Long Sleeve
	JW84400	Microfleece Jacket	72	NEW	SH2007	Two Tone T-Shirt
	JW84950	Softshell Jacket	71		SH3004	Sandford Hoodie
	JW84955	Maywood Softshell Jacket	110		SH3005	Hamilton Hoodie
	SA66	Dickies Knee Pads	199	NEW	SH3009	Two Tone Hoodie
NEW	SA70	Dickies Cordura [®] Knee Pad	199		SH5000	Portland Shirt
	SA1003	Hi-Vis Two Tone Trousers	130		SH5012	5 Pack T-shirt
	SA2007	Hi-Vis Two Tone Soft Shell Jacket	130	NEW	SH5020	Hampstead T-shirt
NEW	SA2008	Hi-Vis Jogger	134	NEW	SH5021	Northwood T-shirt
NEW	SA4006	Hi-Vis Two Tone Soft Shell Jacket	130	NEW	SH5022	Castleton T-shirt
	SA7000	Hi-Vis Waterproof Safety Coverall	123	NEW	SH5023	Lyndon T-shirt
	SA7004	Hi-Vis Two Tone Parka	129	NEW	SH5024	Lowell T-shirt
	SA7005	Hi-Vis Two Tone Pilot Jacket	129		SH11125	Crew Neck Sweatshi
	SA7006	Hi-Vis 3 in 1 Two Tone Jacket	131		SH11126	Jansen Printed Swea
	SA8006	FFP1D Dust Mask	198		SH11150	V-neck Sweatshirt
	SA8007	FFP2D Dust Mask	198		SH11300	Hooded Sweatshirt
	SA8008	FFP3 Dust Mask	198	NEW	SH11301	Edgewood Zip Sweat
	SA8220	Safety Visors	196	NEW	SH11500	Redwood Zip Through
	SA8400	Safety Helmet Kit	196		SH11600	Arkley Hoodie
	SA8401	Face Protection Kit	196		SH11800	Laton Zip Through
	SA8402	Safety Helmet	197		SH11900	Elmwood Hoodie
	SA8403	Bump Cap	197		SH21100	Long Sleeve Polo Shi
	SA8500	Ear Defenders 25db	197		SH21220	Short Sleeve Polo Sh
	SA8501	Ear Defenders 28.5db	197		SH21600	Women's Fitted Polo
	SA8502	Banded Earplugs	196		SH34225	T-shirt
	SA8503	Soft Earplugs	196		SH64200	Men's Oxford Weave
	SA8504	Soft Earplugs & Cord	196		SH64250	Men's Oxford Weave
	SA8900	Gel Kneepads	199		SH64300	Women's Oxford Wea
	SA8901	Workers Protection Kit	197		SH64350	Women's Oxford Wea
	SA8902	Back Support Belt	198		SP1006	Dickies Economical S
	SA8903	Disposable Coverall	198		SP1010	Dickies Lightweight
	SA12005	Hi-Vis Highway Trousers	127		SP1015	Dickies Ergonomic S
	SA22007	Hi-Vis Children's Safety Waistcoat	137		SP1020	Dickies Enhanced Co
	SA22010	Hi-Vis Highway Safety Waistcoat	137		SP1025	Dickies Wrap-around
	SA22020	Hi-Vis Technical Safety Waistcoat	137		SP1030	Dickies Unrestricted
	SA22021	Hi-Vis Two Tone Waistcoat	135		SP1035	Dickies Basic Goggle
	SA22032	Hi-Vis Lined Fleece Jacket	136		SP1040	Dickies Interchangea
	SA22042	Hi-Vis Waterproof Lightweight Jacket			SP1045	Dickies Facial Seal F
	SA22045 SA22050	Hi-Vis Motorway Jacket Hi-Vis Bomber Jacket	126 126		SP1050	Dickies Lightweight I Dickies Visitors Safe
					SP1060	
	SA22075	Hi-Vis Safety Polo Shirt	136 136		SP1065 SP1070	Dickies Coverspecs
	SA22077 SA22080	Hi-Vis Long Sleeve Polo Shirt Hi-Vis Safety T-shirt	130		TH8000	Winten Neck Gaiter
	SA22000	Hi-Vis Two Tone T-shirt	135		TH50000	Long Johns
	SA22001	Hi-Vis Safety Hooded Sweatshirt	135		TH50000	Base Layer Vest
	SA22070	Hi-Vis Quarter Zip Sweatshirt	134		TR41500	Reaper Trousers
	SA22072	Hi-Vis Quarter Zip Sweatsmit Hi-Vis Two Tone Hoodie	134		WD200	Redhawk Warehouse
	SA22075	Hi-Vis Industry Jacket	135		WD250	Redhawk Tabard
	SA30015	Hi-Vis Industry Trousers	132		WD250	Redhawk Bib and Bra
	SA30035	Hi-Vis Industry Bib and Brace	132		WD650	Painters' Bib and Bra
	SA30045	Hi-Vis Industry Shorts	133		WD801	Redhawk Pro Trouse
	SA30005	Hi-Vis Highway Safety Waistcoat	135		WD80133	Redhawk Pro Trouse
	SA35515	Hi-Vis Polycotton Trousers	137		WD80133	Redhawk Pro Short
	SA42045i	Hi-Vis Parka Jacket	124		WD803	Redhawk Chino Trous
						Redhawk Chino Trous
	5772030	III YIS BOINDOL JÜÜRÜL	124		11200333	
	SA420451 SA42050	Hi-Vis Bomber Jacket	124		WD80333	



F	Page
D	87
0	113
Sleeve T-shirt	85
Shirt	113
odie	91
odie	91
odie	112
rt	73
rt	85
ſ-shirt	82
-shirt	83
shirt	83
rt	83
rt	83
weatshirt	92
ed Sweatshirt	91
itshirt	92
atshirt	92
p Sweat	88
Through Hoodie	89
e	91
rough	89
odie	89
Polo Shirt	86
Polo Shirt	86
ted Polo Shirt	61
	85
Weave Long Sleeve Shirt	94
I Weave Short Sleeve Shirt	94
ford Weave Shirt (Long slv.)	61
ford Weave Shirt (Short slv.) 61
omical Safety Glasses	203
tweight Safety Glasses	203
nomic Safety Glasses	204
inced Contrast Glasses	204
p-around Safety Glasses	204
stricted Vision Glasses	205
c Goggle Safety Glasses	202
changeable Frame Goggle	205
al Seal Fogbuster Goggle	205
tweight Fogbuster Goggle	201
ors Safety Glasses	203
rspecs	202
rspecs XL Safety Glasses	202
Gaiter	214
	212
lest	212
sers	50
arehouse Coat	33
bard	32
) and Brace	33
and Brace	42
o Trousers	30
o Trousers	30
o Short	32
ino Trousers	30
ino Trousers	30
· · · · · · · · · · · · · · · · · · ·	

	Code	Product	Page
	WD814	Redhawk Men's Action Trousers	29
	WD8140S	Redhawk Men's Action Trousers	29
	WD834	Redhawk Cargo Shorts	32
	WD855	Redhawk Women's Trousers	62
	WD864R	Redhawk Trousers	31
	WD864T	Redhawk Trousers	31
	WD884	Redhawk Super Work Trousers	29
	WD88428	Redhawk Super Work Trousers	29
	WD8840S	Redhawk Super Work Trousers	29
	WD954	Redhawk Jacket	31
	WD1000	Boston Jean	56
	WD1693	Stonewashed Work Jeans	56
	WD2279	Cotton Coverall	41
	WD2279LW	Lightweight Cotton Coverall	41
	WD2299	Short Sleeved Cotton Coverall	40
	WD2360R	Lined Coverall	39
	WD4819	Redhawk Economy Stud Front Coverall	34
	WD4829	Redhawk Stud Front Coverall	35
	WD4839	Redhawk Zip Front Coverall	34
	WD4839W	Redhawk Women's Zip Front Coverall	62
	WD4839J	Redhawk Junior Zip Front Coverall	35
	WD4879R	Dickies Deluxe Coverall	39
	WD4879T	Dickies Deluxe Coverall	39
NEW	WD4901	GDT Premium Trousers	105
NEW	WD4902	GDT Premium Jacket	105
	WD4910	GDT 290 Jacket	106
	WD4930	GDT 290 Trousers	106
	WD4940	GDT 210 Coverall	107
	WD4979	GDT 210 Shorts	107
	WP7003	Mission Kids Coverall	79
	WP7004	Dartmouth Coverall	76
	WP7005	Somerton Waterproof Suit	77
	WP10050	Vermont Waterproof Suit	77
	WP11000	Childrens' Vermont Waterproof Suit	79
	WP15000	Waterproof Padded Coverall	76
	WP50000	Raintite Jacket	78
	WP51000	Raintite Trousers	78
	WX11102	Westfield Wax Jacket	51
	WX14100	Westfield Wax Leggings	51
	WX15100	Westfield Wax Trousers	51
NEW	XD710	Dickies X Series Slim Fit Jeans	56
NEW	XD730	Dickies X Series Regular Fit Jeans	56
		U U	