

**Page:** 1

Compilation date: 3/12/14

Revision No: 5

## Section 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Product name: 125 ONE HOUR CAULK

Product code: 125

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

# 1.3. Details of the supplier of the safety data sheet

Company name:	EVERBUILD BUILDING PRODUCTS LTD
	SITE 41, KNOWSTHORPE WAY
	CROSS GREEN INDUSTRIAL ESTATE
	LEEDS
	WEST YORKSHIRE
	LS9OSW
	ENGLAND

Tel: 0044 113 240 3456

Fax: 0044 113 240 0024

Email: sds@everbuild.co.uk

## 1.4. Emergency telephone number

Emergency tel:	0044 113 240 3456 (office hours only)
Manufacturer:	EVERBUILD BUILDING PRODUCTS LTD
	Site 41
	Knowsthorpe Way, Cross Green Industrial Estate
	Leeds
	West Yorkshire
	LS9 0SW
	United Kingdom
	Tel: (0044) 113 240 3456
	Fax: (0044) 113 240 0024
	Emergency tel: (0044) 113 240 3456
	Email: sds@everbuild.co.uk

## Section 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification under CHIP: This product has no classification under CHIP.

Classification under CLP: This product has no classification under CLP.

### 125 ONE HOUR CAULK

Page: 2

# 2.2. Label elements

Label elements: This product has no label elements.

## 2.3. Other hazards

#### PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

### Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

# 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

# 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Wash the spillage site with large amounts of water.

# 125 ONE HOUR CAULK

VOC g/l: 9.8

Page: 3

		Page: 3	
6.4. Reference to other sections	3		
Section 7: Handling and storage			
7.1. Precautions for safe handli	7.1. Precautions for safe handling		
7.2. Conditions for safe storage	7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions:	Store in cool, well ventilated area. Store in original containers between +5	and +25°C	
Otorage conditione.	Storage outside these paramaters will dramatically reduce shelf life and in		
	product warrenties.		
Suitable packaging:	Must only be kept in original packaging.		
7.3. Specific end use(s)			
Section 8: Exposure controls/p	ersonal protection		
8.1. Control parameters			
Workplace exposure limits:	No data available.		
DNEL/PNEC Values			
DNEL / PNEC	No data available.		
8.2. Exposure controls			
Respiratory protection:	Respiratory protection not required.		
Hand protection:	Protective gloves.		
Eye protection:	Safety glasses. Ensure eye bath is to hand.		
Skin protection:	Protective clothing.		
Section 9: Physical and chemic	cal properties		
9.1. Information on basic physic	cal and chemical properties		
State:	Paste		
Colour:	Various		
Odour:	Barely perceptible odour		
Evaporation rate:	Slow		
Oxidising:	Non-oxidising (by EC criteria)		
Solubility in water:			
-	Highly viscous		
-	x 1000 cps - Brookfield HBDV2+, spindle S70, 10rpm @ 20`C		
Boiling point/range°C:	-		
upper:	-		
Autoflammability°C:			
Relative density:	1.67 <b>рн:</b>	8.5-9.5	

## 125 ONE HOUR CAULK

9.2. Other information

Other information: No data available.

### Section 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

### Section 11: Toxicological information

#### 11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

# Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

## 12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

# 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

Page: 4

### 125 ONE HOUR CAULK

Page: 5

### 12.6. Other adverse effects

Other adverse effects: No data available.

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal operations:** Dispose of according to local or national legislation

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

### Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

# Section 16: Other information

#### Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Legend to abbreviations:	PNEC = predicted no effect level
	DNEL = derived no effect level
	LD50 = median lethal dose
	LC50 = median lethal concentration
	EC50 = median effective concentration
	IC50 = median inhibitory concentration
	dw = dry weight
	bw = body weight
	cc = closed cup
	oc = open cup
	MUS = mouse
	GPG = guinea pig
	RBT = rabbit
	HAM = hamster
	HMN = human
	MAM = mammal
	PGN = pigeon

125 ONE HOUR CAULK

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. Page: 6