

200 CONTRACTORS SILICONE

**Page:** 1

Compilation date: 14/02/2014

Revision No: 4

### Section 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name: 200 CONTRACTORS SILICONE

Product code: 200BK/BN/TR/WE

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Company name: EVERBUILD BUILDING PRODUCTS LTD

SITE 41, KNOWSTHORPE WAY

CROSS GREEN INDUSTRIAL ESTATE

LEEDS

WEST YORKSHIRE

- LS9OSW
- ENGLAND

Tel: 0044 113 240 3456

Fax: 0044 113 240 0024

Email: pault@everbuild.co.uk

# 1.4. Emergency telephone number

Emergency tel: 0044 113 240 3456 (office hours only)

#### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; Skin Irrit. 2: H315

Classification under CHIP: -: R66

Most important adverse effects: Causes skin irritation. Causes serious eye irritation.

## 2.2. Label elements

Label elements under CLP:

Hazard statements: H315: Causes skin irritation.

H319: Causes serious eye irritation.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



Precautionary statements: P102: Keep out of reach of children.

P321: Specific treatment (see information on this label).

#### 200 CONTRACTORS SILICONE

Page: 2

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P103: Read label before use.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves and eye protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P332+313: If skin irritation occurs: Get medical advice.

P337+313: If eye irritation persists: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

## 2.3. Other hazards

PBT: This product is not identified as a PBT substance.

### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

## Hazardous ingredients:

### TRIACETOXYETHYLSILANE - REACH registered number(s): 01-2119881778-15

EINECS	CAS	CHIP Classification	n CLP Classification	
241-667-4	17689-77-9	-	Skin Corr. 1B: H314; Eye Dam. 1: H318; Acute Tox. 4: H302; -: EUH014	1-10%

## Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Use Wonder Wipes or a soapy cloth

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness

or mental confusion may occur.

### 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

### 200 CONTRACTORS SILICONE

### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

## 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area

with signs and prevent access to unauthorised personnel.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

#### 6.4. Reference to other sections

#### Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space.

Avoid direct contact with the substance.

#### 7.2. Conditions for safe storage, including any incompatibilities

 Storage conditions:
 Store in cool, well ventilated area. Keep container tightly closed. Store in original containers between +5 and +25°C. Storage outside these paramaters will dramatically reduce shelf life and invalidates all product warrenties.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

#### Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

# 200 CONTRACTORS SILICONE

# Page: 4

					Pag							
Workplace exp	oosure limits:			Respirable dust								
State	e 8 hour TWA		15 min. STEL	8 hour TWA	15 min. STEL							
UK 10ppm (a		cetic acid)	15ppm (acetic acid)	-								
		·										
1. DNEL/PNEC	Values											
	DNEL / PNEC	No data ava	ilable.									
2. Exposure co	ontrols											
Engineeri	ng measures:	Ensure there is sufficient ventilation of the area.										
		Gas/vapour filter, type A: organic vapours (EN141). must be worn if vapour concentration is above OES or if ventilation is poor Protective gloves.										
							Eye protection:		Safety glass	es.		
							Sk	in protection:	Protective cl	othing.		
tion 9: Physic	al and chemi	cal properti	es									
1. Information	on basic physi	cal and cher	nical properties									
	State:											
		Various										
		Irritating odd	bur									
Eva	poration rate:	-										
Solubility in water:												
		Most organic solvents.										
Viscosity:		Highly visco	us									
Boiling point/range°C:		N/D		Flash poir	nt°C: >70							
Re	lative density:	0.99			pH: N/A							
	VOC g/l:	0 based on o	calculation									
2. Other inform	nation											
Othe	r information:	No data ava	ilable.									
tion 10: Stabi	lity and react	vity										
0.1. Reactivity												
).2. Chemical s	tability											
Cher	nical stability:	Stable unde	r normal conditions.									
	of hazardous i											

# 10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid: Heat. Moist air. Humidity.

#### 200 CONTRACTORS SILICONE

Page: 5

#### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## Section 11: Toxicological information

#### 11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness

or mental confusion may occur.

### Section 12: Ecological information

#### 12.1. Toxicity

Ecotoxicity values: No data available.

#### 12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: No data available.

#### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Dispose of according to local or national legislation

Waste code number: 08 04 09

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

## 200 CONTRACTORS SILICONE

# Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

Other information							
Other information:	formation: This safety data sheet is prepared in accordance with Commission Regulation (EU) No						
	453/2010.						
	* indicates text in the SDS which has changed since the last revision.						
Phrases used in s.2 and 3:	s used in s.2 and 3: EUH014: Reacts violently with water.						
	H302: Harmful if swallowed.						
	H314: Causes severe skin burns and eye damage.						
	H315: Causes skin irritation.						
	H318: Causes serious eye damage.						
	H319: Causes serious eye irritation.						
	R66: Repeated exposure may cause skin dryness or cracking.						
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive						
	and shall be used only as a guide. This company shall not be held liable for any						
	damage resulting from handling or from contact with the above product.						