# **DCM-PRO System**

### Overview


The Warmup DCM-PRO System is designed for use over a subfloor prepared for tiling. The mat has a strong selfadhesive layer to secure it directly to Warmup insulation boards. Alternatively it can be affixed to a clean dry subfloor, which has been primed using an SBR primer (ratio 1:4). The mat is available in 1 m² sheets or 15 m x 1 m rolls, which makes installation quick and easy whilst ensuring precision is maintained. The mat can be easily trimmed using a utility knife.

The 4.5 mm multi-strand, dual core heating cable, is insulated with an advanced fluoropolymer making it exceptionally tough and easy to tile over. It is easily clipped into the DCM-PRO mat by gently pressing it in between the castellations. The cable can be spaced at 60 mm, 90 mm & 120 mm depending on power requirements.

The DCM-PRO system can be used as a waterproofing layer through the addition of the DCM-PRO waterproofing tape, for installations such as wetrooms or where there will be significant exposure to water.

### **FLOOR CONSTRUCTION**

- 1 Floor finish
- 2 Tile adhesive or levelling compound
- 3 Warmup DCM-PRO Mat
- 4 Warmup DCM-PRO Cable
- 5 Warmup Coated Insulation Board
- 6 Flexible Tile Adhesive
- 7 Subfloor







## Technical Data

TECHNICAL DATA - DCM-PRO Cable				
OPERATING VOLTAGE	230 V AC: 50Hz			
IP RATING	IPX7			
COLOUR	BLUE			
THICKNESS	4.5mm (± 0.2mm)			
OUTPUT RATING	150 W/m² (3 Castellations - 91.8 mm)			
INNER INSULATION	ADVANCED FLUOROPOLYMER (ETFE)			
OUTER INSULATION	PVC			
MIN. INSTALLATION TEMP	5 °C			
CONNECTION	3 m LONG "COLDTAIL" CONNECTION			

TECHNICAL DATA - DCM-PRO Mat					
THICKNESS	5.5 mm				
COMPOSITION	POLYPROPYLENE MEMBRANE WITH SELF-ADHESIVE BACKING				
COLOUR	RED				
SPACING	61.2 mm, 91.8 mm & 122.4 mm				
SIZING	1m² sheet / 15m x 1m roll				

## **Features**

- 4.5 mm multi-strand, dual core heating cable with an advanced fluoropolymer inner insulation making it exceptionally tough and easy to tile over
- Reduced installation costs, by comparison to similar products
- Pressure sensitive adhesive securely binds the mats to the floor keeping them flat for fast and secure installation
- BEAB Approved and CE marked meeting the highest safety standards for ultimate peace of mind CE (BEAB)



Lifetime Warranty & SafetyNet Installation Guarantee SAFETY Net





# Technical Data

PRODUCT CODE DCM-M-1 DCM-M-15

DCM-PRO MAT SIZES						
FORMAT	LENGTH (mm)	WIDTH (mm)	AREA COVERED (m²)			
Sheet	1,040	980	1			
Roll	15,300	980	15			

		DCM-PRO CABLE			
PRODUCT CODE	POWER (W)	LOAD (A)	RESISTANCE (Ω)	RESISTANCE BANDS (Ω)	
DCM-C-1	150	0.6	352.7	335.0 - 370.3	
DCM-C-1.5	225	0.9	235.1	223.3 - 246.9	
DCM-C-2	300	1.3	176.3	167.5 - 185.1	
DCM-C-2.5	375	1.6	141.1	134.1 - 148.2	
DCM-C-3	450	1.9	117.6	111.7 - 123.5	
DCM-C-3.5	525	2.2	100.8	95.8 - 105.8	
DCM-C-4	600	2.5	88.2	83.8 - 92.6	
DCM-C-4.5	675	2.8	78.4	74.5 - 82.3	
DCM-C-5	750	3.2	70.5	67.0 - 74.0	
DCM-C-6	900	3.8	58.8	55.9 - 61.7	
DCM-C-7	1050	4.4	50.4	48.0 - 52.9	
DCM-C-8	1200	5.0	44.1	42.0 - 46.3	
DCM-C-9	1350	5.7	39.2	37.2 - 41.2	
DCM-C-10	1500	6.3	35.3	33.5 - 37.1	
DCM-C-12	1800	7.6	29.4	27.9 - 30.9	
DCM-C-14	2100	8.8	25.2	23.9 - 26.5	
DCM-C-16	2400	10.1	22.0	20.9 - 23.1	

HEATED AREA AT DIFFERENT SPACINGS, m <sup>2</sup>							
CABLE	60mm	60/90mm	90mm	90/120mm	120mm		
LENGTH (m)	230W/m <sup>2</sup>	~190W/m²	150W/m <sup>2</sup>	~130W/m²	115W/m <sup>2</sup>		
10.9	0.7	0.8	1.0	1.2	1.3		
16.3	1.0	1.3	1.5	1.8	2.0		
21.8	1.3	1.7	2.0	2.3	2.7		
27.2	1.7	2.1	2.5	2.9	3.3		
32.7	2.0	2.5	3.0	3.5	4.0		
38.1	2.3	2.9	3.5	4.1	4.7		
43.5	2.7	3.3	4.0	4.7	5.3		
49.0	3.0	3.8	4.5	5.3	6.0		
54.4	3.3	4.2	5.0	5.8	6.7		
65.3	4.0	5.0	6.0	7.0	8.0		
76.2	4.7	5.8	7.0	8.2	9.3		
87.1	5.3	6.7	8.0	9.3	10.7		
98.0	6.0	7.5	9.0	10.5	12.0		
108.8	6.7	8.3	10.0	11.7	13.3		
130.6	8.0	10.0	12.0	14.0	16.0		
152.4	9.3	11.7	14.0	16.3	18.7		
174.1	10.7	13.3	16.0	18.7	21.3		

**Note:** To heat larger areas, two or more cables should be used. i.e. To heat a  $23m^2$  room at  $150 \text{ W/m}^2$ , use a DCM-C-14 and a DCM-C-9

DCM-R-I
DCM-R-E

DCM-PRO ADDITIONAL COMPONENTS					
PRODUCT DESCRIPTION					
PERIMETER STRIP					
WATERPROOFING TAPE					
INTERNAL CORNER					
EXTERNAL CORNER					

FORMAT	LENGTH (Varies)	WIDTH (mm)	HEIGHT (mm)	THICKNESS (mm)
Roll	25m	-	30	10
Roll	50m	-	120	1
Corner	120mm	120	60	1
Corner	120mm	120	60	1

## **WARMUP COMPONENTS**

### **Insulation Boards**

Warmup® Insulation Boards are a water resistant, insulated tile backer board made of extruded polystyrene, faced on both sides with a fibreglass mesh embedded into a thin cement polymer mortar.

They have high thermal insulation properties for energy efficiency and an added benefit of sound absorption.

INSBOARD - TECHNICAL SPECIFICATIONS						
MODEL	THICKNESS (mm)	WIDTH (mm)	LENGTH (mm)	WEIGHT (kg)	R VALUE (m².K/W)	
INSBOARD6MM	6	600	1250	1.95	0.16	
INSBOARD(PK1)	10	600	1250	2.22	0.28	
INSBOARD20MM	20	600	1250	2.48	0.58	
INSBOARD30MM	30	600	1250	2.82	0.88	
INSBOARD40MM	40	600	1250	3.05	1.20	
INSBOARD50MM	50	600	1250	3.26	1.50	



Warmup Insulation Boards have zero Ozone Depletion Potential (ODP) and a Global Warming Potential (GWP) of less than 5

### **Thermostat**



# 4iE SMART WIFI

For Central Heating and Underfloor Heating Systems

Connected to the internet by WiFi, it can be controlled from a smart phone, tablet or computer as well as its own touchscreen interface. It learns how homeowners use their heating and the unique way each zone reacts. It uses this knowledge to suggest ways to save energy, such as what temperature should be set when the area is not in use and when the heating can be turned off earlier with no noticeable impact on comfort.

Personalise your 4iE with uploadable photo backgrounds and changeable, textured overlays.



#### SmartGeo™

Always at the right temperature automatically, and up to 25% lower energy usage. Just like magic.



### EasySwitch™

Always on the best tariff, automatically. Saving on average £210.



### Easy to use

Simple and secure set up using WiFi, with 24/7 technical support.

### **Check out our full range of Bathroom Accessories**

Heated Towel Rails
Bathroom Extractor Fans
Bathroom Lighting

**Bathroom Accessory Sets** 

Shower Seats

**Grab Rails** 

**Shower Curtains** 

**Toilet Brushes** 

**Bathroom Cleaning Products** 

Wall Mounted Bathroom Accessories

**Robe Hooks** 

**Bathroom Tumblers** 

**Toilet Roll Holders** 

**Soap Dishes** 

**Towel Rings** 

**Shower Caddies** 

**Bathroom Mirrors** 

**Standard Bathroom Mirrors** 

**LED Bathroom Mirrors** 

**Shaving Mirrors** 

