

armorgard ticking every box





Welcome

To the 4.2 edition of the **Armorgard product directory**. Manufacturers of world class storage equipment for tools, materials and hazardous substances.

For on-site solutions call our service team on **023 9238 0280** or fax on **023 9220 0715** or email **sales@armorgard.co.uk**
www.armorgard.co.uk



Introduction to Armorgard



Setting the industry benchmark in quality and service...

Welcome to the latest edition of the Armorgard Product Directory. It's our most comprehensive directory to date, and we're very proud of it.

Browse inside and you'll find a great range of products to keep your tools and equipment safe and secure on-site – including some cutting-edge new innovations to make your life easier. Vitaly, every product featured in this directory is exclusive to Armorgard. From concept and design through to manufacture and servicing – it's all the work of our own talented engineers.

You won't find the same products anywhere else, and you certainly won't find better. Add to this our renowned value for money and market-beating customer service and you can see why we're the UK's brand of choice for dependable on-site security.

“You won't find the same products anywhere else, and you certainly won't find better.”



Our vision, mission and values



Our vision

“We will increase productivity and make workplaces safer across the world through our innovative solutions.”

Our mission

- We will provide universally trusted solutions that are manufactured to the highest quality, are robust, dependable and innovative
- We will remain easy to do business with and will strive to become trusted partners to our customers
- We will maintain our position as UK market leaders and extend that lead into Europe, then to other parts of the world, one country at a time
- We will seek out and exploit new opportunities in all of our markets
- We will achieve success through innovation by continually investing in R&D
- We will nurture our passion for success and our sense of fun
- We will ensure our core family values will remain integral to all that we do

Our values (SHAPE)

- Supportive**
 - We treat our colleagues and our customers with respect
 - We work as a team to ensure success
- Honest**
 - We are all clear in all communication, providing assurance to our customers and colleagues
 - We build trust with all our customers and colleagues through managing expectations
- Accountable**
 - We do what we say we will do
 - We are accountable as a team and as individuals
- Passionate**
 - We strive to be positive role models, demonstrating passion for our business
 - We are inquisitive and open to new ideas
- Excellence**
 - We aim to exceed expectations through our performance
 - We always aim higher for our customers



About Armorgard products & service



At Armorgard we look at things from a different angle.

Every product we sell is developed in response to a need. During the course of our work, we spend a lot of time on construction and works sites of every kind. We speak to the people who work there. We ask them about their needs.

What would make their jobs safer and easier? How could security on-site be improved? What innovations would they like see to keep their tools and equipment secure from thieves and vandals? Our product team is continually developing new ideas – tough, dependable products designed to last and do the job. And we won't keep you waiting: we pride ourselves on our high stock levels, and offer next day delivery on all stock items.

If you have an idea for a new product, we'd be happy to hear from you. Simply drop us an email to marketing@armorgard.co.uk

“Our product team is continually developing new ideas – tough, dependable products.”



Contents

SECTION 01 tool and equipment storage

STRONGBANK	10
TUFFBANK	12
OXBOX	16
BARROBOX	18
TOOLBIN	20
POWERSTATION	22
TUFFSTOR CABINET	24
PIPESTOR	26
FITTINGSTOR	28
TUFFDOR	31
STRIMMERSAFE RACK	32
STRIMMERSAFE VAULT	34
TUFFSTOR	36
FORMA-STOR	38

SECTION 02 work platforms and units

SITESTATION	42
INSTRUCTAHUT	44
TUFFBENCH	46
MOBILE TUFFBENCH	48
BARRICADE	49
CUTTINGSTATION	50
XTRACTABENCH	52

SECTION 03 manual handling products

PIPERACK	56
BUNDLERACK	58
LOADALL	59
RUBBLE TRUCK	62
TURNTABLE TRUCK	64
U-KART	66
BEAM KART	67
SACK TRUCK	68
GRITKART	70
SPILLKART	70
SAFETYKART	71
TRILOAD	72

SECTION 04 hazardous goods storage

A GUIDE TO STORING HAZARDOUS SUBSTANCES	76
FLAMBANK	78
FLAMSTOR CABINET	82
TRANSBANK	84
TRANSBANK CHEM	86
CHEMBANK	88
SAFESTOR	90
CHEMCUBE CABINET	92
FORMA-STOR COSHH	94
FLAMSTOR	96
TUFFCAGE	98
GORILLA GAS CAGE	100
DRUMCAGE	102
DRUMBANK	104

SECTION 05 replacement keys and parts

SPARE PARTS	106
REPLACEMENT KEYS	106
CASTORS	106

01

tool and equipment storage



SECTION 01 tool and equipment storage

STRONGBANK	10
TUFFBANK	12
OXBOX	16
BARROBOX	18
TOOLBIN	20
POWERSTATION	22
TUFFSTOR CABINET	24
PIPESTOR	26
FITTINGSTOR	28
TUFFDOR	31
STRIMMERSAFE RACK	32
STRIMMERSAFE VAULT	34
TUFFSTOR	36
FORMA-STOR	38

The security ratings quoted in this directory are purely in comparison with our own products and do not relate to any other products on the market.

armorgard strongbank™

The ultra-strong range of tool safes from Armorgard

StrongBank – the world's toughest strongbox. When we began in the industry, we set out to design and build the ultimate secure storage box. The result was **StrongBank**. Now, more than 25 years later, there is still nothing on the market that compares. Manufactured using 3 and 5mm steel, with vulnerable areas specially strengthened, this state-of-the-art strongbox delivers virtually indestructible performance to deter even the most determined thief. It is quite simply without rival.



SB2

REINFORCED LID
INCLUDING CORNER BRACE FOR EXTRA SECURITY



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY DUTY CHUBB-STYLE KEYS, WELDED SECURITY ID NUMBERS AND 6MM REINFORCEMENT

UNIQUE EXTERNAL AND INTERNAL ANTI-JEMMY SYSTEMS™ AND FULLY WELDED CONTINUOUS PIANO HINGE



STRONG GAS STRUTS AND SAFETY CATCH FITTED AS STANDARD - CONFORM TO INDUSTRY STANDARDS

POWDER COATED FOR MAXIMUM DURABILITY

OPTIONAL FACILITY TO ADD CASTORS USING THE PRE-DRILLED HOLES (EXCEPT SB1) DETAILS ON PAGE 106



FORK SKIDS WITH FIXING SLOTS FOR EASILY ADDING CASTORS (EXCEPT SB1)

ROBUST CONSTRUCTION FROM 3MM HEAVY DUTY STEEL PLATE THROUGHOUT

SUITABLE FOR SITES AND VANS



For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk

'INCOMPARABLE. THE MOST ROBUST STORAGE SOLUTION ON THE MARKET BY FAR...'



SB1



SB2



SB3



SB6



Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SB1	Van box	59kg	1030 x 565 x 480	895 x 460 x 470
SB2	Site box 4x2x2	98kg	1310 x 690 x 665	1185 x 605 x 575
SB3	Site box 4x3x2	120kg	1300 x 690 x 970	1185 x 600 x 880
SB6	Truck box 6x2x2	138kg	2000 x 690 x 665	1885 x 605 x 580

Note: weights and dimensions are approximate. External dimensions include handles.

armorgard tuffbank™

**Our best-selling
secure site
storage solution**

Built to a rigorous specification, **TuffBank** sets the industry benchmark in quality while also delivering outstanding value for money. Its heavy duty steel plate construction and unique Armorgard anti-jemmy technology mean that it is virtually impregnable to all but the most sophisticated thief. Available in 8 versatile sizes, this market-leading multipurpose tool vault offers the perfect balance between cost and best-in-class performance.



TB3



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY DUTY CHUBB-STYLE KEYS, WELDED SECURITY ID NUMBERS AND 6MM REINFORCEMENT

UNIQUE EXTERNAL AND INTERNAL ANTI-JEMMY SYSTEMS™ AND FULLY WELDED CONTINUOUS PIANO HINGE



STRONG GAS STRUTS AND SAFETY CATCH FITTED AS STANDARD - CONFORM TO INDUSTRY STANDARDS



OPTIONAL FACILITY TO ADD CASTORS USING THE PRE-DRILLED HOLES (EXCEPT SB1) DETAILS ON PAGE 106

FORK SKIDS WITH FIXING SLOTS FOR EASILY ADDING CASTORS (EXCEPT TB1 AND TB12)

ROBUST CONSTRUCTION FROM HEAVY DUTY STEEL PLATE THROUGHOUT

8 SIZES CHOOSE FROM 8 VERSATILE SIZES

SUITABLE FOR SITES AND VANS

POWDER COATED FOR MAXIMUM DURABILITY

For on-site solutions call our service team on **023 9238 0280** or email **sales@armorgard.co.uk**

TOUGH, VERSATILE AND COST-EFFECTIVE...

PLEASE TURN OVER FOR MORE TUFFBANK PRODUCTS



Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
TB1	Van box	45kg	980 x 540 x 475	895 x 470 x 465
TB12	Truck box	58.5kg	1275 x 515 x 450	1190 x 445 x 445
TB21	Site box	61kg	765 x 675 x 670	675 x 605 x 575
TB2	Site box 4x2x2	86kg	1275 x 665 x 660	1185 x 600 x 575
TB3	Site box 4x3x2	105.5kg	1270 x 675 x 975	1185 x 605 x 880
TBC4	Site chest 4x4x2	159kg	1275 x 675 x 1270	1185 x 605 x 1185
TBC5	Site chest 5x4x2	166kg	1585 x 675 x 1275	1500 x 605 x 1185
TB6	Truck box 6x2x2	123kg	1970 x 675 x 665	1880 x 605 x 580

*Optional shelves available on Site chests, see page 106
Note: weights and dimensions are approximate. External dimensions include handles.

armorgard tuffbank™

**Our best-selling
secure site
storage solution**

Built to a rigorous specification, **TuffBank** sets the industry benchmark in quality while also delivering outstanding value for money. Its heavy duty steel plate construction and unique Armorgard anti-jemmy technology mean that it is virtually impregnable to all but the most sophisticated thief. Available in 8 versatile sizes, this market-leading multipurpose tool vault offers the perfect balance between cost and best-in-class performance.



KEYED ALIKE 5-LEVER DEADLOCKS
BOTH SIDES WITH HEAVY DUTY CHUBB-STYLE KEYS, WELDED SECURITY ID NUMBERS AND 6MM REINFORCEMENT

UNIQUE EXTERNAL AND INTERNAL ANTI-JEMMY SYSTEMS™ AND FULLY WELDED CONTINUOUS PIANO HINGE



STRONG GAS STRUTS AND SAFETY CATCH FITTED AS STANDARD - CONFORM TO INDUSTRY STANDARDS

ROBUST CONSTRUCTION FROM HEAVY DUTY STEEL PLATE THROUGHOUT



OPTIONAL FACILITY TO ADD CASTORS USING THE PRE-DRILLED HOLES (EXCEPT SB1) DETAILS ON PAGE 106

FORK SKIDS WITH FIXING SLOTS FOR EASILY ADDING CASTORS (EXCEPT TB1 AND TB12)

SUITABLE FOR SITES AND VANS

POWDER COATED FOR MAXIMUM DURABILITY

8 SIZES CHOOSE FROM 8 VERSATILE SIZES



For on-site solutions call our service team on **023 9238 0280** or email **sales@armorgard.co.uk**

TOUGH, VERSATILE AND COST-EFFECTIVE...



TURN BACK TO PAGE 12 FOR MORE **TUFFBANK** PRODUCTS



TB2



TB12



TB6



TBC4



TBC5



Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
TB1	Van box	45kg	980 x 540 x 475	895 x 470 x 465
TB12	Truck box	58.5kg	1275 x 515 x 450	1190 x 445 x 445
TB21	Site box	61kg	765 x 675 x 670	675 x 605 x 575
TB2	Site box 4x2x2	86kg	1275 x 665 x 660	1185 x 600 x 575
TB3	Site box 4x3x2	105.5kg	1270 x 675 x 975	1185 x 605 x 880
TBC4	Site chest 4x4x2	159kg	1275 x 675 x 1270	1185 x 605 x 1185
TBC5	Site chest 5x4x2	166kg	1585 x 675 x 1275	1500 x 605 x 1185
TB6	Truck box 6x2x2	123kg	1970 x 675 x 665	1880 x 605 x 580

*Optional shelves available on Site chests, see page 106
Note: weights and dimensions are approximate. External dimensions include handles.

The simple and dependable solution for securing your tools and equipment

The **OxBox** is a medium duty range of tool vaults designed for use where budget is a consideration. Despite the competitive price tag, there has been no compromising on quality; **OxBox** shares many of the premium features found on its higher priced companion ranges, including locks, hinges, gas struts and paint finish, while its unique 'folded' construction delivers outstanding strength. Manufactured from 1.5 and 2.0mm steel, the **OxBox** is available in 6 popular sizes and offers dependable, cost-effective security for your tools and equipment.

armorgard oxbox™



OX3



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY DUTY CHUBB-STYLE KEYS, WELDED SECURITY ID NUMBERS



STRONG GAS STRUTS FITTED AS STANDARD - CONFORM TO INDUSTRY STANDARDS

SUITABLE FOR SITES AND VANS

STEEL PLATE CONSTRUCTION WITH DURABLE POWDER COATED FINISH



OPTIONAL FACILITY TO ADD CASTORS USING THE PRE-DRILLED HOLES (EXCEPT SB1) DETAILS ON PAGE 106

FORK SKIDS WITH FIXING SLOTS FOR EASILY ADDING CASTORS (EXCEPT OX1, OX2 AND OX6)

» For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk

'AS STRONG AS AN OX!'
EFFECTIVE SECURITY - NO FRILLS



Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
OX05	Van box	24kg	810 x 478 x 380	760 x 425 x 375
OX1	Van box	27kg	915 x 490 x 450	830 x 425 x 440
OX2	Truck box	39kg	1215 x 490 x 450	1130 x 425 x 440
OX3	Site box 4x2x2	58kg	1200 x 665 x 630	1115 x 595 x 545
OX4	Site chest 4x4x2	104kg	1210 x 640 x 1175	1125 x 565 x 1090
OX6	Truck box	58.5kg	1800 x 555 x 445	1710 x 480 x 440

*Optional shelves available on Site chests, see page 106
Note: weights and dimensions are approximate. External dimensions include handles.

The unique portable site box designed for contractors on the move

Theft of unattended tools on construction sites has risen at an alarming rate. BarroBox allows you to keep your tools at your side 24/7, confident they are safe from thieves when your back is turned. Robust, versatile and easy to operate, this ingeniously designed portable box solves the problem of on-site tool theft. To secure the vault, simply raise the wheels and lock the lid. When it's time to move, just lower the wheels using the internal handle and it's mobile in an instant.

armorgard barrobox™



BB2



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY DUTY CHUBB-STYLE KEYS, WELDED SECURITY ID NUMBERS AND 6MM REINFORCEMENT



UNIQUE WHEELWINDER CONVERTS BARROBOX FROM MOBILE TO STATIC IN SECONDS!



STRONG GAS STRUTS AND SAFETY CATCH FITTED AS STANDARD - CONFORM TO INDUSTRY STANDARDS

ROBUST FOLDING HANDLES ENSURE THE BARROBOX IS EASY TO MANOEUVRE

HEAVY DUTY WHEELS TO TAKE IMPACT

ROBUST CONSTRUCTION FROM HEAVY DUTY STEEL PLATE THROUGHOUT

POWDER COATED FOR MAXIMUM DURABILITY



» For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
BB2	BarroBox	80kg	740 x 1095 x 720	600 x 795 x 605

Note: weights and dimensions are approximate. External dimensions include handles.

TOOL AND EQUIPMENT STORAGE

armorgard toolbin™

The lightweight vault for storing everyday tools and materials

You don't need a hammer to crack a walnut. Similarly, you don't need a heavy duty security solution for every storage requirement. Manufactured from galvanised steel, this lightweight vault is designed for storage of less valuable items and where high security is not a priority. Versatile and cost-effective, ToolBin protects your tools and materials from the elements while keeping them safe from opportunists.



IDEAL FOR SECURING LESS VALUABLE ITEMS AND KEEPING BUILDING MATERIALS CLEAN AND DRY

LOCKABLE WITH 2 X HASP - STAPLES

GALVANISED STEEL CONSTRUCTION

STRENGTHENERS ON ALL FOUR CORNERS

DOUBLE RETURN ALONG THE BOTTOM EDGE, TO STRENGTHEN THE BASE



For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk



TOOL AND EQUIPMENT STORAGE

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
GB3	ToolBin	22.5kg	1190 x 585 x 850	1150 x 555 x 825

Note: weights and dimensions are approximate. External dimensions include handles.

armorgard

powerstation™

The secure powered locker for safe, segregated battery charging

Power tools and mobile devices are especially vulnerable to theft when being charged on site. Armorgard's secure battery charging locker bank allows you to charge your equipment unattended, confident in the knowledge that it is safe from thieves. Specially designed for charging power tools, mobile phones and other electrical devices; the **PowerStation** is ideal for use in the site office. Each locker features 6 separate compartments, each containing a double socket. Individual locks are serial numbered for easy ordering of replacement keys.



PWS6

6 SEPARATE COMPARTMENTS WITH INDIVIDUAL LOCKS



DOUBLE SOCKET IN EACH COMPARTMENT



230V RCD PROTECTED PLUG

PERFORATED DOORS FOR VENTILATION AND VISIBILITY

ALL STEEL CONSTRUCTION

ANTI-BACTERIAL FINISHED WITH AN ANTI-BACTERIAL EPOXY POWDER COAT



TOOL AND EQUIPMENT STORAGE



For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
PWS6	PowerStation	26.5kg	300 x 450 x 1800	One section = 295 x 425 x 275

Note: weights and dimensions are approximate. External dimensions include handles. Optional extras - replacement keys, replacement locks

armorgard tuffstor cabinet™

The ultra-tough cabinet that keeps your equipment organised and accessible

TuffStor Cabinet offers the same level of security as a conventional site safe, but with the advantage of using less floor space, making your tools and equipment easier to access. This versatile high-security cabinet is ideal for use in both workshops and vehicles – or simply add castors using the pre-drilled holes and wheel it wherever you like!



TSC3



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES WITH HEAVY DUTY CHUBB-STYLE KEYS, WELDED SECURITY ID NUMBERS

FULLY ADJUSTABLE SHELVES FITTED ON ALL SIZES

POWDER COATED FOR MAXIMUM DURABILITY

HEAVY DUTY DOORS WITH FIXED HINGES AND CONCEALED ANTI-JEMMY SYSTEM™



OPTIONAL FACILITY TO ADD CASTORS USING THE PRE-DRILLED HOLES (EXCEPT SB1) DETAILS ON PAGE 106

FORK SKIDS WITH FIXING SLOTS FOR EASILY ADDING CASTORS

ROBUST CONSTRUCTION FOR MAXIMUM PROTECTION



For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk



TSC1



TSC2



TSC3



SERIAL CODE



FULLY ADJUSTABLE SHELVES FITTED ON ALL SIZES

980mm



TSC1

1250mm



TSC2

1555mm



TSC3

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
TSC1	TuffStor Cabinet	44kg	500 x 530 x 980	490 x 465 x 895
TSC2	TuffStor Cabinet	74kg	800 x 585 x 1250	790 x 540 x 1170
TSC3	TuffStor Cabinet	112.5kg	1205 x 580 x 1555	1185 x 510 x 1475

Note: weights and dimensions are approximate. External dimensions include handles. Optional extras - castors, shelves

armorgard pipestor™

The mobile secure storage trunk that keeps your copper piping safe and organised

Foil the copper thieves by keeping your valuable piping locked up on site in this innovatively designed 'copper coffin'. The PipeStor portable secure storage trunk, gives you the peace of mind that your copper piping is safe 24/7. The interior is divided into four sections to accommodate different sizes and styles of pipes – including plastic and metal conduit, trunking and cable tray – and is secured on one end with a heavy duty door and lock. Versatile design, it can be easily extended to take longer lengths of pipe by adding optional extra sections as required.



Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
PS3.0	PipeStor	133kg	575 x 3205 x 785	495 x 3160 x 495
PS6.0	PipeStor	256kg	575 x 6410 x 785	495 x 6350 x 495

Note: weights and dimensions are approximate. External dimensions include handles.

» For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk

TOOL AND EQUIPMENT STORAGE

» PLEASE TURN OVER FOR MORE FITTINGSTOR PRODUCTS

The secure storage cabinet designed to keep the 'copper thieves' at bay!

The high value of copper fittings and cabling means that theft is on the rise, with criminals targeting construction sites on a daily basis. Don't make it easy for them! FittingStor is designed to secure all your costly M&E components and tools in one safe, easily portable location. Featuring adjustable shelves, removable fittings bins and heavy duty castors for ease of movement, this innovative product is in high demand among site contractors and available in 4 different configurations.

armorgard fittingstor™



2x KEYED ALIKE 5-LEVER DEADLOCKS WITH HEAVY DUTY CHUBB-STYLE KEYS, (FC2, FC3, FC4)

HASP AND STAPLE PADLOCK FACILITY (FC5, FC6)

POWDER COATED FOR MAXIMUM DURABILITY

FITTINGS BINS TOUGH LIFT-OUT PLASTIC FITTINGS BINS SUPPLIED (FC2 AND FC3)

3X REINFORCED ADJUSTABLE SHELVES (2 SUPPLIED WITH FC2)

ROBUST STEEL PLATE CONSTRUCTION GIVING MAXIMUM PROTECTION

STORAGE COMPARTMENT IN THE BASE FOR TOOLS & EQUIPMENT



HEAVY DUTY INDUSTRIAL CASTORS FITTED AS STANDARD



CAN FIT 24 BINS

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
FC2	FittingStor	88.5kg	800 x 555 x 1450	790 x 540 x 1170
FC3	FittingStor	139kg	1200 x 550 x 1750	1185 x 510 x 1465
FC4	FittingStor	132.5kg	1010 x 550 x 1575	995 x 505 x 1295
FC5	FittingStor	160kg	960 x 985 x 1375	900 x 900 x 1290
FC6	FittingStor	148kg	1000 x 750 x 1800	995 x 745 x 1590

Note: weights and dimensions are approximate. External dimensions include handles.

» For on-site solutions call our service team on **023 9238 0280** or email **sales@armorgard.co.uk**

TOOL AND EQUIPMENT STORAGE


The secure storage cabinet designed to keep the 'copper thieves' at bay!

The high value of copper fittings and cabling means that theft is on the rise, with criminals targeting construction sites on a daily basis. Don't make it easy for them! **FittingStor** is designed to secure all your costly M&E components and tools in one safe, easily portable location. Featuring adjustable shelves, removable fittings bins and heavy duty castors for ease of movement, this innovative product is in high demand among site contractors and available in 4 different configurations.

armorgard fittingstor™



2x KEYED ALIKE 5-LEVER DEADLOCKS WITH HEAVY DUTY CHUBB-STYLE KEYS, WELDED SECURITY ID NUMBERS AND 6MM REINFORCEMENT



3 FULLY WELDED METAL SHELVES AND COMPARTMENTS (FC4)

POWDER COATED FOR MAXIMUM DURABILITY

ROBUST STEEL PLATE CONSTRUCTION GIVING MAXIMUM PROTECTION

STORAGE COMPARTMENT IN THE BASE FOR TOOLS & EQUIPMENT



HEAVY DUTY INDUSTRIAL CASTORS FITTED AS STANDARD

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
FC2	FittingStor	88.5kg	800 x 555 x 1450	790 x 540 x 1170
FC3	FittingStor	139kg	1200 x 550 x 1750	1185 x 510 x 1465
FC4	FittingStor	132.5kg	1010 x 550 x 1575	995 x 505 x 1295
FC5	FittingStor	160kg	960 x 985 x 1375	900 x 900 x 1290
FC6	FittingStor	148kg	1000 x 750 x 1800	995 x 745 x 1590

Note: weights and dimensions are approximate. External dimensions include handles.

The quick-fit temporary steel door that secures any room or building - fast!

Repel would-be thieves and trespassers with this ultra-tough security door. Constructed from heavy-duty galvanised steel, **TuffDor** is a fast and easy way of securing rooms or buildings on a short term basis. The door is fixed in place using quick-fit internal clamps that screw into the door frame, with additional bolts to fasten the base, while a robust multi-point locking system delivers effective all-round strength distribution. Portable and versatile, **TuffDor** is suitable for securing door openings from 830mm x 1890mm to 1130mm x 2070mm.

armorgard tuffdor™



TD1

LARGE SURROUND ENABLING IT TO FIT INTO MULTIPLE SIZED DOORWAYS



MANUFACTURED FROM GALVANISED STEEL PLATE



ULTRA-STRONG INTERNAL QUICK CLAMPING SYSTEM



ROBUST LOCKING SYSTEM WITH ALL ROUND SECURITY

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Inner Frame Dimensions W x D x H (mm)
TD1	TuffDor	67.5kg	1150 x 185 x 2110	720 x 40 x 1865

Note: weights and dimensions are approximate.

TOOL AND EQUIPMENT STORAGE

armorgard

strimmersafe rack™

The unique upright storage system for securing your strimmers

Strimmers are among the most commonly stolen power tools. The **StrimmerSafe Rack** keeps your strimmers secure and organised while maximising storage space. This unique multi-purpose storage system can be used to secure up to five strimmers, or similar machines such as hedge cutters and chainsaws. Robustly constructed, with twin 5-lever deadlocks and a hinged heavy-duty welded lid; the unit can also be bolted to a wall for added security. The base is fitted with a bunded drip tray to contain accidental spills of oil or fuel.



MULTI-PURPOSE
- CAN ALSO BE USED FOR STORING HEDGE CUTTERS, LEAF BLOWERS, CHAINSAWS, ETC

KEEPS STRIMMERS ORGANISED WHILE MAXIMISING STORAGE SPACE

STORAGE OF UP TO 5 STRIMMERS

POWDER COATED FOR MAXIMUM DURABILITY



HIGH SECURITY
- 5-LEVER DEADLOCKS, SERIAL NUMBERED FOR EASY KEY REPLACEMENT


LID IS FITTED WITH 2 HYDRAULIC GAS ARMS FOR EASY LIFTING

HIGHLY SECURE UNIT TO PROTECT YOUR VALUABLE EQUIPMENT FROM THEFT AND DAMAGE

IDEAL FOR LANDSCAPERS AND GREEN KEEPERS

FACILITY FOR BOLTING TO A WALL

LIQUID-TIGHT BASE CONTAINS ANY ACCIDENTAL SPILLS OF OIL OR FUEL



MUST BE BOLTED TO A WALL TO ENSURE SAFETY



SUPPLIED FLAT PACKED



PROVISION FOR BOLTING BACK TO THE WALL



HOOKS



BASE TO CATCH SPILLS AND LEAKS FROM TOOLS



For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SSR	StrimmerSafe Rack	93kg	2055 x 365 x 2085	N/A

Note: weights and dimensions are approximate. External dimensions include handles.

armorgard

strimmersafe vault™

The ultra-tough secure vault for storing strimmers and other long handled tools

The StrimmerSafe Vault is a secure storage range specially designed for housing strimmers and similar long handled tools. Equally suited for use in vehicles or workshops, this highly secure vault benefits from an ultra-tough, anti-force construction and an innovative heavy-duty locking mechanism – once the lid is shut and locked, the strimmer is impossible to remove. The lid is fitted with hydraulic gas struts for easy opening, while an internal divider system allows for segregated storage.



SSU6

ROBUST CONSTRUCTION FROM HEAVY-DUTY STEEL PLATE THROUGHOUT

POWDER COATED FINISH FOR MAXIMUM DURABILITY



KEYED ALIKE 5-LEVER DEADLOCKS, SERIAL NUMBERED FOR EASY KEY REPLACEMENT




STRONG GAS STRUTS FITTED AS STANDARD - CONFORM TO INDUSTRY STANDARDS



FULL LENGTH COVER PLATE FOR USE WHEN STRIMMERS ARE NOT BEING STORED

DOUBLE SLOTS FOR STORING 1 OR 2 STRIMMERS



INTERNAL DIVIDER SYSTEM (EXCEPT THE SSVX6)

SNUG STORAGE POSITION KEEPS STRIMMERS SECURE

AVAILABLE IN 3 DIFFERENT SIZES

SSU12



SSU6



SSUX6



445mm



SSCX6

450mm



SSU12

665mm



SSU6

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SSV6	StrimmerSafe Vault	140.5kg	1970 x 675 x 665	1880 x 605 x 580
SSV12	StrimmerSafe Vault	68.5kg	1275 x 515 x 450	1190 x 445 x 445
SSVX6	StrimmerSafe Vault	63kg	1800 x 555 x 445	1710 x 480 x 440

Note: weights and dimensions are approximate. External dimensions include handles.

» For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk

TOOL AND EQUIPMENT STORAGE

armorgard tuffstor™

The high security walk-in storage unit that is custom designed for your needs

The **TuffStor** high security walk-in store is the perfect solution for storing larger equipment or quantities of tools, and is designed to repel even the most determined thief. Spacious and adaptable, these robust purpose-built units are manufactured to a rigorous heavy-duty specification, and are not to be confused with shipping containers. Equally suited for fixed installation or use on building sites, **TuffStor** is available in a range of sizes and can also be customised to suit your exact requirements.



TS4.0

CRANE LIFTING EYES

OPTIONAL POWER SUPPLY, HEATER OR LIGHT

FIXED INTERNAL SHELVING ON ALL SIZES

ROBUST CONSTRUCTION FOR MAXIMUM PROTECTION

COMES COMPLETE WITH A SHROUD



HEAVY-DUTY DOOR FITTED WITH TWO 5-LEVER DEADLOCKS

FORK LIFTING SKIDS

POWDER COATED FOR MAXIMUM DURABILITY

COMES COMPLETE WITH A SHROUD FOR ADDITIONAL PADLOCK



For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk



TS1.2

TS1.8

TS2.0

TS3.0

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
TS1.2	TuffStor	245kg	1210 x 1270 x 2190	1125 x 1110 x 1980
TS1.8	TuffStor	330kg	1210 x 1860 x 2190	1085 x 1710 x 1980
TS2.0	TuffStor	500kg	2000 x 2060 x 2175	1900 x 1912 x 1977
TS3.0	TuffStor	660kg	2000 x 3066 x 2175	1900 x 2912 x 1977
TS4.0	TuffStor	800kg	2000 x 4066 x 2175	1900 x 3912 x 1977
TS6.0	TuffStor	1200kg	2000 x 6066 x 2175	1900 x 5066 x 1977

Note: weights and dimensions are approximate. External dimensions include handles.

Introducing our new quick-assembly, modular solution for on-site secure storage

With theft of tools and equipment on the increase, we've come up with Forma-Stor - a secure store that can be constructed anywhere in as little as 10 minutes. With 5-lever deadlocks and jimmy-proof joins, we believe that **Forma-Stor** is the most robust flat-pack storage around. An ideal solution for contractors who need quick and convenient storage, these walk-in units are constructed using galvanised panels that fasten neatly together with very few tools.

armorgard forma-stor™



WATCH THE FORMA-STOR BEING BUILT IN JUST 6 MINUTES!

FR200-T



CAN BE DELIVERED PRE-ERECTED - ADDITIONAL COSTS INVOLVED

AVAILABLE IN 4 STANDARD SIZES

HEAVY-DUTY DOORS WITH 5-LEVER DEADLOCKS AND JEMMY-PROOF JOINS

FULLY GALVANISED AND POWDER COATED FOR MAXIMUM DURABILITY

MODULAR, QUICK-ASSEMBLY ON-SITE STORAGE

5-LEVER DEADLOCKS AND JEMMY-PROOF JOINS

PERSON PORTABLE - ERECTED SIMPLY AND EASILY WITH NO FUSS! INSTRUCTION INCLUDED




For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk




FR400-T



FR100-T



FORK SKIDS FOR EASY TRANSPORTATION



LIFTING EYES FOR CRANE LOADING



STRONG FITTED OSB FLOOR




FLAT-PACKED FOR EASY TRANSPORTATION

Product Code	Description	Weight	External Dimensions (including protrusions) W x D x H (mm)	Internal Dimensions W x D x H (mm)
FR100-T	Forma-Stor	275kg	2075 x 1120 x 2160	1920 x 970 x 1950
FR200-T	Forma-Stor	407kg	2075 x 2075 x 2160	1920 x 1920 x 1950
FR300-T	Forma-Stor	498kg	2075 x 2990 x 2160	1920 x 2840 x 1950
FR400-T	Forma-Stor	620kg	2075 x 3995 x 2160	1920 x 3840 x 1950

02

work platforms and units



SECTION 02


work platforms and units

	SITESTATION	42
	INSTRUCTAHUT	44
	TUFFBENCH	46
	MOBILE TUFFBENCH	48
	BARRICADE	49
	CUTTINGSTATION	50
	XTRACTABENCH	52

armorgard sitestation™

Finally - a purpose-built solution to your on site work station needs

The innovatively designed Armorgard SiteStation gives you a convenient place for performing routine on site tasks, while also providing secure storage for your valuable equipment. This versatile new work station comprises two spacious main compartments. The top section features a folding slanted work surface – ideal for displaying plans and charts – which when shut provides an additional lockable storage area – ideal for power tools, PPE and fixings. Optional extras include heavy-duty castors for easy mobility, and an internal light and power supply.



SS2

FORK SKIDS WITH FIXING SLOTS FOR EASILY ADDING CASTORS

FULL-WIDTH SHELVES IN BOTH LOWER AND UPPER COMPARTMENTS

OPTIONAL POWER SUPPLY AND LIGHT

GAS STRUTS ON BOTH SIDES OF TOP COMPARTMENT

SLANTED, FOLDING WORK SURFACE WITH LOCKABLE CONCEALED STORAGE AREA

ROBUST CONSTRUCTION GIVING MAXIMUM PROTECTION

KEYED-ALIKE 2-POINT TAMPER-PROOF LOCKING SYSTEM

POCKETS ON DOORS FOR SMALLER COMPONENTS


POWDER COATED FOR MAXIMUM DURABILITY



OPTIONAL EXTRAS INCLUDE HEAVY-DUTY CASTORS FOR EASY MOBILITY
DETAILS ON PAGE 106



For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk



OPTIONAL POWER AND LIGHT SUPPLY



SLANTED, FOLDING WORK SURFACE



POCKETS ON DOORS



GAS STRUTS ON BOTH SIDES OF TOP COMPARTMENT



OPTIONAL POWER AND LIGHT SUPPLY



KEYED-ALIKE 2-POINT TAMPER-PROOF LOCKING SYSTEM



WORK PLATFORMS AND UNITS

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SS2	SiteStation	253.5kg	1355 x 835 x 2000	Top = 1345 x 760 x 1045 Bottom = 1345 x 760 x 895
SS2 with wheels	SiteStation	263.5kg	1355 x 835 x 2190	Top = 1345 x 760 x 1045 Bottom = 1345 x 760 x 895
SS2L	SiteStation internal light	N/A	N/A	N/A

The all-in-one notice board and emergency station

InstructaHut has many talents... It's a meeting point, an emergency station for your first-aid, fire and H&S items, a notice board for your regulatory documentation and more. This all-in-one solution provides a home for the lot and is therefore an essential part of your on-site inventory. Features include two ample shelves and a double-sided wooden backboard to mount mandatory information or equipment such as a first-aid box or fire blanket. **InstructaHut** is weatherproof, self-supporting and built to last for years on construction sites. It's also painted in a highly visible red, so everyone will know where to find it.

armorgard instructahut™



IH4

EXCELLENT FOR DISPLAYING DOCUMENTATION SUCH AS KEY H&S AND INSURANCE POLICIES

OPTIONAL EXTRA SECURITY CABINET

REPLACEABLE BACKBOARD ENSURES THIS CAN BE RE-USED MANY TIMES OVER

SELF-SUPPORTING AND BUILT TO LAST



CENTRAL SITE MEETING POINT, WHICH IS CLEARLY VISIBLE



NOTICEBOARD, MEETING POINT AND EMERGENCY STATION FOR FIRST-AID, H&S AND FIRE EQUIPMENT

DOUBLE-SIDED FOR MAXIMUM USABILITY

WEATHERPROOF DESIGN SHEDS WATER TO ENSURE DOCUMENTS INSIDE ARE PROTECTED TOO



IH4

IHC4



WORK PLATFORMS AND UNITS

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
IH4	InstructaHut	71kg	1235 x 500 x 1850	N/A
IHC4	InstructaHut Cabinet	28kg	947 x 445 x 602	940 x 425 x 600

*Contents not included




For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk

The versatile and easy-to-use mobile work platform from Armorgard

The **TuffBench** heavy-duty folding work platform is a versatile workbench designed for contractors on the move, and is perfect for use on construction sites. Its quick and easy assembly system – with no detachable parts – makes it easy to transport and store. When it's time to move on, simply collapse the platform, fold the legs and you're ready to go! Durable and built to last, the surface is manufactured from sustainable pressed timber, and is ideal for use with attachments such as power tools, vices and pipe threaders.

armorgard tuffbench™



BH1080

NO DETACHABLE PARTS
- STAYS TOGETHER AS ONE UNIT

DURABLE TIMBER WORK SURFACE AND POWDER-COATED FRAME FOR LONG-LASTING DEPENDABILITY

FOLDING LEGS SECURED WITH A CHAIN WHEN SHUT

METAL EDGE FLUSH WITH WOODEN WORK SURFACE

COLLAPSIBLE FOR EASY STORAGE AND TRANSPORTATION

IDEAL FOR FITTING A CHAIN VICE AND ENGINEERS VICE TO



BH1080-UWK



OPTIONAL 6" ENGINEERS VICE



OPTIONAL 4" CHAIN VICE



OPTIONAL HANDLE AND WHEELS

WORK PLATFORMS AND UNITS

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Folded Down Dimensions W x D x H (mm)
BH1080	TuffBench	28kg	1080 x 750 x 820	1080 x 750 x 130
BH1080-HW	TuffBench+ c/w handle and wheels	31kg	1080 x 750 x 820	1080 x 750 x 130
EV6	6" Engineers Vice	22kg	N/A	N/A
CV4	4" Chain Vice	5kg	N/A	N/A
BH1080-VWK	TuffBench+ c/w wheels, handle, chain vice and engineers vice	58kg	N/A	N/A

Note: weights and dimensions approximate. Optional extras - wheels, handle




For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk



mobile tuffbench™

The universal mobile workbench that's also a heavy-duty cabinet!

Use the Armorgard Mobile TuffBench for a day and you'll wonder how you ever got by without it. A combination of heavy-duty storage cabinet and multi-purpose work surface, this innovative workbench makes any job that bit easier, while ensuring that your tools and equipment remain safe from thieves and damage. Its ultra-tough surface is ideal for fixing chain vice, engineers vice and other equipment, making it indispensable for M&E contractors when pipe threading and bending.



CAN BE FITTED WITH AN OPTIONAL WOODEN WORK TOP

SERIAL NUMBERED FOR EASY KEY REPLACEMENT

SECURE LOCKABLE TOOL CABINET SECTION BENEATH WORKBENCH

ANTI-CORROSIVE POWDER COATING FOR MAXIMUM DURABILITY



FITTED WITH 5-LEVER DEADLOCK - WITH INTERNAL ANTI-JEMMY SYSTEM FOR MAXIMUM SECURITY

BH1270M

HANDLES FITTED TO EACH END OF UNIT FOR EASE OF HANDLING

FITTED WITH EXTRA HEAVY-DUTY WHEELS (2 WITH BRAKES) - QUICK AND EASY TO MAN

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
BH1270M	Mobile TuffBench	78kg	1120 x 705 x 920	990 x 630 x 640
BH1270M-W	Mobile TuffBench with wooden top	97.5kg	1200 x 700 x 940	990 x 630 x 640
EV6	6" Engineers Vice	22kg	N/A	N/A
CV4	4" Chain Vice	5kg	N/A	N/A

Note: weights and dimensions are approximate. External dimensions include handles.



barricade™

The expandable safety barrier

The Barricade is a concertina barrier, designed to clearly mark out a working area, extendable up to 4 meters long and finished in powder coat to maximise durability. Unique safety catch to hold the barrier together when in the folded back position, making it easier and safer to carry.



BARR

Product Code	Description	Weight	Folded Dimensions W x D x H (mm)	Extended Dimensions W x D x H (mm)
BAR1	Barricade	25kg	450 x 300 x 950	4000 x 300 x 950

Note: weights and dimensions are approximate.

BH1270M



CAN BE COMPLETED WITH AN OPTIONAL 6" ENGINEERS VICE



CAN BE COMPLETED WITH AN OPTIONAL 4" CHAIN VICE

READY TO RENT OR READY FOR ONSITE USE

armorgard

cuttingstation™

A go-anywhere, multi-purpose cutting station with unrivalled safety features to minimise vibration, sparks, noise and dust

Our ever-popular Armorgard CuttingStation is a neat, mobile workstation that eliminates the need for a separate cutting room and is essential for safely cutting lengths, such as conduit, timber, cable tray and pipe. The new SS7 model is now even better! Improvements include new lighting and chamfered corners to further reduce noise. You'll also find a new expandable working area to accommodate mitre saws and cutaway sides for handling longer lengths.



EASY ACCESS CUT OUT FRONT

RETRACTABLE BACK TO ALLOW ACCESS THROUGH DOORWAYS

EXTENDABLE BACK PANEL FOR EXTRA WORKSPACE TO CATER FOR MITRE SAWS



SS7



MORE SPACE

THE UNIQUE EXTENDABLE BACK CREATES A MUCH BIGGER, SAFER WORKSPACE. NOW SUITABLE FOR MITRE SAWS AS WELL AS METAL CUT-OFF SAWS

BETTER SUPPORT

NEW SUPPORT ARMS GIVE MORE OPTIONS WITH 4 CONFIGURATIONS, MAKING IT EVEN EASIER TO USE

EASIER ACCESS

WITH CUT-OUT FRONT AND ADAPTABLE PVC CURTAINS FOR EASIER ACCESS

European Patent Application Number: EP17183824.6

European Community Design Registration Number: 004511525



PVC CURTAINS TO CONTAIN SPARKS

RUBBER MAT TO REDUCE VIBRATION

EXTENDABLE SUPPORT ARMS WITH 4 CONFIGURATIONS

RUBBERISED WHEELS FOR REDUCED VIBRATION

SECURE CABINET TO KEEP YOUR TOOLS SAFE

SWarf COLLECTOR WITH DUST EXTRACTOR CONNECTION

RECESSED 110V INLET POWER SUPPLY, AND 2 X 110V INTERNAL SOCKETS

HEAVY-DUTY ALL-SWIVEL WHEELS FOR EASY MOVING

WORK PLATFORMS AND UNITS

» For on-site solutions call our service team on **023 9238 0280** or email **sales@armorgard.co.uk**

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SS7	CuttingStation	175kg	Standard 1390 x 750 x 1900 Extended 1390 x 1070 x 1900	Top (with extended back) 1140 x 1020 x 960 Bottom 1135 x 710 x 550

Note: weights and dimensions are approximate. External dimensions include handles.

The all-in-one workbench and extraction management unit

Protect your workforce from dust and fumes with **XtractaBench**; our all-in-one workbench and extraction management unit. This sturdy mobile unit is a must-have for anyone cutting, grinding, drilling, routing, or working with materials such as plasterboard, wood, or metal on site. The key features of **XtractaBench** are a perforated downdraught work surface and housing for an extraction or filtration unit underneath. Dust and fumes are drawn directly away from the working area and a collection hopper is built in to catch heavier particles and dust. On the side of the bench is a convenient fold-down shelf to mount your M or H class vacuum for on-tool extraction

UK Patent Application Number 1801105.6

armorgard xtractabench™



XTRACTABENCH IN ACTION



USED TO REDUCE DUST AND FUMES THAT ARE EMITTED WHEN WORKING ON MATERIALS

SECURE STORAGE SPACE PROTECTS AND SECURES THE AIR FILTRATION




EXISTING AIR FILTRATION SYSTEMS CAN BE PLACED INSIDE

EUROPEAN COMMUNITY DESIGN REGISTRATION NUMBER 005216066-0001



SECURE LATCH, TO FASTEN THE WORKTOP



LID SUPPORT FOR SAFETY PURPOSES



FOLD-DOWN SIDE SHELF PROVIDES A CONVENIENT LOCATION TO PLACE AN H OR M CLASS VACUUM FOR ON-TOOL EXTRACTION

FITS THROUGH A STANDARD DOORWAY

STRONG, ROBUST WORKBENCH, TO ENABLE THE USER TO WORK AT A SAFE WORKING HEIGHT



For on-site solutions call our service team on **023 9238 0280** or email **sales@armorgard.co.uk**

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
XB2	XtractaBench	96kg	1250 x 750 x 895	1145 x 565 x 555

Note: weights and dimensions are approximate. External dimensions include handles.

03

manual handling products



SECTION 03 manual handling products

	PIPERACK	56
	BUNDLERACK	58
	LOADALL	59
	RUBBLE TRUCK	62
	TURNTABLE TRUCK	64
	U-KART	66
	BEAM KART	67
	SACK TRUCK	68
	GRITKART	70
	SPILLKART	70
	SAFETYKART	71
	TRILOAD	72

armorgard piperack™

The adaptable mobile on-site pipe and conduit storage solution

The Armorgard PipeRack is an innovatively designed wheeled storage rack that keeps your pipes organised and easy to manoeuvre while you're working on site. Each unit has been fully tested and certified to guarantee you a top quality product that is durable and built to last, while the fully collapsible design means that it can be easily transported and stored when not in use. PipeRack is available with either a 1 tonne or 2 tonne capacity.



SIMPLE KIT
AVAILABLE TO
UPGRADE FROM
1T TO 2T

ALL STEEL
HEAVY-DUTY
CONSTRUCTION

SERIAL NUMBERED
FOR CERTIFICATION

STACKABLE
UP TO 6 UNITS HIGH

POWDER COATED
FINISH FOR ULTIMATE
PROTECTION

UNIQUE FULLY
FOLDING DESIGN

ROBUST CASTORS
FITTED WITH
ULTRA-ROBUST
INDUSTRIAL SWIVEL
CASTORS



For on-site solutions call our service team on **023 9238 0280** or email **sales@armorgard.co.uk**



STACKABLE
UP TO 6
UNITS HIGH



PRLK
LINK KIT



PRUK
UPGRADE KIT



PRLK
LINK KIT


Product Code	Description	Weight	External Dimensions W x D x H (mm)	Folded down Dimensions W x D x H (mm)	Weight loading
PR1	PipeRack	83kg	1000 x 1500 x 1560	Folded down = 1000 x 1500 x 545	1 tonne
PR2	PipeRack	101kg	1000 x 1500 x 1560	Folded down = 1000 x 1500 x 545	2 tonne
PRLK	PipeRack Linking Kit, to join 2 PipeRacks together	N/A	N/A	N/A	N/A
PRUK	PipeRack Upgrade Kit, to upgrade from a 1 tonne capacity to a 2 tonne	N/A	N/A	N/A	N/A

Note: weights and dimensions are approximate.

The mobile rack for easy transport and storage of large bundles of materials

The Armorgard **BundleRack** is a simple and effective means of transporting and storing large bundles of materials. It allows you to organise your materials on site to optimise space, while ensuring they are quick and easy to move when needed. Designed to a high quality heavy-duty specification, with an anti-corrosive finish, **BundleRack** is built to last. The unit can be folded and stacked for easy storage when not in use.

armorgard bundlerack™



SERIAL NUMBERED FOR CERTIFICATION



ANTI-CORROSIVE POWDER UNDERCOAT FOR EXTENDED LIFE

ROBUST CONSTRUCTION AND WEIGHT LOAD TESTED TO CARRY UP TO 1 TONNE

INTEGRAL MESH BASE FOR CARRYING SMALLER ITEMS



FOLDABLE AND STACKABLE FOR EASY STORAGE

SIDE LOADING PROVISION FOR LOADING AND UNLOADING MATERIALS USING A FORKLIFT

POWDER COATED FOR MAXIMUM DURABILITY

HEAVY-DUTY SWIVEL WHEELS - TWO WITH BRAKES

The unique space-saving trolley for transporting large sheets of board

Save space, ease handling and protect your materials from damage using Armorgard **LoadAll**. Whether in the yard, on the delivery truck or on site, transporting large sheets of board has never been easier. Specially designed for storing and transporting plasterboard and other large-sheet materials, the **LoadAll** is the only trolley of its kind on the UK market that is easy to manoeuvre through doorways and turn the corner at the same time when loaded up with material, all because of its unique design.

armorgard loadall™



ROBUST CONSTRUCTION USING 3 & 5MM STEEL

CAN BE EASILY COLLAPSED WITH NO DETACHABLE PARTS

SIDE LOADING FACILITY, WITH EASY GRAB HANDLES

ROBUST POWDER COAT WITH ANTI-CORROSIVE UNDERCOAT

UNIQUE DESIGN, MAKING ACCESS THROUGH DOORWAYS EASIER



HEAVY DUTY CASTORS ALL SWIVEL AND 2 BRAKED

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Folded down Dimensions W x D x H (mm)	Weight loading
BR1	BundleRack	78.5kg	1005 x 1560 x 1010	1005 x 1560 x 550	1 tonne

Note: weights and dimensions are approximate.

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Folded Down Dimensions W x D x H (mm)	Weight loading
LA750	LoadAll	41kg	550 x 1350 x 1130	550 x 1350 x 300	750kg
LA1000	LoadAll	49kg	730 x 1250 x 1410	730 x 1250 x 495	1 tonne
LA1500	LoadAll	65kg	756 x 2100 x 1550	N/A	1.5 tonne

Note: weights and dimensions are approximate.

The unique space-saving trolley for transporting large sheets of board

Save space, ease handling and protect your materials from damage using Armorgard LoadAll. Whether in the yard, on the delivery truck or on site, transporting large sheets of board has never been easier. Specially designed for storing and transporting plasterboard and other large-sheet materials, LoadAll LA1000 is the only trolley of its kind on the UK market that can be folded down and stacked when not in use – and with no detachable parts to lose!

armorgard loadall™



LA1000

CENTRE A-FRAME DESIGN
MEANS THAT WHEN LOADED ALL WEIGHT IS LEANING INTO THE CENTRE

NO DETACHABLE SECTIONS
- KEEPS UNIT TOGETHER AND PREVENTS LOSS OF PARTS

CARRIES UP TO 24 SHEETS OF PLASTERBOARD
- APPROXIMATELY 60% MORE THAN ALTERNATIVE PRODUCTS

FOLDING AND STACKABLE UNIT - TIDY AND EASY TO STORE WHEN NOT IN USE

PROVISION FOR STRAPPING BOARDS IN PLACE - IMPROVING SAFETY WHEN ON SITE

COMPLETE WITH SAFE WORKING LOAD PLATES, CERTIFYING A CAPACITY OF UP TO 1 TONNE



ONE-PIECE DESIGN - NO DETACHABLE PARTS



PROVISION FOR STRAPPING MATERIALS



FOLDING / STACKABLE / NO DETACHABLE SECTIONS




HEAVY-DUTY CASTORS FOR EASY MOBILITY



LA1500



FIXING POINTS TO SECURE THE MATERIALS TO THE TROLLEY



200MM DIAMETER WHEELS - ALL SWIVEL, 2 COMPLETE WITH BRAKES

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Folded Down Dimensions W x D x H (mm)	Weight loading
LA750	LoadAll	41kg	550 x 1350 x 1130	550 x 1350 x 300	750kg
LA1000	LoadAll	49kg	730 x 1250 x 1410	730 x 1250 x 495	1 tonne
LA1500	LoadAll	65kg	900 x 2100 x 1550	N/A	1.5 tonne

Note: weights and dimensions are approximate, optional extra - ratchet strap

armorgard rubble truck™

Our multi-purpose Rubble Truck features an in-built tipping feature, ideal for handling waste and rubble and rubble

Ergonomically designed for maximum performance and efficiency, the Rubble Truck pulls on an array of unique features to create an indispensable onsite companion. Our multi-purpose Rubble Truck features an in-built tipping feature, ideal for handling waste and rubble, a huge 400 litre capacity scoop, extra strength crane lift eyes and solid rubber wheels. When the day's over the Rubble Truck's unique stackable design means you can maintain a working space that's safe and clutter free.



CRANE LIFTING EYES
EXTRA STRENGTH
WELDED



RUBBER BUFFERS
FOR SIDE PROTECTION



EASY UNLOADING



RT400

armorgard rubble truck™

BUILT IN
TIPPING FEATURE

UNIQUE STACKABLE
DESIGN

IDEAL FOR HANDLING
MATERIALS, WASTE
OR RUBBLE

SOLID RUBBER
WHEELS OR
PNEUMATIC WHEELS

ROBUST
CONSTRUCTION
ENGINEERED FOR
HEAVY USE


400 LITRE
CAPACITY SCOOP



For on-site solutions call our service team on **023 9238 0280** or email **sales@armorgard.co.uk**



RT400



HEAPED LID TO FIT THE
RUBBLETRUCK RT400 TO
PREVENT ITEMS INSIDE
FALLING OUT

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Weight loading
RT400	Rubble Truck	88.5kg	760 x 1460 x 855	675 x 1330 x 650	750kg
RT400L	Rubble Truck Lid	19kg	260 x 770 x 1405	210 x 580 x 1400	N/A

Note: weights and dimensions are approximate. External dimensions include handles.

armorgard
turntable truck™

For transporting bulk quantities of material and equipment

Our **Turntable Truck**, or 'Platform Trolley' has been engineered to do just that, taking the full strain of transporting bulk quantities of material and equipment when you really need it. Finished to Armorgard's exceptional specification, our **Turntable Truck** features large, puncture proof solid rubber wheels, a raised heavy duty deck for good ground clearance and easy loading and a precision steering mechanism for easy manoeuvring.



TURNTABLE TRUCK IN ACTION


POWDER COATED FINISH FOR MAXIMUM DURABILITY

RAISED HEAVY DUTY DECK FOR GOOD GROUND CLEARANCE AND EASY LOADING

SOFT GRIP HANDLES



PRECISION STEERING MECHANISM FOR EASY MANOEUVRING



1000KG LOADING CAPACITY



LARGE PUNCTURE PROOF SOLID RUBBER WHEELS



TT1000



For on-site solutions call our service team on **023 9238 0280** or email **sales@armorgard.co.uk**

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Folded Down Dimensions W x D x H (mm)	Weight loading
TT1000	Turntable Truck	91.4kg	760 x 1820 x 455	N/A	1000kg

armorgard v-kart™

A heavy duty cart used for handling long lengths of material

The V-Kart is a heavy duty cart used for handling long lengths of material. Designed to make life easier for those manoeuvring pipe, steel sections and other lengths.



VK2

armorgard beamkart™

Designed for a heavy duty cart used for handling long lengths of material

The BeamKart is designed for the effortless transportation of beams and steels. Robust enough for life on site, yet nimble enough to quickly become an essential for the everyday movement of heavy and bulky items. Boasting puncture proof solid rubber tyres, available in a range of sizes and of course finished to the standards you've come to expect from Armorgard.



BK1

BK2

500KG WEIGHT LOADING CAPACITY

POWDER COATED FINISH FOR MAXIMUM DURABILITY

ROBUST CONSTRUCTION USING 3MM STEEL

PUNCTURE-PROOF TYRES FOR EASY AND SAFE MANOEUVRING ON-SITE

BK2 HAS NO UPRIGHT SIDES ENABLING HANDLING OF WIDER MATERIALS



BEAMKART BK2 IN ACTION

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
VK2	V-Kart	35kg	1220 x 840 x 900	N/A

Note: weights and dimensions are approximate.

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Weight loading
BK1	BeamKart	19.8kg	560 x 510 x 250	N/A	500kg
BK2	BeamKart	27kg	400 x 510 x 275	N/A	500kg

Note: weights and dimensions are approximate.

Our durable sack trucks help you efficiently move materials from A to B

For the countless occasions when there are things to move from A to B, safely, effortlessly and quickly you can rely on the Armorgard range of **Sack Trucks**. Our extensive range has been developed to meet the rigorous demands of industry and are designed for durability, practicality and sheer hard work. If you're investing in a **Sack Truck**, pick one that's built to last, our Armorgard range features double strength weld joints, heavy duty tyres and our trademark powder coated Armorgard framework so it looks great as it performs.

armorgard sack truck™




SACK TRUCK ST150 IN ACTION



ST150



SST150



DOUBLE STRENGTH WELD JOINTS FOR LONG LASTING DURABILITY

POWDER COATED FINISH FOR MAXIMUM DURABILITY



HEAVY DUTY TYRES



SST150 FEATURES UNIQUE WHEELS BUILT FOR CARRYING LOADS UP STAIRS

150KG WEIGHT LOADING CAPACITY



ST250



ST500

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Weight loading
ST150	Sack Truck	9.8 kg	580 x 440 x 1150	N/A	150kg
SST150	Sack Truck	15.6kg	580 x 600 x 1160	N/A	150kg
ST250	Sack Truck	11.8kg	580 x 555 x 1180	N/A	250kg
ST500	Sack Truck	15.9kg	540 x 515 x 1280	N/A	500kg

Note: weights and dimensions are approximate. External dimensions include handles.

armorgard

gritkart™ spillkart™

Keeping your construction site safe and operational 24-7 - whatever the weather!

The Armorgard **GritKart** is specially designed for storing and transporting salt or grit for use on construction sites. Highly manoeuvrable and ultra-sturdy, there is no more efficient way of keeping your site safe, operational and ice-free during adverse weather. Also helps prevent wastage, theft and misuse of grit.

The Armorgard **SpillKart** is a versatile way of storing and transporting all your spill control products, enabling you to deal with spillages quickly, safely and with minimal disruption – comes complete with 60 litre general purpose spill kit.



GK2

SK2

MANUFACTURED FROM HIGH-DENSITY PLASTIC FOR MAXIMUM DURABILITY

RUBBER SEAL AROUND LID PREVENTS ENTRY OF UNWANTED LIQUID

STORAGE CAPACITY UP TO 75 LITRES

HASP AND STAPLE LOCKING WITH PADLOCK FACILITY

SHATTERPROOF WHEELS FOR EASY MANOEUVRABILITY

armorgard

safetykart™

A mobile incident response unit designed to carry all your vital emergency equipment

The **SafetyKart** is a versatile mobile unit that enables you to respond to on-site incidents – fast! Its roomy interior is designed to accommodate a diverse range of emergency equipment, including fire extinguishers, spill response kits, first aid kits, and more, while its all-terrain heavy-duty wheels make it ideally suited for use on outdoor construction and works sites.

EASY GRAB HANDLES

PERFORATED FOR EASY VIEWING OF CONTENTS (E. G. FIRE EXTINGUISHERS)

HEAVY-DUTY WHEELS FOR EASY MANOEUVRING ON ROUGH TERRAIN

SFK1

ROBUST LONG-LASTING CONSTRUCTION DESIGNED TO WITHSTAND THE HARSHTEST ENVIRONMENTS

POWDER COATED FOR MAXIMUM DURABILITY

INTERNAL HOOKS FOR SECURING FIRE EXTINGUISHERS

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
GK2	GritKart	10.2kg	590 x 420 x 1080	510 x 385 x 500
SK2	SpillKart	15kg	590 x 420 x 1081	510 x 385 x 500

Note: weights and dimensions are approximate.


Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
SFK1	SafetyKart	39kg	680 x 420 x 1200	600 x 265 x 1015

Note: weights and dimensions are approximate. External dimensions include handles.

armorgard triload™

A trolley and cage system for the safe manual handling of bar test weights

Our **TriLoad** trolley and cage system is perfectly designed for moving hand test weights around site safely and efficiently. Forget lifting each weight individually - just let TriLoad take the strain and dramatically reduce your workload. Built with safe manual handling in mind, **TriLoad** comprises of a tilting trolley with two solid 300mm wheels and a secure hook-on cage capable of holding four 20kg test weights.



TL100T

TL100C



DURABLE POWDER COATING ENSURES IT CAN WITHSTAND THE ELEMENTS

BOTH TROLLEY AND CAGE ARE INTERCHANGEABLE WITH MOST OTHER VERSIONS ON THE MARKET

ROBUST CONSTRUCTION USING 3MM AND 6MM STEEL



THE CAGE IS HELD IN PLACE BY A SIMPLE, BUT STRONG SAFETY CATCH ON EITHER SIDE

TO MAXIMISE STABILITY, THE CAGE HAS A LARGE, SOLID PLATE ON THE BOTTOM



THE TROLLEY HAS SOLID, PUNCTURE RESISTANT WHEELS TO STAND UP TO ROUGH SITE CONDITIONS

THE CAGE WEIGHS 20KG AS PER THE INDUSTRY STANDARD, AND CAN HOLD UP TO 80KG OF BAR TEST WEIGHTS

TROLLEY AND CAGE COMBINATION OFFERS A SAFE AND SIMPLE METHOD OF MOVING TEST WEIGHTS INTO LOCATION



For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk




MANUAL HANDLING PRODUCTS

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
TL100T	TriLoad Trolley	19kg	445 x 535 x 1190	N/A
TL100C	TriLoad Cage	20kg	345 x 265 x 590	265 x 165 x 580


Note: weights and dimensions are approximate.

04

hazardous goods storage



SECTION 04 hazardous goods storage

	A GUIDE TO STORING HAZARDOUS SUBSTANCES	76
	FLAMBANK	78
	FLAMSTOR CABINET	82
	TRANSBANK	84
	TRANSBANK CHEM	86
	CHEMBANK	88
	SAFESTOR	90
	CHEMCUBE CABINET	92
	FORMA-STOR COSHH	94
	FLAMSTOR	96
	TUFFCAGE	98
	GORILLA GAS CAGE	100
	DRUMCAGE	102
	DRUMBANK	104

A Guide to Storing Hazardous Substances

STORING FUEL AND OTHER FLAMMABLE SUBSTANCES

If you are storing fuels or chemicals, there are laws that you have to comply with. By applying the following five 'VICES' principle you will be well on the way to making sure that you are working safely with flammable substances and chemicals.

We stock a unique range of the flammable and chemical storage products to ensure that you can be compliant.

Ventilation – is there plenty of fresh air where flammable substances are stored and used?

Ignition – have all the obvious ignition sources been removed from the storage and handling areas?

Containment – are your flammable substances kept in suitable containers?

Exchange – can you exchange a flammable substance for a less flammable substance?

Separation – are flammable substances stored and used well away from other process and storage areas?

Flammable liquids can give off large volumes of flammable vapours at room temperature. These vapours, when mixed with air, can ignite, often violently. Spilled flammable liquids can, if not contained, flow a long way to an ignition source, and then flash back to the source of the leak. Spills on clothing can represent a serious risk of injury if ignited.

To help control these risks:

- Store flammable liquids in a separate storage area, or in a purpose-made bin or cupboard
- Dispense and use them in a safe place where there is good ventilation and no source of ignition
- Keep containers closed when not in use.
- Always dispense liquids over a tray and keep a non-flammable spill kit to hand
- Dispose of contaminated materials safely or call in disposal experts
- Always keep adequate number of fire extinguishers at hand.

All storage cabinets must be designed to retain spills (110% volume of the largest vessel normally stored in it, or 25% of the total amount stored, whichever is the greater)
All flammable liquids must be stored in closed containers and kept in a store which is manufactured from materials that will sustain 30 minutes fire.



STORING PESTICIDES AND OTHER CHEMICALS

Location – position your store well away from areas that present a risk of fire.

Organising – mark the exterior of the store with general chemical danger warning signs.

Construction – provide a store that is resistant to fire for 30 minutes, capable of retaining leakage/spillage adequately ventilated and secure against unauthorised access.

TRANSPORTING PESTICIDES AND OTHER CHEMICALS

Pesticides or other chemicals should never be kept in a vehicle for long periods of time – maximum time would be a 24 hour period.

Never carry pesticides or other chemicals in the cab of tractors or any other vehicles. Use a vehicle with a floor to ceiling bulkhead if possible, between the driver/passenger compartment and the load compartment.

All chemicals must be strapped or secure somehow during transit. It is highly recommended to fit secure containers/cabinets to the vehicle, either inside, or securely mounted to the outside or on a trailer. Chemical safes must be sturdy, lockable and fixed down to the vehicle. Ventilation is not necessary.

When away from your fixed store, pesticides must always be secure against unauthorised access. Park your mobile store away from any location where water pollution could occur. Try to work within sight of your mobile store, especially in public areas. Always ensure the cabinet or vehicle is locked.

It is essential that the driver has access on the vehicle to PPE, spillage kit, first aid including eye wash, and also spare impermeable sealable containers in which to place split containers and any other contaminated material.

TRANSPORTING FUEL AND OTHER FLAMMABLE SUBSTANCES

The purpose of the regulations dealing with the carriage of dangerous goods is to protect everyone either directly involved, or who might become involved, such as members of the emergency services or public. Regulations place duties on everyone involved in the carriage of dangerous goods, to ensure that they know what they have to do to minimise the risk of incidents and guarantee an effective response.

Regulations regarding purchasing, transporting and storing fuel are becoming much more stringent. The following guidelines are for businesses transporting flammables

Filling up containers at petrol stations

All petrol stations are under licence to supply fuel, very similar to alcohol licence. If they are caught breaching these licences they could lose their right to supply fuel. By law, the only type of can which can be filled up is one approved to UN1203. Most petrol stations have restrictions in place now which prevents any more than 2 cans being filled in one visit. Typical containers purchased from car accessory shops may not be so approved.

Transporting fuel in approved containers

Ensure that you do not carry over the maximum allowed by law, without having an ADR licence. This is 333 litres, but HSE will always look at the amount you should have 'reasonably been carrying' if you are involved in an accident. A typical case of transporting fuel would be with 2 or 3 jerry cans. Providing those cans are UN approved, marked UN1203 and labelled with the flammable diamond, the only requirements by law are:

- Driver training in accordance with ADR1.3
- Carry 2kg fire extinguisher
- Stow the jerry cans securely to avoid damage or loss from the vehicle

The HSE class vans as 'workplaces' during the working day. If a vehicle is involved in an accident, not only do the above regulations come into force, but also The Health and Safety at Work Act. This involves safe storage of the fuel cans, and requires that they are stored in secure lockable vented containers. There is also the risk of spillage of goods, which could lead to fire, explosion or environmental damage. It is highly recommended that an absorbent spill kit is kept on board every vehicle carrying any form of dangerous liquids. Fire extinguishers are the subject of conditions from HSE also. They must be easily accessible to the vehicle crew and protected against the effects of the weather.

HOW ARMORGARD CALCULATE THE SUMP CAPACITY

The sump capacity on all Armorgard products, is calculated by the maximum amount of liquid that can be contained within the liquid-tight space in the base of a unit.

DISCLAIMER

The storage of chemicals, flammable substances and gases is the subject of many regulations. Some substances must be stored outside away from buildings. Others can be stored inside but are sometimes subjected to quantity limits. We would always recommend that you should seek the advice of the Health and Safety Inspectorate, your local Fire Officer, Trading Standards Office or any other qualified body. Armorgard Security Products are not advisors as to where goods shall be stored and can take no liability for any storage situation. All information can be found at www.hse.gov.uk or by calling HSE's information line.

armorgard flambank™

The ultra-tough, lockable vault for storing hazardous chemicals and flammables

As well as exposing individuals to possible risk, failure to comply with regulations relating to the Control of Substances Hazardous to Health (COSHH) is an offence under the Health and Safety at Work Act 1974. Built to the same high specification as our renowned TuffBank range, the Armorgard **FlamBank** is specially designed to comply with all COSHH regulations, ensuring that your hazardous substances are securely protected 24/7. Available in 7 sizes, the **FlamBank** is ideal for use on construction sites, in factories and vehicles.



PLEASE TURN OVER FOR MORE FLAMBANK PRODUCTS



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES, WITH HEAVY-DUTY CHUBB-STYLE KEYS, WELDED SECURITY ID NUMBERS AND 6MM REINFORCEMENT AROUND THE LOCK

BUILT TO SPECIFICATION FOR 1/2 HOUR FIRE RESISTANT

STRONG GAS STRUTS AND SAFETY CATCH FITTED AS STANDARD - CONFORM TO INDUSTRY STANDARDS

SUITABLE FOR CHEMICALS OR FLAMMABLES

FINISHED IN BRIGHT RED WITH RELEVANT HAZARD WARNING SIGNS FITTED AS STANDARD

SUPPLIED COMPLETE WITH INTERNAL SHELF (ONLY FBC2, FBC4, FBC5 AND FBC8)

FULLY WELDED AND TESTED SUMP BASE TO PREVENT LEAKAGE



OPTIONAL FACILITY TO ADD CASTORS USING THE PRE-DRILLED HOLES DETAILS ON PAGE 106

FORK SKIDS WITH FIXING SLOTS FOR EASILY ADDING CASTORS (EXCEPT FB1)

ROBUST STEEL PLATE CONSTRUCTION AND POWDER COATED FOR MAXIMUM DURABILITY



FB2



HIGH & LOW LEVEL VENTILATION TO PREVENT BUILD-UP OF FUMES

FLAME ARRESTER GAUZE FITTED ON ALL VENTILATION



FB1

FB2



FB21

FBC2



Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
FB1	Van box	46kg	980 x 540 x 475	895 x 470 x 465	60
FB21	Site box	64kg	765 x 675 x 670	680 x 605 x 575	40
FB2	Site box 4x2x2	81.5kg	1275 x 665 x 660	1185 x 600 x 575	85
FBC2	Site chest	107kg	765 x 675 x 1270	680 x 605 x 1180	50
FBC4	Site chest 4x4x2	152.5kg	1275 x 675 x 1270	1185 x 605 x 1185	85
FBC5	Site chest 5x4x2	174kg	1585 x 675 x 1275	1500 x 605 x 1185	110
FBC8	Site chest	334kg	2370 x 985 x 1220	2350 x 895 x 1130	250

Note: weights and dimensions are approximate. External dimensions include handles.

For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk

HAZARDOUS GOODS STORAGE

armorgard flambank™

The ultra-tough, lockable vault for storing hazardous chemicals and flammables

As well as exposing individuals to possible risk, failure to comply with regulations relating to the Control of Substances Hazardous to Health (COSHH) is an offence under the Health and Safety at Work Act 1974. Built to the same high specification as our renowned TuffBank range, the Armorgard **FlamBank** is specially designed to comply with all COSHH regulations, ensuring that your hazardous substances are securely protected 24/7. Available in 7 sizes, the **FlamBank** is ideal for use on construction sites, in factories and vehicles.



TURN BACK TO PAGE 78 FOR MORE FLAMBANK PRODUCTS



FBC5



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES, WITH HEAVY-DUTY CHUBB-STYLE KEYS, WELDED SECURITY ID NUMBERS AND 6MM REINFORCEMENT AROUND THE LOCK

STRONG GAS STRUTS AND SAFETY CATCH FITTED AS STANDARD - CONFORM TO INDUSTRY STANDARDS

FINISHED IN BRIGHT RED WITH RELEVANT HAZARD WARNING SIGNS FITTED AS STANDARD

SUPPLIED COMPLETE WITH INTERNAL SHELF (ONLY FBC2, FBC4, FBC5 AND FBC8)

SUITABLE FOR CHEMICALS OR FLAMMABLES



HIGH & LOW LEVEL VENTILATION TO PREVENT BUILD-UP OF FUMES



OPTIONAL FACILITY TO ADD CASTORS USING THE PRE-DRILLED HOLES DETAILS ON PAGE 106

FORK SKIDS WITH FIXING SLOTS FOR EASILY ADDING CASTORS (EXCEPT FB1)

BUILT TO SPECIFICATION FOR 1/2 HOUR FIRE RESISTANT

ROBUST STEEL PLATE CONSTRUCTION AND POWDER COATED FOR MAXIMUM DURABILITY

FLAME ARRESTER GAUZE FITTED ON ALL VENTILATION

FULLY WELDED AND TESTED SUMP BASE TO PREVENT LEAKAGE



For on-site solutions call our service team on **023 9238 0280** or email **sales@armorgard.co.uk**



FBC4



FBC5



FBC8



Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
FB1	Van box	46kg	980 x 540 x 475	895 x 470 x 465	60
FB21	Site box	64kg	765 x 675 x 670	680 x 605 x 575	40
FB2	Site box 4x2x2	81.5kg	1275 x 665 x 660	1185 x 600 x 575	85
FBC2	Site chest	107kg	765 x 675 x 1270	680 x 605 x 1180	50
FBC4	Site chest 4x4x2	152.5kg	1275 x 675 x 1270	1185 x 605 x 1185	85
FBC5	Site chest 5x4x2	174kg	1585 x 675 x 1275	1500 x 605 x 1185	110
FBC8	Site chest	334kg	2370 x 985 x 1220	2350 x 895 x 1130	250

Note: weights and dimensions are approximate. External dimensions include handles.

HAZARDOUS GOODS STORAGE

armorgard flamstor cabinet™

The secure storage cabinet that keeps your hazardous substances safe, organised and accessible

The Armorgard cabinet is built to the same exacting specification as our popular **TuffStor Cabinet**, but with the addition of specially designed flameproof vents to prevent build-up of fumes. Supplied with adjustable shelves and heavy-duty 5 lever deadlocks, this robust cabinet comes complete with warning stickers and complies with all COSHH regulations, ensuring that your hazardous substances are kept safe, accessible and secure.



FSC5

FSC4

FULLY WELDED AND TESTED SUMP BASE TO PREVENT LEAKAGE


FLAME ARRESTER GAUZE FITTED ON ALL VENTILATION

POWDER COATED FOR MAXIMUM DURABILITY

FULLY ADJUSTABLE SHELVES WITH ALL SIZES OF CABINET

BUILT TO SPECIFICATION FOR 1/2 HOUR FIRE RESISTANT

FINISHED IN BRIGHT RED WITH RELEVANT HAZARD WARNING SIGNS FITTED AS STANDARD



KEYED ALIKE 5-LEVER DEADLOCKS BOTH SIDES, WITH HEAVY-DUTY CHUBB-STYLE KEYS AND WELDED SECURITY ID NUMBERS

SUITABLE FOR CHEMICALS OR FLAMMABLES



HIGH & LOW LEVEL VENTILATION TO PREVENT BUILD-UP OF FUMES

FORK SKIDS WITH FIXING SLOTS FOR EASILY ADDING CASTORS



OPTIONAL FACILITY TO ADD CASTORS USING THE PRE-DRILLED HOLES
DETAILS ON PAGE 106



FSC1



FSC2



FSC3



Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
FSC1	FlamStor Cabinet	44.5kg	500 x 530 x 980	490 x 465 x 895	40
FSC2	FlamStor Cabinet	74kg	800 x 585 x 1250	790 x 540 x 1170	115
FSC3	FlamStor Cabinet	110.5kg	1205 x 580 x 1555	1185 x 510 x 1475	130
FSC4	FlamStor Cabinet	170kg	1350 x 780 x 1560	1340 x 695 x 1260	190
FSC5	FlamStor Cabinet	500kg	2500 x 750 x 2300	2420 x 650 x 2000	295

Note: weights and dimensions are approximate. External dimensions include handles.

armorgard transbank™

The cost-effective secure container for storing hazardous fuels and chemicals

HSE regulations require that fuels and chemicals are transported and stored in a secure, lockable container. The Armorgard TransBank is purpose-built to ensure that you comply with all legal requirements for storing and transporting hazardous goods, while protecting them from theft, fire and leakage. Constructed from heavy-duty steel plate, this high quality secure container is designed to accommodate standard jerry fuel cans, and is equally suitable for use as a chemical safe.



TRB6

SUITABLE FOR CHEMICALS OR FLAMMABLES

BUILT TO SPECIFICATION FOR 1/2 HOUR FIRE RESISTANT



OVER-CENTRE CATCH WITH PADLOCK FACILITY

FINISHED IN BRIGHT RED WITH RELEVANT HAZARD WARNING SIGNS FITTED AS STANDARD

ROBUST STEEL PLATE CONSTRUCTION FOR MAXIMUM PROTECTION



FLAME ARRESTER GAUZE FITTED ON ALL BOXES



INTEGRAL FIXING POINTS ALLOW VAULTS TO BE SECURED TO THE FLOOR OR VEHICLE

POWDER COATED FOR MAXIMUM DURABILITY

FULLY WELDED AND TESTED SUMP BASE TO PREVENT LEAKAGE



For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk



TRB1



TRB2



TRB3



TRB4



365mm



TRB1

540mm



TRB2

540mm



TRB3

540mm



TRB4

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
TRB1	TransBank	12.5kg	430 x 415 x 365	345 x 345 x 335	15
TRB2	TransBank	20kg	530 x 485 x 540	445 x 415 x 510	35
TRB3	TransBank	23.5kg	705 x 485 x 540	620 x 415 x 510	70
TRB4	TransBank	27.5kg	880 x 485 x 540	790 x 415 x 510	70
TRB6	TransBank	37.5kg	1195 x 485 x 540	1110 x 415 x 510	90

Note: weights and dimensions are approximate. External dimensions include handles.

armorgard
transbank chemTM

The safe vault for storage and transportation of smaller volumes of chemicals

HSE legislation requires that anyone using chemicals must store them safely in a lockable container. The TransBank Chem has been specially designed to comply with all legislation regarding the storage of chemicals, both in vehicles and in fixed locations. To maximise internal space, vaults are built to accommodate the range of standard sized chemical cans.



TRB4C



VENTILATION TO PREVENT BUILD-UP OF FUMES



OVER-CENTRE CATCH WITH PADLOCK FACILITY



FINISHED IN BRIGHT YELLOW WITH RELEVANT HAZARD WARNING SIGNS

BUILT TO SPECIFICATION FOR 1/2 HOUR FIRE RESISTANT

POWDER COATED FOR MAXIMUM DURABILITY



INTEGRAL FIXING POINTS ALLOW VAULTS TO BE SECURED TO THE FLOOR OR VEHICLE

FULLY WELDED AND TESTED SUMP BASE TO PREVENT LEAKAGE

SPECIALLY DESIGNED FOR CHEMICAL STORAGE



For on-site solutions call our service team on **023 9238 0280** or email **sales@armorgard.co.uk**



TRB1C



TRB2C



TRB4C



Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
TRB1C	TransBank Chem	12.5kg	430 x 415 x 365	345 x 345 x 335	15
TRB2C	TransBank Chem	20kg	530 x 485 x 540	445 x 415 x 510	35
TRB4C	TransBank Chem	27.5kg	880 x 485 x 540	790 x 415 x 510	70

Note: weights and dimensions are approximate. External dimensions include handles.

armorgard
chembank™

The high security lockable vault for the safe storage of chemicals

Purpose-built for the safe storage of chemical substances, the ChemBank conforms to all relevant HSE requirements. The tough welded construction delivers maximum protection from thieves and the elements, while its distinctive bright yellow colour and signage make it easy to distinguish between fuel and chemical stores – a particular benefit for sites with multi-national workforces.



HAZARD WARNING SIGNS



STRONG GAS STRUTS AND SAFETY CATCH FITTED AS STANDARD



HIGH & LOW LEVEL VENTILATION TO PREVENT BUILD-UP OF FUMES



CBC4 MODEL SUPPLIED WITH 1 INTERNAL SHELF



TWIN 5-LEVER DEADLOCKS WITH GAS STRUTS ON ALL SIDES

FINISHED IN BRIGHT YELLOW WITH RELEVANT HAZARD WARNING SIGNS

BUILT TO SPECIFICATION FOR 1/2 HOUR FIRE RESISTANT

CBC4 MODEL SUPPLIED WITH 1 INTERNAL SHELF

CONSTRUCTED USING 2 & 3MM STEEL

FULLY WELDED AND TESTED SUMP BASE TO PREVENT LEAKAGE

POWDER COATED FOR MAXIMUM DURABILITY

HIGH & LOW LEVEL VENTILATION TO PREVENT BUILD-UP OF FUMES



For on-site solutions call our service team on **023 9238 0280** or email **sales@armorgard.co.uk**

CBC4



CB2



660mm



CB2

1270mm



CBC4

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
CB2	Site box 4x2x2	85.5kg	1275 x 665 x 660	1185 x 600 x 575	85
CBC4	Site chest 4x4x2	150kg	1275 x 675 x 1270	1185 x 605 x 1185	85

Note: weights and dimensions are approximate. External dimensions include handles.

armorgard safestor™

The medium-duty hazardous substance cabinet that complies with all COSHH regulations

The SafeStor is purpose-built for the indoor safe storage of flammables and chemicals, including paint and other hazardous substances. Fully compliant with all legislation relating to the Control of Substances Hazardous to Health (COSHH), this robust range of cabinets features a liquid-tight sump to contain spillages, as well as galvanised shelves for maximum durability.



HFC5

HFC6

GALVANISED SHELVES

REINFORCED DOORS

FLUSH HANDLES WITH TWO-POINT LOCKING

POWDER COATED PAINT FINISH - COMPLETE WITH RELEVANT WARNING SIGNS

MEETS RELEVANT REGULATION FOR STORING FUEL OR CHEMICALS

LIQUID-TIGHT SUMP TO CONTAIN SPILLAGES

BUILT TO SPECIFICATION FOR 1/2 HOUR FIRE RESISTANT



HFC1

HFC2

HFC3

HFC4

HCS1

HMC2

HFC7

700mm

905mm

1200mm

1800mm



Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
HFC1	SafeStor	20.5kg	900 x 465 x 700	890 x 395 x 640	30
HFC2	SafeStor	12.5kg	350 x 315 x 700	335 x 245 x 640	7
HFC3	SafeStor	28kg	900 x 465 x 900	890 x 395 x 840	30
HFC4	SafeStor	31kg	450 x 465 x 905	440 x 395 x 840	17
HFC5	SafeStor	41kg	900 x 465 x 1200	890 x 395 x 1140	30
HFC6	SafeStor	68kg	1200 x 465 x 1800	1190 x 395 x 1740	45
HFC7	SafeStor	55kg	900 x 465 x 1800	890 x 395 x 1740	35
HMC1	SafeStor Mobile	25.5kg	900 x 465 x 810	890 x 395 x 640	30
HMC2	SafeStor Mobile	33kg	900 x 465 x 1010	890 x 395 x 840	30
HCS1	SafeStor Stand	10kg	-	-	N/A
HCS2	SafeStor Stand	10kg	-	-	N/A
HCS3	SafeStor Stand	5kg	-	-	N/A

Note: weights and dimensions are approximate. External dimensions include handles.



For on-site solutions call our service team on **023 9238 0280** or email **sales@armorgard.co.uk**



chemcube cabinet

The leak-proof, lockable cabinet that keeps your chemicals safe and accessible

Available in three sizes, the Armorgard Chemcube Cabinet is purpose built to keep your chemicals safe and accessible. Constructed from durable UV resistant plastic that doesn't corrode, these sturdy cabinets feature robust shelving, a leak-proof sump to contain accidental spillages and a vent to prevent the build-up of fumes or gases. For extra convenience, the smallest size is also wall-mountable.



- RELEVANT HAZARD WARNING SIGNAGE ATTACHED
- DURABLE PLASTIC - DESIGNED AND MANUFACTURED TO A HIGH STANDARD
- LOCKABLE DOORS TO PREVENT UNAUTHORISED ACCESS
- NOT SUITABLE FOR FLAMMABLE MATERIALS
- COMES COMPLETE WITH TWO HEAVY-DUTY SHELVES
- 105 LITRE SUMP CAPACITY TO CONTAIN ACCIDENTAL SPILLAGES

CCC3



CCC1



CCC2

910mm



CCC1

1310mm



CCC2

1310mm



CCC3

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
CCC1	ChemCube Cabinet	15kg	575 x 440 x 910	515 x 385 x 900	16
CCC2	ChemCube Cabinet	27kg	695 x 515 x 1310	660 x 450 x 1260	60
CCC3	ChemCube Cabinet	47kg	1220 x 550 x 1310	1225 x 450 x 1050	105

Note: weights and dimensions are approximate.



For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk

HAZARDOUS GOODS STORAGE



forma-stor COSHH

Our new COSHH compliant, quick-assembly, modular storage units for the safe storage of hazardous substances

Forma-Stor COSHH is our innovative new modular solution for on-site, secure storage. Flat-packed Forma-Stor COSHH units can be constructed in around 10 minutes with very few tools and can be moved easily using built-in forklift pockets or lifting eyes. Galvanised panels fasten neatly together to provide a robust, weatherproof store that can be configured in numerous ways and sizes, starting from just 1m x 2m. Several HSE features have been carefully designed to enable contractors to meet COSHH regulations on-site.



FR300-C

MEETS RELEVANT LEGISLATION FOR STORING FUEL AND CHEMICALS

CAN BE DELIVERED PRE-ERECTED - ADDITIONAL COSTS INVOLVED

AVAILABLE IN 4 STANDARD SIZES

HEAVY-DUTY RAISED OPEN STEEL FLOOR - ALLOWS SPILLAGES TO DRAIN DIRECTLY INTO SUMP

FULLY GALVANISED AND POWDER COATED FOR MAXIMUM DURABILITY

RELEVANT HAZARD WARNING SIGNAGE

HEAVY-DUTY DOORS WITH 5-LEVER DEADLOCKS AND JEMMY-PROOF JOINS



For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk



FR100-C

FR300-C



FR400-C

FR200-C

Product Code	Description	Weight	External Dimensions (including protrusions) W x D x H (mm)	Internal Dimensions W x D x H (mm)
FR100-C	Forma-Stor COSHH	326kg	2075 x 1120 x 2255	1920 x 970 x 1960
FR200-C	Forma-Stor COSHH	476kg	2075 x 2075 x 2255	1920 x 1920 x 1960
FR300-C	Forma-Stor COSHH	588kg	2990 x 2075 x 2255	2840 x 1920 x 1960
FR400-C	Forma-Stor COSHH	730kg	3995 x 2075 x 2255	3840 x 1920 x 1960

Note: weights and dimensions are approximate.

armorgard flamstor™

The ultra-secure walk-in hazardous storage unit for fixed installation

The Armorgard FlamStor is the perfect solution for storing larger quantities of chemicals or flammable substances. Manufactured to an exacting standard throughout, this heavy-duty walk-in storage unit features a high-security anti-tamper door, fixed internal shelving and an innovative open steel floor, which allows spillages to drain directly into the sump. The FlamStor can also be customised to suit your exact requirements.




FS4.0



VENTILATION TO PREVENT BUILD-UP OF FUMES



FIXED INTERNAL SHELVING ON ALL SIZES



RAISED AND REMOVABLE OPEN STEEL FLOOR



FINISHED IN BRIGHT RED WITH RELEVANT HAZARD WARNING SIGNS FITTED AS STANDARD



FORK LIFTING SKIDS

CRANE LIFTING EYES

BUILT TO ORDER, SO CAN BE CUSTOMISED

ROBUST CONSTRUCTION FOR MAXIMUM SECURITY

BUILT TO SPECIFICATION FOR 1/2 HOUR FIRE RESISTANT

MEETS RELEVANT REGULATION FOR STORING FUEL OR CHEMICALS

FULLY WELDED AND TESTED SUMP TO PREVENT LEAKAGE

OPTIONAL POWER SUPPLY, HEATER, LIGHT OR ACCESS RAMP

CHUBB-STYLE SERIAL NUMBERED KEYS

HEAVY-DUTY FITTED DOOR WITH TWO 5-LEVER DEADLOCKS



For on-site solutions call our service team on **023 9238 0280** or email sales@armorgard.co.uk



FS1.2



FS1.8



FS2.0



FS3.0



Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimension W x D x H (mm)	Sump Capacity (L)
FS1.2	FlamStor	280kg	1210 x 1270 x 1290	1125 x 1110 x 1980	120
FS1.8	FlamStor	370kg	1210 x 1860 x 2190	1085 x 1710 x 1980	195
FS2.0	FlamStor	570kg	2000 x 2060 x 2175	1900 x 1912 x 1977	400
FS3.0	FlamStor	760kg	2000 x 3066 x 2175	1900 x 2912 x 1977	600
FS4.0	FlamStor	940kg	2000 x 4066 x 2175	1900 x 3912 x 1977	800
FS6.0	FlamStor	1000kg	2000 x 6066 x 2175	1900 x 5066 x 1977	1000

Note: weights and dimensions are approximate. External dimensions include handles.

armorgard tuffcage™

The one-piece folding security cage for storing your gas cylinders and costly equipment

The ingeniously designed **TuffCage** is the answer to a wide range of on-site security needs. Constructed from galvanised heavy duty steel, this robust high security cage is suitable for storing gas cylinders as well as tools and equipment. Fast and easy to erect and collapse, its space-saving one-piece design folds down to just 180mm in seconds – and with no detachable parts to lose!



TC1.2

ONE-PIECE CONSTRUCTION WITH NO REMOVABLE PARTS

FOLDS DOWN TO A HEIGHT OF JUST 180MM

SUITABLE FOR SECURING TOOLS AND EQUIPMENT AS WELL AS GAS CYLINDERS

QUICK AND EASY TO ERECT AND DISMANTLE

EASILY STACKED WHEN FOLDED DOWN - WITH FORK SKIDS ON BASE

2 SECURE PADLOCK POINTS


GALVANISED FOR MAXIMUM DURABILITY IN ALL WEATHER CONDITIONS



For on-site solutions call our service team on **023 9238 0280** or email **sales@armorgard.co.uk**




ONE-PIECE CONSTRUCTION WITH NO REMOVABLE PARTS



2 SECURE PADLOCK POINTS



GALVANISED



FOLDS DOWN TO A HEIGHT OF JUST 180MM



HAZARDOUS GOODS STORAGE

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	No. standard size gas bottles
TC1.2	TuffCage	133kg	1300 x 1240 x 1800	1220 x 1090 x 1760	47/19

Note: weights and dimensions are approximate.

armorgard
gorilla
gas cage™

The unique galvanised security cage specially designed for storing gas cylinders

Robustly constructed using 25mm box sections and 3mm wire mesh, the **Gorilla Gas Cage** features a unique modular bolt-together design using individual galvanised panels, making it quick and easy to erect and dismantle. Suitable for use on site or in the storage yard, it comes complete and ready to erect with all fixings, and packs flat when not in use. Gorilla gas cages are available in 16 standard sizes, but can easily be customised to any requirement.



SUPPLIED COMPLETE WITH ALL FIXINGS

RELEVANT HAZARD WARNING SIGNAGE ATTACHED

ROBUST CONSTRUCTION USING 25MM BOX SECTIONS AND 3MM WIRE MESH

QUICKLY DISMANTLED WHEN NOT IN USE AND STORED AS INDIVIDUAL PANELS

PADLOCK POINT TO SECURE UNIT FROM THEFT

GALVANISED FINISH - RESISTS ALL WEATHER CONDITIONS FOR MAXIMUM DURABILITY

FACILITY TO FIX TO GROUND, FOR ADDED SECURITY AND STABILITY

CUSTOMISABLE TO SUIT ANY REQUIREMENT



Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)
GGC1	Gas Bottle Cage	40kg	1000 x 500 x 900	1000 x 500 x 900
GGC3	Gas Bottle Cage	60kg	900 x 500 x 1800	900 x 500 x 1800
GGC4	Gas Bottle Cage	68kg	1200 x 1200 x 1200	1200 x 1200 x 1200
GGC5	Gas Bottle Cage	67kg	900 x 900 x 1800	900 x 900 x 1800
GGC6	Gas Bottle Cage	87kg	1200 x 1200 x 1800	1200 x 1200 x 1800
GGC7	Gas Bottle Cage	98kg	1800 x 900 x 1800	1800 x 900 x 1800
GGC8	Gas Bottle Cage	108kg	1800 x 1200 x 1800	1800 x 1200 x 1800
GGC9	Gas Bottle Cage	135kg	1800 x 1800 x 1800	1800 x 1800 x 1800
GGC10	Gas Bottle Cage	165kg	2400 x 1800 x 1800	2400 x 1800 x 1800
GGC11	Gas Bottle Cage	188kg	2700 x 1800 x 1800	2700 x 1800 x 1800
GGC12	Gas Bottle Cage	182kg	2400 x 2400 x 1800	2400 x 2400 x 1800
GGC13	Gas Bottle Cage	226kg	2400 x 3600 x 1800	2400 x 3600 x 1800
GGC14	Gas Bottle Cage	270kg	2400 x 4800 x 1800	2400 x 4800 x 1800
GGC15	Gas Bottle Cage	314kg	2400 x 6000 x 1800	2400 x 6000 x 1800
GGC16	Gas Bottle Cage	279kg	3600 x 3600 x 1800	3600 x 3600 x 1800
GGC17	Gas Bottle Cage	205kg	3600 x 1800 x 1800	3600 x 1800 x 1800

Note: weights and dimensions are approximate. External dimensions include handles.

» For on-site solutions call our service team on **023 9238 0280** or email **sales@armorgard.co.uk**

HAZARDOUS GOODS STORAGE

armorgard
drumcage™

A storage unit suitable for storing many types of hazardous substances

DrumCage is the first choice for the safe storage of hazardous substances. With a unique-COSHH compliant design, **DrumCage** is one of the few storage units on the market that is suitable for storing many types of hazardous substances, including gas and liquids. Robust safety features include a sturdy base, removable grated flooring and a 290 litre fully welded sump. **DrumCage** comes with one shelf as standard, with a second shelf as an optional extra. Fork lift pockets mean the unit is easily transportable when empty.



DRC4

THE DOOR IS FITTED WITH A HASP AND STAPLE CATCH TO ALLOW THE UNIT TO BE SECURED

FORKLIFT POCKETS

NUT AND BOLT CONSTRUCTION MEANS THE UNIT CAN BE DECONSTRUCTED

SUITABLE FOR SECURING TOOLS AND EQUIPMENT AS WELL AS GAS CYLINDERS

STRONG GRATED FLOOR ALLOWS HEAVY WEIGHTS TO BE STORED INSIDE WHILE ALLOWING DRAINAGE INTO THE LARGE 290L SUMP

REMOVABLE SHELF HAS A 120KG SAFE WORKING LOAD CAPACITY

STEEL MESH IS GALVANISED FOR ULTIMATE DURABILITY

COSHH COMPLIANT STORAGE UNIT FOR LIQUIDS, GASES AND SOLIDS



HAZARDOUS GOODS STORAGE

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity
DRC4	DrumCage	215kg	1215 x 1265 x 2080	1150 x 1200 x 1800	290

Note: weights and dimensions are approximate.

armorgard drumbank™

The enclosed store and spill pallet for the safe storage of oil drums

The Armorgard DrumBank is specially designed for the safe storage and dispensing of oil drums. Highly robust, the enclosed version is fitted with a heavy-duty door with a 5-lever deadlock to protect your high value fuel and oil from theft and fire. This innovative purpose-built product is fully compliant with all COSHH regulations for the safe storage of 205-litre drums.



DB4


FORK SKIDS FOR EASY LIFTING

RAISED REMOVABLE OPEN FLOOR

BUILT TO SPECIFICATION FOR 1/2 HOUR FIRE RESISTANT

STRONG GAS STRUTS FITTED AS STANDARD - CONFORMS TO INDUSTRY STANDARDS

POWDER COATED FOR MAXIMUM DURABILITY



HEAVY-DUTY DOOR WITH TWO 5-LEVER DEADLOCKS

MEETS RELEVANT REGULATION FOR STORING FUEL OR CHEMICALS

DB2

DBP2

DB4

DBP4




» For on-site solutions call our service team on **023 9238 0280** or email **sales@armorgard.co.uk**

Product Code	Description	Weight	External Dimensions W x D x H (mm)	Internal Dimensions W x D x H (mm)	Sump Capacity (L)
DB2	DrumBank	177.5kg	1385 x 1075 x 1345	1290 x 860 x 1100	295
DB4	DrumBank	231kg	1420 x 1345 x 1290	1390 x 1300 x 1100	485
DBP2	DrumBank Pallet	20kg	1310 x 750 x 435	N/A	250
DBP4	DrumBank Pallet	31.5kg	1290 x 1380 x 280	N/A	405

Note: weights and dimensions are approximate. External dimensions include handles.

SECTION 05

Replacement keys and parts



Product Code	Description
KEY	Replacement Deadlock Key
KEY3	Replacement Deadlock Key - Set 3
LOCK2	Pair 5 lever deadlocks
LOCK1	Single 5 lever deadlock
LOCKH	Pair lock housings for 5 lever deadlocks
STAY1	Lid support stay for boxes
STAY2	Lid support stay for chests
G300	300N Gas Strut
G395	395N Gas Strut
G450	450N Gas Strut
G1000	1000N Gas Strut
G1200	1200N Gas Strut
CAS	6" Castors (supply only) c/w fixing kit
CASFK	6" Castor Fixing Kit
CAS-HD	6" Heavy Duty Castors (supply only) c/w Fixing Kit
SH2	TBC/FBC 2' Shelf
SH4	TBC/FBC 4' Shelf
SH5	TBC/FBC 5' Shelf
SHTC1	TSC1 Shelf c/w brackets
SHTC2	TSC2 Shelf c/w brackets
SHTC3	TSC3 Shelf c/w brackets
SHFC1	FSC1 Shelf c/w brackets
SHFC2	FSC2 Shelf c/w brackets
SHFC3	FSC3 Shelf c/w brackets
SHCB	Set of shelf brackets to suit TSC/FSC/FC Cabinets
SS2L	Optional 110V internal light to suit SiteStation
FCB	Storage bins for FittingStor

Lost keys?

We also hold in stock replacement keys for our products, so we can get you quick access, should you lose your keys. Each product carries a unique serial number, which enables us to locate your exact key, and despatch immediately.

Spare parts

To complement our extensive range, we also hold in stock a vast supply of spare parts for our products. This enables us to deliver quickly on any requirement you may have for replacement elements.

Castors

Added flexibility for many of our products.

High quality heavy duty castor sets, with unique quick fit system, available as a factory fitted extra or simply bolt on yourself after delivery, using the pre-drilled holes.



Sign up to the Armorgard mailing list and receive all the latest news from the team at Armorgard!
www.armorgard.co.uk



Distributor Support

Our supply chain to the market is through a wide network of distributors.

We're here to do everything we can in assisting our distributors, from our supportive marketing literature right through to delivering on our promises; we do everything we can to help you win.

Our latest bank of high quality product images are available, please contact marketing@armorgard.co.uk for further information on this.

We can also provide you with pre-printed Point of Sale (POS) literature to assist you in getting sales – excellent tool for your sales staff, or something great for your trade counter.

Contact Us

Call 023 9238 0280

Fax 023 9220 0715

Email sales@armorgard.co.uk

www.armorgard.co.uk

Unit 14-16, Standard Way,
 Fareham Industrial Park,
 Fareham, Hampshire, PO16 8XB

Find us on social media:



T&C's

Armorgard reserve the right to change the design, specification, pricing or discontinue any product without prior notice. The user is responsible for complying with any relevant regulations, Armorgard cannot be held responsible for any inaccuracy or recommendations given. All prices are available upon request. Whilst we build our products to the highest levels of security; however they are promoted, we cannot guarantee that they will prevent any form of theft of the equipment in storage.



Find us on social media:



UK Head Office

Unit 14-16, Standard Way, Fareham Industrial Park, Fareham, Hampshire, PO16 8XB
call **023 9238 0280** email **sales@armorgard.co.uk** **www.armorgard.co.uk**



French Office

call **+33 4 81 16 06 69** email **commercial@armorgard.fr** **www.armorgard.fr**