

# DOW CORNING(R) 786 SILICONE SEALANT M CLEAR

Version	Revision Date:	SDS Number:	Date of last issue: 30.01.2017
1.5	24.04.2017	3267974-00006	Date of first issue: 15.12.2015

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	: DOW CORNING(R) 786 SILICONE SEALANT M CLEAR	
Product code	: 0000000004023914	
1.2 Relevant identified uses of the	e substance or mixture and uses advised against	
Use of the Sub- stance/Mixture	: Adhesive, binding agents	
1.3 Details of the supplier of the s	afety data sheet	
Company	Dow Corning Europe S.A. rue Jules Bordet - Parc Industriel - Zone C B-7180 Seneffe	
Telephone	: English Tel: +49 611237507	

Telephone	:	English Tel: Deutsch Tel: Français Tel: Italiano Tel: Español Tel:	+49 611237507 +49 611237500 +32 64511149 +32 64511170 +32 64511163
E-mail address of person responsible for the SDS	:	sdseu@dowco	rning.com

#### 1.4 Emergency telephone number

Dow Corning (Barry U.K. 24h) Tél: +44 1446732350 Dow Corning (Wiesbaden 24h) Tél: +49 61122158 Dow Corning (Seneffe 24h) Tel: +32 64 888240

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

2

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary statements

#### Prevention:

P271 Use only outdoors or in a well-ventilated area.



# DOW CORNING(R) 786 SILICONE SEALANT M CLEAR

Version	Revision Date:	SDS Number:	Date of last issue: 30.01.2017
1.5	24.04.2017	3267974-00006	Date of first issue: 15.12.2015

#### 2.3 Other hazards

None known.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature		Silicone elastomer
Hazardous components		
Remarks	:	No hazardous ingredients

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Protection of first-aiders	:	No special precautions are necessary for first aid responders.
lf inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment
- : Treat symptomatically and supportively.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.

# DOW CORNING(R) 786 SILICONE SEALANT M CLEAR

Versic 1.5	on	Revision Date: 24.04.2017		0S Number: 67974-00006	Date of last issue: 30.01.2017 Date of first issue: 15.12.2015
5.2 Special hazards arising from Specific hazards during fire- fighting				<b>xture</b> bustion products may be a hazard to health.	
	lazard icts	ous combustion prod-	: Carbon oxides Silicon oxides Formaldehyde		
5.3 Ac	5.3 Advice for firefighters				
	•	protective equipment ighters	:		ed breathing apparatus for firefighting if nec- onal protective equipment.
	Specific ods	c extinguishing meth-	:	<ul> <li>Use extinguishing measures that are appropriate to local cumstances and the surrounding environment.</li> <li>Use water spray to cool unopened containers.</li> <li>Remove undamaged containers from fire area if it is safe so.</li> <li>Evacuate area.</li> </ul>	

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

o. The solial precadions, protective equipment and emergency procedures					
Personal precautions	:	Follow safe handling advice and personal protective equip- ment recommendations.			
6.2 Environmental precautions					
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.			

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.



# DOW CORNING(R) 786 SILICONE SEALANT M CLEAR

Version	Revision Date:	SDS Number:	Date of last issue: 30.01.2017
1.5	24.04.2017	3267974-00006	Date of first issue: 15.12.2015

#### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling				
Technical measures :		See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.		
Local/Total ventilation	:	Use only with adequate ventilation.		
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.		
Hygiene measures	:	Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.		
7.2 Conditions for safe storage, including any incompatibilities				
Requirements for storage areas and containers	:	Keep in properly labelled containers. Store in accordance with the particular national regulations.		
Advice on common storage	:	Do not store with the following product types: Strong oxidizing agents		
7.3 Specific end use(s)				
Specific use(s)	:	These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may re- quire added precautions.		

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Silicon dioxide	7631-86-9	TWA (inhalable dust)	6 mg/m3 (Silica)	GB EH40
Further information	fractions of air in accordance sampling and COSHH defin kind when pre 8-hour TWA of This means the above these left	borne dust which wi with the methods do gravimetric analysis ition of a substance sent at a concentrat of inhalable dust or 4 hat any dust will be s evels. Some dusts h	espirable dust and inhalable Il be collected when sampling escribed in MDHS14/3 Gene of respirable and inhalable of hazardous to health includes ion in air equal to or greater mg.m-3 8-hour TWA of resp ubject to COSHH if people a ave been assigned specific V the appropriate limit., Most ir	g is undertaken ral methods for dust, The dust of any than 10 mg.m-3 irable dust. re exposed VELs and ex-

### SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



# DOW CORNING(R) 786 SILICONE SEALANT M CLEAR

Version 1.5	Revision Da 24.04.2017	te: SDS Number: 3267974-00006	Date of last issue: 30.01.20 Date of first issue: 15.12.20	
		contain particles of a wide ran of any particular particle after body response that it elicits, of HSE distinguishes two size fr ble' and 'respirable'., Inhalabl material that enters the nose available for deposition in the to the fraction that penetrates definitions and explanatory m contain components that have should be complied with., Wh a figure three times the long-	entry into the human respirat depend on the nature and size actions for limit-setting purpose e dust approximates to the fra and mouth during breathing a respiratory tract. Respirable to the gas exchange region of aterial are given in MDHS14/2 e their own assigned WEL, all ere no specific short-term exp term exposure should be used ble 2.4 mg/m3	ory system and the of the particle. ses termed 'inhala- action of airborne and is therefore dust approximates of the lung. Fuller 3., Where dusts the relevant limits posure limit is listed,
Furthe	er information	dust) For the purposes of these lim fractions of airborne dust whit in accordance with the method sampling and gravimetric and COSHH definition of a substa- kind when present at a concer- 8-hour TWA of inhalable dust This means that any dust will above these levels. Some du posure to these must comply contain particles of a wide ran of any particular particle after body response that it elicits, of HSE distinguishes two size fr ble' and 'respirable'., Inhalabl material that enters the nose available for deposition in the to the fraction that penetrates definitions and explanatory m contain components that have should be complied with., Wr a figure three times the long-	ch will be collected when sam ds described in MDHS14/3 G ilysis of respirable and inhalat ince hazardous to health inclu- ntration in air equal to or great or 4 mg.m-3 8-hour TWA of r be subject to COSHH if peop sts have been assigned speci with the appropriate limit., Mo- nge of sizes. The behaviour, d entry into the human respirat lepend on the nature and size actions for limit-setting purpos e dust approximates to the fra and mouth during breathing a respiratory tract. Respirable of to the gas exchange region of aterial are given in MDHS14/2 e their own assigned WEL, all ere no specific short-term exp	pling is undertaken eneral methods for ble dust, The ides dust of any iter than 10 mg.m-3 respirable dust. le are exposed fic WELs and ex- bit industrial dusts leposition and fate ory system and the e of the particle. ses termed 'inhala- action of airborne und is therefore dust approximates of the lung. Fuller 3., Where dusts the relevant limits posure limit is listed,

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard.

Silicon dioxide

#### 8.2 Exposure controls

#### Engineering measures

Processing may form hazardous compounds (see section 10). Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

:

#### Personal protective equipment

Eye protection

Wear the following personal protective equipment: Safety glasses

# DOW CORNING(R) 786 SILICONE SEALANT M CLEAR

Version 1.5	Revision Date: 24.04.2017	SDS Number: 3267974-00006	Date of last issue: 30.01.2017 Date of first issue: 15.12.2015		
	protection emarks	: Wash hands b	efore breaks and at the end of workday.		
Skin and body protection		: Skin should be	: Skin should be washed after contact.		
Respiratory protection		: No personal re quired.			

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance	:	paste
Colour	:	colourless
Odour	:	Acetic acid
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	No data available
Relative density	:	1.04
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available



# DOW CORNING(R) 786 SILICONE SEALANT M CLEAR

Versio 1.5	n Revision Date: 24.04.2017	SDS Number:Date of last issue: 30.01.20173267974-00006Date of first issue: 15.12.2015	
D	ecomposition temperature	: No data available	
V	iscosity Viscosity, dynamic	: Not applicable	
E	xplosive properties	: Not explosive	
0	xidizing properties	: The substance or mixture is not classified as oxidizing.	
0.2 01	her information lolecular weight	: No data available	
P	article size	: No data available	
S	elf-ignition	: The substance or mixture is not classified as pyrophoric. substance or mixture is not classified as self heating.	The

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Use at elevated temperatures may form highly hazardous compounds. Can react with strong oxidizing agents. Acetic acid is formed upon contact with water or humid air. Hazardous decomposition products will be formed at elevated temperatures.
10.4 Conditions to avoid		
Conditions to avoid	:	None known.

# 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

#### **10.6 Hazardous decomposition products**

Thermal decomposition : Formaldehyde

### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**



# DOW CORNING(R) 786 SILICONE SEALANT M CLEAR

/ersion I.5	Revision Date: 24.04.2017	SDS Number: 3267974-00006	Date of last issue: 30.01.2017 Date of first issue: 15.12.2015
Inform expos	nation on likely routes sure	of : Skin contact Ingestion Eye contact	
	e toxicity assified based on ava	lable information.	
	<b>corrosion/irritation</b> assified based on ava	lable information.	
	<u>uct:</u> t: No skin irritation ırks: Based on data fro	m similar materials	
	us eye damage/eye i assified based on ava		
	<b>uct:</b> t: No eye irritation ırks: Based on data fro	m similar materials	
Resp	iratory or skin sensit	isation	
-	sensitisation assified based on ava	lable information.	
-	iratory sensitisation assified based on ava	lable information.	
	cell mutagenicity assified based on ava	lable information.	
	nogenicity assified based on ava	lable information.	
<b>Reproductive toxicity</b> Not classified based on available information.			
<b>STOT - single exposure</b> Not classified based on available information.			
<b>STOT - repeated exposure</b> Not classified based on available information.			
-	ation toxicity	lable information.	

No data available



# DOW CORNING(R) 786 SILICONE SEALANT M CLEAR

Version	Revision Date:	SDS Number:	Date of last issue: 30.01.2017
1.5	24.04.2017	3267974-00006	Date of first issue: 15.12.2015

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### **12.4 Mobility in soil** No data available

# 12.5 Results of PBT and vPvB assessment

Not relevant

#### 12.6 Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

#### **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

# DOW CORNING(R) 786 SILICONE SEALANT M CLEAR

Version	Revision Date:	SDS Number:	Date of last issue: 30.01.2017
1.5	24.04.2017	3267974-00006	Date of first issue: 15.12.2015

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Dimethylbis[(1- oxoneodecyl)oxy]stannane (20)
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer	:	Not applicable
Regulation (EC) No 850/2004 on persistent organic pol- lutants	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

The components of this product are reported in the following inventories:         NZIoC       : All ingredients listed or exempt.		
AICS		All ingredients listed or exempt.
AICS	•	All ingredients listed of exempt.
IECSC	:	All ingredients listed or exempt.
PICCS	:	All ingredients listed or exempt.
DSL	:	All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).
REACH	:	For purchases from Dow Corning EU legal entities, all ingredi- ents are currently pre/registered or exempt under REACH. Please refer to section 1 for recommended uses. For pur- chases from non-EU Dow Corning legal entities with the inten- tion to export into EEA please contact your DC representa- tive/local office.
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.
TCSI	:	All ingredients listed or exempt.

# DOW CORNING(R) 786 SILICONE SEALANT M CLEAR

Version	Revisio
1.5	24.04.2

ion Date: .2017 SDS Number: 3267974-00006

Date of last issue: 30.01.2017 Date of first issue: 15.12.2015

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

#### Full text of other abbreviations

GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Sources of key data used to : compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.



# DOW CORNING(R) 786 SILICONE SEALANT M CLEAR

Version	Revision Date:	SDS Number:	Date of last issue: 30.01.2017
1.5	24.04.2017	3267974-00006	Date of first issue: 15.12.2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN