

# FISKARS®



## The garden catalogue

2017





Over 365 years of history are proof of our commitment to quality. Fiskars products are ingeniously functional, uniquely user-friendly, impressively long-lasting and aesthetically iconic.


## Fiskars



12



14



51

47




10



32



39



42



25

4 **James Wong in partnership with Fiskars**

6 **New products & innovations**

8 **Wood Preparation**  
Axes · Handling and preparation tools · Saws

18 **Soil Care**  
**Shovels, spades & forks**  
Xact™ · Light™ · Solid™  
**Soil care tools**  
Light · Solid™  
**Nursery tools**  
Premium Planters™ · Solid™ · Inspiration™

32 **Lawn Care**  
**Rakes**  
Light · Solid™

**Grass shears**  
Servo-System™  
**Weed pullers**  
Xact™ · Light  
**Reel Mowers**  
StaySharp™

39 **Plant Care**  
**Scissors**  
**Pruners**  
PowerGear™ · SmartFit™ · SingleStep™ · Quantum™ · Inspiration™  
**Loppers**  
PowerGear X™ · PowerGear™ · SmartFit™ · SingleStep™  
**Hedge shears**  
PowerGear X™ · PowerGear™ · SmartFit™ · SingleStep™ · Quantum™  
**Tree pruners**  
**Accessories**

54 **Children's Tools**

**Please note!** All the measurements portrayed in the catalogue are packaging measurements.

# James Wong

in partnership with Fiskars

We didn't have to think too hard about who should be the face of our award-winning garden hand tool range in the UK. TV presenter, ethnobotanist and best-selling author James Wong ticked all the right boxes. After all, we are not your average garden tool company...we don't make old-fashioned tools, we design innovative ranges that take the hard work out of gardening and put the passion back in. So we needed an expert who is to gardening, as we are to tools.

James Wong is a Kew-trained botanist, writer and broadcaster based in London. Graduating with a Master of Science degree in Ethnobotany in 2006, he has pursued his key research interests of under-utilised crop species & traditional food systems through field work in rural Ecuador, Java & Southern China.

He is the author of the best-selling books 'Grow For Flavour', 'Grow Your Own Drugs' and 'Homegrown Revolution', as well as a presenter of programmes including BBC2's award-winning 'Grow Your Own Drugs' & 'Countryfile' as well as Radio 4's 'Gardeners' Question Time'.

Becoming an RHS ambassador in 2014, James is passionate about communicating plant science to new audiences in relevant and accessible ways. James' small London garden serves as a testing station for all manner of crops and horticultural ideas from around the world.

## Gardening tips from James Wong



### 1. Pruning

Almost anything that grows benefits from pruning. Want supersweet apples? A light pruning of fruit trees in summer lets in more light to the developing crop. Trials have shown that this can make them measurably sweeter, double their antioxidant content and intensify their colour. Twice the nutrition for five mins of snipping. What's not to like?



### 2. Weed Pulling

A close relative of trendy radicchio, dandelion leaves are a spring time delicacy across the Mediterranean, from France to Italy. Containing 7x the antioxidants of lettuce, this gourmet green is so easy to grow it literally plants itself. A free farmers market on your doorstep? Boom!



### 3. Digging

Research has shown that planting trees in square (NOT round) holes leads to much faster establishment and long term health. This works as the pointed corners of the square help direct roots outwards to colonise the surrounding soil much faster, instead of spiralling round and round the trunk.

# New products



## New innovations for 2017



NEW FOR 2017

Our new products will tackle anything, whether it's thick or thin branches, bushes or shrubs. These products will work with you, side by side, for years to come.

### PowerGearX

Our next generation PowerGear X series combines the best of Fiskars existing technology and new innovations. Market leading performance. Ultra durable yet lightweight. Effortless to use.

New



# Feel the power. Enjoy the moment.

## New Fiskars PowerGear™ Tools.

For more inspiration go to [fiskars.com](http://fiskars.com)

# FISKARS®

# Wood preparation



Axes [p.10](#)

WoodXpert™ [p.14](#)

Saws [p.16](#)

# X-Series axes

Fiskars next generation splitting axes are a true evolution of craftsmanship –purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.



## KEY BENEFITS

- ✓ 35 degree convex cutting bevel angle for splitting axes - the convex shape strengthens the edge to make it less sensitive to fracture
- ✓ Perfect balance between head and shaft for the most safe, comfortable and efficient swing
- ✓ Ultralight and durable FiberComp™ shaft minimizes fatigue and makes the axe virtually unbreakable
- ✓ Optimal anti-shock surface structure ensures a comfortable, firm grip
- ✓ Hooked end of the handle prevents the axe from slipping out of the hand
- ✓ Comes with a plastic sheath for easy carrying and storage



## CHOPPING AXES



<3–10cm <3–10cm <3–10cm

**X5** **X7** **X10**  
**XXS** **XS** **S**



## SPLITTING AXES



10–20cm 20–30cm 20–30cm >30cm >30cm

**X11** **X17** **X21** **X25** **X27**  
**S** **M** **L** **XL** **XXL**



## Chopping vs. Splitting

### Chopping axes

Fiskars next generation chopping axes serve all manner of woodwork, chopping, carpentry and pruning. The range delivers a wonderful package of minimalist design and sharp-edged functionality with the right fit for all wood preparation tasks. Pick your size according to the task at hand.

The Universal Chopping Axe's thin, wide edge ensures a clean, easy cut in fresh, resinous wood, like spruce or pine.

### Splitting axes

Fiskars next generation splitting axes are a true evolution of craftsmanship –purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.

The Splitting Axe features a unique cutting edge that easily slices into the wood, which the thick axe blade then pushes apart.

## Splitting axes

### Fiskars Splitting Axe S\_X11

Height: 33 mm Length: 490 mm Width: 198 mm Weight: 1180 g

Art. no. 1015640


Old art. no. 122443



EAN



- For small size logs <20 cm
- New 3D grip for increased safety and swing speed
- New extended 25 years warranty via web registration
- Product: 33 x 444 x 151 mm



### Fiskars Splitting Axe M\_X17

Height: 38 mm Length: 650 mm Width: 208 mm Weight: 1630 g

Art. no. 1015641

Old art. no. 122463



EAN



- For medium size logs >20 cm
- New 3D grip for increased safety and swing speed
- New extended 25 years warranty via web registration
- Product: 36 x 600 x 165 mm



### Fiskars Splitting Axe L\_X21

Height: 38 mm Length: 760 mm Width: 208 mm Weight: 1740 g

Art. no. 1015642

Old art. no. 122473



EAN



- New model with perfected balance and high swing speed
- For medium size logs 20- 30cm
- New 3D grip for increased safety and swing speed
- New extended 25 yrs warranty via web registration
- Product: 36 x 709 x 165 mm



### Fiskars Splitting Axe XL\_X25

Height: 45 mm Length: 774 mm Width: 235 mm Weight: 2540 g

Art. no. 1015643

Old art. no. 122483



EAN



- For large logs > 30 cm
- New 3D grip for increased safety and swing speed
- New extended 25 years warranty via web registration
- Product: 40 x 725 x 191 mm



### Fiskars Splitting Axe XXL\_X27

Height: 45 mm Length: 964 mm Width: 235 mm Weight: 2700 g

Art. no. 1015644

Old art. no. 122503



EAN



- For extra large logs > 30 cm
- New 3D grip for increased safety and swing speed
- New extended 25 years warranty via web registration
- Product: 40 x 925 x 191 mm



## Chopping axes

### Fiskars Camping Axe XXS\_X5

Height: 32 mm Length: 260 mm Width: 172 mm Weight: 630 g

Art. no. 1015617

Old art. no. 121123



EAN



- For kindling small wood for camp fire
- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 28 x 231 x 130 mm



### Fiskars Chopping Axe XS\_X7

Height: 34 mm Length: 399 mm Width: 172 mm Weight: 700 g

Art. no. 1015618

Old art. no. 121423



EAN



- For chopping small wood for camp fire
- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 33 x 354 x 130 mm



### Fiskars Chopping Axe S\_X10

Height: 34 mm Length: 473 mm Width: 194 mm Weight: 1100 g

Art. no. 1015619


Old art. no. 121443



EAN



- For carpentry and small wood work
- Redesigned blade cover for easy transportability
- New extended 25 years warranty via web registration
- Product: 33 x 445 x 152 mm



## Choose the right size for you



### 1. LENGTH TEST

Grab the axe on the shaft below the blade. Turn the shaft towards your armpit and if the end of the shaft reaches the armpit the axe is too long

### 2. WEIGHT TEST

Grab the axe at the end of the shaft and let the head rest towards the ground. Lift the head up with a wrist turn close to your body as pivotal point (axe is vertically in your hand at the end of the movement) If you can't lift the axe this way, the axe is too heavy.

## WoodXpert™ wood handling tools

Fiskars WoodXpert™ wood handling tools are designed for axe owners. These new tools support tasks related to firewood preparation. The design emphasis in these new tools has been placed on lightweight performance, excellent grip and superior tool blade development.

<b>WoodXpert™ XA3 Brush hook</b>				Art. no. <b>1003609</b>	EAN 6 411501 260048
Height: -	Length: <b>505 mm</b>	Width: <b>120 mm</b>	Weight: <b>450 g</b>	Old art. no. <b>126004</b>	



- For cutting smaller branches from trees.
- For clearing weeds and brush in gardens and forest.
- For stripping bark from logs.

<b>WoodXpert™ XA23 Brush hook</b>				Art. no. <b>1003621</b>	EAN 6 411501 260055
Height: -	Length: <b>950 mm</b>	Width: <b>132 mm</b>	Weight: <b>990 g</b>	Old art. no. <b>126005</b>	



- For cutting larger branches from trees / logs.
- For clearing saplings and brush in gardens and forest.
- For light chopping and splitting of firewood.

<b>WoodXpert™ XA2 Sappie</b>				Art. no. <b>1003622</b>	EAN 6 411501 260062
Height: -	Length: <b>348 mm</b>	Width: <b>160 mm</b>	Weight: <b>310 g</b>	Old art. no. <b>126006</b>	



- For carrying and lifting smaller logs.
- For handling and arranging wood piles.
- For turning of small logs.

<b>WoodXpert™ XA22 Sappie</b>				Art. no. <b>1003623</b>	EAN 6 411501 260079
Height: -	Length: <b>785 mm</b>	Width: <b>230 mm</b>	Weight: <b>880 g</b>	Old art. no. <b>126007</b>	




- For lifting and transporting larger logs.
- For handling and arranging wood piles.
- For turning of large logs.

<b>WoodXpert™ Log Hook</b>				Art. no. <b>1003624</b>	EAN 6 411501 260215
Height: -	Length: <b>303 mm</b>	Width: <b>193 mm</b>	Weight: <b>610 g</b>	Old art. no. <b>126021</b>	



- For lifting and transporting logs.
- For handling and arranging logs.
- For assisting tree felling.
- With plastic sheath for easy carrying with Tool Belt.

<b>WoodXpert™ Log Tongs</b>				Art. no. <b>1003625</b>	EAN 6 411501 260314
Height: -	Length: <b>303 mm</b>	Width: <b>180 mm</b>	Weight: <b>780 g</b>	Old art. no. <b>126031</b>	



- For lifting and transporting logs.
- For handling and arranging logs.
- With plastic sheath for easy carrying with Tool Belt.

<b>WoodXpert™ Tool Belt</b>				Art. no. <b>1003626</b>	EAN 6 411501 260093
Height: -	Length: <b>570 mm</b>	Width: <b>90 mm</b>	Weight: <b>320 g</b>	Old art. no. <b>126009</b>	



- Tool belt to attach Log hook and Log tongs.
- Ergonomic support for the back.
- Firm double tightening.

## Accessories

<b>Xsharp™ Axe and Knife Sharpener</b>				Art. no. <b>1000601</b>	EAN 6 411501 207401
Height: -	Length: <b>165 mm</b>	Width: <b>35 mm</b>	Weight: <b>90 g</b>	Old art. no. <b>120740</b>	



For regular maintenance of your Fiskars axes and knives, 2 sharpeners in 1. Ceramic grind stone has clearly indicated cutting grooves for either axes or knives. Optimised sharpening angle for Fiskars blades with easy-to-use mechanism. Convenient portability.

## Xtract™ saws

Fiskars saws have teeth designed especially for wood. They allow you to prune branches and clear foliage in difficult positions safely with a lightweight saw. Fiskars Xtract™ range features a unique retractable mechanism and integrated belt clip making them safe to carry and easy to store.

### Xtract™ Garden Saw (L) SW75

Height: - Length: **330 mm** Width: **65 mm** Weight: **230 g**

Art. no. **1000614**

Old art. no. **123880**



- Efficiently saws fresh wood.
- Blade length 255 mm.
- Large cutting capacity up to 220 mm.

### Xtract™ Garden Saw (S) SW73

Height: - Length: **223 mm** Width: **50 mm** Weight: **130 g**

Art. no. **1000613**

Old art. no. **123870**



- Efficiently saws fresh wood.
- Blade length 160 mm.
- Cutting capacity 120 mm.

### Xtract™ Builder's Saw SW72

Height: - Length: **223 mm** Width: **50 mm** Weight: **130 g**

Art. no. **1000612**

Old art. no. **123860**



- Fine teeth for dry wood, boards and wood strips.
- Blade length 160 mm.
- Cutting capacity 120 mm.

## Saws

### Fixed Blade Saw SW84

Height: - Length: **500 mm** Width: **95 mm** Weight: **300 g**

Art. no. **1001620**

Old art. no. **123840**



- Blade 330 mm.
- Cutting capacity 220 mm.

### 21" Bow Saw SW30

Height: - Length: **625 mm** Width: **215 mm** Weight: **500 g**

Art. no. **1001621**

Old art. no. **124800**



- Excellent for sawing 10-20 cm stems and branches.

### 24" Bow Saw SW31

Height: - Length: **700 mm** Width: **215 mm** Weight: **650 g**

Art. no. **1000615**

Old art. no. **124810**



- Excellent for sawing >20 cm stems and thicker branches.

# Soil care



Spades, shovels  
& forks [p.20](#)

Soil care tools [p.25](#)  
Nursery Tools [p.28](#)

# Fiskars digging

To make shifting soil or digging as easy as possible, you need a reliable spade. But some tasks require different types. That's why we've developed ranges of spades for different uses. Our spades are perfect for edging, planting, aerating and for moving sand or soil. In short, we've got a shedload of spades.



## Xact™

Gardening is a demanding pastime. Fiskars Xact™ digging tools will give you that extra push to take your gardening to a whole new level and make digging a truly pleasurable experience. Fiskars Xact™ digging tools fit you – combining right length with lightweight material and durability.

## Light™

The new beautiful light range offers you a selection of lightweight tools for digging and planting. These tools are easy and convenient to use by all gardeners even in tight and small gardens because of the lightweight aluminum body and smaller size.

## Solid™

Fiskars Solid™ is all about functional tools that work effortlessly and won't let you down. The digging spades have a durable boron steel construction with angled shaft and D-handle for comfortable working.

## Xact™ spades & shovels

### Xact™ Digging Spade Medium

Height: - Length: 1080 mm Width: 190 mm Weight: 1800 g

Art. no. 1003684

Old art. no. 131482



- For digging in hard and rocky soil.
- Pointed sharpened blade with step board cuts easily through soil layers and roots.
- For height of users 160 - 175 cm.

### Xact™ Digging Spade Large

Height: - Length: 1200 mm Width: 190 mm Weight: 1900 g

Art. no. 1003683

Old art. no. 131483



- Best tool for digging in hard and rocky soil.
- Pointed sharpened blade with step board cuts easily through soil layers and roots.
- For height of users 175 - 195 cm.

### Xact™ Edging & Planting Spade Medium

Height: - Length: 1080 mm Width: 190 mm Weight: 1850 g

Art. no. 1003682

Old art. no. 131480



- For normal garden soil (grass layer, soft ground).
- Sharpened blade with step board is perfect for digging planting holes, edging beds and removing small amounts of soil.
- For height of users 160 - 175 cm.

### Xact™ Edging & Planting Spade Large

Height: - Length: 1200 mm Width: 190 mm Weight: 1950 g

Art. no. 1003681

Old art. no. 131481



- For normal garden soil (grass layer, soft ground).
- Sharpened blade with step board is perfect for digging planting holes, edging beds and removing small amounts of soil.
- For height of users 175 - 195 cm.

### Xact™ Shovel Large

Height: - Length: 1300 mm Width: 224 mm Weight: 2100 g

Art. no. 1003688

Old art. no. 132480



- The shovel with broad scoop is best for lifting and moving bulk materials, such as soil, sand or snow.
- Easier shovelling due to upright shaft.

## Xact™ forks

<b>Xact™ Soil Work Fork Medium</b>				Art. no. <b>1003686</b>	EAN 6 411501 334800
Height: -	Length: <b>1080 mm</b>	Width: <b>184 mm</b>	Weight: <b>1700 g</b>	Old art. no. <b>133480</b>	




- For loosening and turning over compacted soil.
- Move easily tuft of grass when bordering or planting or use for aerating the lawn and raking out stones and weeds.
- For height of users 160 - 175 cm.
- The tines can be pushed easily into the ground not stopped by stones, weed or roots.

<b>Xact™ Soil Work Fork Large</b>				Art. no. <b>1003685</b>	EAN 6 411501 334817
Height: -	Length: <b>1200 mm</b>	Width: <b>184 mm</b>	Weight: <b>1800 g</b>	Old art. no. <b>133481</b>	




- For loosening and turning over compacted soil.
- Move easily tuft of grass when bordering or planting or use for aerating the lawn and raking out stones and weeds.
- For height of users 175 - 195 cm.
- The tines can be pushed easily into the ground not stopped by stones, weed or roots.

<b>Xact™ Composting Fork Large</b>				Art. no. <b>1003687</b>	EAN 6 411501 334824
Height: -	Length: <b>1200 mm</b>	Width: <b>184 mm</b>	Weight: <b>1700 g</b>	Old art. no. <b>133482</b>	




- For lifting, turning and spreading loose material like grass, hay, weeds, leaves, compost and other garden waste.
- The thin and sharp tines that are more widely spaced and curved than in a garden fork can be pushed easily into the compost and chunky material doesn't get stuck in the tines.
- Upright shaft helps the composting task.
- Suitable for all heights of users.

## Light spades, shovels & forks

<b>Light Digging Spade</b>				Art. no. <b>1019605</b>	EAN 6 411501 315137
Height: <b>10 mm</b>	Length: <b>1050 mm</b>	Width: <b>17 mm</b>	Weight: <b>1120 g</b>	Old art. no. <b>131513</b>	



- Light digging spade with pointed cutting edge for easier penetration to soil.
- For light digging in normal to loose garden soil.

<b>Light Planting Spade</b>				Art. no. <b>1019601</b>	EAN 6 411501 315038
Height: <b>10 mm</b>	Length: <b>1050 mm</b>	Width: <b>17 mm</b>	Weight: <b>1220 g</b>	Old art. no. <b>131503</b>	



- Light planting spade for digging planting holes, edging beds and removing small amounts of soil.
- Ideal for light digging in normal to loose garden soil.

<b>Light Shovel</b>				Art. no. <b>1019602</b>	EAN 6 411501 325037
Height: <b>20 mm</b>	Length: <b>1230 mm</b>	Width: <b>24 mm</b>	Weight: <b>1220 g</b>	Old art. no. <b>132503</b>	



- Light shovel with broad scoop is an easy to handle tool for lifting and moving soil, mulch or snow.

<b>Light Digging Fork</b>				Art. no. <b>1019603</b>	EAN 6 411501 335036
Height: <b>100 mm</b>	Length: <b>1130 mm</b>	Width: <b>180 mm</b>	Weight: <b>1230 g</b>	Old art. no. <b>133503</b>	




- Light fork for loosening and turning over soil, harvesting and composting.

## Xact™

Extreme durability with lightweight, ergonomic design. Right fit to user with Medium and Large shaft size.

- Easy penetration to soil
- Ergonomic shaft angle
- Sharp, light and durable EaseCut™ Blade
- Nonslip step board
- Lightweight material structure, FiberComp™ Shaft



Less strain on back  
Medium and Large length




Control and comfort  
Push-Pull handle for better control,  
SoftGrip™ material.

## Light digging tools

The Garden Light range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks. Versatile range of soil rakes, hoes and cultivators are ideal for weed control, moving soil, creating narrow furrows for planting seeds and bulbs and even harvesting root crops.

- The oval-shaped aluminium shaft is lightweight
- Optimal anti-shock surface structure ensures a comfortable, firm grip
- Plastic sleeve maximises the grip and insulates from cold



## Solid™ spades, shovels & forks

Solid™ Spade Pointed				Art. no. 1003455	EAN 6 411501 314130
Height: -	Length: 1170 mm	Width: 180 mm	Weight: 1820 g	Old art. no. 131413	



- All-purpose digging spade with pointed and sharpened cutting edge.

Solid™ Spade Rounded				Art. no. 1003456	EAN 6 411501 314031
Height: -	Length: 1170 mm	Width: 180 mm	Weight: 1890 g	Old art. no. 131403	



- Straight and sharpened cutting edge for cutting grass and moving and mixing soil.

Solid™ Shovel				Art. no. 1003457	EAN 6 411501 324030
Height: -	Length: 1270 mm	Width: 235 mm	Weight: 2150 g	Old art. no. 132403	



- For moving sand, gravel and other bulky materials.

Solid™ Fork				Art. no. 1003458	EAN 6 411501 334237
Height: -	Length: 1220 mm	Width: 170 mm	Weight: 2100 g	Old art. no. 133423	



- For loosening and turning over compacted soil.
- Use also for aerating the lawn or raking out stones and weeds.

## Light soil tools

Light Soil Rake				Art. no. 1019608	EAN 6 411501 355232
Height: 75 mm	Length: 1570 mm	Width: 360 mm	Weight: 680 g	Old art. no. 135523	



- Light soil rake for preparing planting beds, levelling soil, cleaning and spreading.
- Durable hardened head with 14 prongs for raking in larger areas.

Light Rose Rake				Art. no. 1019607	EAN 6 411501 355034
Height: 60 mm	Length: 1600 mm	Width: 250 mm	Weight: 650 g	Old art. no. 135503	



- Light rose rake for cleaning and spreading soil in small spaces around salad and under plants.
- Special rake form of hardened steel to rake between and under plants.

Light Weeding Knife				Art. no. 1019604	EAN 6 411501 365439
Height: 25 mm	Length: 1600 mm	Width: 80 mm	Weight: 490 g	Old art. no. 136543	



- Light weeding knife for removing weeds from patio or tight places in vegetable or flower bed.
- Steel head in knife shape to fit in tight places.

Light Weeder				Art. no. 1019610	EAN 6 411501 365637
Height: 55 mm	Length: 1720 mm	Width: 150 mm	Weight: 680 g	Old art. no. 136563	



- Light weeder for removing weeds from vegetable bed and larger areas.
- Sharp steel blade to remove weeds.

Light Cultivator				Art. no. 1019611	EAN 6 411501 365736
Height: 110 mm	Length: 1640 mm	Width: 90 mm	Weight: 625 g	Old art. no. 136573	



- Light cultivator for loosening compacted soil.
- Sharp hardened steel prongs to penetrate soil easily when cultivating.

<b>Light Hoe</b>				Art. no. <b>1019609</b>	EAN 6 411501 365538
Height: <b>95 mm</b>	Length: <b>1580 mm</b>	Width: <b>185 mm</b>	Weight: <b>490 g</b>	Old art. no. <b>136553</b>	



- Light hoe for removing weeds and loosening soil in vegetable bed and under plants.
- Steel blade with sharp edges to reach under plants.

## Solid™ soil tools

<b>Solid™ Cultivator</b>				Art. no. <b>1016034</b>	EAN 6 411501 357144
Height: -	Length: <b>1640 mm</b>	Width: <b>117 mm</b>	Weight: <b>660 g</b>	Old art. no. <b>135714</b>	



- Easy to use tool for loosening and tiling the soil before planting.
- Hardened carbon steel blade.
- Aluminium handle.

### Light series

This beautiful range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks.

**Al**  
Aluminium

**KEY BENEFITS**

- ✓ Hole for easy storage
- ✓ Drop-shaped soft grip handle for optimal grip
- ✓ The oval-shaped aluminium shaft is lightweight
- ✓ Optimal anti-shock surface structure ensures a comfortable, firm grip
- ✓ Plastic sleeve maximises the grip and insulates from cold

<b>Solid™ Hoe</b>				Art. no. <b>1016035</b>	EAN 6 411501 357137
Height: -	Length: <b>1550 mm</b>	Width: <b>185 mm</b>	Weight: <b>620 g</b>	Old art. no. <b>135713</b>	



- Efficient tool for removing weeds between rows of plants or breaking up the soil for cultivation.
- Hardened carbon steel blade.


<b>Solid™ Soil Rake</b>				Art. no. <b>1016036</b>	EAN 6 411501 357151
Height: -	Length: <b>1540 mm</b>	Width: <b>358 mm</b>	Weight: <b>670 g</b>	Old art. no. <b>135715</b>	



- All purpose soil rake for preparing planting beds, smoothing down soil and other general gardening tasks like aking branches or spreading mulch.
- Hardened carbon steel blade.
- Aluminium handle.

# Fiskars Nursery tools

Fiskars nursery tools are ergonomically designed for comfortable planting, cultivating, weeding and seeding. They are designed with rounded edges to minimise soil and root damage.



**PREMIUM PLANTERS**  
Ergonomically designed for comfortable planting



**SOLID**  
Lightweight and rust-free nursery tools

## Premium Planters™ nursery tools

Fiskars nursery tools are ergonomically designed for comfortable planting, cultivating, weeding and seeding. They are designed with rounded edges to minimise soil and root damage.

### Premium Planters™ Trowel

Height: - Length: **320 mm** Width: **87 mm** Weight: **130 g**

Art. no. **1000726**

Old art. no. **137200**



- For planting and transplanting in hard ground.

### Premium Planters™ Transplanter

Height: - Length: **334 mm** Width: **70 mm** Weight: **120 g**

Art. no. **1000727**

Old art. no. **137210**



- For planting and weeding in hard ground.
- Perfect for use in narrow bed layouts and on balconies.

### Premium Planters™ Cultivator

Height: - Length: **300 mm** Width: **80 mm** Weight: **140 g**

Art. no. **1000728**

Old art. no. **137220**



- For aerating and loosening soil in hard ground.

### Premium Planters™ Weed Fork

Height: - Length: **304 mm** Width: **78 mm** Weight: **130 g**

Art. no. **1000729**

Old art. no. **137230**



- For planting and weeding whilst protecting roots.

## Solid™ Nursery Tools

<b>Solid™ Planters Trowel</b>			Art. no. <b>1000694</b>	EAN 6 4 1 1 5 0 3 4 6 0 1 0 1
Length: <b>315 mm</b>	Width: <b>83 mm</b>	Weight: <b>96 g</b>	Old art. no. <b>137000</b>	
			 Ideal for planting and transplanting Lightweight and durable FiberComp™ material Rust-proof Hanging hole for easy storage	

<b>Solid™ Planters Transplanter</b>			Art. no. <b>1000695</b>	EAN 6 4 1 1 5 0 3 4 6 0 2 0 0
Length: <b>323 mm</b>	Width: <b>70 mm</b>	Weight: <b>82 g</b>	Old art. no. <b>137010</b>	
			 Ideal for planting, transplanting and weeding Perfect for use in narrow bed layouts and on balconies Lightweight and durable FiberComp™ material Rust-proof Hanging hole for easy storage	

<b>Solid™ Planters Cultivator</b>			Art. no. <b>1001600</b>	EAN 6 4 1 1 5 0 3 4 6 0 3 0 9
Length: <b>307 mm</b>	Width: <b>76 mm</b>	Weight: <b>89 g</b>	Old art. no. <b>137020</b>	
			 Ideal for aerating and loosening soil Lightweight and durable FiberComp™ material Rust-proof Hanging hole for easy storage	

<b>Solid™ Planters Weed Fork</b>			Art. no. <b>1000696</b>	EAN 6 4 1 1 5 0 2 4 6 0 4 0 9
Length: <b>295 mm</b>	Width: <b>78 mm</b>	Weight: <b>89 g</b>	Old art. no. <b>137030</b>	
			 Ideal for weeding whilst protecting roots Lightweight and durable FiberComp™ material Rust-proof Hanging hole for easy storage	

<b>Inspiration™ Trowel Lucy</b>				Art. no. <b>1003667</b>	EAN 6 4 1 1 5 0 1 3 7 1 3 1 7
Height: -	Length: <b>291 mm</b>	Width: <b>83 mm</b>	Weight: <b>96 g</b>	Old art. no. <b>137131</b>	
				<ul style="list-style-type: none"> <li>• Ideal for planting and transplanting.</li> </ul>	

<b>Inspiration™ Cultivator Lucy</b>				Art. no. <b>1003670</b>	EAN 6 4 1 1 5 0 1 3 7 1 3 3 1
Height: -	Length: <b>276 mm</b>	Width: <b>76 mm</b>	Weight: <b>89 g</b>	Old art. no. <b>137133</b>	
				<ul style="list-style-type: none"> <li>• Ideal for aerating and loosening soil.</li> </ul>	

<b>Inspiration™ Planters Hoe Lucy</b>				Art. no. <b>1003696</b>	EAN 6 4 1 1 5 0 1 3 7 1 3 5 5
Height: -	Length: <b>322 mm</b>	Width: <b>199 mm</b>	Weight: <b>168 g</b>	Old art. no. <b>137135</b>	
				<ul style="list-style-type: none"> <li>• Ideal for multiple planting and weeding tasks.</li> </ul>	



# Lawn care

## Rakes and Brooms

### Light Leaf Rake

Height: 85 mm Length: 1720 mm Width: 51 mm Weight: 590 g

Art. no. 1019606

Old art. no. 135563



Light leaf and lawn rake for cleaning the lawn and yard  
Sturdy and flexible tines prevent twigs and leaves from getting caught

### Solid™ Leaf Rake M

Height: - Length: 1700 mm Width: 415 mm Weight: 560 g

Art. no. 1003464

Old art. no. 135026



Medium-sized all-purpose rake for working in smaller areas like around trees or under bushes  
Sturdy tines work well on rooty and uneven surfaces  
Lightweight but durable aluminium handle

### Solid™ Leaf Rake L

Height: - Length: 1710 mm Width: 520 mm Weight: 580 g

Art. no. 1003465

Old art. no. 135016



Wide rake for working on large lawn areas  
Sturdy and flexible tines with specific geometry prevent twigs and leaves from getting caught  
Lightweight but durable aluminium handle

### Fiskars Leaf Rake XL

Height: - Length: 1735 mm Width: 646 mm Weight: 1000 g

Art. no. 1001584

Old art. no. 135591



Extra wide head (65 cm) and wooden shaft  
Flat, rigid and curved plastic tines prevent leaves from sliding up and blocking the head  
Rounded edges make it suitable for all types of terrain

### Solid™ All Purpose Yard Broom

Height: 80 mm Length: 1590 mm Width: 380 mm Weight: 680 g

Art. no. 1003467

Old art. no. 135541



All-purpose yard broom for cleaning pavements, patios and other yard areas  
Featuring Fiskars PowerClean™ combing soft and hard bristles for efficient sweeping  
Modern design

Rakes p.33

Grass shears p.34

Weedpullers p.36

Reel Mowers p.38

## Grass shears

Fiskars Grass Shears are ergonomically designed with unique user-friendly features. The ingenious Servo-System™ technology prevents the blades from jamming. The blades are made from hardened stainless steel for long durability.

### Servo-System™ Grass Shear, Long GS46

Height: - Length: 1035 mm Width: 240 mm Weight: 600 g

Art. no. 1000590

Old art. no. 113690



For trimming lawn edges standing up  
Cutting angle adjustable 360°

### Servo-System™ Grass Shear GS42

Height: - Length: 344 mm Width: 42 mm Weight: 260 g

Art. no. 1000589

Old art. no. 113680



For trimming lawn edges and hedges  
Cutting angle adjustable 360°

### Long Handled Edging Shears

Height: - Length: 990mm Width: 240mm Weight: 1695g

Art. no. 1000587

Old art. no. 113310



For trimming lawn edges  
Heat treated carbon steel blades for added strength  
Comfortable SoftGrip™ handles for extra grip

### Long Handled Lawn Shears

Height: - Length: 1100mm Width: 310mm Weight: 1930g

Art. no. 1000588

Old art. no. 113320



For cutting grass, hedges and small bushes  
Heat treated carbon steel blades for added strength  
Comfortable SoftGrip™ handles for extra grip

# The new and improved weed pullers

Fiskars has two weed puller models to choose from. The sturdy Xact™ with ergonomic handle design and the Light with ease of use and light aluminium construction.



**XACT™**  
Ergonomic grip design

**LIGHT SERIES**  
Lightweight aluminium

## Weed Pullers

### Xact™ Weed Puller

Height: - Length: 1000 mm Width: 30 mm Weight: 950 g

Art. no. 1020126

Old art. no. 139950



- For removing any root weeds effortlessly, ergonomically designed handle

### Light Weed Puller

Height: - Length: 900 mm Width: 30 mm Weight: 900 g

Art. no. 1020127

Old art. no. 139940



- Light Weed Puller for removing any root weeds ergonomically and effortlessly

## Easy and effective weeding

1



Push the weed puller blades around the weed.

2



Press the pedal with your foot to the ground. Then remove your foot and pull the shaft.

3



Pull the weeder up and eject. Let the weeds fly.

# Fiskars StaySharp™

The Fiskars StaySharp™ Max reel mower promotes greener, healthier lawns by cutting each blade of grass cleanly with a scissor-like action. This minimises the lawn's moisture loss and reduces exposure to disease.



The Reel Mower lets you cut grass without noise, uncomfortable vibrations and the hazards associated with power driven rotary blades. It is one of the most environmentally friendly ways to cut your lawn.

- Long-lasting performance due to StaySharp™ cutting system using precision-ground, hardened steel blades to cut grass without touching
- Ergonomic, height-adjustable handle with padded grip for more comfort
- Forward grass discharge

## Reel Mowers

### StaySharp Max Reel Mower

Height: - Length: 1220 mm Width: 610 mm Weight: 23,50 kg

Art. no. 1000591

Old art. no. 113880

EAN



- 2x more cutting power compared to standard reel mowers
- 60% easier to push than other reel mowers
- Cut height adjustable between 2 cm-10 cm
- Compatible with grass catcher

### StaySharp Grass Catcher

Height: - Length: 550 mm Width: 540 mm Weight: 1900 g

Art. no. 1000592

Old art. no. 113883

EAN



- Simple tool-free assembly to Fiskars StaySharp™ Max Mower
- Effective capacity of approximately 18 litres
- UV and mildew resistant polyester screen and heavy duty steel frame for long lasting performance



# Plant care

Scissors [p.40](#)

Pruners [p.42](#)

Loppers [p.47](#)

Hedge Shears [p.51](#)

Tree Pruners [p.53](#)

Accessories [p.53](#)

# The orange classics

2017 is the 50th anniversary year for the orange handled Fiskars Classic scissors, design icons that have been popular for a half a century. We have sold over a billion pairs in that time and a billion pairs must mean that there are a billion stories to be told. We asked our fans to tell us their scissor-related stories and you can read the best ones at: [www.fiskars.co.uk/billion-stories](http://www.fiskars.co.uk/billion-stories)



## Scissors

Every household needs at least one pair of our orange handled scissors and our garden scissors are ideal for precise cutting and trimming tasks. The carbon steel blades easily cut through materials from fine wire to flower stems.

### Universal Garden Scissors 18 cm S92

Height: 25 mm Length: 185 mm Width: 80 mm Weight: 70 g

Art. no. 1000555

Old art. no. 111030



- For cutting flowers and plants.
- Handles made from impact-resistant PBT.
- Serrated lower blade for better control, preventing the flower or plant from slipping forwards.



# Pick the right pruner



## Quantum™

- High-quality aluminium body balanced by comfortable cork TruGrip™ handles
- Clean, accurate cutting thanks to TruEdge™ blade technology including precision ground hardened steel and anti-friction coating

## PowerGearX™

- Patented PowerGear™ mechanism makes cutting 3,5 times easier compared to standard mechanisms
- Blades made from extra hard, corrosion resistant steel (CrMoV) ensures that they stay sharper longer
- Unique rotating handle movement ensures that all fingers are used simultaneously and exert an equal but reduced pressure for maximum power and less effort on every cut

## SmartFit™

- Lightweight product, comfortable to use
- Ergonomic design
- Optimally shaped to fit the hand
- Fits your need - multi-purpose usage with adjustability of cutting capacity
- Fits small to large hands

## SingleStep™

- Lightweight and durable handles made from polypropylene
- Comfortable grip due to sturdy handles
- Steady cutting action due to well-balanced design

## PowerGear X™ pruners

The latest generation cutting tools are a true evolution of engineering and ergonomics, making pruning and lopping easier than ever before. This new range of cutting tools is surprisingly powerful, with the pioneering PowerGear mechanism creating 3x the power in each and every cut, significantly reducing the effort needed to prune. With super sharp PTFE coated precision blades designed to slice effortlessly through the toughest wood, the PowerGear X range is weather resistant, virtually unbreakable and features a new structural 3D soft grip for increased grip and optimal comfort. Guaranteed for 25 years.

<b>PowerGear X Pruner M Bypass PX92</b>				Art. no. <b>1023630</b>	 EAN 6 4 1 1 5 0 1 1 1 0 1 4 5
Height: <b>40 mm</b>	Length: <b>205 mm</b>	Width: <b>69 mm</b>	Weight: <b>230 g</b>	Old art. no. -	



**NEW**

- For cutting of fresh branches up to Ø 20 mm.
- Unique PowerGear™ mechanism makes cutting up to 3,5 times easier vs standard mechanisms.
- Light-weight and durable FiberComp construction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance.
- Conformed SoftGrip™ handles for optimum comfort and balance.
- Optimised for small and medium hand sizes.

<b>PowerGear X Pruner L Anvil PX93</b>				Art. no. <b>1023629</b>	 EAN 6 4 1 1 5 0 1 1 1 0 1 3 8
Height: <b>40 mm</b>	Length: <b>215 mm</b>	Width: <b>75 mm</b>	Weight: <b>260 g</b>	Old art. no. -	



**NEW**

- For heavy cutting of hard branches up to Ø 26 mm.
- Unique PowerGear™ mechanism makes cutting up to 3,5 times easier vs standard mechanisms.
- Light-weight and durable FiberComp construction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance.
- Conformed SoftGrip™ handles for optimum comfort and balance.
- Optimised for medium and large hand sizes.

<b>PowerGear X Pruner L Bypass PX94</b>				Art. no. <b>1023628</b>	 EAN 6 4 1 1 5 0 1 1 1 0 1 2 1
Height: <b>40 mm</b>	Length: <b>215 mm</b>	Width: <b>75 mm</b>	Weight: <b>250 g</b>	Old art. no. -	



**NEW**

- For heavy cutting of fresh branches up to Ø 26 mm.
- Unique PowerGear™ mechanism makes cutting up to 3,5 times easier vs standard mechanisms.
- Light-weight and durable FiberComp construction and blades from extra hard, corrosion resistant steel (CrMoV) with PTFE coated upper blade for ultimate performance.
- Conformed SoftGrip™ handles for optimum comfort and balance.
- Optimised for medium and large hand sizes.

## Anvil or bypass?



### BYPASS

Both blade and counter blade press into the wood to make a clean cut with less compression damage (cutting blade bypasses counter blade in a scissors-like action). Possible to cut close to the stem. Best suitable for fresh wood.



### ANVIL

Upper blade is forced through the wood with greater pressure as the anvil blade supports the branch and spreads the pressure until the cut is complete. Best suitable for dry or dead wood.

## SmartFit™ pruners

There are a multitude of different plants and tasks in the modern gardens and consequently also gardeners with day-to-day varying needs. The SmartFit™ pruner optimises the combination of cutting speed, branch thickness and adjustability for varying hand sizes.

<b>SmartFit™ Pruner Bypass P68</b>				Art. no. <b>1001424</b>	EAN 6 4 1 1 5 0 1 1 1 6 1 0 9
Height: -	Length: <b>208 mm</b>	Width: <b>70 mm</b>	Weight: <b>190 g</b>	Old art. no. <b>111610</b>	



Multi-purpose pruner enables quick snipping of thinner branches as well as heavier of thicker branches up to 24 mm in diameter  
Safety in use and storage due to the convenient locking mechanism which is accessible with one hand  
Comfortable SoftGrip™ handles



## SingleStep™ & Solid™ pruners

<b>SingleStep™ Pruner Bypass P26</b>				Art. no. <b>1000567</b>	EAN 6 4 1 1 5 0 1 1 1 2 6 0 6
Height: <b>20 mm</b>	Length: <b>208 mm</b>	Width: <b>70 mm</b>	Weight: <b>200 g</b>	Old art. no. <b>111260</b>	



- For cutting fresh wood up to Ø 20 mm.
- Easier cutting and cleaning due to non-stick coating on the upper blade.
- Carbon steel blades.

<b>SingleStep™ Pruner Anvil P25</b>				Art. no. <b>1000564</b>	EAN 6 4 1 1 5 0 1 1 1 2 5 0 7
Height: <b>20 mm</b>	Length: <b>198 mm</b>	Width: <b>75 mm</b>	Weight: <b>180 g</b>	Old art. no. <b>111250</b>	



- For cutting dry and hard wood up to Ø 20 mm.
- Increased durability and stable cut due to anvil blade configuration.
- Easier cutting and cleaning due to non-stick coating on the upper blade.
- Carbon steel blades.

<b>Solid™ Snip Pruner Bypass P32</b>				Art. no. <b>1020191</b>	EAN 6 4 1 1 5 0 1 1 1 1 8 0 7
Height: <b>19 mm</b>	Length: <b>197 mm</b>	Width: <b>55 mm</b>	Weight: <b>182 g</b>	Old art. no. <b>111180</b>	



- Optimised for quick snipping of plants and thinner branches.
- Ultra durable construction.
- Comfortable SoftGrip™ handles.

## Quantum™ pruner

### Quantum™ Pruner Bypass P100

Height: 20 mm Length: 215 mm Width: 75 mm Weight: 280 g

Art. no. 1001434

Old art. no. 111970

EAN




- Optimised for cutting fresh twigs and branches up to Ø 26 mm.
- The blade adjustment mechanism prevents the blades from loosening thus lengthening the lifetime of the pruner.
- Natural cork handles for ultimate comfort.



# New PowerGearX™

### POWER GEAR X RANGE



### KEY BENEFITS

- ✓ Up to 3x more cutting power with patented gear mechanism
- ✓ Durable and light to handle with aluminium shafts
- ✓ Firm grip with comfortable SoftGrip™ handles

# PowerGear X™ Loppers

<b>PowerGearX™ Lopper Bypass S LX92</b>				Art. no. <b>1020186</b>	EAN 6 411501 122605
Height: <b>250 mm</b>	Length: <b>570 mm</b>	Width: <b>230 mm</b>	Weight: <b>832 g</b>	Old art. no. <b>112260</b>	



- For frequent cutting of fresh wood up to Ø 38 mm.
- Bypass blades for easy catching of branches and clean cuts.
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.

<b>PowerGearX™ Lopper Bypass M LX94</b>				Art. no. <b>1020187</b>	EAN 6 411501 123909
Height: <b>250 mm</b>	Length: <b>640 mm</b>	Width: <b>230 mm</b>	Weight: <b>1190 g</b>	Old art. no. <b>112390</b>	



- For frequent cutting of fresh wood up to Ø 50 mm.
- Bypass blades for easy catching of branches and clean cuts.
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.

<b>PowerGearX™ Lopper Bypass L LX98</b>				Art. no. <b>1020188</b>	EAN 6 411501 124906
Height: <b>250 mm</b>	Length: <b>800 mm</b>	Width: <b>255 mm</b>	Weight: <b>1342 g</b>	Old art. no. <b>112490</b>	



- For heavy cutting of fresh wood up to Ø 50 mm.
- Bypass blades for easy catching of branches and clean cuts.
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.

<b>PowerGearX™ Lopper Anvil L LX99</b>				Art. no. <b>1020189</b>	EAN 6 411501 124401
Height: <b>250 mm</b>	Length: <b>800 mm</b>	Width: <b>255 mm</b>	Weight: <b>1357 g</b>	Old art. no. <b>112440</b>	



- For heavy cutting of hard and dry wood up to Ø 55 mm.
- Anvil blade configuration for added durability and effective cuts.
- Durable and light to handle due to aluminium shafts and comfortable SoftGrip™ handle.

# PowerGear™ & SmartFit™ Loppers

<b>PowerGear™ Lopper Bypass, Hook Head (L) L78</b>				Art. no. <b>1000584</b>	EAN 6 411501 125903
Height: -	Length: <b>692 mm</b>	Width: <b>180 mm</b>	Weight: <b>1060 g</b>	Old art. no. <b>112590</b>	



- Easier cutting of hard, dry wood up to 50 mm in diameter
- Anvil blade configuration for added durability and effectiveness of cut
- Upper blade made from high-quality hardened carbon steel

<b>PowerGear™ Lopper Anvil (L) L77</b>				Art. no. <b>1000583</b>	EAN 6 411501 125804
Height: -	Length: <b>686 mm</b>	Width: <b>257 mm</b>	Weight: <b>1050 g</b>	Old art. no. <b>112580</b>	



- For heavy cutting of hard and dry wood up to 50 mm in diameter
- Very lightweight due to FiberComp™ shaft
- Anvil blade configuration for added durability and effectiveness of cut

<b>PowerGear™ Lopper Bypass, Hook Head (M) L74</b>				Art. no. <b>1000582</b>	EAN 6 411501 122902
Height: -	Length: <b>545 mm</b>	Width: <b>183 mm</b>	Weight: <b>550 g</b>	Old art. no. <b>112290</b>	



- For cutting of fresh wood up to 38 mm in diameter
- Very lightweight due to FiberComp™ shaft
- Bypass blades for easy catching of branches and a clean cuts

<b>PowerGear™ Lopper Anvil (S) L31</b>				Art. no. <b>1000581</b>	EAN 6 411503 961707
Height: -	Length: <b>387 mm</b>	Width: <b>180 mm</b>	Weight: <b>380 g</b>	Old art. no. <b>112170</b>	



- For cutting of hard, dry wood up to 35 mm in diameter
- Very lightweight due to FiberComp™ shaft
- Steady cutting with anvil blade configuration

<b>SmartFit™ Lopper L86</b>				Art. no. <b>1013564</b>	EAN 6 411501 125002
Height: -	Length: <b>665 mm</b>	Width: <b>249 mm</b>	Weight: <b>1280 g</b>	Old art. no. <b>112500</b>	



- For cutting of branches up to 40 mm in diameter both far and near
- Optimal working position due to adjustable shaft length between 665 - 915mm
- Hooked bypass blades for easy catching of branches and a clean cuts

## SingleStep™ & Quantum™ loppers

### SingleStep™ Lopper Bypass Hook head (S) L28

Height:	-	Length:	495 mm	Width:	185 mm	Weight:	950 g
---------	---	---------	--------	--------	--------	---------	-------

Art. no. 1001432

Old art. no. 112160

EAN



- For cutting of fresh wood
- Cutting capacity: 35 mm
- Blade material: hardened steel, non-stick coating

### SingleStep™ Lopper Bypass Hook Head (L) L38

Height:	-	Length:	816 mm	Width:	346 mm	Weight:	1170 g
---------	---	---------	--------	--------	--------	---------	--------

Art. no. 1001426

Old art. no. 112460

EAN



- For heavy cutting of fresh wood
- Cutting capacity: 40 mm
- Blade material: hardened steel, non-stick coating

### Quantum™ Lopper Bypass (L) L108

Height:	22 mm	Length:	800 mm	Width:	255 mm	Weight:	1340 g
---------	-------	---------	--------	--------	--------	---------	--------

Art. no. 1001435

Old art. no. 112630

EAN



- Optimised for heavy cutting of fresh wood up to Ø 50 mm.
- Light weight yet durable with aluminium shaft.
- Ultimate usage comfort with natural cork handles.

### Quantum™ Lopper Bypass (M) L104

Height:	22 mm	Length:	640 mm	Width:	203 mm	Weight:	1190 g
---------	-------	---------	--------	--------	--------	---------	--------

Art. no. 1001438

Old art. no. 112330

EAN



- Optimised for heavy cutting of fresh wood up to Ø 28 mm.
- Light weight yet durable with aluminium shaft.
- Ultimate usage comfort with natural cork handles.

### Quantum™ Lopper Bypass Scissor Head (S) L102

Height:	22 mm	Length:	570 mm	Width:	230 mm	Weight:	830 g
---------	-------	---------	--------	--------	--------	---------	-------

Art. no. 1001436

Old art. no. 112240

EAN



- Optimised for precision cutting of fresh wood up to Ø 28 mm.
- Light weight yet durable with aluminium shaft.
- Ultimate usage comfort with natural cork handles.

# Hedge shears

Fiskars has a full range of shears whether your interest is topiary, annual growth control, or simply a nice straight line in your hedge. From robust SingleStep action hedge shears to adjustable telescopic shears. For the toughest jobs, we have shears featuring our unique PowerGear™ technology, which can triple your cutting power right up to the tip.



NEW

**PowerGearX™**  
Very durable and saving effort up to 3x with PowerGear™ cutting mechanism



**PowerGear™**  
Saving effort due to the PowerGear™ cutting mechanism



**SmartFit™**  
Optimal working position due to adjustable shaft length



**SingleStep™**  
Sturdy and comfortable



**Quantum™**  
Ultimate usage comfort due to natural cork handles

# Hedge Shears

<b>PowerGear X Hedge Shear HSX92</b>				Art. no. <b>1023631</b>	EAN 6 4 1 1 5 0 1 1 4 0 0 6 7
Height: <b>30 mm</b>	Length: <b>630 mm</b>	Width: <b>165 mm</b>	Weight: <b>808 g</b>	Old art. no. -	



NEW

- For effortless trimming of hedges and bushes.
- Unique PowerGear™ mechanism makes cutting up to 3 times easier vs standard mechanisms.
- Lightweight and durable with PTFE coated precision ground blades.
- Optimum comfort and balance with SoftGrip™ handle construction.

<b>PowerGear™ Hedge Shear HS72</b>				Art. no. <b>1000596</b>	EAN 6 4 1 1 5 0 1 1 4 7 9 0 5
Height: <b>45 mm</b>	Length: <b>570 mm</b>	Width: <b>165 mm</b>	Weight: <b>630 g</b>	Old art. no. <b>114790</b>	



- For easy trimming of hedges and bushes.
- Saving effort up to 3x with PowerGear™ cutting mechanism.
- Very lightweight due to FiberComp™ handle.

<b>SmartFit™ Hedge Shear HS86</b>				Art. no. <b>1013565</b>	EAN 6 4 1 1 5 0 1 1 4 8 0 0 1
Height: <b>45 mm</b>	Length: <b>675 mm</b>	Width: <b>215 mm</b>	Weight: <b>1250 g</b>	Old art. no. <b>114800</b>	





- Telescopic
- For trimming of hedges and bushes both far and near.
- Optimal working position due to adjustable shaft length between 675 - 925 mm.
- Comfortable, non-slip SoftGrip™ handles.

<b>SingleStep™ Hedge Shear Wavy Blade HS22</b>				Art. no. <b>1001433</b>	EAN 6 4 1 1 5 0 1 1 4 7 3 0 1
Height: <b>45 mm</b>	Length: <b>580 mm</b>	Width: <b>190 mm</b>	Weight: <b>840 g</b>	Old art. no. <b>114730</b>	



- For trimming hedges and bushes.
- Sturdy and comfortable handles of glassfibre reinforced polypropene (PPGF).
- Hardened steel blades with non-stick coating.

<b>Quantum™ Hedge Shear HS102</b>				Art. no. <b>1001449</b>	EAN 6 4 1 1 5 0 1 1 4 8 2 0 9
Height: <b>40 mm</b>	Length: <b>631 mm</b>	Width: <b>170 mm</b>	Weight: <b>960 g</b>	Old art. no. <b>114820</b>	






- For easy trimming of hedges and bushes.
- Saving effort up to 3x with PowerGear™ cutting mechanism.
- Ultimate usage comfort with natural cork handles and padded stoppers.

# Tree Pruners

Fiskars Universal Garden Cutters are multi-use tools that allow accessibility to tree crowns and dense bushes, enabling the gardener to trim overhead without needing a ladder, or at ground level without bending or kneeling.

<b>Tree Pruner Bypass Telescopic UP86</b>				Art. no. <b>1000598</b>	EAN 6 4 1 1 5 0 2 1 9 6 5 6 3 8
Height: -	Length: <b>2416 mm</b>	Width: <b>102 mm</b>	Weight: <b>1620 g</b>	Old art. no. <b>115560</b>	





Bypass cutting action for cutting fresh wood  
Shaft length adjustable from 2400 - 4000 mm enabling a maximum reach of 6 meters  
Adjustable cutting angle up to 230°  
Handy locking mechanism

<b>Tree Pruner Bypass UP82</b>				Art. no. <b>1001558</b>	EAN 6 4 1 1 5 0 1 9 6 3 6 3 5
Height: -	Length: <b>1580 mm</b>	Width: <b>102 mm</b>	Weight: <b>770 g</b>	Old art. no. <b>115360</b>	






Bypass cutting action for cutting fresh wood  
Cutting reach vertically about 3,5 meters  
Adjustable cutting angle up to 230°  
Can be used with extension pole 1001560 (110460)

<b>Tree Pruner Anvil UP53</b>				Art. no. <b>1000597</b>	EAN 6 4 1 1 5 0 1 9 6 3 5 0 5
Height: -	Length: <b>1610 mm</b>	Width: <b>118 mm</b>	Weight: <b>740 g</b>	Old art. no. <b>115350</b>	



Anvil cutting action for cutting dry and hard wood  
Cutting reach vertically about 3,5 meters  
Adjustable cutting angle up to 26°

# Accessories

<b>Maintenance Kit</b>				Art. no. <b>1001640</b>	EAN 6 4 1 1 5 0 1 9 6 9 9 0 3
Height: -	Length: <b>104 mm</b>	Width: <b>197 mm</b>	Weight: <b>135 g</b>	Old art. no. <b>110990</b>	



For regular maintenance chores of our Fiskars garden tools  
Includes a maintenance guidebook, diamond file and oil  
Instructions on sharpening, oiling, washing, storage etc. is detailed in pictures and symbols



# Kids tools

## MyFirst Fiskars children's tools

<b>MyFirst Fiskars Shovel</b>				Art. no. <b>1001421</b>	EAN 6 411501 381804
Height: <b>107 mm</b>	Length: <b>881 mm</b>	Width: <b>190 mm</b>	Weight: <b>400 g</b>	Old art. no. <b>138180</b>	



- Fibre reinforced plastic scoop for maximum functionality and long-term durability.

<b>MyFirst Fiskars Spade</b>				Art. no. <b>1001420</b>	EAN 6 411501 381705
Height: <b>45 mm</b>	Length: <b>910 mm</b>	Width: <b>168 mm</b>	Weight: <b>300 g</b>	Old art. no. <b>138170</b>	



- Fibre reinforced plastic scoop for maximum functionality and long-term durability.

<b>MyFirst Fiskars Rake</b>				Art. no. <b>1001419</b>	EAN 6 411501 381606
Height: <b>39 mm</b>	Length: <b>868 mm</b>	Width: <b>190 mm</b>	Weight: <b>200 g</b>	Old art. no. <b>138160</b>	



- Flexible plastic tines for maximum functionality and long term durability.

<b>MyFirst Fiskars Broom</b>				Art. no. <b>1001418</b>	EAN 6 411501 381507
Height: <b>68 mm</b>	Length: <b>830 mm</b>	Width: <b>198 mm</b>	Weight: <b>400 g</b>	Old art. no. <b>138150</b>	



- Thick but soft plastic bristles for maximum usage comfort, functionality and long term durability.







Fiskars has been a part of the evolution of tools since 1649. Our scissors have cut millions of meters of fabrics. Our axes have worked millions of trunks. Our knives have cut millions of slices of bread. Our pans have fried millions of carefully marinated steaks – all with a superior outcome.

**KITCHEN | GARDEN | CRAFTING | SEWING | SCHOOL & OFFICE | BEAUTY**