

SAFETY DATA SHEET Crackle Touch Step 1 Gold

According to Regulation (EC) No 1907/2006, Annex II, as amended., COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Crackle Touch Step 1 Gold
Product number 440.0000482.076.08012015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Paint.

Uses advised againstNo specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier PlastiKote Ltd.

675 Eskdale Road,

Winnersh,

Wokingham, Berkshire,

RG41 5TS

T: +44 (0) 844 736 2235 sds@plasti-kote.co.uk

1.4. Emergency telephone number

Emergency telephone +44(0) 844 736 2235

08:00 - 17:00 h (UK)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC/1272/2008)

Physical hazards Aerosol 1 - H222, H229

Health hazards Eye Irrit. 2 - H319 STOT SE 3 - H336

Environmental hazards Not Classified

2.2. Label elements

Pictogram





Signal word Danger

Hazard statements H222 Extremely flammable aerosol.

H229 Pressurised container: may burst if heated

H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

Precautionary statements P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P271 Use only outdoors or in a well-ventilated area.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER/ doctor if you feel unwell.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label

information

EUH066 Repeated exposure may cause skin dryness or cracking.

Contains Acetone, Ethyl methyl ketone

Supplementary precautionary

P261 Avoid breathing vapour/ spray.

statements

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P337+P313 If eye irritation persists: Get medical advice/ attention.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Acetone 30-60%

CAS number: 67-64-1 EC number: 200-662-2

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336

Propane 10-30%

CAS number: 74-98-6 EC number: 200-827-9

Classification

Flam. Gas 1 - H220

Press. Gas, Liquefied - H280

Ethyl methyl ketone 10-30%

CAS number: 78-93-3 EC number: 201-159-0

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336

Crackle Touch Step 1 Gold

Butane 5-10%

CAS number: 106-97-8 EC number: 203-448-7

Classification

Flam. Gas 1 - H220

Press. Gas, Liquefied - H280

Xylene 5-10%

CAS number: 1330-20-7 EC number: 215-535-7

Classification

Flam. Liq. 3 - H226 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315

Ethylbenzene 1-5%

CAS number: 100-41-4 EC number: 202-849-4

Classification

Flam. Liq. 2 - H225 Acute Tox. 4 - H332 STOT RE 2 - H373 Asp. Tox. 1 - H304

Iron oxide 1-5%

CAS number: 1309-37-1 EC number: 215-168-2

Classification

Not Classified

Barium sulfate <1%

CAS number: 7727-43-7 EC number: 231-784-4

Substance with National workplace exposure limits.

Classification

Not Classified

Aluminium powder (stabilised) <1%

CAS number: 7429-90-5 EC number: 231-072-3

Classification

Flam. Sol. 1 - H228 Water-react. 2 - H261

Crackle Touch Step 1 Gold

Methyl methacrylate <0.1%

CAS number: 80-62-6 EC number: 201-297-1

Classification

Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 STOT SE 3 - H335

2-Methoxy-1-methylethyl acetate <0.1%

Classification

Flam. Liq. 3 - H226

Ethanol <0.1%

CAS number: 64-17-5 EC number: 200-578-6

Classification

Flam. Liq. 2 - H225

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person warm and at rest. If in doubt, get medical

attention promptly.

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention if any

discomfort continues.

Skin contact Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of

water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation Vapours may cause headache, fatigue, dizziness and nausea. Overexposure to organic

solvents may depress the central nervous system, causing dizziness and intoxication and, at

very high concentrations, unconsciousness and death.

Ingestion Due to the physical nature of this product, it is unlikely that ingestion will occur. May cause

nausea, headache, dizziness and intoxication.

Skin contact Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

Eye contact Irritation of eyes and mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Crackle Touch Step 1 Gold

Notes for the doctor Treat symptomatically.

Specific treatmentsNo specific chemical antidote is known to be required after exposure to this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Pressurised container: may burst if heated The product is extremely flammable. In use may

form flammable/explosive vapour-air mixture.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon.

5.3. Advice for firefighters

Protective actions during

firefighting

Cool containers exposed to heat with water spray and remove them from the fire area if it can

be done without risk. Use water spray to reduce vapours.

Special protective equipment

for firefighters

Wear chemical protective suit. Use air-supplied respirator, gloves and protective goggles.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid heat, flames and other sources of ignition. Provide adequate ventilation. If ventilation is

inadequate, suitable respiratory protection must be worn. Avoid inhalation of vapours/spray

and contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Exposure to aquatic environment unlikely. Avoid discharge into drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Provide adequate ventilation. Absorb spillage with oil-absorbing material.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health

hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. During application and drying, solvent

vapours will be emitted. Avoid inhalation of vapours and spray/mists. Keep away from heat, sparks and open flame. When sprayed on a naked flame or any incandescent material the

aerosol vapours can be ignited.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Avoid exposing aerosol containers to high temperatures or direct sunlight. Keep away from

heat, sparks and open flame. Store in a cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Acetone

Long-term exposure limit (8-hour TWA): WEL 500 ppm 1210 mg/m³ Short-term exposure limit (15-minute): WEL 1500 ppm 3620 mg/m³

Ethyl methyl ketone

Long-term exposure limit (8-hour TWA): WEL 200 ppm 600 mg/m³ Short-term exposure limit (15-minute): WEL 300 ppm 899 mg/m³ Sk

Butane

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m³ Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m³

Xylene

Long-term exposure limit (8-hour TWA): WEL 50 ppm 220 mg/m³ Short-term exposure limit (15-minute): WEL 100 ppm 441 mg/m³ Sk

Ethylbenzene

Long-term exposure limit (8-hour TWA): WEL 100 ppm 441 mg/m³ Short-term exposure limit (15-minute): WEL 125 ppm 552 mg/m³ Sk

Iron oxide

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³ fume Short-term exposure limit (15-minute): WEL 10 mg/m³ fume as Fe

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

Barium sulfate

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

Aluminium powder (stabilised)

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

Methyl methacrylate

Long-term exposure limit (8-hour TWA): WEL 50 ppm 208 mg/m³ Short-term exposure limit (15-minute): WEL 100 ppm 416 mg/m³

2-Methoxy-1-methylethyl acetate

Long-term exposure limit (8-hour TWA): WEL 50 ppm 274 mg/m³ Short-term exposure limit (15-minute): WEL 100 ppm 548 mg/m³ Sk

Ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³ WEL = Workplace Exposure Limit Sk = Can be absorbed through the skin.

8.2. Exposure controls

Protective equipment



Appropriate engineering

controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or

ingredients.

Eye/face protection Personal protective equipment for eye and face protection should comply with European

Standard EN166. Eyewear complying with an approved standard should be worn if a risk

assessment indicates eye contact is possible.

Hand protectionTo protect hands from chemicals, gloves should comply with European Standard EN374.

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Wear protective gloves made of the following material: Butyl rubber. Nitrile rubber. Frequent changes are recommended. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer,

who can provide information about the breakthrough time of the glove material.

Hygiene measures When using do not eat, drink or smoke. Wash promptly if skin becomes contaminated. Wash

at the end of each work shift and before eating, smoking and using the toilet. Promptly remove

non-impervious clothing that becomes contaminated.

Respiratory protection This product must not be handled in a confined space without adequate ventilation. If

ventilation is inadequate, suitable respiratory protection must be worn. Contains low-boiling liquids. Use an air-supplied respirator, if necessary. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is

possible.

Thermal hazards Contact with liquid form may cause frostbite.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Aerosol.

Colour Gold.

Odour Organic solvents.

pH Not relevant. The product is insoluble in water.

Melting point Not available. Technically not feasible.

Initial boiling point and range -42 °C - 0°C @ 760 mm Hg

Flash point <-60°C CC (Closed cup).

Evaporation rateNo information available. The product contains volatile organic compounds (VOCs) which will

evaporate easily from all surfaces.

Upper/lower flammability or

explosive limits

Lower flammable/explosive limit: 2 % Upper flammable/explosive limit: 10 %

Vapour pressure 1000 mbar @ 20°C

Vapour density > 1 Vapours are heavier than air and may spread near ground and travel a considerable

distance to a source of ignition and flash back.

Relative density ~ 0.85

Solubility(ies) Immiscible with water. Soluble in the following materials: Organic solvents.

Crackle Touch Step 1 Gold

Auto-ignition temperature ~450°C

Viscosity No information available.

Explosive properties Not considered to be explosive.

Explosive under the influence

of a flame

The product is extremely flammable.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Volatility Highly volatile.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not applicable.

10.4. Conditions to avoid

Conditions to avoid When sprayed on a naked flame or any incandescent material the aerosol vapours can be

ignited. Avoid heat, flames and other sources of ignition. Avoid exposure to high temperatures

or direct sunlight.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None at ambient temperatures. Thermal decomposition or combustion products may include

the following substances: Carbon dioxide (CO2). Carbon monoxide (CO).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 16,320.47

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

ATE inhalation (vapours mg/l) 142.51

Skin corrosion/irritation

Animal data May cause defatting of the skin but is not an irritant. Repeated exposure may cause skin

dryness or cracking.

Extreme pH Not relevant.

Crackle Touch Step 1 Gold

Serious eye damage/irritation

Serious eye damage/irritation Irritating to eyes. Vapour or spray in the eyes may cause irritation and smarting.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroBased on available data the classification criteria are not met.

Genotoxicity - in vivoBased on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

Based on available data the classification criteria are not met.

development

Specific target organ toxicity - single exposure

STOT - single exposure Central nervous system depression. Vapours may cause drowsiness and dizziness.

Target organs No specific target organs known.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not relevant.

Inhalation Vapours may cause headache, fatigue, dizziness and nausea. Overexposure to organic

solvents may depress the central nervous system, causing dizziness and intoxication and, at

very high concentrations, unconsciousness and death.

Ingestion Due to the physical nature of this product, it is unlikely that ingestion will occur. May cause

nausea, headache, dizziness and intoxication.

Skin contact Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

Eye contact Irritation of eyes and mucous membranes.

Acute and chronic health

hazards

A single exposure may cause the following adverse effects: Drowsiness.

Route of entry Inhalation Dermal

Target organs No specific target organs known.

Medical symptoms Fatigue. Headache. Coughing. Dry skin.

Medical considerations Skin disorders and allergies.

Toxicological information on ingredients.

<u>Acetone</u>

Acute toxicity - oral

Crackle Touch Step 1 Gold

Acute toxicity oral (LD50

mg/kg)

5,800.0

Species Rat

Notes (oral LD50) REACH dossier information.

ATE oral (mg/kg) 5,800.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 15,800.0

mg/kg)

Species Rabbit

Notes (dermal LD50) REACH dossier information.

ATE dermal (mg/kg) 15,800.0

Acute toxicity - inhalation

Acute toxicity inhalation

(LC₅₀ vapours mg/l)

132.0

Species Rat

Notes (inhalation LC₅₀) REACH dossier information.

ATE inhalation (vapours

mg/l)

132.0

Skin corrosion/irritation

Animal data Dose: 0.01mL, 3 days, Rat

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye

Slightly irritating

damage/irritation

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Chromosome aberration: Negative.

Based on available data the classification criteria are not met.

Genotoxicity - in vivo Chromosome aberration: Negative.

Based on available data the classification criteria are not met.

Carcinogenicity

NOEL 79 mg/mouse/application, Dermal, Mouse Carcinogenicity

Based on available data the classification criteria are not met.

Target organ for

carcinogenicity

Not relevant.

Reproductive toxicity

Crackle Touch Step 1 Gold

Reproductive toxicity -

fertility

One-generation study - NOEL 4858 mg/kg/day, Oral, Mouse P Based on available data the classification criteria are not met.

Reproductive toxicity -

development

Maternal toxicity: - NOAEC: 2200 ppm, Inhalation, Rat

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure A single exposure may cause the following adverse effects: Drowsiness, dizziness,

disorientation, vertigo.

Target organs Central nervous system

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Target organs Not relevant.

Aspiration hazard

Not anticipated to present an aspiration hazard, based on chemical structure. Aspiration hazard

Propane

Acute toxicity - oral

Technically not feasible. Notes (oral LD₅₀)

Acute toxicity - dermal

Notes (dermal LD50) Technically not feasible.

Acute toxicity - inhalation

Acute toxicity inhalation

(LC₅₀ gases ppmV)

800,000.0

Species Rat

Notes (inhalation LC50) REACH dossier information.

ATE inhalation (gases

ppm)

800,000.0

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Based on available data the classification criteria are not met. Skin sensitisation

Germ cell mutagenicity

Genotoxicity - in vitro Chromosome aberration: Negative. Based on available data the classification

criteria are not met.

Chromosome aberration: Negative. Based on available data the classification Genotoxicity - in vivo

criteria are not met.

Crackle Touch Step 1 Gold

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity -

fertility

Screening - NOAEC 9000 ppm, Inhalation, Rat P Based on available data the

classification criteria are not met.

Reproductive toxicity -

development

Maternal toxicity: - NOAEC: 12000 ppm, Inhalation, Rat Based on available data

the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

Ethyl methyl ketone

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

2,054.0

Species Rat

Notes (oral LD₅₀) REACH dossier information.

ATE oral (mg/kg) 2,054.0

Acute toxicity - dermal

Notes (dermal LD₅₀) No information available.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) No information available.

Skin corrosion/irritation

Animal data Dose: 0.5 mL, 4 hours, Rabbit Erythema/eschar score: No erythema (0). Oedema

score: No oedema (0).

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye

Slightly irritating.

damage/irritation

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation Buehler test - Guinea pig: Not sensitising.

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroGene mutation: Negative.

Based on available data the classification criteria are not met.

Crackle Touch Step 1 Gold

Genotoxicity - in vivo Chromosome aberration: Negative.

Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity -

fertility

Two-generation study - NOAEL 1644 mg/kg/day, Oral, Rat F1 Based on available data the classification criteria are not met.

Reproductive toxicity -

Teratogenicity: - NOAEC: ~1002 ppm, Inhalation, Rat

development Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure STOT SE 3 - H336 May cause drowsiness or dizziness.

Target organs Central nervous system

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEC 5041 ppm, Inhalation, Rat

Based on available data the classification criteria are not met.

Target organs No specific target organs known.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Butane

Acute toxicity - oral

Notes (oral LD₅₀) Technically not feasible.

Acute toxicity - dermal

Notes (dermal LD₅₀) Technically not feasible.

Acute toxicity - inhalation

Acute toxicity inhalation

(LC₅₀ gases ppmV)

539,600.0

Species Mouse

Notes (inhalation LC50) REACH dossier information. Based on available data the classification criteria are

not met.

ATE inhalation (gases

539,600.0

ppm)

Skin corrosion/irritation

Animal dataBased on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye Based on available data the classification criteria are not met.

damage/irritation

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Crackle Touch Step 1 Gold

Skin sensitisation Technically not feasible.

Germ cell mutagenicity

Genotoxicity - in vitroBacterial reverse mutation test: Negative. Based on available data the classification

criteria are not met.

Carcinogenicity

Carcinogenicity Not determined. Scientifically unjustified.

Reproductive toxicity

Reproductive toxicity -

fertility

Fertility - NOAEC 9000 ppm, Inhalation, Rat P REACH dossier information. Based

on available data the classification criteria are not met.

Reproductive toxicity -

development

Maternal toxicity: - NOAEC: 12000 ppm, Inhalation, Rat REACH dossier information. Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEC 9000 ppm, Inhalation, Rat REACH dossier information. Based on available

data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

Xylene

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

3,523.0

Species Rat

Notes (oral LD₅₀) REACH dossier information. Based on available data the classification criteria are

not met.

ATE oral (mg/kg) 3,523.0

Acute toxicity - dermal

Notes (dermal LD50) Harmful in contact with skin.

ATE dermal (mg/kg) 1,100.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅ gases ppmV)

6,700.0

Species Rat

Acute toxicity inhalation

(LC₅₀ vapours mg/l)

29.0

Species Rat

Notes (inhalation LC₅₀) Harmful by inhalation.

ATE inhalation (vapours

mg/l)

11.0

Crackle Touch Step 1 Gold

Skin corrosion/irritation

Animal data Rabbit Primary dermal irritation index: 2.21

REACH dossier information. Moderately irritating.

Extreme pH Moderate pH (> 2 and < 11.5).

Serious eye damage/irritation

Serious eye

Based on available data the classification criteria are not met.

damage/irritation

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Not sensitising.

REACH dossier information. Based on available data the classification criteria are

not met.

Germ cell mutagenicity

Genotoxicity - in vitroChromosome aberration: Negative.

REACH dossier information. Based on available data the classification criteria are

not met.

Genotoxicity - in vivo Chromosome aberration: Negative.

REACH dossier information. Based on available data the classification criteria are

not met.

Carcinogenicity

Carcinogenicity NOAEL 1000 mg/kg/day, Oral, Rat

REACH dossier information. No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Reproductive toxicity -

Two-generation study - NOAEC 500 ppm, Inhalation, Rat P

fertility

REACH dossier information. Based on available data the classification criteria are

not met.

Reproductive toxicity -

Developmental toxicity: - NOAEC: 500 ppm, Inhalation,

development

REACH dossier information. Based on available data the classification criteria are

not met.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEC 500 ppm, Inhalation, Rat

REACH dossier information. Not classified as a specific target organ toxicant after

repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity Not considered toxic to fish.

Ecological information on ingredients.

Acetone

Toxicity Not considered toxic to fish.

Acute toxicity - fish LC₅₀, 96 hours: 5540 mg/l, Onchorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 12700 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

NOEC, 192 hours: 530 mg/l, Microcystis aeruginosa

Chronic toxicity - aquatic

invertebrates

NOEC, 28 days: 2212 mg/l, Daphnia magna

Propane

Acute toxicity - fish LC₅₀, 96 hours: 27.98 mg/l, Estimated value.

Acute toxicity - aquatic

invertebrates

LC₅₀, 48 hours: 14.22 mg/l, Estimated value.

Acute toxicity - aquatic

plants

EC₅₀, 96 hours: 7.71 mg/l, Estimated value.

Chronic toxicity - fish early No information available.

life stage

Ethyl methyl ketone

LC₅₀, 96 hours: 2993 mg/l, Pimephales promelas (Fat-head Minnow) Acute toxicity - fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 308 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅o, 96 hours: 2029 mg/l, Pseudokirchneriella subcapitata

Butane

LC₅₀, 96 hours: 24.1 mg/l, Acute toxicity - fish

Estimated value.

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 14.2 mg/l,

Estimated value.

Acute toxicity - aquatic

plants

EC₅₀, 96 hours: 7.7 mg/l,

Estimated value.

Xylene

LC₅₀, 96 hours: 2.6 mg/l, Onchorhynchus mykiss (Rainbow trout) Acute toxicity - fish

REACH dossier information.

Acute toxicity - aquatic

invertebrates

NOEC, 48 hours: 3.4 mg/l, Daphnia magna

REACH dossier information.

Acute toxicity - aquatic

plants

EC₅₀, 73 hours: 4.36 mg/l, Selenastrum capricornutum

REACH dossier information.

Crackle Touch Step 1 Gold

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known. The product contains volatile organic

compounds (VOCs) which will evaporate easily from all surfaces. Volatile substances are

degraded in the atmosphere within a few days.

Ecological information on ingredients.

Acetone

Persistence and degradability

The substance is readily biodegradable.

Phototransformation Water - DT₅o : 20-115 days

Stability (hydrolysis) No significant reaction in water.

Biodegradation Water - Degradation 90: 28 days

Propane

Persistence and

degradability

Highly volatile.

Phototransformation Water - DT₅₀: 1906 days

Stability (hydrolysis) Not applicable.

Biodegradation Water - 100%: 385.5 hours

Ethyl methyl ketone

Stability (hydrolysis) No information available.

Biodegradation Water - Degradation 98%: 28 days

The substance is readily biodegradable.

Butane

Phototransformation Not determined.

Stability (hydrolysis) No significant reaction in water.

Biodegradation Water - DT₅₀ : 3.5 days

Estimated value.

The substance is readily biodegradable.

Xylene

Phototransformation Water - DT₅₀: 1.09 days

Estimated value.

REACH dossier information.

Stability (hydrolysis) No significant reaction in water.

Biodegradation Water - Degradation 87.8: 28 days

REACH dossier information.

The substance is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Crackle Touch Step 1 Gold

Ecological information on ingredients.

Acetone

Bioaccumulative potential BCF: 3,

Estimated value.

Partition coefficient log Pow: -0.24

Propane

Partition coefficient log Pow: 1.09

Ethyl methyl ketone

Bioaccumulative potential No data available on bioaccumulation.

Butane

Bioaccumulative potential The product is not bioaccumulating.

<u>Xylene</u>

Bioaccumulative potential BCF: < 25.9,

The product is not bioaccumulating. REACH dossier information.

Partition coefficient log Pow: ~ 3.1

REACH dossier information.

12.4. Mobility in soil

Mobility The product is immiscible with water and will spread on the water surface. The product

contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

Ecological information on ingredients.

Acetone

Mobility Highly volatile. Soluble in water.

Henry's law constant 2.303 Pa m³/mol @ 15°C

Propane

Mobility Highly volatile.

Ethyl methyl ketone

Mobility Volatile.

Butane

Mobility The product is insoluble in water. Highly volatile.

Xylene

Mobility The product is insoluble in water and will spread on the water surface.

Crackle Touch Step 1 Gold

Adsorption/desorption

Water - log Koc: ~ 2.7 @ 25°C

coefficient

REACH dossier information.

Henry's law constant

~ 623 Pa m3/mol @ 25°C REACH dossier information.

Surface tension

~ 29 mN/m @ 25°C

REACH dossier information.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

Acetone

assessment

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria.

Propane

Results of PBT and vPvB

This substance is not classified as PBT or vPvB according to current EU criteria.

assessment

Ethyl methyl ketone

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria.

assessment

Butane

Results of PBT and vPvB assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

Xylene

Results of PBT and vPvB assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects

None known.

Ecological information on ingredients.

Acetone

Other adverse effects

None known.

Propane

Other adverse effects

None known.

Ethyl methyl ketone

Other adverse effects

None known.

Butane

Other adverse effects None known.

Xylene

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Information given is applicable to the product as supplied. When handling waste, the safety

precautions applying to handling of the product should be considered. Do not puncture or

incinerate, even when empty. Reuse or recycle products wherever possible.

Disposal methods Do not empty into drains. Dispose of waste product or used containers in accordance with

local regulations

Waste codes should be assigned by the user, preferably in discussion with the waste

disposal authorities.

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008

on waste and repealing certain Directives.

Waste class Information given is applicable to the product as supplied. [08 01 11*] / [20 01 27*]

SECTION 14: Transport information

General For limited quantity packaging/limited load information, consult the relevant modal

documentation using the data shown in this section.

14.1. UN number

UN No. (ADR/RID) 1950

UN No. (IMDG) 1950

UN No. (ICAO) 1950

UN No. (ADN) 1950

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

AEROSOLS

Proper shipping name (IMDG) AEROSOLS

Proper shipping name (ICAO) Aerosols, flammable

Proper shipping name (ADN) AEROSOLS

14.3. Transport hazard class(es)

ADR/RID class 2 (5F)

ADR/RID label 2.1

IMDG class 2.1

ICAO class/division 2.1

ADN class 2.1

Crackle Touch Step 1 Gold

Transport labels



14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS F-D, S-U

Tunnel restriction code (D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not relevant.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).

EH40/2005 Workplace exposure limits.

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on

waste and repealing certain Directives.

Health and environmental

listings

Regulation (EC) No 2037/2000 of the European Parliament and of the Council of 29 June 2000 on substances that deplete the ozone layer (as amended). Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants (as amended). Regulation (EC) 689/2008 of the European Parliament and of the Council of 17 June 2008 concerning the export and import of dangerous chemicals (as

amended).

None of the ingredients are listed.

Authorisations (Title VII Regulation 1907/2006)

No specific authorisations are known for this product.

Restrictions (Title VIII Regulation 1907/2006)

No specific restrictions on use are known for this product.

SEVESO P3a - Lower tier 150 tonnes, Upper tier 500 tonnes.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Crackle Touch Step 1 Gold

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association.

ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

ATE: Acute Toxicity Estimate.

LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).

LC₅₀: Lethal Concentration to 50 % of a test population. LOAEC: Lowest Observed Adverse Effect Concentration. NOAEC: No Observed Adverse Effect Concentration. EC₅₀: 50% of maximal Effective Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.

BCF: Bioconcentration Factor.

Kow: Octanol-water partition coefficient.

Classification abbreviations

and acronyms

Aerosol = Aerosol Eye Irrit. = Eye irritation

STOT SE = Specific target organ toxicity-single exposure

Classification procedures according to Regulation (EC)

1272/2008

Aerosol 1 - H222, H229: Bridging principle (Aerosols). Eye Irrit. 2 - H319, STOT SE 3 - H336:

Calculation method. EUH066: Expert judgement.

Revision date 01/03/2016

Revision 3

Supersedes date 08/01/2015

SDS number 805

Hazard statements in full H220 Extremely flammable gas.

H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour.

H228 Flammable solid.

H229 Pressurised container: may burst if heated H261 In contact with water releases flammable gases. H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.

H373 May cause damage to organs (Hearing organs) through prolonged or repeated

exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.