18Vx2 Brushless 460mm (18") Lawn Mower

Thakita

DLM460



makita

TRVX2 TRV+TRV SGV BRUSHLESS WHEN POWER MEANS BUSINESS

When you choose Makita Outdoor Power Equipment, you choose to be part of something bigger. Our complete line up of cordless outdoor solutions will revolutionise the way you work - empowering you with over a century of knowledge and expertise in crafting the world's most reliable tools. With the support of the world's largest 18V cordless system, you can be sure our Power Garden range will get the job done and more - no petrol or cord needed.



Product Objectives

- Designed to suit the needs of commercial users, landscapers, maintenance crews and home users
- Makita have developed a 18Vx2 Brushless steel deck lawn mower with a cutting capacity of 460mm (18")



Product Overview



Product Specification Sheet



| Grass box capacity | 60L |
|---------------------------------|--------------------|
| Cutting height adjustment range | 25-75mm, 5 Heights |
| No load speed | 3,300rpm |
| Max. cutting width | 460mm (18") |
| | |
| Recommended mowing area | 800m² |
| Overall length | 1,518mm |
| Skin weight | 26.4kg |
| Weight (with battery) | 27.6kg |
| Voltage | 36V (18Vx2) |

- Water resistance rating IPX4 lawn mower has an IPX4 rating protecting from splashing water, no matter the direction.
- Automatic Torque Drive will automatically increase the torque of the motor when dense lawn is detected
- 18Vx2 Brushless Motor powered by two 18V Li-ion batteries providing 36V of power and runtime without leaving the 18V platform
- **460mm (18") Steel deck** designed with a heavy duty steel deck for increased durability
- 2 Tooth bar type blade excellent cutting and mulching capacity
- **Quiet mode** reduces the rpm to 2,500 in order to significantly reduce the noise output of the mower
- **Mulch attachment –** provided as standard, providing the user the option to mulch or catch the lawn clippings
 - **5 stage height adjustment from 25-75mm –** allows the user to quickly and easily change the cutting height

Advantages

Power



Automatic Torque Drive Increases torque to meet demanding applications

Design



Cutting and mulching capacity

Durability



Efficiency



18Vx2 Brushless motor for increased power and runtime

Sur Range

| | DLM460 | DLM431 | DLM380 |
|---------------------------------|--------------------|--|----------------------|
| | | A REAL PROPERTY OF THE PROPERT | Con Con |
| Grass box capacity | 60L | 50L | 40L |
| Cutting height adjustment range | 25-75mm, 5 Heights | 20 - 75mm, 13 heights | 25 - 75mm, 6 heights |
| Blade type | 2 Tooth Bar | 2 Tooth Bar | 2 Tooth Bar |
| No load speed | 3,300rpm | 3,600rpm | 3,700rpm |
| Max. cutting width | 460mm (18") | 430mm | 380mm |
| Recommended mowing area | 800m² | 750m² | 540m² |
| Overall length | 1,518mm | 1,450mm | 1,145mm |
| Skin weight | 26.4kg | 17.1kg | 13.8kg |
| Weight (with battery) | 27.6kg | 18.3kg | 15.0kg |
| Voltage | 36V (18Vx2) | 36V (18V x 2) | 36V (18V x 2) |

Accessories

| Standard Accessories | | | |
|----------------------|-------------|------------------------|--|
| | 782210-8 | Box wrench 17 | |
| makilik | 127061-6 | Grass Catcher Assembly | |
| 0 | 643535-4 | Start Key | |
| 0 | 199367-2 | Mower blade set | |
| | 671.660.001 | Mulching Plug | |

